

Water-Data Report 2008

345327080241601 Local number UN-146, Piedmont Major Aquifer Study Site 54, near Monroe, NC

Piedmont and Blue Ridge crystalline-rock aquifers

Argillite

Union County, NC

LOCATION.--Lat 34°53'27", long 80°24'16" referenced to North American Datum of 1983, Union County, NC, Hydrologic Unit 03040105, on Secondary Road 1937, 3.1 mi east of U.S. Highway 601 and 9.8 mi southeast of Monroe.

WATER-QUALITY RECORDS

WELL CHARACTERISTICS.--Depth 250 ft. Upper casing diameter 6 in; top of first opening 50 ft, bottom of last opening 250 ft.

PERIOD OF RECORD.--December 2007.

REMARKS.--Well is part of the National Water Quality Assessment Program (NAWQA).

WATER-QUALITY DATA

WATER YEAR OCTOBER 2007 TO SEPTEMBER 2008

Part 1 of 19

[QC, quality control sample. Remark codes: <, less than; E, estimated; R, radchem non-detect, below ssLc; U, analyzed for but not detected.]

Date	Time	Sample medium and type	Depth to water level, feet below LSD (72019)	Water level, depth below MP, feet (61055)	Barometric pressure, mm Hg (00025)	Dissolved oxygen, mg/L (00300)	Dissolved oxygen, percent of saturation (00301)	pH, water, unfltrd field, std units (00400)	Specific conductance, wat unfltrd, μS/cm 25 degC (00095)
Dec									
04...	1130	Ground water, replicate	44.10	45.50	750	2.7	28	6.6	568
04...	1131	QC - Ground water, replicate	--	--	--	--	--	--	--

WATER-QUALITY DATA

WATER YEAR OCTOBER 2007 TO SEPTEMBER 2008

Part 2 of 19

[QC, quality control sample. Remark codes: <, less than; E, estimated; R, radchem non-detect, below ssLc; U, analyzed for but not detected.]

Date	Temperature, water, deg C (00010)	Hardness, water, mg/L as CaCO3 (00900)	Calcium, water, fltrd, mg/L (00915)	Magnesium, water, fltrd, mg/L (00925)	Potassium, water, fltrd, mg/L (00935)	Sodium, water, fltrd, mg/L (00930)	Alkalinity, water fltrd, mg/L as CaCO3 (39086)	Bicarbonate, water fltrd, mg/L (00453)	Bromide, water, fltrd, mg/L (71870)	Chloride, water, fltrd, mg/L (00940)	Fluoride, water, fltrd, mg/L (00950)	Silica, water, fltrd, mg/L as SiO2 (00955)	Sulfate, water, fltrd, mg/L (00945)
Dec													
04...	16.3	150	48.4	7.20	.31	26.2	103	125	.27	54.6	.13	22.1	5.44
04...	--	--	--	--	--	--	--	--	--	--	--	--	--

345327080241601 Local number UN-146, Piedmont Major Aquifer Study Site 54, near Monroe, NC—Continued

WATER-QUALITY DATA
WATER YEAR OCTOBER 2007 TO SEPTEMBER 2008

Part 3 of 19

[QC, quality control sample. Remark codes: <, less than; E, estimated; R, radchem non-detect, below ssLc; U, analyzed for but not detected.]

Date	Residue on evap. at 180degC wat flt mg/L (70300)	Ammonia water, fltrd, mg/L as N (00608)	Nitrate + nitrite water fltrd, mg/L as N (00631)	Nitrite water, fltrd, mg/L as N (00613)	Total nitro- gen, wat flt by anal ysis, mg/L (62854)	Ortho- phos- phate, water, fltrd, mg/L as P (00671)	Organic carbon, water, fltrd, mg/L (00681)	E coli, MI MF, water, col/ 100 mL (90901)	Total coli- form, MI MF, water, col/ 100 mL (90900)	Alum- inum, water, fltrd, µg/L (01106)	Anti- mony, water, fltrd, µg/L (01095)	Arsenic water, fltrd, µg/L (01000)	Barium, water, fltrd, µg/L (01005)
Dec 04...	260	<.020	4.47	E.001	4.67	.027	.6	<1	E7	<1.6	.25	10.6	59
04...	--	--	--	--	--	--	--	<1	E13	--	--	--	--

WATER-QUALITY DATA
WATER YEAR OCTOBER 2007 TO SEPTEMBER 2008

Part 4 of 19

[QC, quality control sample. Remark codes: <, less than; E, estimated; R, radchem non-detect, below ssLc; U, analyzed for but not detected.]

Date	Beryll- ium, water, fltrd, µg/L (01010)	Boron, water, fltrd, µg/L (01020)	Cadmium water, fltrd, µg/L (01025)	Chrom- ium, water, fltrd, µg/L (01030)	Cobalt water, fltrd, µg/L (01035)	Copper, water, fltrd, µg/L (01040)	Hydro- gen sulfide water, unfltrd mg/L (71875)	Iron, water, fltrd, µg/L (01046)	Lead, water, fltrd, µg/L (01049)	Lithium water, fltrd, µg/L (01130)	Mangan- ese, water, fltrd, µg/L (01056)	Molyb- denum, water, fltrd, µg/L (01060)	Nickel, water, fltrd, µg/L (01065)
Dec 04...	<.01	E5	<.04	E.09	.05	<1.0	U	E4	E.05	7.2	1.4	.3	.30
04...	--	--	--	--	--	--	--	--	--	--	--	--	--

WATER-QUALITY DATA
WATER YEAR OCTOBER 2007 TO SEPTEMBER 2008

Part 5 of 19

[QC, quality control sample. Remark codes: <, less than; E, estimated; R, radchem non-detect, below ssLc; U, analyzed for but not detected.]

Date	Selen- ium, water, fltrd, µg/L (01145)	Silver, water, fltrd, µg/L (01075)	Stront- ium, water, fltrd, µg/L (01080)	Thall- ium, water, fltrd, µg/L (01057)	Vana- dium, water, fltrd, µg/L (01085)	Zinc, water, fltrd, µg/L (01090)	1-Naph- thol, water, fltrd 0.7u GF µg/L (49295)	2,6-Di- ethyl- aniline water, fltrd 0.7u GF µg/L (82660)	2Chloro -2',6'- diethyl acet- anilide wat flt µg/L (61618)	CIAT, water, fltrd, µg/L (04040)	2-Ethyl -6- methyl- aniline water, fltrd, µg/L (61620)	3,4-Di- chloro- aniline water, fltrd, µg/L (61625)	3,5-Di- chloro- aniline water, fltrd, µg/L (61627)
Dec 04...	.62	<.1	312	<.04	.15	1.9	<.04	<.006	<.010	E.032	<.010	<.006	<.008
04...	--	--	--	--	--	--	--	--	--	--	--	--	--

345327080241601 Local number UN-146, Piedmont Major Aquifer Study Site 54, near Monroe, NC—Continued

WATER-QUALITY DATA
WATER YEAR OCTOBER 2007 TO SEPTEMBER 2008

Part 6 of 19

[QC, quality control sample. Remark codes: <, less than; E, estimated; R, radchem non-detect, below ssLc; U, analyzed for but not detected.]

Date	4-Chloro-2methyl phenol, water, fltrd, µg/L (61633)	Aceto-chlor, water, fltrd, µg/L (49260)	Ala-chlor, water, fltrd, µg/L (46342)	alpha-Endo-sulfan, water, fltrd, µg/L (34362)	Atra-zine, water, fltrd, µg/L (39632)	Azin-phos-methyl oxon, water, fltrd, µg/L (61635)	Azin-phos-methyl, water, fltrd, 0.7u GF (82686)	Ben-flur-alin, water, fltrd, 0.7u GF (82673)	Car-baryl, water, fltrd, 0.7u GF (82680)	Carbo-furan, water, fltrd, 0.7u GF (82674)	Chlor-pyrifos oxon, water, fltrd, µg/L (61636)	Chlor-pyrifos, water, fltrd, µg/L (38933)	cis-Per-methrin water fltrd, 0.7u GF (82687)
Dec 04...	<.005	<.006	<.006	<.006	.009	<.04	<.120	<.004	<.060	<.020	<.06	<.005	<.010
04...	--	--	--	--	--	--	--	--	--	--	--	--	--

WATER-QUALITY DATA
WATER YEAR OCTOBER 2007 TO SEPTEMBER 2008

Part 7 of 19

[QC, quality control sample. Remark codes: <, less than; E, estimated; R, radchem non-detect, below ssLc; U, analyzed for but not detected.]

Date	cis-Propi-cona-zole, water, fltrd, µg/L (79846)	Cyana-zine, water, fltrd, µg/L (04041)	Cyflu-thrin, water, fltrd, µg/L (61585)	lambda-Cyhalo-thrin, water, fltrd, µg/L (61595)	Cyper-methrin, water, fltrd, µg/L (61586)	DCPA, water, fltrd, 0.7u GF (82682)	Desulf-inyl-fipro-nil, water, fltrd, µg/L (62170)	Diazi-non, water, fltrd, µg/L (39572)	Dicro-tophos, water, fltrd, µg/L (38454)	Diel-drin, water, fltrd, µg/L (39381)	Dimeth-oate, water, fltrd, 0.7u GF (82662)	Disulf-oton sulfone, water, fltrd, µg/L (61640)	Disul-foton, water, fltrd, 0.7u GF (82677)
Dec 04...	<.006	<.020	<.016	<.004	<.014	<.003	<.012	<.005	<.08	<.009	<.006	<.01	<.04
04...	--	--	--	--	--	--	--	--	--	--	--	--	--

WATER-QUALITY DATA
WATER YEAR OCTOBER 2007 TO SEPTEMBER 2008

Part 8 of 19

[QC, quality control sample. Remark codes: <, less than; E, estimated; R, radchem non-detect, below ssLc; U, analyzed for but not detected.]

Date	Endo-sulfan sulfate, water, fltrd, µg/L (61590)	EPTC, water, fltrd, 0.7u GF (82668)	Ethion monoxon, water, fltrd, µg/L (61644)	Ethion, water, fltrd, µg/L (82346)	Etho-prop, water, fltrd, 0.7u GF (82672)	Fenami-phos sulfone, water, fltrd, µg/L (61645)	Fenami-phos sulf-oxide, water, fltrd, µg/L (61646)	Fenami-phos, water, fltrd, µg/L (61591)	Desulf-inyl-fipro-nil amide, wat flt, µg/L (62169)	Fipro-nil sulfide, water, fltrd, µg/L (62167)	Fipro-nil sulfone, water, fltrd, µg/L (62168)	Fipro-nil, water, fltrd, µg/L (62166)	Fonofos, water, fltrd, µg/L (04095)
Dec 04...	<.022	<.002	<.02	<.006	<.012	<.053	<.04	<.03	<.029	<.013	<.024	<.020	<.010
04...	--	--	--	--	--	--	--	--	--	--	--	--	--

345327080241601 Local number UN-146, Piedmont Major Aquifer Study Site 54, near Monroe, NC—Continued

WATER-QUALITY DATA
WATER YEAR OCTOBER 2007 TO SEPTEMBER 2008

Part 9 of 19

[QC, quality control sample. Remark codes: <, less than; E, estimated; R, radchem non-detect, below ssLc; U, analyzed for but not detected.]

Date	Hexa- zinone, water, fltrd, µg/L (04025)	Ipro- dione, water, fltrd, µg/L (61593)	Isofen- phos, water, fltrd, µg/L (61594)	Mala- oxon, water, fltrd, µg/L (61652)	Mala- thion, water, fltrd, µg/L (39532)	Meta- laxyl, water, fltrd, µg/L (61596)	Methid- athion, water, fltrd, µg/L (61598)	Methyl para- oxon, water, fltrd, µg/L (61664)	Methyl para- thion, water, fltrd, 0.7u GF µg/L (82667)	Metola- chlor, water, fltrd, µg/L (39415)	Metri- buzin, water, fltrd, µg/L (82630)	Moli- nate, water, fltrd, 0.7u GF µg/L (82671)	Myclo- butanil water, fltrd, µg/L (61599)
Dec 04...	<.008	<.01	<.006	<.020	<.016	<.007	<.004	<.01	<.008	<.010	<.012	<.003	<.010
04...	--	--	--	--	--	--	--	--	--	--	--	--	--

WATER-QUALITY DATA
WATER YEAR OCTOBER 2007 TO SEPTEMBER 2008

Part 10 of 19

[QC, quality control sample. Remark codes: <, less than; E, estimated; R, radchem non-detect, below ssLc; U, analyzed for but not detected.]

Date	Oxy- fluor- fen, water, fltrd, µg/L (61600)	Pendi- meth- alin, water, fltrd, 0.7u GF µg/L (82683)	Phorate oxon, water, fltrd, µg/L (61666)	Phorate water, fltrd, 0.7u GF µg/L (82664)	Phosmet oxon, water, fltrd, µg/L (61668)	Phosmet water, fltrd, µg/L (61601)	Prome- ton, water, fltrd, µg/L (04037)	Prome- tryn, water, fltrd, µg/L (04036)	Propy- zamide, water, fltrd, 0.7u GF µg/L (82676)	Pro- panil, water, fltrd, 0.7u GF µg/L (82679)	Propar- gite, water, fltrd, 0.7u GF µg/L (82685)	Sima- zine, water, fltrd, µg/L (04035)	Tebu- thiuron water, fltrd, 0.7u GF µg/L (82670)
Dec 04...	<.006	<.012	<.03	<.040	<.05	<.008	<.01	<.006	<.004	<.006	<.04	E.006	<.02
04...	--	--	--	--	--	--	--	--	--	--	--	--	--

WATER-QUALITY DATA
WATER YEAR OCTOBER 2007 TO SEPTEMBER 2008

Part 11 of 19

[QC, quality control sample. Remark codes: <, less than; E, estimated; R, radchem non-detect, below ssLc; U, analyzed for but not detected.]

Date	Teflu- thrin, water, fltrd, µg/L (61606)	Ter- bufos- oxon sulfone water, fltrd, µg/L (61674)	Terbu- fos, water, fltrd, 0.7u GF µg/L (82675)	Ter- buthyl- azine, water, fltrd, µg/L (04022)	Thio- bencarb water, fltrd, 0.7u GF µg/L (82681)	trans- Propi- conazole, water, fltrd, µg/L (79847)	Tribu- phos, water, fltrd, µg/L (61610)	Tri- flur- alin, water, fltrd, 0.7u GF µg/L (82661)	1,1,1,2- Tetra- chloro- ethane, water, unfltrd µg/L (77562)	1,1,1- Tri- chloro- ethane, water, unfltrd µg/L (34506)	1,1,2,2- Tetra- chloro- ethane, water, unfltrd µg/L (34516)	CFC-113 water, unfltrd µg/L (77652)	1,1,2- Tri- chloro- ethane, water, unfltrd µg/L (34511)
Dec 04...	<.003	<.04	<.02	<.01	<.010	<.02	<.035	<.006	<.04	<.02	<.10	<.04	<.06
04...	--	--	--	--	--	--	--	--	--	--	--	--	--

345327080241601 Local number UN-146, Piedmont Major Aquifer Study Site 54, near Monroe, NC—Continued

WATER-QUALITY DATA
WATER YEAR OCTOBER 2007 TO SEPTEMBER 2008

Part 12 of 19

[QC, quality control sample. Remark codes: <, less than; E, estimated; R, radchem non-detect, below ssLc; U, analyzed for but not detected.]

Date	1,1-Di-chloro-ethane, water, unfltrd µg/L (34496)	1,1-Di-chloro-ethene, water, unfltrd µg/L (34501)	1,1-Di-chloro-propene, water, unfltrd µg/L (77168)	1,2,3,4-Tetra-methyl-benzene, water, unfltrd µg/L (49999)	1,2,3,5-Tetra-methyl-benzene, water, unfltrd µg/L (50000)	1,2,3-Tri-chloro-benzene, water, unfltrd µg/L (77613)	1,2,3-Tri-chloro-propane, water, unfltrd µg/L (77443)	1,2,3-Tri-methyl-benzene, water, unfltrd µg/L (77221)	1,2,4-Tri-chloro-benzene, water, unfltrd µg/L (34551)	1,2,4-Tri-methyl-benzene, water, unfltrd µg/L (77222)	Dibromo-chloro-propane, water, unfltrd µg/L (82625)	1,2-Di-bromo-ethane, water, unfltrd µg/L (77651)	1,2-Di-chloro-benzene, water, unfltrd µg/L (34536)
Dec 04...	<.04	<.02	<.04	<.1	<.1	<.1	<.12	<.1	<.1	<.04	<.5	<.04	<.02
04...	--	--	--	--	--	--	--	--	--	--	--	--	--

WATER-QUALITY DATA
WATER YEAR OCTOBER 2007 TO SEPTEMBER 2008

Part 13 of 19

[QC, quality control sample. Remark codes: <, less than; E, estimated; R, radchem non-detect, below ssLc; U, analyzed for but not detected.]

Date	1,2-Di-chloro-ethane, water, unfltrd µg/L (32103)	1,2-Di-chloro-propane, water, unfltrd µg/L (34541)	1,3,5-Tri-methyl-benzene, water, unfltrd µg/L (77226)	1,3-Di-chloro-benzene, water, unfltrd µg/L (34566)	1,3-Di-chloro-propane, water, unfltrd µg/L (77173)	1,4-Di-chloro-benzene, water, unfltrd µg/L (34571)	2,2-Di-chloro-propane, water, unfltrd µg/L (77170)	2-Chloro-toluene, water, unfltrd µg/L (77275)	2-Ethyl-toluene, water, unfltrd µg/L (77220)	3-Chloro-propene, water, unfltrd µg/L (78109)	4-Chloro-toluene, water, unfltrd µg/L (77277)	4-Iso-propyl-toluene, water, unfltrd µg/L (77356)	Acetone, water, unfltrd µg/L (81552)
Dec 04...	<.1	<.02	<.04	<.04	<.1	<.02	<.06	<.04	<.04	<.08	<.04	<.08	<.4
04...	--	--	--	--	--	--	--	--	--	--	--	--	--

WATER-QUALITY DATA
WATER YEAR OCTOBER 2007 TO SEPTEMBER 2008

Part 14 of 19

[QC, quality control sample. Remark codes: <, less than; E, estimated; R, radchem non-detect, below ssLc; U, analyzed for but not detected.]

Date	Acrylo-nitrile, water, unfltrd µg/L (34215)	Benzene, water, unfltrd µg/L (34030)	Bromo-benzene, water, unfltrd µg/L (81555)	Bromo-chloro-methane, water, unfltrd µg/L (77297)	Bromo-di-chloro-methane, water, unfltrd µg/L (32101)	Bromo-ethene, water, unfltrd µg/L (50002)	Tri-bromo-methane, water, unfltrd µg/L (32104)	Bromo-methane, water, unfltrd µg/L (34413)	Carbon di-sulfide, water, unfltrd µg/L (77041)	Chloro-benzene, water, unfltrd µg/L (34301)	Chloro-ethane, water, unfltrd µg/L (34311)	Chloro-methane, water, unfltrd µg/L (34418)	cis-1,2-Di-chloro-ethene, water, unfltrd µg/L (77093)
Dec 04...	<.4	<.02	<.02	<.06	<.04	<.1	<.08	<.4	<.06	<.02	<.1	<.1	<.02
04...	--	--	--	--	--	--	--	--	--	--	--	--	--

345327080241601 Local number UN-146, Piedmont Major Aquifer Study Site 54, near Monroe, NC—Continued

WATER-QUALITY DATA
WATER YEAR OCTOBER 2007 TO SEPTEMBER 2008

Part 15 of 19

[QC, quality control sample. Remark codes: <, less than; E, estimated; R, radchem non-detect, below ssLc; U, analyzed for but not detected.]

Date	cis-1,3-Dichloropropene water, unfltrd µg/L (34704)	Di-bromochloromethane water, unfltrd µg/L (32105)	Di-bromomethane water, unfltrd µg/L (30217)	Di-chlorodifluoromethane water, unfltrd µg/L (34668)	Di-chloromethane water, unfltrd µg/L (34423)	Di-ethyl ether, water, unfltrd µg/L (81576)	Diisopropyl ether, water, unfltrd µg/L (81577)	Ethyl methacrylate, water, unfltrd µg/L (73570)	Ethyl methyl ketone, water, unfltrd µg/L (81595)	Ethylbenzene, water, unfltrd µg/L (34371)	Hexachlorobutadiene, water, unfltrd µg/L (39702)	Hexachloroethane, water, unfltrd µg/L (34396)	Iodo-methane, water, unfltrd µg/L (77424)
Dec 04...	<.10	<.1	<.04	<.14	<.04	<.1	<.06	<.1	<1.6	<.04	<.1	<.1	<.40
04...	--	--	--	--	--	--	--	--	--	--	--	--	--

WATER-QUALITY DATA
WATER YEAR OCTOBER 2007 TO SEPTEMBER 2008

Part 16 of 19

[QC, quality control sample. Remark codes: <, less than; E, estimated; R, radchem non-detect, below ssLc; U, analyzed for but not detected.]

Date	Iso-butyl methyl ketone, water, unfltrd µg/L (78133)	Iso-propylbenzene, water, unfltrd µg/L (77223)	Methyl acrylonitrile, water, unfltrd µg/L (81593)	Methyl acrylate, water, unfltrd µg/L (49991)	Methyl methacrylate, water, unfltrd µg/L (81597)	Methyl tert-pentyl ether, water, unfltrd µg/L (50005)	meta-+ para-Xylene, water, unfltrd µg/L (85795)	Naphthalene, water, unfltrd µg/L (34696)	Methyl n-butyl ketone, water, unfltrd µg/L (77103)	n-Butylbenzene, water, unfltrd µg/L (77342)	n-Propylbenzene, water, unfltrd µg/L (77224)	o-Xylene, water, unfltrd µg/L (77135)	sec-Butylbenzene, water, unfltrd µg/L (77350)
Dec 04...	<.4	<.04	<.2	<.6	<.2	<.06	<.08	<.2	<.6	<.1	<.04	<.04	<.04
04...	--	--	--	--	--	--	--	--	--	--	--	--	--

WATER-QUALITY DATA
WATER YEAR OCTOBER 2007 TO SEPTEMBER 2008

Part 17 of 19

[QC, quality control sample. Remark codes: <, less than; E, estimated; R, radchem non-detect, below ssLc; U, analyzed for but not detected.]

Date	Styrene, water, unfltrd µg/L (77128)	t-Butyl ethyl ether, water, unfltrd µg/L (50004)	Methyl t-butyl ether, water, unfltrd µg/L (78032)	tert-Butylbenzene, water, unfltrd µg/L (77353)	Tetra-chloroethene, water, unfltrd µg/L (34475)	Tetra-chloromethane, water, unfltrd µg/L (32102)	Tetra-hydrofuran, water, unfltrd µg/L (81607)	Toluene, water, unfltrd µg/L (34010)	trans-1,2-Dichloroethene, water, unfltrd µg/L (34546)	trans-1,3-Dichloropropene, water, unfltrd µg/L (34699)	trans-1,4-Dichloro-2-butene, water, unfltrd µg/L (73547)	Tri-chloroethene, water, unfltrd µg/L (39180)	Tri-chloro-fluoromethane, water, unfltrd µg/L (34488)
Dec 04...	<.04	<.04	<.1	<.06	<.04	<.08	<.1	<.02	<.02	<.10	<.6	<.02	<.08
04...	--	--	--	--	--	--	--	--	--	--	--	--	--

345327080241601 Local number UN-146, Piedmont Major Aquifer Study Site 54, near Monroe, NC—Continued

WATER-QUALITY DATA
WATER YEAR OCTOBER 2007 TO SEPTEMBER 2008

Part 18 of 19

[QC, quality control sample. Remark codes: <, less than; E, estimated; R, radchem non-detect, below ssLc; U, analyzed for but not detected.]

Date	Tri-chloro-methane water, unfltrd μg/L (32106)	Vinyl chlor-ide, water, unfltrd μg/L (39175)	Di-chlor-vo-s, water, fltrd, μg/L (38775)	Gross alpha 30 day recount wat unf Th-230, pCi/L (63016)	Gross alpha radioac 72 hr, wat unf Th-230, pCi/L (63014)	Gross beta 30 day recount wat unf Cs-137, pCi/L (63017)	Gross beta radioac 72 hr, wat unf Cs-137, pCi/L (63015)	Ra-226, water, fltrd, radon method pCi/L (09511)	Ra-228, water, fltrd, pCi/L (81366)	Rn-222 2-sigma water, unfltrd pCi/L (76002)	Rn-222, water, unfltrd pCi/L (82303)	Tritium 2-sigma water, unfltrd pCi/L (75985)	Tritium water, unfltrd pCi/L (07000)
Dec													
04...	.11	<.1	<.01	R-1.5	R-2.0	1.3	R-.2	.107	.24	42	2,120	1.60	24.03
04...	--	--	--	--	--	--	--	--	--	--	--	--	--

WATER-QUALITY DATA
WATER YEAR OCTOBER 2007 TO
SEPTEMBER 2008

Part 19 of 19

[QC, quality control sample. Remark codes: <, less than; E, estimated; R, radchem non-detect, below ssLc; U, analyzed for but not detected.]

Date	Uranium natural water, fltrd, μg/L (22703)	Data base number	Medium code
Dec			
04...	.35	01	WG
04...	--	04	WGQ