

Water-Data Report 2008

350857080383245 Raingage at Thompson Road, Mint Hill, NC (CRN-67)

Upper Pee Dee Basin
Rocky Subbasin

LOCATION.--Lat 35°08'57", long 80°38'32" referenced to North American Datum of 1983, Mecklenburg County, NC, Hydrologic Unit 03040105, Thompson Farm, Thompson Road, Mint Hill, NC.

CLIMATOLOGICAL RECORDS

PERIOD OF RECORD.--November 2002 to current year.

INSTRUMENTATION.--Tipping-bucket raingage and electronic datalogger. Radio telemetry at station.

REMARKS.--Gage is operated as part of Charlotte/Mecklenburg Rainfall Runoff Network.

PRECIPITATION, TOTAL, INCHES
WATER YEAR OCTOBER 2007 TO SEPTEMBER 2008
DAILY SUM VALUES

Day	Oct	Nov	Dec	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep
1	0.00	0.00	0.00	0.00	1.15	0.00	0.15	0.00	0.03	0.00	0.00	0.01
2	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.01	0.00	0.00	0.00
3	0.00	0.00	0.01	0.00	0.00	0.00	0.22	0.01	0.00	0.00	0.00	0.00
4	0.00	0.00	0.00	0.00	0.00	1.08	0.40	0.00	0.00	0.00	0.00	0.00
5	0.01	0.00	0.00	0.00	0.00	0.00	0.29	0.00	0.00	1.73	0.00	0.00
6	0.00	0.00	0.00	0.00	0.02	0.00	0.00	0.00	0.00	0.29	0.00	0.39
7	0.00	0.00	0.00	0.00	0.00	0.57	0.00	0.00	0.00	0.00	0.19	0.00
8	0.00	0.00	0.00	0.00	0.00	0.17	0.00	0.04	0.00	0.94	0.01	0.00
9	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.02	0.00	0.06	0.00	0.00
10	0.00	0.00	0.00	0.18	0.00	0.00	0.00	0.00	0.00	0.08	0.06	0.28
11	0.00	0.00	0.00	0.12	0.00	0.00	0.00	0.18	0.56	0.09	0.00	0.02
12	0.00	0.00	0.00	0.00	0.19	0.00	0.11	0.00	0.01	0.00	0.00	0.00
13	0.00	0.00	0.00	0.00	0.33	0.00	0.02	---	0.00	0.33	0.69	0.00
14	0.00	0.00	0.00	0.00	0.00	0.00	0.01	---	0.01	0.56	0.00	0.00
15	0.00	0.29	0.95	0.00	0.00	0.86	0.00	---	0.00	0.00	0.30	0.00
16	0.00	0.00	0.49	0.00	0.00	0.00	0.00	---	0.00	0.00	0.01	0.54
17	0.00	0.00	0.00	0.95	0.23	0.00	0.00	0.00	0.00	0.00	0.40	0.09
18	0.00	0.00	0.00	0.00	0.34	0.00	0.00	0.08	0.00	0.00	0.00	0.00
19	0.03	0.00	0.00	0.15	0.00	0.36	0.02	0.00	0.00	0.00	0.00	0.00
20	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.03	0.73	0.00	0.00	0.00
21	0.00	0.00	0.28	0.01	0.34	0.00	0.00	0.00	0.03	0.00	0.00	0.00
22	0.00	0.00	0.00	0.09	0.14	0.00	0.00	0.00	0.42	1.57	0.00	0.00
23	0.23	0.00	0.18	0.02	0.00	0.00	0.00	0.00	0.03	2.73	0.00	0.00
24	0.21	0.00	0.00	0.00	0.00	0.00	0.00	0.03	0.00	0.01	0.00	0.00
25	1.74	0.07	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.11	0.00
26	0.66	0.07	0.89	0.00	0.38	0.00	0.36	0.00	0.00	0.00	2.35	1.04
27	0.01	0.00	0.00	0.00	0.00	0.00	0.47	0.00	0.74	0.00	0.95	0.23
28	0.00	0.00	0.67	0.00	0.00	0.00	1.50	0.89	0.32	0.00	0.00	0.00
29	0.00	0.00	0.00	0.00	0.00	0.00	0.01	0.00	0.00	0.04	0.00	0.00
30	0.00	0.00	1.18	0.08	---	0.00	0.00	0.00	0.00	0.00	0.00	0.01
31	0.00	---	0.00	0.03	---	0.15	---	0.00	---	0.12	0.16	---
Total	2.89	0.43	4.65	1.63	3.12	3.19	3.56	---	2.89	8.55	5.23	2.61

350857080383245 Raingage at Thompson Road, Mint Hill, NC (CRN-67)—Continued

