

Water-Data Report 2008

351502080512045 Raingage at Beatties Ford Road, Charlotte, NC (CRN-50)

Santee Basin
Lower Catawba Subbasin

LOCATION.--Lat 35°15'02", long 80°51'20" referenced to North American Datum of 1983, Mecklenburg County, NC, Hydrologic Unit 03050103, Beatties Ford Road, Charlotte, NC

CLIMATOLOGICAL RECORDS

PERIOD OF RECORD.--October 2002 to current year. Records for July 1999 to June 2002 published as "Oaklawn School of Math and Science, Charlotte, NC (CRN-50)", (station 351503080510145).

INSTRUMENTATION.--Tipping-bucket raingage and electronic datalogger. Radio telemetry at station.

REMARKS.--Gage is operated as part of Charlotte/Mecklenburg Rainfall Runoff Network.

351502080512045 Raingage at Beatties Ford Road, Charlotte, NC (CRN-50)—Continued

PRECIPITATION, TOTAL, INCHES
WATER YEAR OCTOBER 2007 TO SEPTEMBER 2008
DAILY SUM VALUES

Day	Oct	Nov	Dec	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep
1	0.00	0.00	0.00	0.00	1.22	0.00	0.07	0.00	0.00	0.00	0.00	0.00
2	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.01	0.00	0.00	0.00
3	0.00	0.00	0.00	0.00	0.00	0.00	0.39	0.00	0.00	0.00	0.00	0.00
4	0.03	0.00	0.00	0.00	0.00	1.39	0.59	0.00	0.00	1.22	0.00	0.00
5	0.00	0.00	0.00	0.00	0.00	0.00	0.28	0.00	0.00	0.00	0.00	0.02
6	0.00	0.00	0.00	0.00	0.04	0.00	0.02	0.00	0.00	0.03	0.00	0.00
7	0.00	0.00	0.00	0.00	0.00	0.43	0.00	0.00	0.00	0.00	0.00	0.00
8	0.00	0.00	0.00	0.00	0.00	0.04	0.00	---	0.00	1.28	0.00	0.00
9	0.01	0.00	0.00	0.00	0.00	0.00	0.00	---	0.00	0.14	0.00	0.00
10	0.00	0.00	0.00	0.10	0.00	0.00	0.00	0.00	0.00	0.24	0.00	1.19
11	0.00	0.00	0.00	0.11	0.00	0.00	0.00	0.25	0.35	0.00	0.00	0.01
12	0.00	0.00	0.00	0.00	0.09	0.00	---	0.00	0.00	0.00	0.00	0.08
13	0.00	0.00	0.00	0.00	0.32	0.00	---	0.00	0.00	0.01	0.26	0.00
14	0.00	0.00	0.00	0.00	0.00	0.00	0.03	0.00	0.00	0.00	0.03	0.00
15	0.00	0.25	1.01	0.00	0.00	1.47	0.01	0.04	0.00	0.00	0.12	0.00
16	0.00	0.00	0.14	0.00	0.00	0.01	0.00	0.20	0.00	0.00	0.04	0.72
17	0.00	0.00	0.00	1.04	---	0.00	0.00	0.00	0.00	0.00	0.16	0.10
18	0.00	0.00	0.00	0.00	---	0.00	0.00	0.08	0.00	0.00	0.00	0.00
19	0.30	0.00	0.01	---	0.02	0.53	0.00	0.00	0.00	0.00	0.00	0.00
20	0.00	0.00	0.00	0.00	0.00	0.00	0.01	0.03	0.01	0.00	0.00	0.00
21	0.00	0.00	0.28	0.00	0.23	0.00	0.00	0.00	0.43	0.00	0.00	0.00
22	0.00	0.10	0.00	0.07	0.11	0.00	0.00	0.00	1.31	0.71	0.00	0.00
23	0.07	0.00	0.32	0.01	0.00	0.00	0.00	0.00	0.02	0.24	0.00	0.00
24	0.61	0.00	0.00	0.00	0.00	0.00	0.00	0.06	0.00	0.00	0.00	0.00
25	0.78	0.12	0.01	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.29	0.00
26	0.55	0.08	0.52	0.00	0.44	0.00	0.79	0.00	0.59	0.01	4.72	1.53
27	0.00	0.00	0.00	0.00	0.00	0.00	0.06	0.10	0.00	0.00	2.23	0.26
28	0.00	0.00	0.54	0.00	0.00	0.00	0.94	0.86	0.00	0.05	0.00	0.00
29	0.00	0.00	0.09	0.01	0.00	0.02	0.00	0.00	0.00	0.03	0.00	0.00
30	0.00	0.00	1.08	0.05	---	0.00	0.00	0.00	0.00	0.00	0.34	0.00
31	0.00	---	0.01	0.04	---	0.20	---	0.00	---	0.71	0.13	---
Total	2.35	0.55	4.01	---	---	4.09	---	---	2.72	4.67	8.32	3.91

351502080512045 Raingage at Beatties Ford Road, Charlotte, NC (CRN-50)—Continued

