



Water-Data Report 2011

353142077332703 Local number GR-098 L8D

Northern Atlantic Coastal Plain aquifer system
Yorktown Aquifer

Greene County, NC

LOCATION.--Lat 35°31'42.500", long 77°33'26.800" referenced to North American Datum of 1927, Greene County, NC, Hydrologic Unit 03020203, 1.4 mi south of U. S. Highway 13, on Secodary Road 1345, 3.9 mi east of Lizzie.

GROUNDWATER RECORDS

WELL CHARACTERISTICS.--Depth 36 ft. Upper casing diameter 2 in; top of first opening 34 ft, bottom of last opening 36 ft.

DATUM.--Land-surface datum is 62.03 ft above National Geodetic Vertical Datum of 1929. Measuring point: 2.42 ft above land-surface datum, May 21, 1999 to present.

PERIOD OF RECORD.--May 1999 to April 2003, April 2009 to current year.

GAGE.--Measured periodically with steel and electrical tape.

REMARKS.--Well measure as part of the National Water Quality Assessment (NAWQA) program.

EXTREMES FOR PERIOD OF RECORD.--Highest water level measured, 17.36 ft below land-surface datum, April 22, 2003; lowest water level measured, 22.62 ft below land-surface dautm, August, 15, 2000.

REVISIONS.--Water levels in water years 2009 and 2010 incorrectly published as station 353142077332702.

WATER LEVELS IN FEET BELOW LAND-SURFACE DATUM

[Measurement method: T, electric tape. Water-level status: --, static.]

Date	Water level	Measurement method	Water-level status
Apr 15, 2009	16.89	T	--
May 20, 2010	17.72	T	--
Aug 10, 2011	20.93	T	--

353142077332703 Local number GR-098 L8D—Continued

WATER-QUALITY RECORDS

PERIOD OF RECORD.--Water years 1999-2001, 2003, 2009, 2011.

REMARKS.--Well is sampled as part of National Water-Quality Assessment (NAWQA) Program. Prior to October 2010 published as "Local number GR-047, L8S, near Lizzie, NC (353142077332702)."

WATER-QUALITY DATA
WATER YEAR OCTOBER 2008 TO SEPTEMBER 2009

Part 1 of 16

[% , percent; CaCO₃, calcium carbonate; N, nitrogen; NTRU, nephelometric turbidity ratio unit; P, phosphorus; SiO₂, silicon dioxide; ft, feet; mg/L, milligrams per liter; mm Hg, millimeters of mercury; nm, nanometers; °C, degrees Celsius; µS/cm, microsiemens per centimeter; µg/L, micrograms per liter; <, less than; E, estimated]

Date	Sample start time	Medium name	Sample type	Barometric pressure, mm Hg (00025)	Temperature, air, °C (00020)	Depth to water level, ft below land surface (72019)	Dissolved oxygen, water, unfiltered, mg/L (00300)	Dissolved oxygen, water, unfiltered, % saturation (00301)	pH, water, unfiltered, field, standard units (00400)	Specific conductance, water, unfiltered, µS/cm at 25 °C (00095)
04-15-2009	1400	Groundwater	Regular	745	7.9	16.89	7.9	86	4.5	186

WATER-QUALITY DATA
WATER YEAR OCTOBER 2008 TO SEPTEMBER 2009

Part 2 of 16

[% , percent; CaCO₃, calcium carbonate; N, nitrogen; NTRU, nephelometric turbidity ratio unit; P, phosphorus; SiO₂, silicon dioxide; ft, feet; mg/L, milligrams per liter; mm Hg, millimeters of mercury; nm, nanometers; °C, degrees Celsius; µS/cm, microsiemens per centimeter; µg/L, micrograms per liter; <, less than; E, estimated]

Date	Sample start time	Temperature, water, °C (00010)	Turbidity, water, unfiltered, broad band light source (400-680 nm), detectors at multiple angles including 90 +/- 30 degrees, ratiometric correction, NTRU (63676)	Water level, depth below measuring point, feet (61055)	Dissolved solids dried at 180 °C, water, filtered, mg/L (70300)	Hardness, water, mg/L as CaCO ₃ (00900)	Calcium, water, filtered, mg/L (00915)	Magnesium, water, filtered, mg/L (00925)	Potassium, water, filtered, mg/L (00935)
04-15-2009	1400	18.3	1.3	19.31	112	60.2	14.7	5.70	4.92

353142077332703 Local number GR-098 L8D—Continued

WATER-QUALITY DATA
WATER YEAR OCTOBER 2008 TO SEPTEMBER 2009

Part 3 of 16

[%, percent; CaCO₃, calcium carbonate; N, nitrogen; NTRU, nephelometric turbidity ratio unit; P, phosphorus; SiO₂, silicon dioxide; ft, feet; mg/L, milligrams per liter; mm Hg, millimeters of mercury; nm, nanometers; °C, degrees Celsius; µS/cm, microsiemens per centimeter; µg/L, micrograms per liter; <, less than; E, estimated]

Date	Sample start time	Sodium, water, filtered, mg/L (00930)	Alkalinity, water, filtered, inflection-point, incremental titration method, field, mg/L as CaCO ₃ (39086)	Bicarbonate, water, filtered, inflection-point, incremental titration method, field, mg/L (00453)	Bromide, water, filtered, mg/L (71870)	Chloride, water, filtered, mg/L (00940)	Fluoride, water, filtered, mg/L (00950)	Silica, water, filtered, mg/L as SiO ₂ (00955)	Sulfate, water, filtered, mg/L (00945)
04-15-2009	1400	2.20	2	4	.04	15.5	.80	6.68	5.71

WATER-QUALITY DATA
WATER YEAR OCTOBER 2008 TO SEPTEMBER 2009

Part 4 of 16

[%, percent; CaCO₃, calcium carbonate; N, nitrogen; NTRU, nephelometric turbidity ratio unit; P, phosphorus; SiO₂, silicon dioxide; ft, feet; mg/L, milligrams per liter; mm Hg, millimeters of mercury; nm, nanometers; °C, degrees Celsius; µS/cm, microsiemens per centimeter; µg/L, micrograms per liter; <, less than; E, estimated]

Date	Sample start time	Ammonia, water, filtered, mg/L as N (00608)	Nitrate plus nitrite, water, filtered, mg/L as N (00631)	Nitrite, water, filtered, mg/L as N (00613)	Orthophosphate, water, filtered, mg/L as P (00671)	Total nitrogen, water, analytically determined, mg/L (62854)	Aluminum, water, filtered, µg/L (01106)	Barium, water, filtered, µg/L (01005)	Beryllium, water, filtered, µg/L (01010)
04-15-2009	1400	< .020	12.3	< .002	.720	13.0	662	83	.03

WATER-QUALITY DATA
WATER YEAR OCTOBER 2008 TO SEPTEMBER 2009

Part 5 of 16

[%, percent; CaCO₃, calcium carbonate; N, nitrogen; NTRU, nephelometric turbidity ratio unit; P, phosphorus; SiO₂, silicon dioxide; ft, feet; mg/L, milligrams per liter; mm Hg, millimeters of mercury; nm, nanometers; °C, degrees Celsius; µS/cm, microsiemens per centimeter; µg/L, micrograms per liter; <, less than; E, estimated]

Date	Sample start time	Cadmium, water, filtered, µg/L (01025)	Chromium, water, filtered, µg/L (01030)	Cobalt, water, filtered, µg/L (01035)	Copper, water, filtered, µg/L (01040)	Iron, water, filtered, µg/L (01046)	Lead, water, filtered, µg/L (01049)	Lithium, water, filtered, µg/L (01130)	Manganese, water, filtered, µg/L (01056)	Molybdenum, water, filtered, µg/L (01060)
04-15-2009	1400	1.12	2.4	4.6	2.1	17	.30	1.2	43.3	.17

353142077332703 Local number GR-098 L8D—Continued

WATER-QUALITY DATA
WATER YEAR OCTOBER 2008 TO SEPTEMBER 2009

Part 6 of 16

[%, percent; CaCO₃, calcium carbonate; N, nitrogen; NTRU, nephelometric turbidity ratio unit; P, phosphorus; SiO₂, silicon dioxide; ft, feet; mg/L, milligrams per liter; mm Hg, millimeters of mercury; nm, nanometers; °C, degrees Celsius; µS/cm, microsiemens per centimeter; µg/L, micrograms per liter; <, less than; E, estimated]

Date	Sample start time	Nickel, water, filtered, µg/L (01065)	Silver, water, filtered, µg/L (01075)	Strontium, water, filtered, µg/L (01080)	Thallium, water, filtered, µg/L (01057)	Vanadium, water, filtered, µg/L (01085)	Zinc, water, filtered, µg/L (01090)	Antimony, water, filtered, µg/L (01095)	Arsenic, water, filtered, µg/L (01000)	Boron, water, filtered, µg/L (01020)
04-15-2009	1400	4.2	< .01	81.4	.26	.22	36.4	.05	.17	9

WATER-QUALITY DATA
WATER YEAR OCTOBER 2008 TO SEPTEMBER 2009

Part 7 of 16

[%, percent; CaCO₃, calcium carbonate; N, nitrogen; NTRU, nephelometric turbidity ratio unit; P, phosphorus; SiO₂, silicon dioxide; ft, feet; mg/L, milligrams per liter; mm Hg, millimeters of mercury; nm, nanometers; °C, degrees Celsius; µS/cm, microsiemens per centimeter; µg/L, micrograms per liter; <, less than; E, estimated]

Date	Sample start time	Selenium, water, filtered, µg/L (01145)	1-Naphthol, water, filtered (0.7 micron glass fiber filter), recoverable, µg/L (49295)	2,6-Diethyl-aniline, water, filtered (0.7 micron glass fiber filter), recoverable, µg/L (82660)	2-Chloro-2',6'-diethyl-acetanilide, water, filtered, recoverable, µg/L (61618)	2-Chloro-4-isopropyl-amino-6-amino-s-triazine, water, filtered, recoverable, µg/L (04040)	2-Ethyl-6-methyl-aniline, water, filtered, recoverable, µg/L (61620)	3,4-Dichloro-aniline, water, filtered, recoverable, µg/L (61625)	3,5-Di-chloro-aniline, water, filtered, recoverable, µg/L (61627)	4-Chloro-2-methyl-phenol, water, filtered, recoverable, µg/L (61633)
04-15-2009	1400	.37	< .040	< .006	E .010	E .022	< .010	< .004	< .004	< .005

WATER-QUALITY DATA
WATER YEAR OCTOBER 2008 TO SEPTEMBER 2009

Part 8 of 16

[%, percent; CaCO₃, calcium carbonate; N, nitrogen; NTRU, nephelometric turbidity ratio unit; P, phosphorus; SiO₂, silicon dioxide; ft, feet; mg/L, milligrams per liter; mm Hg, millimeters of mercury; nm, nanometers; °C, degrees Celsius; µS/cm, microsiemens per centimeter; µg/L, micrograms per liter; <, less than; E, estimated]

Date	Sample start time	Aceto-chlor, water, filtered, recoverable, µg/L (49260)	Alachlor, water, filtered, recoverable, µg/L (46342)	alpha-Endo-sulfan, water, filtered, recoverable, µg/L (34362)	Atrazine, water, filtered, recoverable, µg/L (39632)	Azinphos-methyl oxygen analog, water, filtered, recoverable, µg/L (61635)	Azinphos-methyl, water, filtered (0.7 micron glass fiber filter), recoverable, µg/L (82686)	Benfluralin, water, filtered (0.7 micron glass fiber filter), recoverable, µg/L (82673)	Carbaryl, water, filtered (0.7 micron glass fiber filter), recoverable, µg/L (82680)
04-15-2009	1400	< .010	.518	< .006	E .006	< .04	< .120	< .014	< .200

353142077332703 Local number GR-098 L8D—Continued

WATER-QUALITY DATA
WATER YEAR OCTOBER 2008 TO SEPTEMBER 2009

Part 9 of 16

[%, percent; CaCO₃, calcium carbonate; N, nitrogen; NTRU, nephelometric turbidity ratio unit; P, phosphorus; SiO₂, silicon dioxide; ft, feet; mg/L, milligrams per liter; mm Hg, millimeters of mercury; nm, nanometers; °C, degrees Celsius; µS/cm, microsiemens per centimeter; µg/L, micrograms per liter; <, less than; E, estimated]

Date	Sample start time	Carbofuran, water, filtered (0.7 micron glass fiber filter), recoverable, µg/L (82674)	Chlorpyrifos oxygen analog, water, filtered, recoverable, µg/L (61636)	Chlorpyrifos, water, filtered, recoverable, µg/L (38933)	cis-Permethrin, water, filtered (0.7 micron glass fiber filter), recoverable, µg/L (82687)	cis-Propiconazole, water, filtered, recoverable, µg/L (79846)	Cyanazine, water, filtered, recoverable, µg/L (04041)	Cyfluthrin, water, filtered, recoverable, µg/L (61585)	Cypermethrin, water, filtered, recoverable, µg/L (61586)
04-15-2009	1400	< .060	< .05	< .010	< .014	< .006	< .040	< .016	< .020

WATER-QUALITY DATA
WATER YEAR OCTOBER 2008 TO SEPTEMBER 2009

Part 10 of 16

[%, percent; CaCO₃, calcium carbonate; N, nitrogen; NTRU, nephelometric turbidity ratio unit; P, phosphorus; SiO₂, silicon dioxide; ft, feet; mg/L, milligrams per liter; mm Hg, millimeters of mercury; nm, nanometers; °C, degrees Celsius; µS/cm, microsiemens per centimeter; µg/L, micrograms per liter; <, less than; E, estimated]

Date	Sample start time	DCPA, water, filtered (0.7 micron glass fiber filter), recoverable, µg/L (82682)	Desulfinyl-fipronil amide, water, filtered, recoverable, µg/L (62169)	Desulfinyl-fipronil, water, filtered, recoverable, µg/L (62170)	Diazinon, water, filtered, recoverable, µg/L (39572)	Dichlorvos, water, filtered, recoverable, µg/L (38775)	Dicrotophos, water, filtered, recoverable, µg/L (38454)	Dieldrin, water, filtered, recoverable, µg/L (39381)	Dimethoate, water, filtered (0.7 micron glass fiber filter), recoverable, µg/L (82662)	Disulfoton sulfone, water, filtered, recoverable, µg/L (61640)
04-15-2009	1400	< .006	< .029	< .012	< .005	< .02	< .08	< .009	< .006	< .01

WATER-QUALITY DATA
WATER YEAR OCTOBER 2008 TO SEPTEMBER 2009

Part 11 of 16

[%, percent; CaCO₃, calcium carbonate; N, nitrogen; NTRU, nephelometric turbidity ratio unit; P, phosphorus; SiO₂, silicon dioxide; ft, feet; mg/L, milligrams per liter; mm Hg, millimeters of mercury; nm, nanometers; °C, degrees Celsius; µS/cm, microsiemens per centimeter; µg/L, micrograms per liter; <, less than; E, estimated]

Date	Sample start time	Disulfoton, water, filtered (0.7 micron glass fiber filter), recoverable, µg/L (82677)	Endosulfan sulfate, water, filtered, recoverable, µg/L (61590)	EPTC, water, filtered (0.7 micron glass fiber filter), recoverable, µg/L (82668)	Ethion monoxon, water, filtered, recoverable, µg/L (61644)	Ethion, water, filtered, recoverable, µg/L (82346)	Ethoprop, water, filtered (0.7 micron glass fiber filter), recoverable, µg/L (82672)	Fenami-phos sulfone, water, filtered, recoverable, µg/L (61645)	Fenami-phos sulfoxide, water, filtered, recoverable, µg/L (61646)	Fenami-phos, water, filtered, recoverable, µg/L (61591)
04-15-2009	1400	< .04	< .022	< .002	< .02	< .012	< .016	< .053	< .08	< .03

353142077332703 Local number GR-098 L8D—Continued

WATER-QUALITY DATA
WATER YEAR OCTOBER 2008 TO SEPTEMBER 2009

Part 12 of 16

[%, percent; CaCO₃, calcium carbonate; N, nitrogen; NTRU, nephelometric turbidity ratio unit; P, phosphorus; SiO₂, silicon dioxide; ft, feet; mg/L, milligrams per liter; mm Hg, millimeters of mercury; nm, nanometers; °C, degrees Celsius; µS/cm, microsiemens per centimeter; µg/L, micrograms per liter; <, less than; E, estimated]

Date	Sample start time	Fipronil sulfide, water, filtered, recoverable, µg/L (62167)	Fipronil sulfone, water, filtered, recoverable, µg/L (62168)	Fipronil, water, filtered, recoverable, µg/L (62166)	Fonofos, water, filtered, recoverable, µg/L (04095)	Hexazinone, water, filtered, recoverable, µg/L (04025)	Iprodione, water, filtered, recoverable, µg/L (61593)	Isofenphos, water, filtered, recoverable, µg/L (61594)	lambda-Cyhalothrin, water, filtered, recoverable, µg/L (61595)	Malaoxon, water, filtered, recoverable, µg/L (61652)
04-15-2009	1400	< .013	< .024	< .040	< .010	< .008	< .014	< .006	< .010	< .080

WATER-QUALITY DATA
WATER YEAR OCTOBER 2008 TO SEPTEMBER 2009

Part 13 of 16

[%, percent; CaCO₃, calcium carbonate; N, nitrogen; NTRU, nephelometric turbidity ratio unit; P, phosphorus; SiO₂, silicon dioxide; ft, feet; mg/L, milligrams per liter; mm Hg, millimeters of mercury; nm, nanometers; °C, degrees Celsius; µS/cm, microsiemens per centimeter; µg/L, micrograms per liter; <, less than; E, estimated]

Date	Sample start time	Malathion, water, filtered, recoverable, µg/L (39532)	Metalaxyl, water, filtered, recoverable, µg/L (61596)	Methidathion, water, filtered, recoverable, µg/L (61598)	Methyl paraoxon, water, filtered, recoverable, µg/L (61664)	Methyl parathion, water, filtered (0.7 micron glass fiber filter), recoverable, µg/L (82667)	Metolachlor, water, filtered, recoverable, µg/L (39415)	Metribuzin, water, filtered, recoverable, µg/L (82630)	Molinate, water, filtered (0.7 micron glass fiber filter), recoverable, µg/L (82671)	Myclobutanil, water, filtered, recoverable, µg/L (61599)
04-15-2009	1400	< .020	< .040	< .006	< .01	< .008	< .014	< .016	< .002	< .010

WATER-QUALITY DATA
WATER YEAR OCTOBER 2008 TO SEPTEMBER 2009

Part 14 of 16

[%, percent; CaCO₃, calcium carbonate; N, nitrogen; NTRU, nephelometric turbidity ratio unit; P, phosphorus; SiO₂, silicon dioxide; ft, feet; mg/L, milligrams per liter; mm Hg, millimeters of mercury; nm, nanometers; °C, degrees Celsius; µS/cm, microsiemens per centimeter; µg/L, micrograms per liter; <, less than; E, estimated]

Date	Sample start time	Oxyfluorfen, water, filtered, recoverable, µg/L (61600)	Pendimethalin, water, filtered (0.7 micron glass fiber filter), recoverable, µg/L (82683)	Phorate oxygen analog, water, filtered, recoverable, µg/L (61666)	Phorate, water, filtered (0.7 micron glass fiber filter), recoverable, µg/L (82664)	Phosmet oxygen analog, water, filtered, recoverable, µg/L (61668)	Phosmet, water, filtered, recoverable, µg/L (61601)	Prometon, water, filtered, recoverable, µg/L (04037)	Prometryn, water, filtered, recoverable, µg/L (04036)	Propanil, water, filtered (0.7 micron glass fiber filter), recoverable, µg/L (82679)
04-15-2009	1400	< .006	< .012	< .03	< .020	< .05	< .200	< .012	< .006	< .014

353142077332703 Local number GR-098 L8D—Continued

WATER-QUALITY DATA
WATER YEAR OCTOBER 2008 TO SEPTEMBER 2009

Part 15 of 16

[%, percent; CaCO₃, calcium carbonate; N, nitrogen; NTRU, nephelometric turbidity ratio unit; P, phosphorus; SiO₂, silicon dioxide; ft, feet; mg/L, milligrams per liter; mm Hg, millimeters of mercury; nm, nanometers; °C, degrees Celsius; µS/cm, microsiemens per centimeter; µg/L, micrograms per liter; <, less than; E, estimated]

Date	Sample start time	Propargite, water, filtered (0.7 micron glass fiber filter), recoverable, µg/L (82685)	Propyz-amide, water, filtered (0.7 micron glass fiber filter), recoverable, µg/L (82676)	Simazine, water, filtered, recoverable, µg/L (04035)	Tebu-thiuron, water, filtered (0.7 micron glass fiber filter), recoverable, µg/L (82670)	Tefluthrin, water, filtered, recoverable, µg/L (61606)	Terbufos oxygen sulfone, water, filtered, recoverable, µg/L (61674)	Terbufos, water, filtered (0.7 micron glass fiber filter), recoverable, µg/L (82675)	Terbuthyl-azine, water, filtered, recoverable, µg/L (04022)	Thioben-carb, water, filtered (0.7 micron glass fiber filter), recoverable, µg/L (82681)
04-15-2009	1400	< .02	< .004	< .010	< .02	< .010	< .04	< .02	< .01	< .016

WATER-QUALITY DATA
WATER YEAR OCTOBER 2008 TO SEPTEMBER 2009

Part 16 of 16

[%, percent; CaCO₃, calcium carbonate; N, nitrogen; NTRU, nephelometric turbidity ratio unit; P, phosphorus; SiO₂, silicon dioxide; ft, feet; mg/L, milligrams per liter; mm Hg, millimeters of mercury; nm, nanometers; °C, degrees Celsius; µS/cm, microsiemens per centimeter; µg/L, micrograms per liter; <, less than; E, estimated]

Date	Sample start time	trans-Propicon-azole, water, filtered, recoverable, µg/L (79847)	Tribuphos, water, filtered, recoverable, µg/L (61610)	Trifluralin, water, filtered (0.7 micron glass fiber filter), recoverable, µg/L (82661)	Uranium (natural), water, filtered, µg/L (22703)
04-15-2009	1400	< .02	< .035	< .012	.03

WATER-QUALITY DATA
WATER YEAR OCTOBER 2010 TO SEPTEMBER 2011

Part 1 of 15

[%, percent; CaCO₃, calcium carbonate; N, nitrogen; NTRU, nephelometric turbidity ratio unit; P, phosphorus; SiO₂, silicon dioxide; ft, feet; mg/L, milligrams per liter; mm Hg, millimeters of mercury; nm, nanometers; °C, degrees Celsius; µS/cm, microsiemens per centimeter; µg/L, micrograms per liter; <, less than; E, estimated]

Date	Sample start time	Medium name	Sample type	Barometric pressure, mm Hg (00025)	Temperature, air, °C (00020)	Depth to water level, ft below land surface (72019)	Dissolved oxygen, water, unfiltered, mg/L (00300)	Dissolved oxygen, water, unfiltered, % saturation (00301)	pH, water, unfiltered, field, standard units (00400)	Specific conductance, water, unfiltered, µS/cm at 25 °C (00095)
08-10-2011	1230	Groundwater	Regular	764	31.0	20.93	5.6	61	4.4	212

353142077332703 Local number GR-098 L8D—Continued

WATER-QUALITY DATA
WATER YEAR OCTOBER 2010 TO SEPTEMBER 2011

Part 2 of 15

[%, percent; CaCO₃, calcium carbonate; N, nitrogen; NTRU, nephelometric turbidity ratio unit; P, phosphorus; SiO₂, silicon dioxide; ft, feet; mg/L, milligrams per liter; mm Hg, millimeters of mercury; nm, nanometers; °C, degrees Celsius; µS/cm, microsiemens per centimeter; µg/L, micrograms per liter; <, less than; E, estimated]

Date	Sample start time	Temperature, water, °C (00010)	Turbidity, water, unfiltered, broad band light source (400-680 nm), detectors at multiple angles including 90 +/- 30 degrees, ratiometric correction, NTRU (63676)	Water level, depth below measuring point, feet (61055)	Dissolved solids dried at 180 °C, filtered, mg/L (70300)	Hardness, water, mg/L as CaCO ₃ (00900)	Calcium, water, filtered, mg/L (00915)	Magnesium, water, filtered, mg/L (00925)	Potassium, water, filtered, mg/L (00935)

WATER-QUALITY DATA
WATER YEAR OCTOBER 2010 TO SEPTEMBER 2011

Part 3 of 15

[%, percent; CaCO₃, calcium carbonate; N, nitrogen; NTRU, nephelometric turbidity ratio unit; P, phosphorus; SiO₂, silicon dioxide; ft, feet; mg/L, milligrams per liter; mm Hg, millimeters of mercury; nm, nanometers; °C, degrees Celsius; µS/cm, microsiemens per centimeter; µg/L, micrograms per liter; <, less than; E, estimated]

Date	Sample start time	Sodium, water, filtered, mg/L (00930)	Bromide, water, filtered, mg/L (71870)	Chloride, water, filtered, mg/L (00940)	Fluoride, water, filtered, mg/L (00950)	Silica, water, filtered, mg/L as SiO ₂ (00955)	Sulfate, water, filtered, mg/L (00945)	Ammonia, water, filtered, mg/L as N (00608)	Nitrate plus nitrite, water, filtered, mg/L as N (00631)	Nitrite, water, filtered, mg/L as N (00613)

WATER-QUALITY DATA
WATER YEAR OCTOBER 2010 TO SEPTEMBER 2011

Part 4 of 15

[%, percent; CaCO₃, calcium carbonate; N, nitrogen; NTRU, nephelometric turbidity ratio unit; P, phosphorus; SiO₂, silicon dioxide; ft, feet; mg/L, milligrams per liter; mm Hg, millimeters of mercury; nm, nanometers; °C, degrees Celsius; µS/cm, microsiemens per centimeter; µg/L, micrograms per liter; <, less than; E, estimated]

Date	Sample start time	Orthophosphate, water, filtered, mg/L as P (00671)	Total nitrogen, water, filtered, analytically determined, mg/L (62854)	Aluminum, water, filtered, µg/L (01106)	Barium, water, filtered, µg/L (01005)	Beryllium, water, filtered, µg/L (01010)	Cadmium, water, filtered, µg/L (01025)	Chromium, water, filtered, µg/L (01030)	Cobalt, water, filtered, µg/L (01035)

353142077332703 Local number GR-098 L8D—Continued

WATER-QUALITY DATA
WATER YEAR OCTOBER 2010 TO SEPTEMBER 2011

Part 5 of 15

[%, percent; CaCO₃, calcium carbonate; N, nitrogen; NTRU, nephelometric turbidity ratio unit; P, phosphorus; SiO₂, silicon dioxide; ft, feet; mg/L, milligrams per liter; mm Hg, millimeters of mercury; nm, nanometers; °C, degrees Celsius; µS/cm, microsiemens per centimeter; µg/L, micrograms per liter; <, less than; E, estimated]

Date	Sample start time	Copper, water, filtered, µg/L (01040)	Iron, water, filtered, µg/L (01046)	Lead, water, filtered, µg/L (01049)	Lithium, water, filtered, µg/L (01130)	Manganese, water, filtered, µg/L (01056)	Molybdenum, water, filtered, µg/L (01060)	Nickel, water, filtered, µg/L (01065)	Silver, water, filtered, µg/L (01075)	Strontium, water, filtered, µg/L (01080)
08-10-2011	1230	1.1	9	.30	1.3	51.1	.13	4.3	< .01	98.6

WATER-QUALITY DATA
WATER YEAR OCTOBER 2010 TO SEPTEMBER 2011

Part 6 of 15

[%, percent; CaCO₃, calcium carbonate; N, nitrogen; NTRU, nephelometric turbidity ratio unit; P, phosphorus; SiO₂, silicon dioxide; ft, feet; mg/L, milligrams per liter; mm Hg, millimeters of mercury; nm, nanometers; °C, degrees Celsius; µS/cm, microsiemens per centimeter; µg/L, micrograms per liter; <, less than; E, estimated]

Date	Sample start time	Thallium, water, filtered, µg/L (01057)	Vanadium, water, filtered, µg/L (01085)	Zinc, water, filtered, µg/L (01090)	Antimony, water, filtered, µg/L (01095)	Arsenic, water, filtered, µg/L (01000)	Boron, water, filtered, µg/L (01020)	Selenium, water, filtered, µg/L (01145)	1-Naphthol, water, filtered (0.7 micron glass fiber filter), recoverable, µg/L (49295)	2,6-Diethyl-aniline, water, filtered (0.7 micron glass fiber filter), recoverable, µg/L (82660)
08-10-2011	1230	.26	.19	42.5	.04	.17	8	.44	< .036	< .006

WATER-QUALITY DATA
WATER YEAR OCTOBER 2010 TO SEPTEMBER 2011

Part 7 of 15

[%, percent; CaCO₃, calcium carbonate; N, nitrogen; NTRU, nephelometric turbidity ratio unit; P, phosphorus; SiO₂, silicon dioxide; ft, feet; mg/L, milligrams per liter; mm Hg, millimeters of mercury; nm, nanometers; °C, degrees Celsius; µS/cm, microsiemens per centimeter; µg/L, micrograms per liter; <, less than; E, estimated]

Date	Sample start time	2-Chloro-2',6'-diethyl-acetanilide, water, filtered, recoverable, µg/L (61618)	2-Chloro-4-isopropyl-amino-6-aminotriazine, water, filtered, recoverable, µg/L (04040)	2-Ethyl-6-methyl-aniline, water, filtered, recoverable, µg/L (61620)	3,4-Dichloro-aniline, water, filtered, recoverable, µg/L (61625)	3,5-Dichloro-aniline, water, filtered, recoverable, µg/L (61627)	4-Chloro-2-methyl-phenol, water, filtered, recoverable, µg/L (61633)	Aceto-chlor, water, filtered, recoverable, µg/L (49260)	Alachlor, water, filtered, recoverable, µg/L (46342)	alpha-Endo-sulfan, water, filtered, recoverable, µg/L (34362)
08-10-2011	1230	< .010	E .015	< .010	< .004	< .004	< .005	< .010	.426	< .006

353142077332703 Local number GR-098 L8D—Continued

WATER-QUALITY DATA
WATER YEAR OCTOBER 2010 TO SEPTEMBER 2011

Part 8 of 15

[%, percent; CaCO₃, calcium carbonate; N, nitrogen; NTRU, nephelometric turbidity ratio unit; P, phosphorus; SiO₂, silicon dioxide; ft, feet; mg/L, milligrams per liter; mm Hg, millimeters of mercury; nm, nanometers; °C, degrees Celsius; µS/cm, microsiemens per centimeter; µg/L, micrograms per liter; <, less than; E, estimated]

Date	Sample start time	Azinphos-							
		Atrazine, water, filtered, recoverable, µg/L (39632)	Azinphos-methyl oxygen analog, water, filtered, recoverable, µg/L (61635)	Azinphos-methyl, water, filtered (0.7 micron glass fiber filter), recoverable, µg/L (82686)	Benfluralin, water, filtered (0.7 micron glass fiber filter), recoverable, µg/L (82673)	Carbaryl, water, filtered (0.7 micron glass fiber filter), recoverable, µg/L (82680)	Carbofuran, water, filtered (0.7 micron glass fiber filter), recoverable, µg/L (82674)	Chlorpyrifos oxygen analog, water, filtered, recoverable, µg/L (61636)	Chlorpyrifos, water, filtered, recoverable, µg/L (38933)
08-10-2011	1230	.007	< .04	< .120	< .014	< .060	< .060	< .06	< .004

WATER-QUALITY DATA
WATER YEAR OCTOBER 2010 TO SEPTEMBER 2011

Part 9 of 15

[%, percent; CaCO₃, calcium carbonate; N, nitrogen; NTRU, nephelometric turbidity ratio unit; P, phosphorus; SiO₂, silicon dioxide; ft, feet; mg/L, milligrams per liter; mm Hg, millimeters of mercury; nm, nanometers; °C, degrees Celsius; µS/cm, microsiemens per centimeter; µg/L, micrograms per liter; <, less than; E, estimated]

Date	Sample start time	cis-								
		Permethrin, water, filtered (0.7 micron glass fiber filter), recoverable, µg/L (82687)	Propiconazole, water, filtered, recoverable, µg/L (79846)	Cyanazine, water, filtered, recoverable, µg/L (04041)	Cyfluthrin, water, filtered, recoverable, µg/L (61585)	Cypermethrin, water, filtered, recoverable, µg/L (61586)	DCPA, water, filtered (0.7 micron glass fiber filter), recoverable, µg/L (82682)	Desulfinyl-fipronil amide, water, filtered, recoverable, µg/L (62169)	Desulfinyl-fipronil, water, filtered, recoverable, µg/L (62170)	Diazinon, water, filtered, recoverable, µg/L (39572)
08-10-2011	1230	< .010	< .008	< .022	< .016	< .020	< .008	< .029	< .012	< .006

353142077332703 Local number GR-098 L8D—Continued

WATER-QUALITY DATA

WATER YEAR OCTOBER 2010 TO SEPTEMBER 2011

Part 10 of 15

[% , percent; CaCO₃, calcium carbonate; N, nitrogen; NTRU, nephelometric turbidity ratio unit; P, phosphorus; SiO₂, silicon dioxide; ft, feet; mg/L, milligrams per liter; mm Hg, millimeters of mercury; nm, nanometers; °C, degrees Celsius; µS/cm, microsiemens per centimeter; µg/L, micrograms per liter; <, less than; E, estimated]

Date	Sample start time	Dichlorvos, water, filtered, recoverable, µg/L (38775)	Dicrotophos, water, filtered, recoverable, µg/L (38454)	Dieldrin, water, filtered, recoverable, µg/L (39381)	Dimethoate, water, filtered (0.7 micron glass fiber filter), recoverable, µg/L (82662)	Disulfoton sulfone, water, filtered, recoverable, µg/L (61640)	Disulfoton, water, filtered (0.7 micron glass fiber filter), recoverable, µg/L (82677)	Endosulfan sulfate, water, filtered, recoverable, µg/L (61590)	EPTC, water, filtered (0.7 micron glass fiber filter), recoverable, µg/L (82668)	Ethion monoxon, water, filtered, recoverable, µg/L (61644)
08-10-2011	1230	< .04	< .08	< .008	< .006	< .01	< .04	< .016	< .006	< .02

WATER-QUALITY DATA

WATER YEAR OCTOBER 2010 TO SEPTEMBER 2011

Part 11 of 15

[% , percent; CaCO₃, calcium carbonate; N, nitrogen; NTRU, nephelometric turbidity ratio unit; P, phosphorus; SiO₂, silicon dioxide; ft, feet; mg/L, milligrams per liter; mm Hg, millimeters of mercury; nm, nanometers; °C, degrees Celsius; µS/cm, microsiemens per centimeter; µg/L, micrograms per liter; <, less than; E, estimated]

Date	Sample start time	Ethion, water, filtered, recoverable, µg/L (82346)	Ethoprop, water, filtered (0.7 micron glass fiber filter), recoverable, µg/L (82672)	Fenamiphos sulfone, water, filtered, recoverable, µg/L (61645)	Fenamiphos sulfoxide, water, filtered, recoverable, µg/L (61646)	Fenamiphos, water, filtered, recoverable, µg/L (61591)	Fipronil sulfide, water, filtered, recoverable, µg/L (62167)	Fipronil sulfone, water, filtered, recoverable, µg/L (62168)	Fipronil, water, filtered, recoverable, µg/L (62166)	Fonofos, water, filtered, recoverable, µg/L (04095)
08-10-2011	1230	< .008	< .016	< .054	< .08	< .03	< .012	< .024	< .018	< .005

WATER-QUALITY DATA

WATER YEAR OCTOBER 2010 TO SEPTEMBER 2011

Part 12 of 15

[% , percent; CaCO₃, calcium carbonate; N, nitrogen; NTRU, nephelometric turbidity ratio unit; P, phosphorus; SiO₂, silicon dioxide; ft, feet; mg/L, milligrams per liter; mm Hg, millimeters of mercury; nm, nanometers; °C, degrees Celsius; µS/cm, microsiemens per centimeter; µg/L, micrograms per liter; <, less than; E, estimated]

Date	Sample start time	Hexazinone, water, filtered, recoverable, µg/L (04025)	Iprodione, water, filtered, recoverable, µg/L (61593)	Isofenphos, water, filtered, recoverable, µg/L (61594)	lambda-Cyhalothrin, water, filtered, recoverable, µg/L (61595)	Malaoxon, water, filtered, recoverable, µg/L (61652)	Malathion, water, filtered, recoverable, µg/L (39532)	Metalaxyl, water, filtered, recoverable, µg/L (61596)	Methidathion, water, filtered, recoverable, µg/L (61598)	Methyl paraxon, water, filtered, recoverable, µg/L (61664)
08-10-2011	1230	< .008	< .014	< .006	< .010	< .022	< .016	< .014	< .012	< .01

353142077332703 Local number GR-098 L8D—Continued

WATER-QUALITY DATA
WATER YEAR OCTOBER 2010 TO SEPTEMBER 2011

Part 13 of 15

[%, percent; CaCO₃, calcium carbonate; N, nitrogen; NTRU, nephelometric turbidity ratio unit; P, phosphorus; SiO₂, silicon dioxide; ft, feet; mg/L, milligrams per liter; mm Hg, millimeters of mercury; nm, nanometers; °C, degrees Celsius; µS/cm, microsiemens per centimeter; µg/L, micrograms per liter; <, less than; E, estimated]

Date	Sample start time	Methyl parathion, water, filtered (0.7 micron glass fiber filter), recoverable,	Metolachlor, water, filtered, recoverable,	Metribuzin, water, filtered, recoverable,	Molinate, water, filtered (0.7 micron glass fiber filter), recoverable,	Myclobutanil, water, filtered, recoverable,	Oxyfluorfen, water, filtered, recoverable,	Pendimethalin, water, filtered (0.7 micron glass fiber filter), recoverable,	Phorate oxygen analog, water, filtered, recoverable,	Phorate, water, filtered (0.7 micron glass fiber filter), recoverable,
		µg/L (82667)	µg/L (39415)	µg/L (82630)	µg/L (82671)	µg/L (61599)	µg/L (61600)	µg/L (82683)	µg/L (61666)	µg/L (82664)
08-10-2011	1230	< .008	< .020	< .012	< .004	< .010	< .006	< .012	< .03	< .020

WATER-QUALITY DATA
WATER YEAR OCTOBER 2010 TO SEPTEMBER 2011

Part 14 of 15

[%, percent; CaCO₃, calcium carbonate; N, nitrogen; NTRU, nephelometric turbidity ratio unit; P, phosphorus; SiO₂, silicon dioxide; ft, feet; mg/L, milligrams per liter; mm Hg, millimeters of mercury; nm, nanometers; °C, degrees Celsius; µS/cm, microsiemens per centimeter; µg/L, micrograms per liter; <, less than; E, estimated]

Date	Sample start time	Phosmet oxygen analog, water, filtered, recoverable,	Phosmet, water, filtered, recoverable,	Prometon, water, filtered, recoverable,	Prometryn, water, filtered, recoverable,	Propanil, water, filtered (0.7 micron glass fiber filter), recoverable,	Propargite, water, filtered (0.7 micron glass fiber filter), recoverable,	Propyzamide, water, filtered (0.7 micron glass fiber filter), recoverable,	Simazine, water, filtered, recoverable,	Tebu-thiuron, water, filtered (0.7 micron glass fiber filter), recoverable,
		µg/L (61668)	µg/L (61601)	µg/L (04037)	µg/L (04036)	µg/L (82679)	µg/L (82685)	µg/L (82676)	µg/L (04035)	µg/L (82670)
08-10-2011	1230	< .05	< .140	< .012	< .006	< .010	< .02	< .004	< .006	< .03

353142077332703 Local number GR-098 L8D—Continued

WATER-QUALITY DATA
WATER YEAR OCTOBER 2010 TO SEPTEMBER 2011

Part 15 of 15

[%, percent; CaCO₃, calcium carbonate; N, nitrogen; NTRU, nephelometric turbidity ratio unit; P, phosphorus; SiO₂, silicon dioxide; ft, feet; mg/L, milligrams per liter; mm Hg, millimeters of mercury; nm, nanometers; °C, degrees Celsius; µS/cm, microsiemens per centimeter; µg/L, micrograms per liter; <, less than; E, estimated]

Date	Sample start time	Tefluthrin, water, filtered, recoverable, µg/L (61606)	Terbufos oxygen analog sulfone, water, filtered, recoverable, µg/L (61674)	Terbufos, water, filtered (0.7 micron glass fiber filter), recoverable, µg/L (82675)	Terbutyl-azine, water, filtered, recoverable, µg/L (04022)	Thioben-carb, water, filtered (0.7 micron glass fiber filter), recoverable, µg/L (82681)	trans-Propicon-azole, water, filtered, recoverable, µg/L (79847)	Tribuphos, water, filtered, recoverable, µg/L (61610)	Trifluralin, water, filtered (0.7 micron glass fiber filter), recoverable, µg/L (82661)	Uranium (natural), water, filtered, µg/L (22703)
08-10-2011	1230	< .010	< .04	< .02	< .01	< .016	< .01	< .018	< .018	.09