



Water-Data Report 2012

0208117950 CROATAN SOUND AT 64/264 BRIDGE NEAR FORT RALEIGH, NC

Albemarle-Chowan Basin
Albemarle Subbasin

LOCATION.--Lat 35°55'00", long 75°44'50" referenced to North American Datum of 1927, Dare County, NC, Hydrologic Unit 03010205, at old U.S. Highway 64/264 bridge (William B Umstead Bridge), approximately 3 mi west of county regional airport on Roanoke Island and 2.5 mi southwest of Fort Raleigh.

DRAINAGE AREA.--Indeterminate.

WATER-QUALITY RECORDS

PERIOD OF RECORD.--Water years 1990-93, July 2012.

REMARKS.--Station operated in 2012 to define water quality in the Albemarle Sound as part of the National Monitoring Network for U.S. Coastal Waters and their Tributaries. Water-quality samples were collected through a zone equal to double the secchi depth using the depth-integration sampling technique.

**WATER-QUALITY DATA
WATER YEAR OCTOBER 2011 TO SEPTEMBER 2012**

Part 1 of 5

[CaCO₃, calcium carbonate; N, nitrogen; P, phosphorus; SiO₂, silicon dioxide; m, meters; mg/L, milligrams per liter; mm Hg, millimeters of mercury; °C, degrees Celsius; µS/cm, microsiemens per centimeter; µg/L, micrograms per liter; <, less than]

Date	Sample start time	Medium name	Sample type	Barometric pressure, mm Hg (00025)	Temperature, air, °C (00020)	Depth to bottom from water surface, at sampling location, meters (82903)	Dissolved oxygen, unfiltered, mg/L (00300)	pH, water, unfiltered, field, standard units (00400)	Specific conductance, water, unfiltered, µS/cm at 25°C (00095)
07-12-2012	1630	Surface water	Regular	765	27.1	6.50	7.6	6.4	12,500

0208117950 CROATAN SOUND AT 64/264 BRIDGE NEAR FORT RALEIGH, NC—Continued

WATER-QUALITY DATA
WATER YEAR OCTOBER 2011 TO SEPTEMBER 2012

Part 2 of 5

[CaCO₃, calcium carbonate; N, nitrogen; P, phosphorus; SiO₂, silicon dioxide; m, meters; mg/L, milligrams per liter; mm Hg, millimeters of mercury; °C, degrees Celsius; µS/cm, microsiemens per centimeter; µg/L, micrograms per liter; <, less than]

Date	Sample start time	Temperature, water, °C (00010)	Trans- parency, water, in situ, Secchi disc, m (00078)	Photosynthetically active radiation (average flux density on a horizontal surface during measurement interval), micromoles of photons per square meter per second		Sampling depth, m (00098)	Dissolved solids dried at 180°C, water, filtered, mg/L (70300)	Suspended solids, water, unfiltered, mg/L (00530)	Calcium, water, filtered, mg/L (00915)	Magnesium, water, filtered, mg/L (00925)	Potassium, water, filtered, mg/L (00935)
07-12-2012	1630	28.3	0.90	129	1.8	7,330	25	78.4	248	76.9	

WATER-QUALITY DATA
WATER YEAR OCTOBER 2011 TO SEPTEMBER 2012

Part 3 of 5

[CaCO₃, calcium carbonate; N, nitrogen; P, phosphorus; SiO₂, silicon dioxide; m, meters; mg/L, milligrams per liter; mm Hg, millimeters of mercury; °C, degrees Celsius; µS/cm, microsiemens per centimeter; µg/L, micrograms per liter; <, less than]

Date	Sample start time	Sodium, water, filtered, mg/L (00930)	Alkalinity, water, filtered, fixed endpoint (pH 4.5) titration, laboratory, mg/L as CaCO ₃ (29801)	Chloride, water, filtered, mg/L (00940)	Fluoride, water, filtered, mg/L (00950)	Silica, water, filtered, mg/L as SiO ₂ (00955)	Sulfate, water, filtered, mg/L (00945)	Ammonia plus organic nitrogen, water, unfiltered, mg/L as N (00625)	Ammonia, water, filtered, mg/L as N (00608)	Nitrate plus nitrite, water, filtered, mg/L as N (00631)
07-12-2012	1630	2,020	49.1	4,120	0.27	0.758	550	0.66	0.174	< .040

0208117950 CROATAN SOUND AT 64/264 BRIDGE NEAR FORT RALEIGH, NC—Continued

WATER-QUALITY DATA
WATER YEAR OCTOBER 2011 TO SEPTEMBER 2012

Part 4 of 5

[CaCO₃, calcium carbonate; N, nitrogen; P, phosphorus; SiO₂, silicon dioxide; m, meters; mg/L, milligrams per liter; mm Hg, millimeters of mercury; °C, degrees Celsius; µS/cm, microsiemens per centimeter; µg/L, micrograms per liter; <, less than]

Date	Sample start time	Nitrite, water, filtered, mg/L as N (00613)	Orthophosphate, water, filtered, mg/L as P (00671)	Phosphorus, water, unfiltered, mg/L as P (00665)	Chlorophyll a, phytoplankton, chromatographic-fluorometric method, µg/L (70953)	Aluminum, water, filtered, µg/L (01106)	Cobalt, water, filtered, µg/L (01035)	Copper, water, filtered, µg/L (01040)	Iron, water, filtered, µg/L (01046)
07-12-2012	1630	< .001	< .004	0.025	8.1	< 22.0	0.811	< 8.0	7.1

WATER-QUALITY DATA
WATER YEAR OCTOBER 2011 TO SEPTEMBER 2012

Part 5 of 5

[CaCO₃, calcium carbonate; N, nitrogen; P, phosphorus; SiO₂, silicon dioxide; m, meters; mg/L, milligrams per liter; mm Hg, millimeters of mercury; °C, degrees Celsius; µS/cm, microsiemens per centimeter; µg/L, micrograms per liter; <, less than]

Date	Sample start time	Lead, water, filtered, µg/L (01049)	Manganese, water, filtered, µg/L (01056)	Molybdenum, water, filtered, µg/L (01060)	Nickel, water, filtered, µg/L (01065)	Zinc, water, filtered, µg/L (01090)
07-12-2012	1630	0.710	1.50	6.34	1.0	17.2