0209691608 UNNAMED TRIBUTARY 2 TO COLLINS CREEK NEAR WHITE CROSS, NC

Cape Fear Basin
Haw Subbasin

LOCATION.--Lat 35°56'21.1", long 79°12'16.6" referenced to North American Datum of 1983, Orange County, NC, Hydrologic Unit 03030002, approximately 0.5 mi west of Orange Grove Road, and 1.6 mi northwest of White Cross, located upstream of the confluence with unnamed tributary 1 and Collins Creek.

DRAINAGE AREA.--0.37 mi².

WATER-QUALITY RECORDS

PERIOD OF RECORD.--Water years 2011 to current year.

REMARKS.--Station operated to evaluate effects of land-applied municipal biosolids on water quality.

WATER-QUALITY DATA
WATER YEAR OCTOBER 2011 TO SEPTEMBER 2012

Part 1 of 16

[$CaCO_3$, calcium carbonate; MF, membrane filter; MPN/100 mL, most probable number per 100 milliliters; N, nitrogen; P, phosphorus; col/100 mL, colonies per 100 milliliters; ft³/s, cubic feet per second; mg/L, milligrams per liter; mm Hg, millimeters of mercury; °C, degrees Celsius; µS/cm, microsiemens per centimeter; µg/L, micrograms per liter; --, no data; <, less than; E, estimated]

Date	Sample start time	Medium name	Sample type	Barometric pressure, mm Hg (00025)	Discharge, instanta-neous, ft³/s (00061)	Dissolved oxygen, water, unfiltered, mg/L (00300)	pH, water, unfiltered, field, standard units (00400)	Specific conduc-tance, water, unfiltered, µS/cm at 25°C (00095)
11-29-2011	**1150**	Surface water	Regular	750	0.98	8.7	6.0	55
11-29-2011	***1151***	*QC sample - Surface water*	*Duplicate*	--	--	--	--	--

WATER-QUALITY DATA
WATER YEAR OCTOBER 2011 TO SEPTEMBER 2012

Part 2 of 16

[$CaCO_3$, calcium carbonate; MF, membrane filter; MPN/100 mL, most probable number per 100 milliliters; N, nitrogen; P, phosphorus; col/100 mL, colonies per 100 milliliters; ft³/s, cubic feet per second; mg/L, milligrams per liter; mm Hg, millimeters of mercury; °C, degrees Celsius; µS/cm, microsiemens per centimeter; µg/L, micrograms per liter; --, no data; <, less than; E, estimated]

Date	Sample start time	Tempera-ture, water, °C (00010)	Calcium, water, filtered, mg/L (00915)	Magne-sium, water, filtered, mg/L (00925)	Potassium, water, filtered, mg/L (00935)	Sodium, water, filtered, mg/L (00930)	Alkalinity, water, filtered, fixed endpoint (pH 4.5) titration, laboratory, mg/L as $CaCO_3$ (29801)	Chloride, water, filtered, mg/L (00940)	Fluoride, water, filtered, mg/L (00950)	Sulfate, water, filtered, mg/L (00945)
11-29-2011	**1150**	12.4	5.02	2.49	2.66	4.37	10.8	5.52	< .04	5.58
11-29-2011	***1151***	--	--	--	--	--	--	--	--	--

Suggested citation: U.S. Geological Survey, 2013, Water-resources data for the United States, Water Year 2012: U.S. Geological Survey Water-Data Report WDR-US-2012, site 0209691608, accessed at http://wdr.water.usgs.gov/wy2012/pdfs/0209691608.2012.pdf

0209691608 UNNAMED TRIBUTARY 2 TO COLLINS CREEK NEAR WHITE CROSS, NC—Continued

WATER-QUALITY DATA
WATER YEAR OCTOBER 2011 TO SEPTEMBER 2012
Part 3 of 16

[$CaCO_3$, calcium carbonate; MF, membrane filter; MPN/100 mL, most probable number per 100 milliliters; N, nitrogen; P, phosphorus; col/100 mL, colonies per 100 milliliters; ft^3/s, cubic feet per second; mg/L, milligrams per liter; mm Hg, millimeters of mercury; °C, degrees Celsius; µS/cm, microsiemens per centimeter; µg/L, micrograms per liter; --, no data; <, less than; E, estimated]

Date	Sample start time	Ammonia plus organic nitrogen, water, unfiltered, mg/L as N (00625)	Ammonia, water, filtered, mg/L as N (00608)	Nitrate plus nitrite, water, filtered, mg/L as N (00631)	Orthophosphate, water, filtered, mg/L as P (00671)	Phosphorus, water, unfiltered, mg/L as P (00665)	Escherichia coli, Defined Substrate Technology, water, MPN/100 mL (50468)	Fecal coliform, M-FC MF (0.45 micron) method, water, col/100 mL (31616)	Iron, water, filtered, µg/L (01046)
11-29-2011	**1150**	1.5	0.011	0.376	0.180	0.305	15,000	10,000	856
11-29-2011	***1151***	--	--	--	--	--	--	*11,000*	--

WATER-QUALITY DATA
WATER YEAR OCTOBER 2011 TO SEPTEMBER 2012
Part 4 of 16

[$CaCO_3$, calcium carbonate; MF, membrane filter; MPN/100 mL, most probable number per 100 milliliters; N, nitrogen; P, phosphorus; col/100 mL, colonies per 100 milliliters; ft^3/s, cubic feet per second; mg/L, milligrams per liter; mm Hg, millimeters of mercury; °C, degrees Celsius; µS/cm, microsiemens per centimeter; µg/L, micrograms per liter; --, no data; <, less than; E, estimated]

Date	Sample start time	1,4-Dichlorobenzene, water, unfiltered, recoverable, µg/L (34571)	Atrazine, water, unfiltered, recoverable, µg/L (39630)	Bromacil, water, unfiltered, recoverable, µg/L (30234)	Camphor, water, unfiltered, recoverable, µg/L (62817)	Carbaryl, water, unfiltered, recoverable, µg/L (39750)	Carbazole, water, unfiltered, recoverable, µg/L (77571)	Chlorpyrifos, water, unfiltered, recoverable, µg/L (38932)	DEET, water, unfiltered, recoverable, µg/L (61947)	Diazinon, water, unfiltered, recoverable, µg/L (39570)
11-29-2011	**1150**	0.02	< .16	< .16	0.06	< .06	< .020	< .12	0.05	< .32
11-29-2011	***1151***	--	--	--	--	--	--	--	--	--

0209691608 UNNAMED TRIBUTARY 2 TO COLLINS CREEK NEAR WHITE CROSS, NC—Continued

WATER-QUALITY DATA
WATER YEAR OCTOBER 2011 TO SEPTEMBER 2012
Part 5 of 16

[$CaCO_3$, calcium carbonate; MF, membrane filter; MPN/100 mL, most probable number per 100 milliliters; N, nitrogen; P, phosphorus; col/100 mL, colonies per 100 milliliters; ft^3/s, cubic feet per second; mg/L, milligrams per liter; mm Hg, millimeters of mercury; °C, degrees Celsius; µS/cm, microsiemens per centimeter; µg/L, micrograms per liter; --, no data; <, less than; E, estimated]

Date	Sample start time	Dichlorvos, water, unfiltered, recoverable, µg/L (30218)	Metalaxyl, water, unfiltered, recoverable, µg/L (04254)	Metolachlor, water, unfiltered, recoverable, µg/L (82612)	p-Cresol, water, unfiltered, recoverable, µg/L (77146)	Pentachlorophenol, water, unfiltered, recoverable, µg/L (39032)	Prometon, water, unfiltered, recoverable, µg/L (39056)	Thiabendazole, water, filtered, recoverable, micrograms per liter (62801)	1,7-Dimethylxanthine, water, filtered, recoverable, micrograms per liter (62030)	1-Methylnaphthalene, water, unfiltered, recoverable, µg/L (81696)
11-29-2011	**1150**	< .08	< .16	< .04	0.19	< 1.6	< .16	< .060	< .100	< .04
11-29-2011	***1151***	--	--	--	--	--	--	--	--	--

WATER-QUALITY DATA
WATER YEAR OCTOBER 2011 TO SEPTEMBER 2012
Part 6 of 16

[$CaCO_3$, calcium carbonate; MF, membrane filter; MPN/100 mL, most probable number per 100 milliliters; N, nitrogen; P, phosphorus; col/100 mL, colonies per 100 milliliters; ft^3/s, cubic feet per second; mg/L, milligrams per liter; mm Hg, millimeters of mercury; °C, degrees Celsius; µS/cm, microsiemens per centimeter; µg/L, micrograms per liter; --, no data; <, less than; E, estimated]

Date	Sample start time	2,6-Dimethylnaphthalene, water, unfiltered, recoverable, µg/L (62805)	2-Methylnaphthalene, water, unfiltered, recoverable, µg/L (30194)	3,4-Dichlorophenyl isocyanate, water, unfiltered, recoverable, µg/L (63145)	3-beta-Coprostanol, water, unfiltered, recoverable, µg/L (62806)	3-Methyl-1H-indole, water, unfiltered, recoverable, µg/L (62807)	3-tert-Butyl-4-hydroxyanisole, water, unfiltered, recoverable, µg/L (61702)	4-Cumylphenol, water, unfiltered, recoverable, µg/L (62808)	4-Epichlortetracycline hydrochloride, water, filtered, recoverable, micrograms per liter (63731)	4-Epioxytetracycline, water, filtered, recoverable, micrograms per liter (63729)
11-29-2011	**1150**	< .04	< .04	< .32	E .2	< .04	< .16	< .04	< .010	< .010
11-29-2011	***1151***	--	--	--	--	--	--	--	--	--

0209691608 UNNAMED TRIBUTARY 2 TO COLLINS CREEK NEAR WHITE CROSS, NC—Continued

WATER-QUALITY DATA
WATER YEAR OCTOBER 2011 TO SEPTEMBER 2012
Part 7 of 16

[$CaCO_3$, calcium carbonate; MF, membrane filter; MPN/100 mL, most probable number per 100 milliliters; N, nitrogen; P, phosphorus; col/100 mL, colonies per 100 milliliters; ft^3/s, cubic feet per second; mg/L, milligrams per liter; mm Hg, millimeters of mercury; °C, degrees Celsius; µS/cm, microsiemens per centimeter; µg/L, micrograms per liter; --, no data; <, less than; E, estimated]

Date	Sample start time	4-Epitetracycline hydrochloride, water, filtered, recoverable, micrograms per liter (63727)	4-n-Octylphenol, water, unfiltered, recoverable, µg/L (62809)	4-Nonylphenol (sum of all isomers), water, unfiltered, recoverable, µg/L (62829)	4-Nonylphenol diethoxylate (sum of all isomers), water, unfiltered, recoverable, µg/L (61703)	4-Nonylphenol monoethoxylate (sum of all isomers), water, unfiltered, recoverable, µg/L (61704)	4-tert-Octylphenol diethoxylate, water, unfiltered, recoverable, µg/L (62486)	4-tert-Octylphenol monoethoxylate, water, unfiltered, recoverable, µg/L (62485)	4-tert-Octylphenol, water, unfiltered, recoverable, µg/L (62810)	5-Methyl-1H-benzotriazole, water, unfiltered, recoverable, µg/L (61944)
11-29-2011	**1150**	< .010	< .02	< 1.6	< 1.6	< 1.6	< .2	< .6	< .4	< 1.28
11-29-2011	***1151***	--	--	--	--	--	--	--	--	--

WATER-QUALITY DATA
WATER YEAR OCTOBER 2011 TO SEPTEMBER 2012
Part 8 of 16

[$CaCO_3$, calcium carbonate; MF, membrane filter; MPN/100 mL, most probable number per 100 milliliters; N, nitrogen; P, phosphorus; col/100 mL, colonies per 100 milliliters; ft^3/s, cubic feet per second; mg/L, milligrams per liter; mm Hg, millimeters of mercury; °C, degrees Celsius; µS/cm, microsiemens per centimeter; µg/L, micrograms per liter; --, no data; <, less than; E, estimated]

Date	Sample start time	9,10-Anthraquinone, water, unfiltered, recoverable, µg/L (62813)	Acetaminophen, water, filtered, recoverable, micrograms per liter (62000)	Acetophenone, water, unfiltered, recoverable, µg/L (62811)	Acetyl hexamethyl tetrahydronaphthalene, water, unfiltered, recoverable, µg/L (62812)	Albuterol, water, filtered, recoverable, micrograms per liter (62020)	Anhydroerthromycin, water, filtered, recoverable, micrograms per liter (63674)	Anthracene, water, unfiltered, recoverable, µg/L (34220)	Azithromycin, water, filtered, recoverable, micrograms per liter (62792)	BDE congener 47, water, unfiltered, recoverable, µg/L (63147)
11-29-2011	**1150**	< .04	< .120	< .4	< .04	< .080	< .005	< .02	< .005	< .04
11-29-2011	***1151***	--	--	--	--	--	--	--	--	--

0209691608 UNNAMED TRIBUTARY 2 TO COLLINS CREEK NEAR WHITE CROSS, NC—Continued

WATER-QUALITY DATA
WATER YEAR OCTOBER 2011 TO SEPTEMBER 2012
Part 9 of 16

[$CaCO_3$, calcium carbonate; MF, membrane filter; MPN/100 mL, most probable number per 100 milliliters; N, nitrogen; P, phosphorus; col/100 mL, colonies per 100 milliliters; ft^3/s, cubic feet per second; mg/L, milligrams per liter; mm Hg, millimeters of mercury; °C, degrees Celsius; µS/cm, microsiemens per centimeter; µg/L, micrograms per liter; --, no data; <, less than; E, estimated]

Date	Sample start time	Benzo[a]-pyrene, water, unfiltered, recover-able, µg/L (34247)	Benzo-phenone, water, unfiltered, recover-able, µg/L (62814)	beta-Sitos-terol, water, unfiltered, recover-able, µg/L (62815)	beta-Stig-mastanol, water, unfiltered, recover-able, µg/L (61948)	Bis(2-ethylhexyl) phthalate, water, unfiltered, recover-able, µg/L (39100)	Bisphenol A, water, unfiltered, recover-able, µg/L (62816)	Caffeine, water, filtered, recover-able, µg/L (50305)	Caffeine, water, unfiltered, recover-able, µg/L (81436)	Carbamaze pine, water, filtered, recoverabl e, microgram s per liter (62793)
11-29-2011	**1150**	< .02	0.04	< 4.8	< 3.4	< 2	< .04	< .060	< .08	< .060
11-29-2011	***1151***	--	--	--	--	--	--	--	--	--

WATER-QUALITY DATA
WATER YEAR OCTOBER 2011 TO SEPTEMBER 2012
Part 10 of 16

[$CaCO_3$, calcium carbonate; MF, membrane filter; MPN/100 mL, most probable number per 100 milliliters; N, nitrogen; P, phosphorus; col/100 mL, colonies per 100 milliliters; ft^3/s, cubic feet per second; mg/L, milligrams per liter; mm Hg, millimeters of mercury; °C, degrees Celsius; µS/cm, microsiemens per centimeter; µg/L, micrograms per liter; --, no data; <, less than; E, estimated]

Date	Sample start time	Chloramph enicol, water, filtered, recoverabl e, microgram s per liter (65194)	Chlortetra cycline, water, filtered, recoverabl e, microgram s per liter (61744)	Choles-terol, water, unfiltered, recover-able, µg/L (62818)	Ciprofloxa cin, water, filtered, recoverabl e, microgram s per liter (62898)	Codeine, water, filtered, recoverabl e, microgram s per liter (62003)	Cotinine, water, filtered, recover-able, µg/L (62005)	Cotinine, water, unfiltered, recover-able, µg/L (61945)	Dehydronif edipine, water, filtered, recoverabl e, microgram s per liter (62004)	Diethyl phthalate, water, unfiltered, recover-able, µg/L (34336)
11-29-2011	**1150**	< .100	< .010	< 1.6	< .005	< .046	< .038	< .08	< .080	< .4
11-29-2011	***1151***	--	--	--	--	--	--	--	--	--

0209691608 UNNAMED TRIBUTARY 2 TO COLLINS CREEK NEAR WHITE CROSS, NC—Continued

WATER-QUALITY DATA
WATER YEAR OCTOBER 2011 TO SEPTEMBER 2012
Part 11 of 16

[$CaCO_3$, calcium carbonate; MF, membrane filter; MPN/100 mL, most probable number per 100 milliliters; N, nitrogen; P, phosphorus; col/100 mL, colonies per 100 milliliters; ft^3/s, cubic feet per second; mg/L, milligrams per liter; mm Hg, millimeters of mercury; °C, degrees Celsius; µS/cm, microsiemens per centimeter; µg/L, micrograms per liter; --, no data; <, less than; E, estimated]

Date	Sample start time	Diltiazem, water, filtered, recoverable, micrograms per liter (62008)	Diphenhydramine, water, filtered, recoverable, micrograms per liter (62796)	D-Limonene, water, unfiltered, recoverable, µg/L (62819)	Doxycycline, water, filtered (0.7 micron glass fiber filter), recoverable, micrograms per liter (62694)	Enrofloxacin, water, filtered, recoverable, micrograms per liter (66495)	Erythromycin, water, filtered, recoverable, micrograms per liter (62797)	Fluoranthene, water, unfiltered, recoverable, µg/L (34376)	Hexahydrohexamethylcyclopentabenzopyran, water, unfiltered, recoverable, µg/L (62823)	Ibuprofen, water, filtered, recoverable, micrograms per liter (62014)
11-29-2011	**1150**	< .060	< .058	< .16	< .010	< .005	< .008	< .02	< .04	< .050
11-29-2011	***1151***	--	--	--	--	--	--	--	--	--

WATER-QUALITY DATA
WATER YEAR OCTOBER 2011 TO SEPTEMBER 2012
Part 12 of 16

[$CaCO_3$, calcium carbonate; MF, membrane filter; MPN/100 mL, most probable number per 100 milliliters; N, nitrogen; P, phosphorus; col/100 mL, colonies per 100 milliliters; ft^3/s, cubic feet per second; mg/L, milligrams per liter; mm Hg, millimeters of mercury; °C, degrees Celsius; µS/cm, microsiemens per centimeter; µg/L, micrograms per liter; --, no data; <, less than; E, estimated]

Date	Sample start time	Indole, water, unfiltered, recoverable, µg/L (62824)	Isoborneol, water, unfiltered, recoverable, µg/L (62825)	Isochlortetracycline, water, filtered, recoverable, micrograms per liter (64175)	Isoepichlorotetracycline, water, filtered, recoverable, micrograms per liter (64047)	Isophorone, water, unfiltered, recoverable, µg/L (34408)	Isopropylbenzene, water, unfiltered, recoverable, µg/L (77223)	Isoquinoline, water, unfiltered, recoverable, µg/L (62826)	Lincomycin, water, filtered, recoverable, micrograms per liter (62894)	Lomefloxacin, water, filtered, recoverable, micrograms per liter (62900)
11-29-2011	**1150**	0.01	< .090	< .010	< .010	0.057	< .04	< .04	< .005	< .005
11-29-2011	***1151***	--	--	--	--	--	--	--	--	--

0209691608 UNNAMED TRIBUTARY 2 TO COLLINS CREEK NEAR WHITE CROSS, NC—Continued

WATER-QUALITY DATA
WATER YEAR OCTOBER 2011 TO SEPTEMBER 2012
Part 13 of 16

[$CaCO_3$, calcium carbonate; MF, membrane filter; MPN/100 mL, most probable number per 100 milliliters; N, nitrogen; P, phosphorus; col/100 mL, colonies per 100 milliliters; ft^3/s, cubic feet per second; mg/L, milligrams per liter; mm Hg, millimeters of mercury; °C, degrees Celsius; µS/cm, microsiemens per centimeter; µg/L, micrograms per liter; --, no data; <, less than; E, estimated]

Date	Sample start time	Menthol, water, unfiltered, recoverable, µg/L (62827)	Methyl salicylate, water, unfiltered, recoverable, µg/L (62828)	Naphthalene, water, unfiltered, recoverable, µg/L (34696)	Norfloxacin, water, filtered (0.7 micron glass fiber filter), recoverable, micrograms per liter (62757)	Ofloxacin, water, filtered, recoverable, micrograms per liter (62899)	Ormetoprim, water, filtered, recoverable, micrograms per liter (62962)	Oxytetracycline, water, filtered, recoverable, micrograms per liter (61759)	Phenanthrene, water, unfiltered, recoverable, µg/L (34461)	Phenol, water, unfiltered, recoverable, µg/L (34694)
11-29-2011	**1150**	< .45	0.08	< .02	< .005	< .005	< .005	< .010	< .02	0.09
11-29-2011	***1151***	--	--	--	--	--	--	--	--	--

WATER-QUALITY DATA
WATER YEAR OCTOBER 2011 TO SEPTEMBER 2012
Part 14 of 16

[$CaCO_3$, calcium carbonate; MF, membrane filter; MPN/100 mL, most probable number per 100 milliliters; N, nitrogen; P, phosphorus; col/100 mL, colonies per 100 milliliters; ft^3/s, cubic feet per second; mg/L, milligrams per liter; mm Hg, millimeters of mercury; °C, degrees Celsius; µS/cm, microsiemens per centimeter; µg/L, micrograms per liter; --, no data; <, less than; E, estimated]

Date	Sample start time	Pyrene, water, unfiltered, recoverable, µg/L (34469)	Roxithromycin, water, filtered, recoverable, micrograms per liter (62895)	Sarafloxacin, water, filtered (0.7 micron glass fiber filter), recoverable, micrograms per liter (62771)	Sulfachlorpyridazine, water, filtered (0.7 micron glass fiber filter), recoverable, micrograms per liter (62774)	Sulfadiazine, water, filtered, recoverable, micrograms per liter (62963)	Sulfadimethoxine, water, filtered (0.7 micron glass fiber filter), recoverable, micrograms per liter (62776)	Sulfamethazine, water, filtered, recoverable, micrograms per liter (61762)	Sulfamethoxazole, water, filtered (0.7 micron glass fiber filter), recoverable, micrograms per liter (62775)	Sulfamethoxazole, water, filtered, recoverable, micrograms per liter (62021)
11-29-2011	**1150**	< .02	< .005	< .005	< .005	< .005	< .005	< .005	< .005	< .091
11-29-2011	***1151***	--	--	--	--	--	--	--	--	--

0209691608 UNNAMED TRIBUTARY 2 TO COLLINS CREEK NEAR WHITE CROSS, NC—Continued

WATER-QUALITY DATA
WATER YEAR OCTOBER 2011 TO SEPTEMBER 2012
Part 15 of 16

[$CaCO_3$, calcium carbonate; MF, membrane filter; MPN/100 mL, most probable number per 100 milliliters; N, nitrogen; P, phosphorus; col/100 mL, colonies per 100 milliliters; ft³/s, cubic feet per second; mg/L, milligrams per liter; mm Hg, millimeters of mercury; °C, degrees Celsius; µS/cm, microsiemens per centimeter; µg/L, micrograms per liter; --, no data; <, less than; E, estimated]

Date	Sample start time	Sulfathiazole, water, filtered (0.7 micron glass fiber filter), recoverable, micrograms per liter (62778)	Tetra-chloro-ethene, water, unfiltered, recover-able, µg/L (34475)	Tetracycline, water, filtered (0.7 micron glass fiber filter), recoverable, micrograms per liter (62781)	Tribromo-methane, water, unfiltered, recover-able, µg/L (32104)	Tributyl phosphate, water, unfiltered, recover-able, µg/L (62832)	Triclosan, water, unfiltered, recover-able, µg/L (61708)	Triethyl citrate, water, unfiltered, recover-able, µg/L (62833)	Trimethoprim, water, filtered, recoverable, micrograms per liter (62023)	Triphenyl phosphate, water, unfiltered, recover-able, µg/L (62834)
11-29-2011	**1150**	< .005	< .16	< .010	< .16	< .064	< .32	< .04	< .034	< .08
11-29-2011	***1151***	--	--	--	--	--	--	--	--	--

WATER-QUALITY DATA
WATER YEAR OCTOBER 2011 TO SEPTEMBER 2012
Part 16 of 16

[$CaCO_3$, calcium carbonate; MF, membrane filter; MPN/100 mL, most probable number per 100 milliliters; N, nitrogen; P, phosphorus; col/100 mL, colonies per 100 milliliters; ft³/s, cubic feet per second; mg/L, milligrams per liter; mm Hg, millimeters of mercury; °C, degrees Celsius; µS/cm, microsiemens per centimeter; µg/L, micrograms per liter; --, no data; <, less than; E, estimated]

Date	Sample start time	Tris(2-butoxy-ethyl) phosphate, water, unfiltered, recover-able, µg/L (62830)	Tris(2-chloro-ethyl) phosphate, water, unfiltered, recover-able, µg/L (62831)	Tris(di-chloroiso-propyl) phosphate, water, unfiltered, recover-able, µg/L (61707)	Tylosin, water, filtered, recoverable, micrograms per liter (62896)	Virginiamycin, water, filtered, recoverable, micrograms per liter (62897)	Warfarin, water, filtered, recoverable, micrograms per liter (62024)
11-29-2011	**1150**	< .64	< .16	< .32	< .010	< .005	< .080
11-29-2011	***1151***	--	--	--	--	--	--