Water-Data Report 2012

13206400 EAGLE DRAIN AT EAGLE, ID

Middle Snake-Boise Basin
Lower Boise Subbasin

LOCATION.--Lat 43°41′30″, long 116°21′23″ referenced to North American Datum of 1983, in SE ¼ SE ¼ SE ¼ sec.8, T.4 N., R.1 E., Ada County, ID, Hydrologic Unit 17050114, Eagle quad., just north of Highway 44, about 0.10 mi west of South Eagle Road, and at Eagle.

DRAINAGE AREA.--13.84 mi^2.

SURFACE-WATER RECORDS

PERIOD OF RECORD.--July 2010 to September 2012 (discontinued).

GAGE.--Water-stage recorder. Elevation of gage is 2555 ft above NGVD of 1929, from topographic map.

REMARKS.--Records good. Station equipment includes satellite telemetry and crest-stage gage. Flow is mainly irrigation return flow.

EXTREMES FOR PERIOD OF RECORD.--Maximum daily discharge, 53 ft^3/s May 26, 2011; minimum daily, 5.8 ft^3/s February 15, 2011.

EXTREMES FOR CURRENT YEAR.--Maximum daily discharge, 48 ft^3/s October 5; minimum daily, 6.9 ft^3/s January 13-15.

13206400 EAGLE DRAIN AT EAGLE, ID—Continued

DISCHARGE, CUBIC FEET PER SECOND
WATER YEAR OCTOBER 2011 TO SEPTEMBER 2012
DAILY MEAN VALUES

Day	Oct	Nov	Dec	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep
1	34	11	8.3	7.5	8.6	8.0	8.6	26	30	42	37	38
2	37	11	8.3	7.4	8.4	7.6	8.4	28	30	41	36	40
3	35	11	8.2	7.3	8.3	7.5	8.5	31	31	38	38	38
4	38	11	8.3	7.2	8.2	7.5	8.7	34	34	40	37	37
5	48	11	8.1	7.2	8.1	7.4	8.6	34	33	43	38	37
6	42	11	8.1	7.1	8.1	7.4	8.0	33	32	43	36	39
7	38	10	8.0	7.1	8.0	7.3	7.6	34	33	44	38	38
8	37	10	8.0	7.1	7.9	7.3	7.6	34	30	43	39	35
9	36	9.7	7.9	7.0	7.9	7.3	7.6	33	37	42	38	36
10	37	9.8	8.6	7.0	7.9	7.3	7.7	31	36	46	39	38
11	42	9.5	8.1	7.0	8.1	7.3	8.1	28	35	43	38	37
12	35	9.2	8.0	7.0	7.9	7.3	8.2	28	33	43	41	37
13	30	9.6	7.9	6.9	7.7	7.2	8.4	30	34	41	40	38
14	21	9.2	7.8	6.9	7.8	8.3	8.6	28	34	41	41	38
15	18	9.0	7.7	6.9	8.0	8.4	8.4	26	32	39	40	39
16	20	9.0	7.7	7.0	7.8	9.0	8.5	30	34	36	38	38
17	17	9.1	7.6	7.0	7.8	13	8.8	31	34	36	40	37
18	16	9.2	7.6	7.8	7.8	9.8	9.4	33	37	37	41	37
19	15	9.0	7.6	29	7.7	9.0	8.5	31	35	38	40	39
20	15	8.8	7.6	14	7.7	8.8	9.2	31	36	36	42	43
21	14	8.5	7.5	14	8.5	8.8	11	30	37	35	41	42
22	14	8.6	7.4	10	7.9	8.7	14	29	40	37	39	42
23	13	8.6	7.4	10	7.8	8.9	15	31	41	36	40	40
24	13	8.3	7.4	9.4	7.7	8.7	19	30	39	37	39	41
25	12	8.4	7.4	9.4	7.9	8.7	21	31	37	36	38	43
26	12	8.3	7.4	11	7.7	12	30	35	38	36	39	39
27	12	8.2	7.4	9.2	7.6	8.7	24	32	39	36	38	40
28	11	8.4	8.1	8.8	7.6	8.7	24	32	40	37	38	40
29	12	8.3	7.7	9.0	7.6	8.2	24	27	41	36	40	41
30	11	8.3	9.0	9.0	---	9.1	24	29	40	36	37	39
31	11	---	8.5	8.8	---	9.1	---	30	---	37	38	---
Total	746	281.0	244.6	280.0	230.0	262.3	373.4	950	1,062	1,211	1,204	1,166
Mean	24.1	9.37	7.89	9.03	7.93	8.46	12.4	30.6	35.4	39.1	38.8	38.9
Max	48	11	9.0	29	8.6	13	30	35	41	46	42	43
Min	11	8.2	7.4	6.9	7.6	7.2	7.6	26	30	35	36	35
Ac-ft	1,480	557	485	555	456	520	741	1,880	2,110	2,400	2,390	2,310

STATISTICS OF MONTHLY MEAN DATA FOR WATER YEARS 2010 - 2012, BY WATER YEAR (WY)

	Oct	Nov	Dec	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep
Mean	23.0	9.63	11.3	11.1	7.40	8.53	12.6	32.4	37.0	37.6	38.0	36.5
Max	24.1	9.90	14.7	13.1	7.93	8.59	12.7	34.1	38.6	39.1	39.4	38.9
(WY)	(2012)	(2011)	(2011)	(2011)	(2012)	(2011)	(2011)	(2011)	(2011)	(2012)	(2011)	(2012)
Min	21.8	9.37	7.89	9.03	6.86	8.46	12.4	30.6	35.4	36.1	35.8	33.1
(WY)	(2011)	(2012)	(2012)	(2012)	(2011)	(2012)	(2012)	(2012)	(2012)	(2011)	(2010)	(2010)

13206400 EAGLE DRAIN AT EAGLE, ID—Continued

SUMMARY STATISTICS

	Calendar Year 2011		Water Year 2012		Water Years 2010 - 2012	
Annual total	8,202.5		8,010.3			
Annual mean	22.5		21.9		22.4	
Highest annual mean					22.9	2011
Lowest annual mean					21.9	2012
Highest daily mean	53	May 26	48	Oct 5	53	May 26, 2011
Lowest daily mean	5.8	Feb 15	6.9	Jan 13	5.8	Feb 15, 2011
Annual seven-day minimum	6.2	Feb 12	7.0	Jan 9	6.2	Feb 12, 2011
Annual runoff (ac-ft)	16,270		15,890		16,220	
10 percent exceeds	40		40		40	
50 percent exceeds	17		14		17	
90 percent exceeds	7.4		7.6		7.5	



13206400 EAGLE DRAIN AT EAGLE, ID—Continued

WATER-QUALITY RECORDS

PERIOD OF RECORD.--Water-quality samples were collected between October 2011 and October 2012 as part of an ongoing monitoring effort in lower Boise River tributaries.

PERIOD OF DAILY RECORD.--Between November 18, 2011 and October 26, 2012, continuous temperature, specific conductance, dissolved oxygen, and turbidity were collected on site. Continuous water-quality data collection was discontinued on October 26, 2012.

INSTRUMENTATION.--A YSI 6600V2-4, multi-parameter sonde equipped to monitor water temperature, specific conductance, dissolved oxygen (DO) (optical), and turbidity (6136) was installed on November 18, 2011 and removed October 26, 2012. The monitor recorded parameter readings at 15-minute intervals to a Sutron Satlink DCP on site. The DCP transmits real-time water water-quality data to NWIS web and ADAPS. Any use of trade, product, or firm names in this publication is for descriptive purposes only and does not imply endorsement by U.S. Government.

COOPERATION.--Samples and continuous water-quality data were collected as part of a Boise River tributary monitoring project funded in cooperation with the lower Boise Watershed Council and Idaho Department of Environmental Quality.

EXTREMES FOR PERIOD OF DAILY RECORD.--
WATER TEMPERATURE: Maximum, 19.5 °C on April 20, 2012; minimum, 3.1 °C on January 19, 2012.
SPECIFIC CONDUCTANCE: Maximum, 630 µS/cm on March 2, 2012; minimum 108 µS/cm on April 26, 2012.
TURBIDITY: Maximum, 57 FNU January 14, 2012; minimum, 1.0 FNU on November 18, 2012.
DISSOLVED OXYGEN: Maximum, 17.3 mg/L April 7, 2012; minimum, 3.6 mg/L August 7, 2012.

WATER-QUALITY DATA
WATER YEAR OCTOBER 2011 TO SEPTEMBER 2012

Part 1 of 9

[%, percent; MPN/100 mL, most probable number per 100 milliliters; N, nitrogen; P, phosphorus; ft³/s, cubic feet per second; mg/L, milligrams per liter; mm Hg, millimeters of mercury; mm, millimeters; °C, degrees Celsius; µS/cm, microsiemens per centimeter; --, no data; <, less than; E, estimated]

Date	Sample start time	Barometric pressure, mm Hg (00025)	Temperature, air, °C (00020)	Discharge, instantaneous, ft³/s (00061)	Dissolved oxygen, water, unfiltered, mg/L (00300)	Dissolved oxygen, water, unfiltered, % saturation (00301)	pH, water, unfiltered, field, standard units (00400)	Specific conductance, water, unfiltered, µS/cm at 25°C (00095)	Temperature, water, °C (00010)
11-18-2011	**1305**	684	6.0	9.0	7.7	78	7.3	359	11.0
12-13-2011	**1225**	697	1.0	7.9	9.3	84	7.5	363	6.8
12-15-2011	**1250**	--	--	--	--	--	--	--	--
01-23-2012	**1354**	693	6.0	11	9.2	87	--	345	8.6
02-21-2012	**1155**	698	6.0	9.0	9.8	92	7.9	355	8.5
03-21-2012	**0932**	694	10.0	8.5	9.0	85	7.4	344	8.7
04-25-2012	**1615**	685	28.0	20	10.4	116	7.5	190	15.5
05-22-2012	**1107**	692	20.5	29	9.8	102	7.3	192	12.5
06-21-2012	**1245**	689	29.5	39	10.8	117	7.5	181	14.4
07-17-2012	**1135**	689	31.0	36	9.9	112	7.4	192	16.5
08-20-2012	**1124**	693	29.0	43	8.2	93	7.2	173	16.9
09-11-2012	**1441**	697	27.0	39	9.5	106	7.4	200	16.6

13206400 EAGLE DRAIN AT EAGLE, ID—Continued

WATER-QUALITY DATA
WATER YEAR OCTOBER 2011 TO SEPTEMBER 2012

Part 2 of 9

[%, percent; MPN/100 mL, most probable number per 100 milliliters; N, nitrogen; P, phosphorus; ft³/s, cubic feet per second; mg/L, milligrams per liter; mm Hg, millimeters of mercury; mm, millimeters; °C, degrees Celsius; µS/cm, microsiemens per centimeter; --, no data; <, less than; E, estimated]

Date	Sample start time	Sampling method (82398)	Ammonia, water, filtered, mg/L as N (00608)	Nitrate plus nitrite, water, filtered, mg/L as N (00631)	Orthophosphate, water, filtered, mg/L as P (00671)	Phosphorus, water, unfiltered, mg/L as P (00665)	Total nitrogen, water, unfiltered, analytically determined, mg/L (62855)	Escherichia coli, Defined Substrate Technology, water, MPN/100 mL (50468)	Total coliform, Colilert Quantitray method, water, most probable number per 100 milliliters (90908)
11-18-2011	**1305**	EWI	0.019	1.92	0.148	0.17	2.31	140	1,600
12-13-2011	**1225**	EWI	.071	2.18	.128	.15	2.80	220	1,300
12-15-2011	**1250**	Grab sample(dip)	--	--	--	--	--	--	--
01-23-2012	**1354**	EWI	.039	2.14	.148	.16	2.43	88	1,600
02-21-2012	**1155**	EWI	.044	1.98	.106	.13	2.21	700	2,600
03-21-2012	**0932**	EWI	.027	1.99	.100	.11	2.15	340	1,200
04-25-2012	**1615**	EWI	.018	.71	.066	.09	.97	170	7,700
05-22-2012	**1107**	EWI	.014	.87	.060	.09	1.11	2,500	20,000
06-21-2012	**1245**	EWI	< .010	.74	.055	.06	1.04	650	6,500
07-17-2012	**1135**	EWI	< .010	.78	.062	.07	1.15	200	4,400
08-20-2012	**1124**	EWI	.010	.66	.070	.09	.99	190	4,600
09-11-2012	**1441**	EWI	.012	.81	.082	.10	1.03	93	2,900

13206400 EAGLE DRAIN AT EAGLE, ID—Continued

WATER-QUALITY DATA
WATER YEAR OCTOBER 2011 TO SEPTEMBER 2012
Part 3 of 9

[%, percent; MPN/100 mL, most probable number per 100 milliliters; N, nitrogen; P, phosphorus; ft^3/s, cubic feet per second; mg/L, milligrams per liter; mm Hg, millimeters of mercury; mm, millimeters; °C, degrees Celsius; µS/cm, microsiemens per centimeter; --, no data; <, less than; E, estimated]

Date	Sample start time	1,4-Dichlorobenzene, solids, recoverable, dry weight, micrograms per kilogram (63163)	Atrazine, solids, recoverable, dry weight, micrograms per kilogram (63182)	Bromacil, solids, recoverable, dry weight, micrograms per kilogram (63189)	Camphor, solids, recoverable, dry weight, micrograms per kilogram (63192)	Carbazole, solids, recoverable, dry weight, micrograms per kilogram (63194)	Chlorpyrifos, solids, recoverable, dry weight, micrograms per kilogram (63195)	DEET, solids, recoverable, dry weight, micrograms per kilogram (63219)	Diazinon, solids, recoverable, dry weight, micrograms per kilogram (63198)	Metolachlor, solids, recoverable, dry weight, micrograms per kilogram (63218)
11-18-2011	1305	--	--	--	--	--	--	--	--	--
12-13-2011	1225	--	--	--	--	--	--	--	--	--
12-15-2011	1250	< 130	< 250	< 1,300	< 130	< 130	< 130	< 250	< 130	< 130
01-23-2012	1354	--	--	--	--	--	--	--	--	--
02-21-2012	1155	--	--	--	--	--	--	--	--	--
03-21-2012	0932	--	--	--	--	--	--	--	--	--
04-25-2012	1615	--	--	--	--	--	--	--	--	--
05-22-2012	1107	--	--	--	--	--	--	--	--	--
06-21-2012	1245	--	--	--	--	--	--	--	--	--
07-17-2012	1135	--	--	--	--	--	--	--	--	--
08-20-2012	1124	--	--	--	--	--	--	--	--	--
09-11-2012	1441	--	--	--	--	--	--	--	--	--

13206400 EAGLE DRAIN AT EAGLE, ID—Continued

WATER-QUALITY DATA
WATER YEAR OCTOBER 2011 TO SEPTEMBER 2012
Part 4 of 9

[%, percent; MPN/100 mL, most probable number per 100 milliliters; N, nitrogen; P, phosphorus; ft^3/s, cubic feet per second; mg/L, milligrams per liter; mm Hg, millimeters of mercury; mm, millimeters; °C, degrees Celsius; µS/cm, microsiemens per centimeter; --, no data; <, less than; E, estimated]

Date	Sample start time	p-Cresol, solids, recoverable, dry weight, micrograms per kilogram (63222)	Prometon, solids, recoverable, dry weight, micrograms per kilogram (63226)	1-Methylnaphthalene, solids, recoverable, dry weight, micrograms per kilogram (63165)	2,6-Dimethylnaphthalene, solids, recoverable, dry weight, micrograms per kilogram (63167)	2-Methylnaphthalene, solids, recoverable, dry weight, micrograms per kilogram (63168)	3-beta-Coprostanol, solids, recoverable, dry weight, micrograms per kilogram (63170)	3-Methyl-1H-indole, solids, recoverable, dry weight, micrograms per kilogram (63171)	3-tert-Butyl-4-hydroxyanisole, solids, recoverable, dry weight, micrograms per kilogram (63172)	4-Cumylphenol, solids, recoverable, dry weight, micrograms per kilogram (63173)
11-18-2011	1305	--	--	--	--	--	--	--	--	--
12-13-2011	1225	--	--	--	--	--	--	--	--	--
12-15-2011	1250	130	< 130	< 130	60	< 130	E 510	20	< 380	< 130
01-23-2012	1354	--	--	--	--	--	--	--	--	--
02-21-2012	1155	--	--	--	--	--	--	--	--	--
03-21-2012	0932	--	--	--	--	--	--	--	--	--
04-25-2012	1615	--	--	--	--	--	--	--	--	--
05-22-2012	1107	--	--	--	--	--	--	--	--	--
06-21-2012	1245	--	--	--	--	--	--	--	--	--
07-17-2012	1135	--	--	--	--	--	--	--	--	--
08-20-2012	1124	--	--	--	--	--	--	--	--	--
09-11-2012	1441	--	--	--	--	--	--	--	--	--

13206400 EAGLE DRAIN AT EAGLE, ID—Continued

WATER-QUALITY DATA
WATER YEAR OCTOBER 2011 TO SEPTEMBER 2012

Part 5 of 9

[%, percent; MPN/100 mL, most probable number per 100 milliliters; N, nitrogen; P, phosphorus; ft³/s, cubic feet per second; mg/L, milligrams per liter; mm Hg, millimeters of mercury; mm, millimeters; °C, degrees Celsius; µS/cm, microsiemens per centimeter; --, no data; <, less than; E, estimated]

Date	Sample start time	4-n-Octylphenol, solids, recoverable, dry weight, micrograms per kilogram (63174)	4-Nonylphenol (sum of all isomers), solids, recoverable, dry weight, micrograms per kilogram (63175)	4-Nonylphenol diethoxylate (sum of all isomers), solids, recoverable, dry weight, micrograms per kilogram (63200)	4-Nonylphenol monoethoxylate (sum of all isomers), solids, recoverable, dry weight, micrograms per kilogram (63221)	4-tert-Octylphenol diethoxylate, solids, recoverable, dry weight, micrograms per kilogram (63201)	4-tert-Octylphenol monoethoxylate, solids, recoverable, dry weight, micrograms per kilogram (63206)	4-tert-Octylphenol, solids, recoverable, dry weight, micrograms per kilogram (63176)	9,10-Anthraquinone, solids, recoverable, dry weight, micrograms per kilogram (63181)	Acetophenone, solids, recoverable, dry weight, micrograms per kilogram (63178)
11-18-2011	1305	--	--	--	--	--	--	--	--	--
12-13-2011	1225	--	--	--	--	--	--	--	--	--
12-15-2011	1250	< 130	< 1,900	E 1,100	< 1,300	E 80	< 630	< 130	< 130	< 380
01-23-2012	1354	--	--	--	--	--	--	--	--	--
02-21-2012	1155	--	--	--	--	--	--	--	--	--
03-21-2012	0932	--	--	--	--	--	--	--	--	--
04-25-2012	1615	--	--	--	--	--	--	--	--	--
05-22-2012	1107	--	--	--	--	--	--	--	--	--
06-21-2012	1245	--	--	--	--	--	--	--	--	--
07-17-2012	1135	--	--	--	--	--	--	--	--	--
08-20-2012	1124	--	--	--	--	--	--	--	--	--
09-11-2012	1441	--	--	--	--	--	--	--	--	--

13206400 EAGLE DRAIN AT EAGLE, ID—Continued

WATER-QUALITY DATA
WATER YEAR OCTOBER 2011 TO SEPTEMBER 2012
Part 6 of 9

[%, percent; MPN/100 mL, most probable number per 100 milliliters; N, nitrogen; P, phosphorus; ft³/s, cubic feet per second; mg/L, milligrams per liter; mm Hg, millimeters of mercury; mm, millimeters; °C, degrees Celsius; µS/cm, microsiemens per centimeter; --, no data; <, less than; E, estimated]

Date	Sample start time	Acetyl hexamethyl tetrahydronaphthalene, solids, recoverable, dry weight, micrograms per kilogram (63179)	Anthracene, solids, recoverable, dry weight, micrograms per kilogram (63180)	BDE congener 47, solids, recoverable, dry weight, micrograms per kilogram (63166)	Benzo[a]pyrene, solids, recoverable, dry weight, micrograms per kilogram (63183)	Benzophenone, solids, recoverable, dry weight, micrograms per kilogram (63184)	beta-Sitosterol, solids, recoverable, dry weight, micrograms per kilogram (63185)	beta-Stigmastanol, solids, recoverable, dry weight, micrograms per kilogram (63186)	Bis(2-ethylhexyl) phthalate, solids, recoverable, dry weight, micrograms per kilogram (63187)	Bisphenol A, solids, recoverable, dry weight, micrograms per kilogram (63188)
11-18-2011	1305	--	--	--	--	--	--	--	--	--
12-13-2011	1225	--	--	--	--	--	--	--	--	--
12-15-2011	1250	< 130	< 130	< 126	< 130	< 130	E 12,000	E 1,800	< 630	< 130
01-23-2012	1354	--	--	--	--	--	--	--	--	--
02-21-2012	1155	--	--	--	--	--	--	--	--	--
03-21-2012	0932	--	--	--	--	--	--	--	--	--
04-25-2012	1615	--	--	--	--	--	--	--	--	--
05-22-2012	1107	--	--	--	--	--	--	--	--	--
06-21-2012	1245	--	--	--	--	--	--	--	--	--
07-17-2012	1135	--	--	--	--	--	--	--	--	--
08-20-2012	1124	--	--	--	--	--	--	--	--	--
09-11-2012	1441	--	--	--	--	--	--	--	--	--

13206400 EAGLE DRAIN AT EAGLE, ID—Continued

WATER-QUALITY DATA
WATER YEAR OCTOBER 2011 TO SEPTEMBER 2012
Part 7 of 9

[%, percent; MPN/100 mL, most probable number per 100 milliliters; N, nitrogen; P, phosphorus; ft^3/s, cubic feet per second; mg/L, milligrams per liter; mm Hg, millimeters of mercury; mm, millimeters; °C, degrees Celsius; µS/cm, microsiemens per centimeter; --, no data; <, less than; E, estimated]

Date	Sample start time	Cholesterol, solids, recoverable, dry weight, micrograms per kilogram (63196)	Diethyl phthalate, solids, recoverable, dry weight, micrograms per kilogram (63202)	D-Limonene, solids, recoverable, dry weight, micrograms per kilogram (63203)	Fluoranthene, solids, recoverable, dry weight, micrograms per kilogram (63208)	Hexahydrohexamethyl cyclopentabenzopyran, solids, recoverable, dry weight, micrograms per kilogram (63209)	Indole, solids, recoverable, dry weight, micrograms per kilogram (63210)	Isoborneol, solids, recoverable, dry weight, micrograms per kilogram (63211)	Isophorone, solids, recoverable, dry weight, micrograms per kilogram (63212)	Isopropylbenzene, solids, recoverable, dry weight, micrograms per kilogram (63213)
11-18-2011	1305	--	--	--	--	--	--	--	--	--
12-13-2011	1225	--	--	--	--	--	--	--	--	--
12-15-2011	1250	E 3,900	< 250	< 130	< 130	< 130	550	< 130	E 20	< 250
01-23-2012	1354	--	--	--	--	--	--	--	--	--
02-21-2012	1155	--	--	--	--	--	--	--	--	--
03-21-2012	0932	--	--	--	--	--	--	--	--	--
04-25-2012	1615	--	--	--	--	--	--	--	--	--
05-22-2012	1107	--	--	--	--	--	--	--	--	--
06-21-2012	1245	--	--	--	--	--	--	--	--	--
07-17-2012	1135	--	--	--	--	--	--	--	--	--
08-20-2012	1124	--	--	--	--	--	--	--	--	--
09-11-2012	1441	--	--	--	--	--	--	--	--	--

13206400 EAGLE DRAIN AT EAGLE, ID—Continued

WATER-QUALITY DATA
WATER YEAR OCTOBER 2011 TO SEPTEMBER 2012
Part 8 of 9

[%, percent; MPN/100 mL, most probable number per 100 milliliters; N, nitrogen; P, phosphorus; ft³/s, cubic feet per second; mg/L, milligrams per liter; mm Hg, millimeters of mercury; mm, millimeters; °C, degrees Celsius; µS/cm, microsiemens per centimeter; --, no data; <, less than; E, estimated]

Date	Sample start time	Isoquinoline, solids, recoverable, dry weight, micrograms per kilogram (63214)	Menthol, solids, recoverable, dry weight, micrograms per kilogram (63215)	Naphthalene, solids, recoverable, dry weight, micrograms per kilogram (63220)	Phenanthrene, solids, recoverable, dry weight, micrograms per kilogram (63224)	Phenol, solids, recoverable, dry weight, micrograms per kilogram (63225)	Pyrene, solids, recoverable, dry weight, micrograms per kilogram (63227)	Tributyl phosphate, solids, recoverable, dry weight, micrograms per kilogram (63231)	Triclosan, solids, recoverable, dry weight, micrograms per kilogram (63232)	Triphenyl phosphate, solids, recoverable, dry weight, micrograms per kilogram (63234)
11-18-2011	1305	--	--	--	--	--	--	--	--	--
12-13-2011	1225	--	--	--	--	--	--	--	--	--
12-15-2011	1250	< 250	< 130	< 130	< 130	E 290	< 130	< 130	23.4	< 130
01-23-2012	1354	--	--	--	--	--	--	--	--	--
02-21-2012	1155	--	--	--	--	--	--	--	--	--
03-21-2012	0932	--	--	--	--	--	--	--	--	--
04-25-2012	1615	--	--	--	--	--	--	--	--	--
05-22-2012	1107	--	--	--	--	--	--	--	--	--
06-21-2012	1245	--	--	--	--	--	--	--	--	--
07-17-2012	1135	--	--	--	--	--	--	--	--	--
08-20-2012	1124	--	--	--	--	--	--	--	--	--
09-11-2012	1441	--	--	--	--	--	--	--	--	--

13206400 EAGLE DRAIN AT EAGLE, ID—Continued

WATER-QUALITY DATA
WATER YEAR OCTOBER 2011 TO SEPTEMBER 2012

Part 9 of 9

[%, percent; MPN/100 mL, most probable number per 100 milliliters; N, nitrogen; P, phosphorus; ft³/s, cubic feet per second; mg/L, milligrams per liter; mm Hg, millimeters of mercury; mm, millimeters; °C, degrees Celsius; µS/cm, microsiemens per centimeter; --, no data; <, less than; E, estimated]

Date	Sample start time	Tris(2-butoxyethyl) phosphate, solids, recoverable, dry weight, micrograms per kilogram (63229)	Tris(2-chloroethyl) phosphate, solids, recoverable, dry weight, micrograms per kilogram (63230)	Tris(dichloroisopropyl) phosphate, solids, recoverable, dry weight, micrograms per kilogram (63235)	Suspended sediment, sieve diameter, percent smaller than 0.0625 mm (70331)	Suspended sediment concentration, mg/L (80154)
11-18-2011	1305	--	--	--	75	6
12-13-2011	1225	--	--	--	93	18
12-15-2011	1250	< 380	< 250	< 250	--	--
01-23-2012	1354	--	--	--	84	11
02-21-2012	1155	--	--	--	77	10
03-21-2012	0932	--	--	--	82	5
04-25-2012	1615	--	--	--	80	14
05-22-2012	1107	--	--	--	75	11
06-21-2012	1245	--	--	--	82	59
07-17-2012	1135	--	--	--	59	7
08-20-2012	1124	--	--	--	57	10
09-11-2012	1441	--	--	--	60	9

WATER-QUALITY DATA
WATER YEAR OCTOBER 2012 TO SEPTEMBER 2013

Part 1 of 3

[%, percent; MPN/100 mL, most probable number per 100 milliliters; N, nitrogen; P, phosphorus; ft³/s, cubic feet per second; mg/L, milligrams per liter; mm Hg, millimeters of mercury; mm, millimeters; °C, degrees Celsius; µS/cm, microsiemens per centimeter; >, greater than]

Date	Sample start time	Barometric pressure, mm Hg (00025)	Temperature, air, °C (00020)	Discharge, instantaneous, ft³/s (00061)	Dissolved oxygen, water, unfiltered, mg/L (00300)	Dissolved oxygen, water, unfiltered, % saturation (00301)	pH, water, unfiltered, field, standard units (00400)	Specific conductance, water, unfiltered, µS/cm at 25°C (00095)	Temperature, water, °C (00010)	Sampling method (82398)
10-29-2012	0855	697	8.0	14	6.2	65	6.9	332	13.7	EWI

13206400 EAGLE DRAIN AT EAGLE, ID—Continued

WATER-QUALITY DATA
WATER YEAR OCTOBER 2012 TO SEPTEMBER 2013
Part 2 of 3
[%, percent; MPN/100 mL, most probable number per 100 milliliters; N, nitrogen; P, phosphorus; ft³/s, cubic feet per second; mg/L, milligrams per liter; mm Hg, millimeters of mercury; mm, millimeters; °C, degrees Celsius; µS/cm, microsiemens per centimeter; >, greater than]

Date	Sample start time	Ammonia, water, filtered, mg/L as N (00608)	Nitrate plus nitrite, water, filtered, mg/L as N (00631)	Orthophosphate, water, filtered, mg/L as P (00671)	Phosphorus, water, unfiltered, mg/L as P (00665)	Total nitrogen, water, unfiltered, analytically determined, mg/L (62855)	Escherichia coli, Defined Substrate Technology, water, MPN/100 mL (50468)	Total coliform, Colilert Quantitray method, water, most probable number per 100 milliliters (90908)	Suspended sediment, sieve diameter, percent smaller than 0.0625 mm (70331)
10-29-2012	**0855**	0.041	1.58	0.145	0.16	1.72	550	> 2,400	74

WATER-QUALITY DATA
WATER YEAR OCTOBER 2012 TO SEPTEMBER 2013
Part 3 of 3
[%, percent; MPN/100 mL, most probable number per 100 milliliters; N, nitrogen; P, phosphorus; ft³/s, cubic feet per second; mg/L, milligrams per liter; mm Hg, millimeters of mercury; mm, millimeters; °C, degrees Celsius; µS/cm, microsiemens per centimeter; >, greater than]

Date	Sample start time	Suspended sediment concentration, mg/L (80154)
10-29-2012	**0855**	13

13206400 EAGLE DRAIN AT EAGLE, ID—Continued

TEMPERATURE, WATER, DEGREES CELSIUS
WATER YEAR OCTOBER 2011 TO SEPTEMBER 2012

Day	Max	Min	Mean	Max	Min	Mean	Max	Min	Mean	Max	Min	Mean
		October			November			December			January	
1	---	---	---	---	---	---	9.4	8.0	8.6	8.8	6.9	7.7
2	---	---	---	---	---	---	8.8	7.2	8.2	8.4	6.6	7.6
3	---	---	---	---	---	---	8.4	6.7	7.6	8.7	6.9	7.7
4	---	---	---	---	---	---	9.4	7.9	8.7	8.5	6.6	7.5
5	---	---	---	---	---	---	8.1	6.8	7.4	9.1	7.2	7.9
6	---	---	---	---	---	---	8.2	6.4	7.2	8.0	6.0	7.2
7	---	---	---	---	---	---	7.8	6.2	7.0	8.1	6.8	7.5
8	---	---	---	---	---	---	7.7	5.9	6.8	8.5	6.3	7.3
9	---	---	---	---	---	---	7.9	6.0	6.9	7.9	5.9	6.9
10	---	---	---	---	---	---	7.8	6.1	6.8	8.1	6.5	7.1
11	---	---	---	---	---	---	8.0	6.1	7.0	7.1	5.2	6.3
12	---	---	---	---	---	---	8.0	6.2	7.1	6.7	4.9	5.8
13	---	---	---	---	---	---	7.6	5.9	6.8	7.2	4.9	6.0
14	---	---	---	---	---	---	8.5	6.8	7.5	7.5	5.4	6.4
15	---	---	---	---	---	---	8.5	6.9	7.7	7.3	5.3	6.2
16	---	---	---	---	---	---	8.3	6.4	7.4	6.7	4.7	5.6
17	---	---	---	---	---	---	8.1	6.4	7.2	5.9	4.5	5.2
18	---	---	---	---	---	---	7.9	6.0	7.0	6.4	5.2	6.0
19	---	---	---	10.4	9.2	9.8	8.1	6.4	7.2	6.1	3.1	4.1
20	---	---	---	9.8	8.2	9.0	8.2	5.9	7.0	9.4	5.2	7.9
21	---	---	---	10.7	8.7	9.7	7.8	6.2	7.1	9.9	8.4	9.0
22	---	---	---	11.1	10.2	10.6	6.6	4.9	5.8	8.7	7.1	8.0
23	---	---	---	11.4	10.8	11.1	6.6	4.5	5.5	9.1	7.9	8.4
24	---	---	---	11.9	10.7	11.3	7.0	4.7	5.8	8.7	7.0	7.9
25	---	---	---	11.6	9.3	10.8	7.1	5.0	6.0	10.7	8.1	9.3
26	---	---	---	10.0	8.3	9.1	7.3	5.0	6.2	10.2	7.9	9.2
27	---	---	---	10.4	8.4	9.3	8.8	7.0	7.8	8.6	6.4	7.3
28	---	---	---	11.3	9.8	10.5	10.1	8.5	9.3	8.6	5.8	7.1
29	---	---	---	11.0	9.4	10.3	10.8	9.6	10.2	9.1	6.6	7.8
30	---	---	---	10.5	8.8	9.7	10.6	7.7	9.8	10.3	8.0	8.9
31	---	---	---	---	---	---	8.3	6.9	7.5	9.7	6.8	8.1
Month	---	---	---	---	---	---	10.8	4.5	7.4	10.7	3.1	7.3

13206400 EAGLE DRAIN AT EAGLE, ID—Continued

TEMPERATURE, WATER, DEGREES CELSIUS
WATER YEAR OCTOBER 2011 TO SEPTEMBER 2012

Day	Max	Min	Mean	Max	Min	Mean	Max	Min	Mean	Max	Min	Mean
		February			March			April			May	
1	9.5	7.7	8.5	8.8	6.2	7.4	12.5	9.2	10.6	14.1	9.1	11.5
2	9.4	6.9	8.1	10.4	5.5	7.9	14.2	7.5	10.6	13.4	9.0	11.2
3	9.1	5.9	7.4	11.8	8.0	9.5	13.5	7.8	10.6	12.5	9.8	11.0
4	9.1	5.6	7.3	12.9	6.9	9.8	12.8	9.3	10.8	11.7	9.7	10.6
5	9.1	5.6	7.2	12.0	7.3	9.9	13.6	7.5	10.1	12.8	8.4	10.4
6	9.0	5.5	7.1	10.6	5.8	8.5	14.2	7.2	10.2	14.1	8.1	10.9
7	8.9	5.4	7.2	10.0	4.1	6.8	14.2	7.3	10.6	14.8	8.6	11.6
8	10.2	7.8	8.7	12.0	5.6	8.6	16.6	9.1	12.6	15.7	9.1	12.2
9	10.0	8.4	9.1	13.0	6.5	9.6	14.9	9.7	12.4	16.1	9.7	12.7
10	11.0	8.2	9.4	12.0	7.2	9.7	16.7	9.7	12.8	14.7	9.6	12.1
11	10.4	8.4	9.4	11.3	9.1	10.1	13.5	10.6	12.2	14.8	8.7	11.6
12	11.3	8.4	9.7	10.3	8.3	9.3	16.2	9.8	12.4	15.4	9.0	12.0
13	10.2	6.4	8.2	9.8	9.0	9.3	14.6	9.3	11.9	16.1	9.5	12.6
14	9.2	6.4	8.0	10.5	8.0	9.2	16.2	10.1	12.7	16.2	10.0	13.0
15	9.6	6.3	7.8	12.6	9.5	10.7	16.0	9.1	12.3	14.4	11.1	12.6
16	9.3	5.6	7.5	12.7	10.0	11.1	13.2	9.5	11.4	16.0	10.8	13.2
17	11.3	8.1	9.5	10.8	8.8	9.9	16.8	10.3	13.2	13.8	10.6	12.2
18	9.9	7.3	8.9	9.5	8.3	8.9	16.9	11.6	13.8	14.6	9.6	12.0
19	9.2	5.5	7.3	11.8	6.6	8.8	16.2	10.9	13.3	15.0	9.6	12.2
20	8.0	5.6	7.0	8.8	6.8	7.6	19.5	12.3	15.4	15.7	10.6	12.9
21	9.6	7.6	8.6	12.6	8.2	10	18.7	11.1	14.7	14.8	10.9	12.7
22	10.2	7.7	9.4	15.0	9.6	11.8	17.9	10.5	14.1	15.5	11.8	13.3
23	10.2	6.4	7.9	12.7	8.8	10.6	16.9	11.5	14.1	13.6	10.6	12.1
24	10.7	5.8	8.1	13.0	8.3	10.6	16.3	11.0	13.6	14.4	9.9	12.0
25	8.4	7.0	7.7	13.8	8.8	11.2	15.5	10.4	12.8	13.7	10.8	12.0
26	9.8	6.4	7.8	11.8	9.9	10.9	12.6	10.6	11.9	12.4	10.9	11.5
27	10.4	6.3	8.0	13.2	8.2	10.5	13.3	9.1	10.9	13.6	10.7	12.0
28	10.2	5.2	7.6	12.3	9.9	10.8	13.8	8.4	10.8	15.5	10.7	12.9
29	9.4	6.8	8.0	11.8	8.9	10.1	14.7	8.6	11.5	16.4	11.5	13.7
30	---	---	---	12.1	9.7	10.7	12.9	9.8	11.2	15.8	11.7	13.7
31	---	---	---	15.4	9.9	12.3	---	---	---	16.5	12.0	14.1
Month	11.3	5.2	8.2	15.4	4.1	9.7	19.5	7.2	12.2	16.5	8.1	12.2

13206400 EAGLE DRAIN AT EAGLE, ID—Continued

TEMPERATURE, WATER, DEGREES CELSIUS
WATER YEAR OCTOBER 2011 TO SEPTEMBER 2012

Day	Max	Min	Mean	Max	Min	Mean	Max	Min	Mean	Max	Min	Mean
		June			July			August			September	
1	16.8	12.6	14.6	17.1	14.6	15.9	18.4	15.9	17.2	18.2	16.5	17.3
2	16.7	13.3	14.9	17.6	14.2	15.9	18.4	15.8	17.2	17.6	15.5	16.7
3	16.9	12.9	14.8	17.4	14.6	16.1	18.1	15.8	17.0	17.7	15.6	16.7
4	16.2	12.9	14.4	17.3	13.7	15.6	18.1	15.7	16.9	17.8	15.6	16.8
5	14.1	11.5	12.6	17.4	14.4	16.0	18.3	16.0	17.2	18.0	15.6	16.9
6	15.2	10.5	12.6	17.3	14.9	16.1	19.0	17.1	18.0	17.4	16.1	16.7
7	15.0	11.1	12.9	17.9	14.9	16.4	18.7	16.6	17.7	17.9	15.3	16.6
8	14.8	11.8	13.2	17.4	15.0	16.3	18.4	16.7	17.6	18.3	15.5	16.9
9	13.0	10.9	11.9	17.5	14.9	16.3	18.6	16.3	17.5	18.7	16.6	17.5
10	15.3	10.9	12.9	18.0	15.0	16.5	18.1	16.9	17.5	17.8	16.1	17.0
11	16.1	11.3	13.7	18.3	15.2	16.8	18.3	15.9	17.2	16.9	15.3	16.2
12	16.3	12.3	14.1	18.2	15.3	16.9	18.0	16.0	17.1	16.6	14.2	15.4
13	16.6	12.5	14.5	17.5	15.7	16.3	18.3	16.1	17.2	17.0	14.6	15.8
14	16.2	12.0	14.1	17.5	15.2	16.2	18.3	16.2	17.3	17.3	14.9	16.2
15	16.6	12.4	14.3	18.0	15.6	16.8	18.4	16.1	17.3	17.8	15.4	16.6
16	15.8	12.0	14.0	17.2	15.4	16.4	18.7	16.5	17.6	17.7	15.9	16.8
17	17.0	12.3	14.5	18.5	15.2	16.8	18.3	16.4	17.4	17.3	15.3	16.4
18	16.0	12.7	14.4	18.2	15.4	17.0	18.3	16.2	17.3	17.4	15.2	16.3
19	15.5	11.8	13.7	18.2	16.0	17.2	18.0	16.9	17.5	17.0	15.2	16.2
20	16.5	11.7	14.0	18.6	16.1	17.3	18.6	16.6	17.6	16.7	15.0	15.9
21	16.7	12.4	14.6	18.6	16.0	17.3	18.5	16.7	17.6	16.6	15.0	15.8
22	17.0	13.5	15.2	18.7	15.8	17.3	18.4	16.4	17.4	16.5	14.9	15.8
23	16.6	13.2	14.9	18.2	16.3	17.3	18.3	16.1	17.3	16.2	15.5	15.8
24	16.8	13.0	14.9	17.9	15.4	16.6	17.7	15.9	16.9	16.8	14.9	15.8
25	16.8	13.1	15.0	18.1	15.7	16.9	17.4	15.1	16.3	17.3	15.7	16.4
26	16.2	13.2	14.7	18.5	16.0	17.3	18.2	16.1	17.1	17.4	15.5	16.4
27	16.4	12.4	14.4	18.3	16.2	17.3	18.9	17.2	18.0	17.2	15.0	16.2
28	17.3	13.0	15.1	18.4	16.1	17.3	18.6	16.6	17.7	16.8	15.4	16.1
29	16.6	13.7	15.3	18.5	16.1	17.3	17.9	16.2	17.2	17.3	15.5	16.3
30	17.3	13.7	15.5	18.4	16.1	17.3	17.9	15.7	16.9	17.0	15.3	16.2
31	---	---	---	18.4	15.9	17.2	17.6	16.2	17.0	---	---	---
Month	17.3	10.5	14.2	18.7	13.7	16.7	19.0	15.1	17.3	18.7	14.2	16.4

13206400 EAGLE DRAIN AT EAGLE, ID—Continued

TEMPERATURE, WATER, DEGREES CELSIUS
WATER YEAR OCTOBER 2012 TO SEPTEMBER 2013

Day	Max	Min	Mean	Max	Min	Mean	Max	Min	Mean	Max	Min	Mean
		October			November			December			January	
1	16.7	14.8	15.8	---	---	---	---	---	---	---	---	---
2	16.7	14.8	15.8	---	---	---	---	---	---	---	---	---
3	15.7	14.1	14.8	---	---	---	---	---	---	---	---	---
4	14.8	12.8	13.8	---	---	---	---	---	---	---	---	---
5	14.6	12.6	13.6	---	---	---	---	---	---	---	---	---
6	14.4	12.4	13.4	---	---	---	---	---	---	---	---	---
7	14.4	12.2	13.3	---	---	---	---	---	---	---	---	---
8	14.4	12.2	13.3	---	---	---	---	---	---	---	---	---
9	14.6	12.2	13.4	---	---	---	---	---	---	---	---	---
10	15.1	12.8	13.9	---	---	---	---	---	---	---	---	---
11	15.2	13.0	14.1	---	---	---	---	---	---	---	---	---
12	15.4	13.2	14.2	---	---	---	---	---	---	---	---	---
13	15.8	14.3	15.0	---	---	---	---	---	---	---	---	---
14	15.8	13.6	14.7	---	---	---	---	---	---	---	---	---
15	16.4	14.7	15.5	---	---	---	---	---	---	---	---	---
16	16.2	14.2	15.5	---	---	---	---	---	---	---	---	---
17	14.6	12.7	13.7	---	---	---	---	---	---	---	---	---
18	14.8	12.3	13.5	---	---	---	---	---	---	---	---	---
19	14.8	13.0	13.8	---	---	---	---	---	---	---	---	---
20	15.4	14.1	14.6	---	---	---	---	---	---	---	---	---
21	14.4	12.5	13.5	---	---	---	---	---	---	---	---	---
22	13.7	12.7	13.2	---	---	---	---	---	---	---	---	---
23	13.5	12.2	12.7	---	---	---	---	---	---	---	---	---
24	12.7	11.2	12.0	---	---	---	---	---	---	---	---	---
25	13.4	11.8	12.5	---	---	---	---	---	---	---	---	---
26	---	11.0	---	---	---	---	---	---	---	---	---	---
27	---	---	---	---	---	---	---	---	---	---	---	---
28	---	---	---	---	---	---	---	---	---	---	---	---
29	---	---	---	---	---	---	---	---	---	---	---	---
30	---	---	---	---	---	---	---	---	---	---	---	---
31	---	---	---	---	---	---	---	---	---	---	---	---
Month	---	---	---	---	---	---	---	---	---	---	---	---

13206400 EAGLE DRAIN AT EAGLE, ID—Continued

TEMPERATURE, WATER, DEGREES CELSIUS
WATER YEAR OCTOBER 2012 TO SEPTEMBER 2013

Day	Max	Min	Mean	Max	Min	Mean	Max	Min	Mean	Max	Min	Mean
		February			March			April			May	
1	---	---	---	---	---	---	---	---	---	---	---	---
2	---	---	---	---	---	---	---	---	---	---	---	---
3	---	---	---	---	---	---	---	---	---	---	---	---
4	---	---	---	---	---	---	---	---	---	---	---	---
5	---	---	---	---	---	---	---	---	---	---	---	---
6	---	---	---	---	---	---	---	---	---	---	---	---
7	---	---	---	---	---	---	---	---	---	---	---	---
8	---	---	---	---	---	---	---	---	---	---	---	---
9	---	---	---	---	---	---	---	---	---	---	---	---
10	---	---	---	---	---	---	---	---	---	---	---	---
11	---	---	---	---	---	---	---	---	---	---	---	---
12	---	---	---	---	---	---	---	---	---	---	---	---
13	---	---	---	---	---	---	---	---	---	---	---	---
14	---	---	---	---	---	---	---	---	---	---	---	---
15	---	---	---	---	---	---	---	---	---	---	---	---
16	---	---	---	---	---	---	---	---	---	---	---	---
17	---	---	---	---	---	---	---	---	---	---	---	---
18	---	---	---	---	---	---	---	---	---	---	---	---
19	---	---	---	---	---	---	---	---	---	---	---	---
20	---	---	---	---	---	---	---	---	---	---	---	---
21	---	---	---	---	---	---	---	---	---	---	---	---
22	---	---	---	---	---	---	---	---	---	---	---	---
23	---	---	---	---	---	---	---	---	---	---	---	---
24	---	---	---	---	---	---	---	---	---	---	---	---
25	---	---	---	---	---	---	---	---	---	---	---	---
26	---	---	---	---	---	---	---	---	---	---	---	---
27	---	---	---	---	---	---	---	---	---	---	---	---
28	---	---	---	---	---	---	---	---	---	---	---	---
29	---	---	---	---	---	---	---	---	---	---	---	---
30	---	---	---	---	---	---	---	---	---	---	---	---
31	---	---	---	---	---	---	---	---	---	---	---	---
Month	---	---	---	---	---	---	---	---	---	---	---	---

13206400 EAGLE DRAIN AT EAGLE, ID—Continued

TEMPERATURE, WATER, DEGREES CELSIUS
WATER YEAR OCTOBER 2012 TO SEPTEMBER 2013

Day	Max	Min	Mean	Max	Min	Mean	Max	Min	Mean	Max	Min	Mean
		June			July			August			September	
1	---	---	---	---	---	---	---	---	---	---	---	---
2	---	---	---	---	---	---	---	---	---	---	---	---
3	---	---	---	---	---	---	---	---	---	---	---	---
4	---	---	---	---	---	---	---	---	---	---	---	---
5	---	---	---	---	---	---	---	---	---	---	---	---
6	---	---	---	---	---	---	---	---	---	---	---	---
7	---	---	---	---	---	---	---	---	---	---	---	---
8	---	---	---	---	---	---	---	---	---	---	---	---
9	---	---	---	---	---	---	---	---	---	---	---	---
10	---	---	---	---	---	---	---	---	---	---	---	---
11	---	---	---	---	---	---	---	---	---	---	---	---
12	---	---	---	---	---	---	---	---	---	---	---	---
13	---	---	---	---	---	---	---	---	---	---	---	---
14	---	---	---	---	---	---	---	---	---	---	---	---
15	---	---	---	---	---	---	---	---	---	---	---	---
16	---	---	---	---	---	---	---	---	---	---	---	---
17	---	---	---	---	---	---	---	---	---	---	---	---
18	---	---	---	---	---	---	---	---	---	---	---	---
19	---	---	---	---	---	---	---	---	---	---	---	---
20	---	---	---	---	---	---	---	---	---	---	---	---
21	---	---	---	---	---	---	---	---	---	---	---	---
22	---	---	---	---	---	---	---	---	---	---	---	---
23	---	---	---	---	---	---	---	---	---	---	---	---
24	---	---	---	---	---	---	---	---	---	---	---	---
25	---	---	---	---	---	---	---	---	---	---	---	---
26	---	---	---	---	---	---	---	---	---	---	---	---
27	---	---	---	---	---	---	---	---	---	---	---	---
28	---	---	---	---	---	---	---	---	---	---	---	---
29	---	---	---	---	---	---	---	---	---	---	---	---
30	---	---	---	---	---	---	---	---	---	---	---	---
31	---	---	---	---	---	---	---	---	---	---	---	---
Month	---	---	---	---	---	---	---	---	---	---	---	---

13206400 EAGLE DRAIN AT EAGLE, ID—Continued

SPECIFIC CONDUCTANCE, WATER, UNFILTERED, MICROSIEMENS PER CENTIMETER AT 25 DEGREES CELSIUS
WATER YEAR OCTOBER 2011 TO SEPTEMBER 2012

Day	Max	Min	Mean	Max	Min	Mean	Max	Min	Mean	Max	Min	Mean
		October			November			December			January	
1	---	---	---	---	---	---	359	357	358	361	353	359
2	---	---	---	---	---	---	360	358	359	361	360	361
3	---	---	---	---	---	---	360	358	359	363	360	362
4	---	---	---	---	---	---	359	358	359	363	360	361
5	---	---	---	---	---	---	360	359	360	362	360	361
6	---	---	---	---	---	---	361	359	360	361	358	359
7	---	---	---	---	---	---	360	359	359	362	358	360
8	---	---	---	---	---	---	360	359	359	362	358	360
9	---	---	---	---	---	---	361	359	360	360	358	359
10	---	---	---	---	---	---	362	354	360	362	358	360
11	---	---	---	---	---	---	360	358	359	362	360	361
12	---	---	---	---	---	---	360	358	359	362	361	362
13	---	---	---	---	---	---	362	357	359	363	360	361
14	---	---	---	---	---	---	358	357	358	360	356	358
15	---	---	---	---	---	---	360	357	358	359	356	358
16	---	---	---	---	---	---	359	356	358	360	356	358
17	---	---	---	---	---	---	359	357	358	359	357	358
18	---	---	---	370	---	---	359	357	358	424	349	370
19	---	---	---	358	352	356	359	358	358	417	160	264
20	---	---	---	358	357	358	362	358	359	306	221	278
21	---	---	---	360	358	359	360	358	359	336	273	303
22	---	---	---	399	358	362	360	359	360	356	336	348
23	---	---	---	361	358	359	361	359	360	394	349	358
24	---	---	---	360	358	359	361	359	360	372	349	360
25	---	---	---	359	358	358	361	359	360	395	354	359
26	---	---	---	359	358	358	362	360	361	358	297	330
27	---	---	---	360	357	358	363	359	361	370	311	357
28	---	---	---	360	358	359	414	354	368	371	369	370
29	---	---	---	359	358	358	362	342	351	370	368	369
30	---	---	---	358	356	358	359	258	338	371	363	367
31	---	---	---	---	---	---	353	292	323	368	364	366
Month	---	---	---	---	---	---	414	258	357	424	160	352

13206400 EAGLE DRAIN AT EAGLE, ID—Continued

SPECIFIC CONDUCTANCE, WATER, UNFILTERED, MICROSIEMENS PER CENTIMETER AT 25 DEGREES CELSIUS
WATER YEAR OCTOBER 2011 TO SEPTEMBER 2012

Day	Max	Min	Mean	Max	Min	Mean	Max	Min	Mean	Max	Min	Mean
		February			March			April			May	
1	368	365	367	420	334	361	350	342	346	202	188	195
2	369	363	366	630	337	435	351	342	347	202	185	192
3	368	365	367	380	366	370	351	338	345	190	175	179
4	368	365	366	369	365	367	348	337	342	178	145	167
5	368	364	366	369	365	367	344	335	340	188	153	177
6	370	364	366	369	363	366	370	343	355	186	175	181
7	367	364	366	370	366	368	370	356	365	183	174	179
8	367	363	365	370	365	368	371	360	367	192	174	182
9	367	364	365	370	366	368	372	361	367	201	182	188
10	367	363	365	370	365	368	373	361	368	203	182	189
11	372	352	363	370	365	368	375	358	368	207	189	195
12	364	343	356	372	365	368	369	355	365	194	179	186
13	366	363	364	372	364	367	368	359	364	186	171	176
14	367	363	365	368	306	343	366	343	351	199	170	183
15	401	349	364	347	296	323	354	345	350	214	183	198
16	364	361	362	342	282	316	355	320	346	200	169	184
17	366	361	364	318	205	254	366	305	352	196	179	183
18	366	360	363	335	280	323	349	304	331	183	170	176
19	367	362	364	351	326	337	359	332	348	210	172	185
20	366	362	365	358	347	353	351	297	332	207	173	184
21	372	330	354	358	350	354	297	254	284	210	174	187
22	361	328	344	356	348	352	259	237	249	217	173	194
23	369	353	361	354	316	346	251	226	240	208	175	185
24	366	364	365	356	346	351	237	183	204	203	175	187
25	374	340	361	354	332	349	198	176	188	200	175	186
26	365	347	359	343	218	291	198	108	152	189	156	173
27	367	364	365	345	265	324	207	155	196	190	179	186
28	368	364	366	348	310	334	204	193	197	201	178	186
29	370	362	366	347	316	336	213	200	203	213	196	206
30	---	---	---	350	273	325	210	192	202	208	186	198
31	---	---	---	345	282	322	---	---	---	207	180	194
Month	401	328	363	630	205	348	375	108	305	217	145	186

13206400 EAGLE DRAIN AT EAGLE, ID—Continued

SPECIFIC CONDUCTANCE, WATER, UNFILTERED, MICROSIEMENS PER CENTIMETER AT 25 DEGREES CELSIUS
WATER YEAR OCTOBER 2011 TO SEPTEMBER 2012

Day	Max	Min	Mean	Max	Min	Mean	Max	Min	Mean	Max	Min	Mean
		June			July			August			September	
1	202	174	186	191	168	174	205	194	198	196	180	189
2	202	184	190	199	173	180	207	185	198	195	178	182
3	189	178	184	208	194	201	191	178	185	197	182	188
4	206	170	179	203	193	197	193	185	188	201	187	194
5	208	184	195	202	178	186	197	175	188	215	190	196
6	206	196	200	182	167	176	199	182	190	219	192	201
7	202	187	195	185	170	177	198	187	192	211	192	197
8	212	188	201	186	170	177	194	182	188	217	199	208
9	194	169	178	187	176	181	198	182	191	222	198	207
10	185	171	177	206	175	185	205	179	184	217	194	202
11	201	179	186	206	190	196	215	172	194	222	196	201
12	202	190	195	204	184	195	194	176	181	224	196	206
13	203	182	191	196	176	187	195	179	184	210	191	201
14	197	176	188	191	176	184	194	182	189	211	193	204
15	202	180	188	196	176	187	197	184	191	221	190	207
16	202	177	187	219	181	193	201	188	195	210	201	206
17	200	183	188	221	186	200	194	178	185	214	204	208
18	190	174	179	202	188	194	188	176	182	214	199	206
19	191	178	184	208	185	192	190	182	185	203	194	200
20	193	174	181	209	181	188	192	173	180	204	190	197
21	198	181	189	211	176	196	192	171	183	204	191	199
22	194	176	181	200	178	190	199	179	190	205	186	194
23	183	163	171	202	186	191	200	182	189	204	196	199
24	189	167	176	202	189	193	194	183	187	202	190	196
25	187	169	180	209	192	201	196	180	188	196	185	188
26	205	171	185	201	188	194	195	183	186	205	191	200
27	192	178	185	197	186	191	198	180	187	206	194	199
28	195	172	183	192	183	188	202	189	195	202	195	199
29	195	171	179	207	179	192	197	189	192	200	188	194
30	186	168	178	203	177	190	204	196	198	206	187	193
31	---	---	---	206	192	198	198	181	189	---	---	---
Month	212	163	185	221	167	189	215	171	189	224	178	199

13206400 EAGLE DRAIN AT EAGLE, ID—Continued

SPECIFIC CONDUCTANCE, WATER, UNFILTERED, MICROSIEMENS PER CENTIMETER AT 25 DEGREES CELSIUS
WATER YEAR OCTOBER 2012 TO SEPTEMBER 2013

Day	Max	Min	Mean	Max	Min	Mean	Max	Min	Mean	Max	Min	Mean
		October			November			December			January	
1	206	186	192	---	---	---	---	---	---	---	---	---
2	204	191	197	---	---	---	---	---	---	---	---	---
3	211	200	205	---	---	---	---	---	---	---	---	---
4	209	198	202	---	---	---	---	---	---	---	---	---
5	207	200	203	---	---	---	---	---	---	---	---	---
6	219	204	210	---	---	---	---	---	---	---	---	---
7	232	210	213	---	---	---	---	---	---	---	---	---
8	233	212	222	---	---	---	---	---	---	---	---	---
9	230	206	216	---	---	---	---	---	---	---	---	---
10	241	204	214	---	---	---	---	---	---	---	---	---
11	241	210	219	---	---	---	---	---	---	---	---	---
12	219	210	214	---	---	---	---	---	---	---	---	---
13	219	211	215	---	---	---	---	---	---	---	---	---
14	225	218	220	---	---	---	---	---	---	---	---	---
15	260	212	224	---	---	---	---	---	---	---	---	---
16	291	260	278	---	---	---	---	---	---	---	---	---
17	318	284	306	---	---	---	---	---	---	---	---	---
18	323	318	321	---	---	---	---	---	---	---	---	---
19	325	321	323	---	---	---	---	---	---	---	---	---
20	327	322	325	---	---	---	---	---	---	---	---	---
21	327	323	325	---	---	---	---	---	---	---	---	---
22	328	323	326	---	---	---	---	---	---	---	---	---
23	325	317	321	---	---	---	---	---	---	---	---	---
24	324	320	322	---	---	---	---	---	---	---	---	---
25	326	322	324	---	---	---	---	---	---	---	---	---
26	---	323	---	---	---	---	---	---	---	---	---	---
27	---	---	---	---	---	---	---	---	---	---	---	---
28	---	---	---	---	---	---	---	---	---	---	---	---
29	---	---	---	---	---	---	---	---	---	---	---	---
30	---	---	---	---	---	---	---	---	---	---	---	---
31	---	---	---	---	---	---	---	---	---	---	---	---
Month	---	---	---	---	---	---	---	---	---	---	---	---

13206400 EAGLE DRAIN AT EAGLE, ID—Continued

SPECIFIC CONDUCTANCE, WATER, UNFILTERED, MICROSIEMENS PER CENTIMETER AT 25 DEGREES CELSIUS
WATER YEAR OCTOBER 2012 TO SEPTEMBER 2013

Day	Max	Min	Mean	Max	Min	Mean	Max	Min	Mean	Max	Min	Mean
		February			March			April			May	
1	---	---	---	---	---	---	---	---	---	---	---	---
2	---	---	---	---	---	---	---	---	---	---	---	---
3	---	---	---	---	---	---	---	---	---	---	---	---
4	---	---	---	---	---	---	---	---	---	---	---	---
5	---	---	---	---	---	---	---	---	---	---	---	---
6	---	---	---	---	---	---	---	---	---	---	---	---
7	---	---	---	---	---	---	---	---	---	---	---	---
8	---	---	---	---	---	---	---	---	---	---	---	---
9	---	---	---	---	---	---	---	---	---	---	---	---
10	---	---	---	---	---	---	---	---	---	---	---	---
11	---	---	---	---	---	---	---	---	---	---	---	---
12	---	---	---	---	---	---	---	---	---	---	---	---
13	---	---	---	---	---	---	---	---	---	---	---	---
14	---	---	---	---	---	---	---	---	---	---	---	---
15	---	---	---	---	---	---	---	---	---	---	---	---
16	---	---	---	---	---	---	---	---	---	---	---	---
17	---	---	---	---	---	---	---	---	---	---	---	---
18	---	---	---	---	---	---	---	---	---	---	---	---
19	---	---	---	---	---	---	---	---	---	---	---	---
20	---	---	---	---	---	---	---	---	---	---	---	---
21	---	---	---	---	---	---	---	---	---	---	---	---
22	---	---	---	---	---	---	---	---	---	---	---	---
23	---	---	---	---	---	---	---	---	---	---	---	---
24	---	---	---	---	---	---	---	---	---	---	---	---
25	---	---	---	---	---	---	---	---	---	---	---	---
26	---	---	---	---	---	---	---	---	---	---	---	---
27	---	---	---	---	---	---	---	---	---	---	---	---
28	---	---	---	---	---	---	---	---	---	---	---	---
29	---	---	---	---	---	---	---	---	---	---	---	---
30	---	---	---	---	---	---	---	---	---	---	---	---
31	---	---	---	---	---	---	---	---	---	---	---	---
Month	---	---	---	---	---	---	---	---	---	---	---	---

13206400 EAGLE DRAIN AT EAGLE, ID—Continued

SPECIFIC CONDUCTANCE, WATER, UNFILTERED, MICROSIEMENS PER CENTIMETER AT 25 DEGREES CELSIUS
WATER YEAR OCTOBER 2012 TO SEPTEMBER 2013

Day	Max	Min	Mean	Max	Min	Mean	Max	Min	Mean	Max	Min	Mean
		June			July			August			September	
1	---	---	---	---	---	---	---	---	---	---	---	---
2	---	---	---	---	---	---	---	---	---	---	---	---
3	---	---	---	---	---	---	---	---	---	---	---	---
4	---	---	---	---	---	---	---	---	---	---	---	---
5	---	---	---	---	---	---	---	---	---	---	---	---
6	---	---	---	---	---	---	---	---	---	---	---	---
7	---	---	---	---	---	---	---	---	---	---	---	---
8	---	---	---	---	---	---	---	---	---	---	---	---
9	---	---	---	---	---	---	---	---	---	---	---	---
10	---	---	---	---	---	---	---	---	---	---	---	---
11	---	---	---	---	---	---	---	---	---	---	---	---
12	---	---	---	---	---	---	---	---	---	---	---	---
13	---	---	---	---	---	---	---	---	---	---	---	---
14	---	---	---	---	---	---	---	---	---	---	---	---
15	---	---	---	---	---	---	---	---	---	---	---	---
16	---	---	---	---	---	---	---	---	---	---	---	---
17	---	---	---	---	---	---	---	---	---	---	---	---
18	---	---	---	---	---	---	---	---	---	---	---	---
19	---	---	---	---	---	---	---	---	---	---	---	---
20	---	---	---	---	---	---	---	---	---	---	---	---
21	---	---	---	---	---	---	---	---	---	---	---	---
22	---	---	---	---	---	---	---	---	---	---	---	---
23	---	---	---	---	---	---	---	---	---	---	---	---
24	---	---	---	---	---	---	---	---	---	---	---	---
25	---	---	---	---	---	---	---	---	---	---	---	---
26	---	---	---	---	---	---	---	---	---	---	---	---
27	---	---	---	---	---	---	---	---	---	---	---	---
28	---	---	---	---	---	---	---	---	---	---	---	---
29	---	---	---	---	---	---	---	---	---	---	---	---
30	---	---	---	---	---	---	---	---	---	---	---	---
31	---	---	---	---	---	---	---	---	---	---	---	---
Month	---	---	---	---	---	---	---	---	---	---	---	---

13206400 EAGLE DRAIN AT EAGLE, ID—Continued

DISSOLVED OXYGEN, WATER, UNFILTERED, MILLIGRAMS PER LITER
WATER YEAR OCTOBER 2011 TO SEPTEMBER 2012

Day	Max	Min	Mean	Max	Min	Mean	Max	Min	Mean	Max	Min	Mean
		October			November			December			January	
1	---	---	---	---	---	---	9.3	8.0	8.5	9.5	8.5	8.9
2	---	---	---	---	---	---	9.3	8.0	8.5	9.7	8.4	9.0
3	---	---	---	---	---	---	9.4	8.0	8.7	9.7	8.4	8.9
4	---	---	---	---	---	---	9.1	7.9	8.3	9.8	8.6	9.0
5	---	---	---	---	---	---	9.4	8.1	8.7	9.7	8.5	8.9
6	---	---	---	---	---	---	9.4	8.4	8.8	9.9	8.4	9.1
7	---	---	---	---	---	---	9.5	8.4	8.8	9.8	8.5	9.0
8	---	---	---	---	---	---	9.5	8.4	8.9	10.0	8.7	9.2
9	---	---	---	---	---	---	9.5	8.5	8.9	10.0	8.6	9.2
10	---	---	---	---	---	---	9.5	8.3	8.9	9.8	8.7	9.1
11	---	---	---	---	---	---	9.4	8.2	8.7	10.2	8.9	9.4
12	---	---	---	---	---	---	9.5	8.2	8.7	10.3	9.0	9.5
13	---	---	---	---	---	---	9.6	8.3	8.8	10.3	9.0	9.5
14	---	---	---	---	---	---	9.5	8.3	8.7	10.2	8.8	9.4
15	---	---	---	---	---	---	9.3	8.3	8.7	10.1	8.8	9.3
16	---	---	---	---	---	---	9.6	8.2	8.8	10.3	8.9	9.5
17	---	---	---	---	---	---	9.7	8.5	8.9	10.4	9.1	9.7
18	---	---	---	8.2	---	---	9.6	8.4	8.9	9.9	8.9	9.3
19	---	---	---	9.2	7.1	7.9	9.6	8.4	8.8	11.0	9.2	10.3
20	---	---	---	9.1	7.5	8.1	9.7	8.4	8.9	9.2	8.2	8.6
21	---	---	---	9.1	7.4	8.1	9.8	8.4	9.0	8.9	7.9	8.3
22	---	---	---	8.2	7.2	7.6	10.0	9.0	9.4	9.6	8.1	8.8
23	---	---	---	8.2	7.1	7.4	10.3	9.1	9.6	9.5	8.2	8.7
24	---	---	---	8.5	7.0	7.5	10.3	9.1	9.6	9.9	8.2	8.9
25	---	---	---	8.8	7.0	7.7	10.2	8.9	9.5	9.6	8.1	8.8
26	---	---	---	9.1	7.6	8.2	10.1	8.7	9.3	9.8	8.1	8.7
27	---	---	---	9.2	7.6	8.3	9.6	8.4	8.9	10.4	8.2	9.3
28	---	---	---	8.8	7.4	7.9	8.4	6.8	7.9	10.5	8.9	9.5
29	---	---	---	9.1	7.4	8.0	8.9	6.8	7.7	10.5	8.6	9.4
30	---	---	---	9.1	7.5	8.1	9.1	7.5	8.0	10.3	8.5	9.1
31	---	---	---	---	---	---	9.1	7.9	8.4	10.6	8.5	9.3
Month	---	---	---	---	---	---	10.3	6.8	8.8	11.0	7.9	9.1

13206400 EAGLE DRAIN AT EAGLE, ID—Continued

DISSOLVED OXYGEN, WATER, UNFILTERED, MILLIGRAMS PER LITER
WATER YEAR OCTOBER 2011 TO SEPTEMBER 2012

Day	Max	Min	Mean	Max	Min	Mean	Max	Min	Mean	Max	Min	Mean
		February			March			April			May	
1	10.3	8.5	9.2	11.9	8.6	9.8	15.6	6.8	10.3	11.3	7.9	9.4
2	10.8	8.5	9.4	12.3	8.6	10.0	15.8	7.3	10.7	11.7	8.0	9.6
3	11.0	8.8	9.6	12.5	8.4	9.9	16.2	7.0	10.7	11.2	8.1	9.3
4	11.0	8.9	9.7	12.4	8.1	9.8	15.8	6.7	10.1	11.3	8.0	9.2
5	11.1	8.9	9.7	12.4	8.0	9.7	15.9	7.4	10.7	12.0	8.1	9.9
6	11.3	8.9	9.7	12.8	8.0	10	17.1	7.1	10.8	12.4	8.2	10
7	11.5	8.8	9.8	12.5	8.9	10.5	17.3	6.5	11.0	12.7	7.9	9.9
8	11.5	8.6	9.6	12.7	8.5	10.2	17.1	6.0	10.5	12.9	7.6	9.9
9	11.2	8.5	9.4	12.9	8.1	10.1	17.0	5.7	10.4	13.1	7.3	9.8
10	11.9	8.3	9.6	13.0	8.1	10.1	16.5	5.9	10.1	13.3	7.3	9.9
11	11.6	8.1	9.3	12.9	8.0	9.7	14.5	5.6	9.2	13.7	7.8	10.2
12	11.8	7.8	9.3	13.0	8.3	10.1	14.1	5.7	8.9	13.7	7.7	10.2
13	11.8	8.5	9.6	12.6	8.2	9.6	15.2	6.1	9.6	13.5	7.5	10.0
14	11.7	8.7	9.8	13.7	7.9	10.0	15.4	6.1	9.8	13.2	7.1	9.7
15	12.0	8.4	9.7	14.2	7.4	9.6	15.2	6.2	10.0	12.4	7.0	9.5
16	12.3	8.7	10.0	14.7	7.0	9.5	14.0	6.2	9.2	12.4	7.4	9.5
17	12.3	8.4	9.8	11.2	7.4	9.0	11.6	5.6	8.1	12.1	7.3	9.5
18	12.3	8.4	9.7	12.6	8.0	9.7	8.5	5.3	6.7	12.0	7.8	9.5
19	12.2	8.7	10.1	13.5	8.3	10.3	11.6	6.0	7.7	11.9	7.6	9.5
20	11.9	8.9	10.0	12.7	8.4	10.1	12.3	5.7	8.3	11.6	7.2	9.2
21	11.4	8.0	9.4	13.7	7.9	10.1	12.7	5.9	8.8	11.2	7.1	9.0
22	11.0	7.8	9.0	14.1	7.5	10	12.1	6.5	8.9	11.4	7.0	8.8
23	12.3	8.8	10	14.4	7.3	9.9	12.0	6.4	8.5	11.0	7.7	9.3
24	11.9	8.6	9.9	14.8	7.6	10.3	11.6	6.3	8.6	11.4	7.7	9.3
25	12.3	8.2	9.8	14.3	7.0	9.8	10.8	6.3	8.3	11.4	7.6	8.9
26	12.2	8.6	9.9	12.9	6.7	8.9	7.7	7.3	7.5	10.0	7.5	8.3
27	12.0	8.6	9.9	14.8	7.4	10.3	10.3	7.5	8.9	11.2	7.8	9.2
28	11.9	8.6	9.9	14.5	7.0	9.8	10.8	8.0	9.3	11.3	7.3	9.2
29	12.1	8.7	9.9	15.4	7.3	10.3	10.8	7.8	9.2	11.6	7.2	9.0
30	---	---	---	14.8	6.9	9.7	10.6	7.8	9.0	11.7	7.1	9.0
31	---	---	---	15.2	6.6	10.0	---	---	---	12.1	7.2	9.1
Month	12.3	7.8	9.7	15.4	6.6	9.9	17.3	5.3	9.3	13.7	7.0	9.4

13206400 EAGLE DRAIN AT EAGLE, ID—Continued

DISSOLVED OXYGEN, WATER, UNFILTERED, MILLIGRAMS PER LITER
WATER YEAR OCTOBER 2011 TO SEPTEMBER 2012

Day	Max	Min	Mean	Max	Min	Mean	Max	Min	Mean	Max	Min	Mean
		June			July			August			September	
1	11.8	6.9	9.0	10.8	6.4	8.2	8.9	4.8	6.4	9.7	5.8	7.2
2	12.0	6.8	8.8	10.9	6.4	8.2	9.0	4.6	6.4	9.6	5.9	7.3
3	11.9	7.0	8.9	11.0	6.1	8.1	8.7	4.8	6.3	9.7	5.7	7.2
4	11.5	7.0	8.5	10.9	6.4	8.2	8.2	4.2	5.8	9.6	5.7	7.1
5	10.4	7.0	8.6	10.8	6.2	8.1	7.7	4.0	5.6	9.6	5.7	7.1
6	11.8	7.5	9.3	10.5	6.3	8.1	7.8	3.9	5.4	8.8	5.5	6.8
7	11.8	7.2	8.9	10.8	6.4	8.2	8.0	3.6	5.4	9.8	5.9	7.3
8	11.7	7.1	8.9	10.8	6.4	8.1	8.3	4.1	5.8	9.8	5.6	7.2
9	10.9	7.3	8.8	10.7	6.3	7.9	8.8	4.5	6.2	9.6	5.5	7.0
10	11.6	7.3	9.1	10.7	6.3	8.1	8.8	4.3	6.1	9.8	5.7	7.3
11	11.6	7.2	9.0	10.4	6.0	7.7	9.2	4.8	6.7	9.8	6.1	7.5
12	11.8	6.9	8.9	10.4	6.0	7.8	9.9	5.1	7.1	10.2	6.3	7.7
13	11.6	6.9	8.9	9.8	5.8	7.6	9.8	5.4	7.1	10.2	6.4	7.7
14	11.8	7.0	9.0	10.3	6.2	7.7	9.9	5.2	7.1	10.0	6.2	7.6
15	11.8	7.1	9.0	10.3	5.7	7.6	9.9	5.6	7.2	9.8	6.0	7.4
16	11.8	7.0	9.0	9.7	5.7	7.5	9.9	5.5	7.2	10.1	6.1	7.5
17	11.7	6.9	8.9	10.6	5.8	7.7	9.9	5.6	7.2	10.2	6.2	7.6
18	11.5	6.9	8.8	10.4	5.8	7.7	9.9	5.6	7.2	10.3	6.2	7.6
19	11.6	7.1	9.0	10.2	5.7	7.5	9.2	5.5	6.9	10.2	6.2	7.7
20	11.6	7.0	9.0	10.2	5.8	7.6	10.2	5.7	7.4	9.8	6.3	7.5
21	11.3	6.7	8.6	10.0	5.7	7.4	9.8	5.8	7.3	9.8	6.5	7.7
22	11.2	6.6	8.5	9.5	5.4	7.1	10.0	5.8	7.4	10.0	6.6	7.7
23	11.2	6.7	8.6	9.8	4.9	6.9	9.9	5.7	7.3	8.1	6.4	7.1
24	11.2	6.7	8.5	9.9	5.6	7.3	9.9	5.7	7.3	9.8	6.3	7.6
25	11.2	6.6	8.5	9.6	5.5	7.1	10.0	5.9	7.5	9.8	6.4	7.6
26	11.1	6.6	8.5	9.3	5.2	6.8	9.6	5.9	7.2	10.0	6.4	7.6
27	11.2	6.9	8.5	9.3	4.9	6.7	9.6	5.6	7.0	9.9	6.3	7.5
28	11.1	6.5	8.4	9.2	4.6	6.5	9.6	5.5	7.1	9.8	6.4	7.5
29	10.9	6.4	8.4	9.0	4.5	6.4	9.7	5.6	7.2	9.8	6.2	7.5
30	11.0	6.6	8.4	9.2	5.1	6.7	9.9	5.8	7.3	9.8	6.4	7.6
31	---	---	---	8.9	5.0	6.5	9.3	5.8	7.1	---	---	---
Month	12.0	6.4	8.8	11.0	4.5	7.5	10.2	3.6	6.8	10.3	5.5	7.4

13206400 EAGLE DRAIN AT EAGLE, ID—Continued

DISSOLVED OXYGEN, WATER, UNFILTERED, MILLIGRAMS PER LITER
WATER YEAR OCTOBER 2012 TO SEPTEMBER 2013

Day	Max	Min	Mean	Max	Min	Mean	Max	Min	Mean	Max	Min	Mean
		October			November			December			January	
1	9.8	6.5	7.6	---	---	---	---	---	---	---	---	---
2	9.7	6.4	7.5	---	---	---	---	---	---	---	---	---
3	10.2	6.3	7.8	---	---	---	---	---	---	---	---	---
4	10.7	6.9	8.3	---	---	---	---	---	---	---	---	---
5	10.9	7.5	8.7	---	---	---	---	---	---	---	---	---
6	10.9	7.6	8.8	---	---	---	---	---	---	---	---	---
7	11.0	7.7	8.8	---	---	---	---	---	---	---	---	---
8	10.9	7.6	8.7	---	---	---	---	---	---	---	---	---
9	10.8	7.5	8.6	---	---	---	---	---	---	---	---	---
10	10.6	7.2	8.5	---	---	---	---	---	---	---	---	---
11	10.5	7.2	8.4	---	---	---	---	---	---	---	---	---
12	10.6	7.3	8.4	---	---	---	---	---	---	---	---	---
13	10.1	7.2	8.3	---	---	---	---	---	---	---	---	---
14	10.6	7.2	8.4	---	---	---	---	---	---	---	---	---
15	10.2	6.4	8.0	---	---	---	---	---	---	---	---	---
16	7.5	4.5	5.6	---	---	---	---	---	---	---	---	---
17	9.7	4.4	7.0	---	---	---	---	---	---	---	---	---
18	9.8	6.3	7.5	---	---	---	---	---	---	---	---	---
19	9.0	6.1	7.1	---	---	---	---	---	---	---	---	---
20	9.3	5.8	7.1	---	---	---	---	---	---	---	---	---
21	9.1	5.9	7.1	---	---	---	---	---	---	---	---	---
22	8.0	5.6	6.6	---	---	---	---	---	---	---	---	---
23	8.6	4.8	6.7	---	---	---	---	---	---	---	---	---
24	8.4	5.7	7.2	---	---	---	---	---	---	---	---	---
25	9.2	4.7	7.2	---	---	---	---	---	---	---	---	---
26	8.0	---	---	---	---	---	---	---	---	---	---	---
27	---	---	---	---	---	---	---	---	---	---	---	---
28	---	---	---	---	---	---	---	---	---	---	---	---
29	---	---	---	---	---	---	---	---	---	---	---	---
30	---	---	---	---	---	---	---	---	---	---	---	---
31	---	---	---	---	---	---	---	---	---	---	---	---
Month	---	---	---	---	---	---	---	---	---	---	---	---

13206400 EAGLE DRAIN AT EAGLE, ID—Continued

DISSOLVED OXYGEN, WATER, UNFILTERED, MILLIGRAMS PER LITER
WATER YEAR OCTOBER 2012 TO SEPTEMBER 2013

Day	Max	Min	Mean	Max	Min	Mean	Max	Min	Mean	Max	Min	Mean
		February			March			April			May	
1	---	---	---	---	---	---	---	---	---	---	---	---
2	---	---	---	---	---	---	---	---	---	---	---	---
3	---	---	---	---	---	---	---	---	---	---	---	---
4	---	---	---	---	---	---	---	---	---	---	---	---
5	---	---	---	---	---	---	---	---	---	---	---	---
6	---	---	---	---	---	---	---	---	---	---	---	---
7	---	---	---	---	---	---	---	---	---	---	---	---
8	---	---	---	---	---	---	---	---	---	---	---	---
9	---	---	---	---	---	---	---	---	---	---	---	---
10	---	---	---	---	---	---	---	---	---	---	---	---
11	---	---	---	---	---	---	---	---	---	---	---	---
12	---	---	---	---	---	---	---	---	---	---	---	---
13	---	---	---	---	---	---	---	---	---	---	---	---
14	---	---	---	---	---	---	---	---	---	---	---	---
15	---	---	---	---	---	---	---	---	---	---	---	---
16	---	---	---	---	---	---	---	---	---	---	---	---
17	---	---	---	---	---	---	---	---	---	---	---	---
18	---	---	---	---	---	---	---	---	---	---	---	---
19	---	---	---	---	---	---	---	---	---	---	---	---
20	---	---	---	---	---	---	---	---	---	---	---	---
21	---	---	---	---	---	---	---	---	---	---	---	---
22	---	---	---	---	---	---	---	---	---	---	---	---
23	---	---	---	---	---	---	---	---	---	---	---	---
24	---	---	---	---	---	---	---	---	---	---	---	---
25	---	---	---	---	---	---	---	---	---	---	---	---
26	---	---	---	---	---	---	---	---	---	---	---	---
27	---	---	---	---	---	---	---	---	---	---	---	---
28	---	---	---	---	---	---	---	---	---	---	---	---
29	---	---	---	---	---	---	---	---	---	---	---	---
30	---	---	---	---	---	---	---	---	---	---	---	---
31	---	---	---	---	---	---	---	---	---	---	---	---
Month	---	---	---	---	---	---	---	---	---	---	---	---

13206400 EAGLE DRAIN AT EAGLE, ID—Continued

DISSOLVED OXYGEN, WATER, UNFILTERED, MILLIGRAMS PER LITER
WATER YEAR OCTOBER 2012 TO SEPTEMBER 2013

Day	Max	Min	Mean	Max	Min	Mean	Max	Min	Mean	Max	Min	Mean
		June			July			August			September	
1	---	---	---	---	---	---	---	---	---	---	---	---
2	---	---	---	---	---	---	---	---	---	---	---	---
3	---	---	---	---	---	---	---	---	---	---	---	---
4	---	---	---	---	---	---	---	---	---	---	---	---
5	---	---	---	---	---	---	---	---	---	---	---	---
6	---	---	---	---	---	---	---	---	---	---	---	---
7	---	---	---	---	---	---	---	---	---	---	---	---
8	---	---	---	---	---	---	---	---	---	---	---	---
9	---	---	---	---	---	---	---	---	---	---	---	---
10	---	---	---	---	---	---	---	---	---	---	---	---
11	---	---	---	---	---	---	---	---	---	---	---	---
12	---	---	---	---	---	---	---	---	---	---	---	---
13	---	---	---	---	---	---	---	---	---	---	---	---
14	---	---	---	---	---	---	---	---	---	---	---	---
15	---	---	---	---	---	---	---	---	---	---	---	---
16	---	---	---	---	---	---	---	---	---	---	---	---
17	---	---	---	---	---	---	---	---	---	---	---	---
18	---	---	---	---	---	---	---	---	---	---	---	---
19	---	---	---	---	---	---	---	---	---	---	---	---
20	---	---	---	---	---	---	---	---	---	---	---	---
21	---	---	---	---	---	---	---	---	---	---	---	---
22	---	---	---	---	---	---	---	---	---	---	---	---
23	---	---	---	---	---	---	---	---	---	---	---	---
24	---	---	---	---	---	---	---	---	---	---	---	---
25	---	---	---	---	---	---	---	---	---	---	---	---
26	---	---	---	---	---	---	---	---	---	---	---	---
27	---	---	---	---	---	---	---	---	---	---	---	---
28	---	---	---	---	---	---	---	---	---	---	---	---
29	---	---	---	---	---	---	---	---	---	---	---	---
30	---	---	---	---	---	---	---	---	---	---	---	---
31	---	---	---	---	---	---	---	---	---	---	---	---
Month	---	---	---	---	---	---	---	---	---	---	---	---

13206400 EAGLE DRAIN AT EAGLE, ID—Continued

TURBIDITY, WATER, UNFILT, NEAR IR LED LIGHT, 780-900 NM, DETECT ANG. 90 DEG, FORMAZIN NEPHELOMETRIC UNITS
WATER YEAR OCTOBER 2011 TO SEPTEMBER 2012

Day	Max	Min	Median	Max	Min	Median	Max	Min	Median	Max	Min	Median
	October			November			December			January		
1	---	---	---	---	---	---	7.5	2.0	4.3	---	---	---
2	---	---	---	---	---	---	8.5	3.0	4.5	---	18	---
3	---	---	---	---	---	---	15	4.7	7.3	---	13	---
4	---	---	---	---	---	---	14	3.1	9.3	---	---	---
5	---	---	---	---	---	---	15	5.1	11	---	---	---
6	---	---	---	---	---	---	25	6.0	14	---	---	---
7	---	---	---	---	---	---	27	6.8	15	---	21	---
8	---	---	---	---	---	---	34	12	24	38	28	32
9	---	---	---	---	---	---	34	7.4	20	34	20	27
10	---	---	---	---	---	---	28	8.5	14	---	---	---
11	---	---	---	---	---	---	35	7.5	21	39	23	30
12	---	---	---	---	---	---	29	6.7	11	53	20	36
13	---	---	---	---	---	---	22	4.5	9.8	---	---	---
14	---	---	---	---	---	---	14	4.3	7.3	---	---	---
15	---	---	---	---	---	---	15	4.6	7.8	55	26	45
16	---	---	---	---	---	---	13	5.4	8.1	---	41	---
17	---	---	---	---	---	---	14	5.6	8.5	---	16	---
18	---	---	---	---	---	---	21	6.0	13	42	18	22
19	---	---	---	5.1	1.4	2.1	34	17	26	---	---	---
20	---	---	---	9.1	1.7	2.8	29	8.3	17	32	19	26
21	---	---	---	7.5	1.7	2.9	22	6.5	13	34	11	20
22	---	---	---	3.6	1.2	2.0	27	8.0	16	37	14	24
23	---	---	---	3.1	1.2	2.0	19	8.1	14	41	17	26
24	---	---	---	4.6	1.7	2.5	31	14	16	55	16	35
25	---	---	---	7.9	1.8	2.8	38	11	15	55	22	40
26	---	---	---	8.1	2.3	4.0	19	11	14	41	4.8	7.4
27	---	---	---	13	3.1	5.8	21	11	14	19	6.7	9.4
28	---	---	---	13	2.7	6.8	20	12	14	21	6.9	9.2
29	---	---	---	15	2.6	7.0	37	11	17	18	7.0	12
30	---	---	---	7.7	2.3	4.3	---	---	---	22	7.2	11
31	---	---	---	---	---	---	---	28	---	20	---	---
Max	---	---	---	---	---	---	---	---	---	---	---	---
Min	---	---	---	---	---	---	---	---	---	---	---	---

13206400 EAGLE DRAIN AT EAGLE, ID—Continued

TURBIDITY, WATER, UNFILT, NEAR IR LED LIGHT, 780-900 NM, DETECT ANG. 90 DEG, FORMAZIN NEPHELOMETRIC UNITS
WATER YEAR OCTOBER 2011 TO SEPTEMBER 2012

Day	Max	Min	Median	Max	Min	Median	Max	Min	Median	Max	Min	Median
		February			March			April			May	
1	---	---	---	12	2.9	5.5	3.3	1.3	1.8	15	4.3	9.8
2	14	---	---	13	2.9	5.3	4.4	1.4	1.9	14	5.0	6.7
3	16	---	---	6.5	2.3	3.9	18	1.7	5.7	12	5.1	6.8
4	---	---	---	7.7	2.1	3.8	12	2.4	4.1	14	5.7	9.2
5	---	---	---	8.4	2.0	4.0	9.0	2.9	5.0	11	5.1	6.8
6	15	5.8	10	9.1	2.1	3.9	11	2.2	5.3	9.0	5.2	6.6
7	16	5.9	9.1	15	3.2	5.3	7.3	2.2	3.5	8.9	5.3	6.2
8	13	6.4	8.1	10	2.4	4.5	7.6	2.0	3.5	8.5	4.4	6.2
9	12	6.1	7.8	7.5	2.5	4.5	10	2.4	3.8	9.1	4.2	5.5
10	12	5.7	8.4	17	2.5	6.0	13	3.5	8.4	11	3.9	6.6
11	14	7.0	9.0	7.2	1.7	3.1	12	2.3	3.0	12	4.9	7.3
12	12	7.7	9.7	7.4	2.0	3.1	14	2.2	2.7	11	4.3	7.4
13	15	7.2	11	4.9	1.7	2.6	3.7	2.0	2.5	13	4.8	7.5
14	14	8.1	10	10	2.3	4.3	6.8	2.5	3.5	9.5	4.2	5.3
15	18	9.0	12	6.2	1.9	3.5	9.9	2.5	3.8	6.5	3.9	4.4
16	17	8.7	13	13	1.6	4.2	15	3.5	8.1	6.8	3.5	4.9
17	17	9.1	11	20	3.1	6.8	13	3.3	5.3	6.1	3.6	4.7
18	17	8.8	11	6.4	1.9	2.9	14	6.4	9.7	9.1	3.8	4.7
19	22	11	14	5.3	2.0	3.0	21	6.8	9.5	8.8	3.0	4.3
20	18	---	---	5.5	1.1	2.4	---	---	---	6.6	3.1	4.3
21	6.1	---	---	2.8	1.2	1.8	---	4.2	---	6.7	3.2	4.1
22	4.6	1.1	2.9	3.1	1.1	1.9	12	5.5	7.7	5.6	3.1	3.8
23	14	2.6	4.5	6.2	1.3	2.2	16	6.1	9.8	4.7	2.5	3.3
24	9.7	2.2	5.3	5.0	1.3	1.9	25	9.8	16	4.8	2.5	3.3
25	11	2.6	4.8	3.9	1.3	2.0	30	4.7	12	5.2	3.0	3.8
26	11	2.9	5.2	6.9	2.2	3.9	25	11	17	8.1	3.1	4.2
27	14	3.1	5.4	3.3	1.1	1.6	20	6.2	12	4.3	2.7	3.4
28	9.4	2.6	5.4	3.9	1.3	1.9	12	4.4	7.2	4.8	2.8	3.6
29	8.3	2.6	4.3	2.2	1.1	1.6	12	4.4	7.5	4.6	2.7	3.4
30	---	---	---	6.8	1.3	2.2	15	4.5	8.4	4.9	3.1	3.7
31	---	---	---	3.5	1.3	2.1	---	---	---	5.0	3.1	3.9
Max	---	---	---	20	3.2	6.8	---	---	---	15	5.7	9.8
Min	---	---	---	2.2	1.1	1.6	---	---	---	4.3	2.5	3.3

13206400 EAGLE DRAIN AT EAGLE, ID—Continued

TURBIDITY, WATER, UNFILT, NEAR IR LED LIGHT, 780-900 NM, DETECT ANG. 90 DEG, FORMAZIN NEPHELOMETRIC UNITS
WATER YEAR OCTOBER 2011 TO SEPTEMBER 2012

Day	Max	Min	Median	Max	Min	Median	Max	Min	Median	Max	Min	Median
		June			July			August			September	
1	5.5	3.1	3.9	3.6	2.0	2.8	6.1	3.8	4.7	5.5	3.2	4.3
2	5.6	3.2	3.9	3.6	1.9	2.6	7.2	4.7	5.4	5.7	3.7	4.7
3	6.0	3.2	4.0	4.3	1.8	2.5	7.5	5.2	6.2	5.7	4.5	5.1
4	5.8	3.2	4.1	4.8	1.8	2.6	8.0	5.9	6.5	7.6	4.5	5.7
5	4.8	2.8	3.4	5.1	2.1	2.9	6.8	5.6	6.1	7.5	4.5	5.6
6	4.6	2.7	3.3	5.1	1.9	2.6	8.5	6.2	7.2	6.5	3.6	4.3
7	4.8	2.8	3.5	4.6	1.7	2.6	10	6.9	7.7	4.9	2.6	3.5
8	5.0	2.7	3.2	3.3	1.6	2.4	10	7.2	8.8	4.3	2.0	2.8
9	5.8	3.1	4.0	5.0	1.5	2.5	19	6.9	13	4.7	1.6	2.7
10	5.2	3.2	3.9	3.7	2.0	2.6	21	13	17	4.5	1.8	2.8
11	7.1	3.0	3.9	4.3	1.9	2.6	21	15	17	3.4	1.4	2.2
12	4.2	2.7	3.3	3.0	2.1	2.5	19	9.0	12	2.8	1.6	2.0
13	6.3	2.6	3.3	3.2	2.0	2.5	20	7.9	12	3.6	1.6	2.1
14	5.6	2.5	3.2	3.2	1.7	2.3	9.2	3.1	5.8	3.3	1.7	2.2
15	4.5	2.5	2.9	3.2	1.7	2.2	4.2	2.7	3.3	3.3	1.6	2.5
16	5.6	2.6	3.3	3.0	1.6	2.2	4.5	2.5	2.9	3.5	2.2	2.7
17	4.0	2.2	2.9	3.1	1.6	2.2	4.5	2.3	3.1	4.0	2.2	2.5
18	3.8	2.3	2.9	2.9	1.7	2.2	4.6	2.8	3.4	4.0	2.2	2.8
19	3.4	2.2	2.8	4.0	2.3	2.9	3.6	2.1	2.8	4.0	2.4	3.0
20	7.9	2.7	3.7	3.5	1.9	2.8	4.4	1.7	2.4	4.5	2.7	3.3
21	4.7	2.2	2.7	3.2	1.9	2.5	3.5	1.6	2.3	3.8	2.7	3.1
22	4.7	2.0	2.5	3.4	1.7	2.3	3.6	1.7	2.4	4.6	2.9	3.5
23	3.7	2.4	2.8	3.6	1.6	1.9	3.8	2.0	2.7	5.6	3.3	3.8
24	4.1	2.2	2.9	6.7	1.9	4.5	4.2	2.1	2.8	5.4	3.8	4.3
25	3.9	2.2	2.8	7.9	2.3	4.0	4.2	2.1	2.8	5.2	3.5	4.2
26	4.6	2.2	3.0	4.9	2.5	3.1	3.7	2.2	2.8	4.5	3.5	3.8
27	4.7	2.1	2.7	4.5	3.0	3.4	4.5	2.2	3.0	5.0	3.8	4.3
28	3.3	1.8	2.5	3.8	2.3	2.8	4.7	2.4	3.2	5.6	4.1	4.7
29	3.9	2.0	2.6	4.9	2.3	2.9	5.6	2.7	3.4	6.4	4.7	5.4
30	3.7	1.8	2.7	4.9	2.8	3.3	5.0	2.5	3.4	7.9	5.4	5.9
31	---	---	---	4.8	3.1	3.5	5.7	3.0	3.8	---	---	---
Max	7.9	3.2	4.1	7.9	3.1	4.5	21	15	17	7.9	5.4	5.9
Min	3.3	1.8	2.5	2.9	1.5	1.9	3.5	1.6	2.3	2.8	1.4	2.0

13206400 EAGLE DRAIN AT EAGLE, ID—Continued

TURBIDITY, WATER, UNFILT, NEAR IR LED LIGHT, 780-900 NM, DETECT ANG. 90 DEG, FORMAZIN NEPHELOMETRIC UNITS
WATER YEAR OCTOBER 2012 TO SEPTEMBER 2013

Day	Max	Min	Median	Max	Min	Median	Max	Min	Median	Max	Min	Median
		October			November			December			January	
1	6.7	5.6	6.0	---	---	---	---	---	---	---	---	---
2	6.6	5.6	6.0	---	---	---	---	---	---	---	---	---
3	8.5	5.7	6.6	---	---	---	---	---	---	---	---	---
4	9.5	5.7	8.4	---	---	---	---	---	---	---	---	---
5	7.4	4.7	5.6	---	---	---	---	---	---	---	---	---
6	9.4	4.7	5.6	---	---	---	---	---	---	---	---	---
7	9.4	4.9	7.1	---	---	---	---	---	---	---	---	---
8	8.7	5.8	6.9	---	---	---	---	---	---	---	---	---
9	9.8	6.7	7.9	---	---	---	---	---	---	---	---	---
10	18	7.8	9.0	---	---	---	---	---	---	---	---	---
11	17	9.0	14	---	---	---	---	---	---	---	---	---
12	13	8.9	11	---	---	---	---	---	---	---	---	---
13	13	8.5	10	---	---	---	---	---	---	---	---	---
14	10	8.0	8.8	---	---	---	---	---	---	---	---	---
15	11	8.2	9.6	---	---	---	---	---	---	---	---	---
16	13	8.8	11	---	---	---	---	---	---	---	---	---
17	11	7.9	8.8	---	---	---	---	---	---	---	---	---
18	12	8.7	9.8	---	---	---	---	---	---	---	---	---
19	12	9.6	11	---	---	---	---	---	---	---	---	---
20	12	10	11	---	---	---	---	---	---	---	---	---
21	14	11	12	---	---	---	---	---	---	---	---	---
22	14	11	12	---	---	---	---	---	---	---	---	---
23	14	5.9	7.0	---	---	---	---	---	---	---	---	---
24	7.6	5.6	6.5	---	---	---	---	---	---	---	---	---
25	8.7	5.3	6.2	---	---	---	---	---	---	---	---	---
26	---	---	---	---	---	---	---	---	---	---	---	---
27	---	---	---	---	---	---	---	---	---	---	---	---
28	---	---	---	---	---	---	---	---	---	---	---	---
29	---	---	---	---	---	---	---	---	---	---	---	---
30	---	---	---	---	---	---	---	---	---	---	---	---
31	---	---	---	---	---	---	---	---	---	---	---	---
Max	---	---	---	---	---	---	---	---	---	---	---	---
Min	---	---	---	---	---	---	---	---	---	---	---	---

13206400 EAGLE DRAIN AT EAGLE, ID—Continued

TURBIDITY, WATER, UNFILT, NEAR IR LED LIGHT, 780-900 NM, DETECT ANG. 90 DEG, FORMAZIN NEPHELOMETRIC UNITS
WATER YEAR OCTOBER 2012 TO SEPTEMBER 2013

Day	Max	Min	Median	Max	Min	Median	Max	Min	Median	Max	Min	Median
		February			March			April			May	
1	---	---	---	---	---	---	---	---	---	---	---	---
2	---	---	---	---	---	---	---	---	---	---	---	---
3	---	---	---	---	---	---	---	---	---	---	---	---
4	---	---	---	---	---	---	---	---	---	---	---	---
5	---	---	---	---	---	---	---	---	---	---	---	---
6	---	---	---	---	---	---	---	---	---	---	---	---
7	---	---	---	---	---	---	---	---	---	---	---	---
8	---	---	---	---	---	---	---	---	---	---	---	---
9	---	---	---	---	---	---	---	---	---	---	---	---
10	---	---	---	---	---	---	---	---	---	---	---	---
11	---	---	---	---	---	---	---	---	---	---	---	---
12	---	---	---	---	---	---	---	---	---	---	---	---
13	---	---	---	---	---	---	---	---	---	---	---	---
14	---	---	---	---	---	---	---	---	---	---	---	---
15	---	---	---	---	---	---	---	---	---	---	---	---
16	---	---	---	---	---	---	---	---	---	---	---	---
17	---	---	---	---	---	---	---	---	---	---	---	---
18	---	---	---	---	---	---	---	---	---	---	---	---
19	---	---	---	---	---	---	---	---	---	---	---	---
20	---	---	---	---	---	---	---	---	---	---	---	---
21	---	---	---	---	---	---	---	---	---	---	---	---
22	---	---	---	---	---	---	---	---	---	---	---	---
23	---	---	---	---	---	---	---	---	---	---	---	---
24	---	---	---	---	---	---	---	---	---	---	---	---
25	---	---	---	---	---	---	---	---	---	---	---	---
26	---	---	---	---	---	---	---	---	---	---	---	---
27	---	---	---	---	---	---	---	---	---	---	---	---
28	---	---	---	---	---	---	---	---	---	---	---	---
29	---	---	---	---	---	---	---	---	---	---	---	---
30	---	---	---	---	---	---	---	---	---	---	---	---
31	---	---	---	---	---	---	---	---	---	---	---	---
Max	---	---	---	---	---	---	---	---	---	---	---	---
Min	---	---	---	---	---	---	---	---	---	---	---	---

13206400 EAGLE DRAIN AT EAGLE, ID—Continued

TURBIDITY, WATER, UNFILT, NEAR IR LED LIGHT, 780-900 NM, DETECT ANG. 90 DEG, FORMAZIN NEPHELOMETRIC UNITS
WATER YEAR OCTOBER 2012 TO SEPTEMBER 2013

Day	Max	Min	Median	Max	Min	Median	Max	Min	Median	Max	Min	Median
		June			July			August			September	
1	---	---	---	---	---	---	---	---	---	---	---	---
2	---	---	---	---	---	---	---	---	---	---	---	---
3	---	---	---	---	---	---	---	---	---	---	---	---
4	---	---	---	---	---	---	---	---	---	---	---	---
5	---	---	---	---	---	---	---	---	---	---	---	---
6	---	---	---	---	---	---	---	---	---	---	---	---
7	---	---	---	---	---	---	---	---	---	---	---	---
8	---	---	---	---	---	---	---	---	---	---	---	---
9	---	---	---	---	---	---	---	---	---	---	---	---
10	---	---	---	---	---	---	---	---	---	---	---	---
11	---	---	---	---	---	---	---	---	---	---	---	---
12	---	---	---	---	---	---	---	---	---	---	---	---
13	---	---	---	---	---	---	---	---	---	---	---	---
14	---	---	---	---	---	---	---	---	---	---	---	---
15	---	---	---	---	---	---	---	---	---	---	---	---
16	---	---	---	---	---	---	---	---	---	---	---	---
17	---	---	---	---	---	---	---	---	---	---	---	---
18	---	---	---	---	---	---	---	---	---	---	---	---
19	---	---	---	---	---	---	---	---	---	---	---	---
20	---	---	---	---	---	---	---	---	---	---	---	---
21	---	---	---	---	---	---	---	---	---	---	---	---
22	---	---	---	---	---	---	---	---	---	---	---	---
23	---	---	---	---	---	---	---	---	---	---	---	---
24	---	---	---	---	---	---	---	---	---	---	---	---
25	---	---	---	---	---	---	---	---	---	---	---	---
26	---	---	---	---	---	---	---	---	---	---	---	---
27	---	---	---	---	---	---	---	---	---	---	---	---
28	---	---	---	---	---	---	---	---	---	---	---	---
29	---	---	---	---	---	---	---	---	---	---	---	---
30	---	---	---	---	---	---	---	---	---	---	---	---
31	---	---	---	---	---	---	---	---	---	---	---	---
Max	---	---	---	---	---	---	---	---	---	---	---	---
Min	---	---	---	---	---	---	---	---	---	---	---	---