



Water-Data Report 2006

292309099330701 Local number YP-69-36-804

Edwards-Trinity aquifer system
 Edwards and Associated Limestones
 Uvalde County, TX

LOCATION.--Lat 29°23'08.6", long 99°33'07.1" referenced to North American Datum of 1927, Uvalde County, TX, Hydrologic Unit 12110106.

WATER-QUALITY RECORDS

REMARKS.--Part of the NAWQA Edwards Unconfined Major Aquifer Study

**WATER-QUALITY DATA
 WATER YEAR OCTOBER 2005 TO SEPTEMBER 2006**

Part 1 of 18

[Remark codes: <, less than; E, estimated; M, presence verified but not quantified. Value qualifier codes: b, value extrapolated at low end; c, see laboratory comment; k, counts outside acceptable range; l, sample lab preparation problem; m, value is highly variable by this method; n, below the LRL and above the LT-MDL. Null value qualifier codes: a, planned measurement was not made; u, unable to determine-matrix interference.]

Date	Time	Depth to water level, feet below LSD (72019)	Turbidity white light, 90+/-30 corrctd NTRU (63676)	Barometric pressure, mm Hg (00025)	Dissolved oxygen, mg/L (00300)	pH, water, unfltrd field, std units (00400)	Specific conductance, wat unfltrd uS/cm 25 degC (00095)	Temperature, air, deg C (00020)	Temperature, water, deg C (00010)	Calcium, water, fltrd, mg/L (00915)	Magnesium, water, fltrd, mg/L (00925)	Potassium, water, fltrd, mg/L (00935)	Sodium, water, fltrd, mg/L (00930)
Jun 21...	1300	--a	2.8	737	3.0	7.2	522	29.0	24.9	60.5	13.2	1.30	9.76

**WATER-QUALITY DATA
 WATER YEAR OCTOBER 2005 TO SEPTEMBER 2006**

Part 2 of 18

[Remark codes: <, less than; E, estimated; M, presence verified but not quantified. Value qualifier codes: b, value extrapolated at low end; c, see laboratory comment; k, counts outside acceptable range; l, sample lab preparation problem; m, value is highly variable by this method; n, below the LRL and above the LT-MDL. Null value qualifier codes: a, planned measurement was not made; u, unable to determine-matrix interference.]

Date	Alkalinity, wat flt inc tit field, mg/L as CaCO3 (39086)	Bromide, water, fltrd, mg/L (71870)	Chloride, water, fltrd, mg/L (00940)	Fluoride, water, fltrd, mg/L (00950)	Silica, water, fltrd, mg/L (00955)	Sulfate, water, fltrd, mg/L (00945)	Residue on evap. at 180degC, wat flt mg/L (70300)	Ammonia, water, fltrd, mg/L as N (00608)	Nitrite + nitrate, water, fltrd, mg/L as N (00631)	Nitrite, water, fltrd, mg/L as N (00613)	Total nitrogen, wat flt by analysis, mg/L (62854)	Orthophosphate, water, fltrd, mg/L as P (00671)	Organic carbon, water, fltrd, mg/L (00681)
Jun 21...	184	.07	22.3	.20	12.0	20.0	254	.102	.43	.005	.61	.013	E.2n

292309099330701 Local number YP-69-36-804—Continued

WATER-QUALITY DATA
WATER YEAR OCTOBER 2005 TO SEPTEMBER 2006

Part 3 of 18

[Remark codes: <, less than; E, estimated; M, presence verified but not quantified. Value qualifier codes: b, value extrapolated at low end; c, see laboratory comment; k, counts outside acceptable range; l, sample lab preparation problem; m, value is highly variable by this method; n, below the LRL and above the LT-MDL. Null value qualifier codes: a, planned measurement was not made; u, unable to determine-matrix interference.]

Date	E coli, MI MF, water, col/ 100 mL (90901)	Total coli- form, MI MF, water, col/ 100 mL (90900)	Alum- inum, water, fltrd, ug/L (01106)	Anti- mony, water, fltrd, ug/L (01095)	Arsenic water, fltrd, ug/L (01000)	Barium, water, fltrd, ug/L (01005)	Beryll- ium, water, fltrd, ug/L (01010)	Boron, water, fltrd, ug/L (01020)	Cadmium water, fltrd, ug/L (01025)	Chrom- ium, water, fltrd, ug/L (01030)	Cobalt water, fltrd, ug/L (01035)	Copper, water, fltrd, ug/L (01040)	Iron- (II), water, unfltrd ug/L (99032)
Jun 21...	E14k	E14kl	<1.6	<.20	.18	49	<.06	52	E.02n	<.04	.390	.4	M

WATER-QUALITY DATA
WATER YEAR OCTOBER 2005 TO SEPTEMBER 2006

Part 4 of 18

[Remark codes: <, less than; E, estimated; M, presence verified but not quantified. Value qualifier codes: b, value extrapolated at low end; c, see laboratory comment; k, counts outside acceptable range; l, sample lab preparation problem; m, value is highly variable by this method; n, below the LRL and above the LT-MDL. Null value qualifier codes: a, planned measurement was not made; u, unable to determine-matrix interference.]

Date	Iron, water, unfltrd ug/L (01046)	Iron, water, recover- able, ug/L (01045)	Lead, water, fltrd, ug/L (01049)	Lithium water, fltrd, ug/L (01130)	Mangan- ese, water, fltrd, ug/L (01056)	Molyb- denum, water, fltrd, ug/L (01060)	Nickel, water, fltrd, ug/L (01065)	Selen- ium, water, fltrd, ug/L (01145)	Silver, water, fltrd, ug/L (01075)	Stront- ium, water, fltrd, ug/L (01080)	Thall- ium, water, fltrd, ug/L (01057)	Vanad- ium, water, fltrd, ug/L (01085)	Zinc, water, fltrd, ug/L (01090)
Jun 21...	42	M	.09	3.3	45.4	1.2	2.37	.49	<.2	269	<.04	1.1	319

WATER-QUALITY DATA
WATER YEAR OCTOBER 2005 TO SEPTEMBER 2006

Part 5 of 18

[Remark codes: <, less than; E, estimated; M, presence verified but not quantified. Value qualifier codes: b, value extrapolated at low end; c, see laboratory comment; k, counts outside acceptable range; l, sample lab preparation problem; m, value is highly variable by this method; n, below the LRL and above the LT-MDL. Null value qualifier codes: a, planned measurement was not made; u, unable to determine-matrix interference.]

Date	1-Naph- thol, water, fltrd 0.7u GF ug/L (49295)	2,6-Di- ethyl- aniline water, fltrd 0.7u GF ug/L (82660)	2Chloro -2',6'- diethyl acet- anilide wat flt ug/L (61618)	CIAT, water, fltrd, ug/L (04040)	2-Ethyl -6- methyl- aniline water, fltrd, ug/L (61620)	3,4-Di- chloro- aniline water fltrd, ug/L (61625)	3,5-Di- chloro- aniline water, fltrd, ug/L (61627)	4Chloro 2methyl phenol, water, fltrd, ug/L (61633)	Aceto- chlor, water, fltrd, ug/L (49260)	Ala- chlor, water, fltrd, ug/L (46342)	alpha- Endo- sulfan, water, fltrd, ug/L (34362)	Atra- zine, water, fltrd, ug/L (39632)	Azin- phos- methyl oxon, water, fltrd, ug/L (61635)
Jun 21...	<.09mc	<.006	<.006	<.014mc	<.010mc	<.004mc	<.012	<.005mc	<.006	<.005	<.011	<.007	<.04mc

292309099330701 Local number YP-69-36-804—Continued

WATER-QUALITY DATA
WATER YEAR OCTOBER 2005 TO SEPTEMBER 2006

Part 6 of 18

[Remark codes: <, less than; E, estimated; M, presence verified but not quantified. Value qualifier codes: b, value extrapolated at low end; c, see laboratory comment; k, counts outside acceptable range; l, sample lab preparation problem; m, value is highly variable by this method; n, below the LRL and above the LT-MDL. Null value qualifier codes: a, planned measurement was not made; u, unable to determine-matrix interference.]

Date	Azin-phos-methyl, water, fltrd 0.7u GF ug/L (82686)	Ben-flur-alin, water, fltrd 0.7u GF ug/L (82673)	Carbaryl, water, fltrd 0.7u GF ug/L (82680)	Carbofuran, water, fltrd 0.7u GF ug/L (82674)	Chlorpyrifos, water, fltrd ug/L (61636)	Chlorpyrifos, water, fltrd ug/L (38933)	cis-Permethrin, water, fltrd 0.7u GF ug/L (82687)	cis-Propiconazole, water, fltrd ug/L (79846)	Cyanazine, water, fltrd ug/L (04041)	Cyfluthrin, water, fltrd ug/L (61585)	lambda-Cyhalothrin, water, fltrd ug/L (61595)	Cypermethrin, water, fltrd ug/L (61586)	DCPA, water, fltrd 0.7u GF ug/L (82682)
Jun 21...	<.050mc	<.010	<.041mc	<.020mc	<.06mc	<.005	<.006	<.013mc	<.018	<.053mc	<.014mc	<.046mc	<.003

WATER-QUALITY DATA
WATER YEAR OCTOBER 2005 TO SEPTEMBER 2006

Part 7 of 18

[Remark codes: <, less than; E, estimated; M, presence verified but not quantified. Value qualifier codes: b, value extrapolated at low end; c, see laboratory comment; k, counts outside acceptable range; l, sample lab preparation problem; m, value is highly variable by this method; n, below the LRL and above the LT-MDL. Null value qualifier codes: a, planned measurement was not made; u, unable to determine-matrix interference.]

Date	Desulfinyl fipronil, water, fltrd ug/L (62170)	Diazinon, water, fltrd ug/L (39572)	Dicrotophos, water, fltrd ug/L (38454)	Dieldrin, water, fltrd ug/L (39381)	Dimethoate, water, fltrd 0.7u GF ug/L (82662)	Disulfoton sulfone, water, fltrd ug/L (61640)	Disulfoton, water, fltrd 0.7u GF ug/L (82677)	Endosulfan sulfate, water, fltrd ug/L (61590)	EPTC, water, fltrd 0.7u GF ug/L (82668)	Ethion monoxon, water, fltrd ug/L (61644)	Ethion, water, fltrd ug/L (82346)	Ethion, water, fltrd 0.7u GF ug/L (82672)	Fenamiphos sulfone, water, fltrd ug/L (61645)
Jun 21...	<.012	<.005	<.08mc	<.009	<.006mc	<.01	<.02mc	<.022	<.004	<.02mc	<.016	<.012	<.053

WATER-QUALITY DATA
WATER YEAR OCTOBER 2005 TO SEPTEMBER 2006

Part 8 of 18

[Remark codes: <, less than; E, estimated; M, presence verified but not quantified. Value qualifier codes: b, value extrapolated at low end; c, see laboratory comment; k, counts outside acceptable range; l, sample lab preparation problem; m, value is highly variable by this method; n, below the LRL and above the LT-MDL. Null value qualifier codes: a, planned measurement was not made; u, unable to determine-matrix interference.]

Date	Fenamiphos sulfide, water, fltrd ug/L (61646)	Fenamiphos, water, fltrd ug/L (61591)	Desulfinyl fipronil amide, wat flt ug/L (62169)	Fipronil sulfide, water, fltrd ug/L (62167)	Fipronil sulfone, water, fltrd ug/L (62168)	Fipronil, water, fltrd ug/L (62166)	Fonofos, water, fltrd ug/L (04095)	Hexazinone, water, fltrd ug/L (04025)	Iprodione, water, fltrd ug/L (61593)	Isofenphos, water, fltrd ug/L (61594)	Malathion, water, fltrd ug/L (61652)	Malathion, water, fltrd ug/L (39532)	Metaxyl, water, fltrd ug/L (61596)
Jun 21...	<.04mc	<.03	<.029	<.013	<.024	<.016	<.005	<.026	<.026mc	<.011	<.039	<.027	<.007

292309099330701 Local number YP-69-36-804—Continued

WATER-QUALITY DATA
WATER YEAR OCTOBER 2005 TO SEPTEMBER 2006

Part 9 of 18

[Remark codes: <, less than; E, estimated; M, presence verified but not quantified. Value qualifier codes: b, value extrapolated at low end; c, see laboratory comment; k, counts outside acceptable range; l, sample lab preparation problem; m, value is highly variable by this method; n, below the LRL and above the LT-MDL. Null value qualifier codes: a, planned measurement was not made; u, unable to determine-matrix interference.]

Date	Methi- alithion water, fltrd, ug/L (61598)	Methyl para- oxon, water, fltrd, ug/L (61664)	Methyl para- thion, water, fltrd, 0.7u GF ug/L (82667)	Metola- chlor, water, fltrd, ug/L (39415)	Metri- buzin, water, fltrd, ug/L (82630)	Moli- nate, water, fltrd, 0.7u GF ug/L (82671)	Myclo- butanil water, fltrd, ug/L (61599)	Oxy- fluor- fen, water, fltrd, ug/L (61600)	Pendi- meth- alin, water, fltrd, 0.7u GF ug/L (82683)	Phorate oxon, water, fltrd, ug/L (61666)	Phorate water, fltrd, 0.7u GF ug/L (82664)	Phosmet oxon, water, fltrd, ug/L (61668)	Phosmet water, fltrd, ug/L (61601)
Jun 21...	<.009	<.02mc	<.015	<.006	<.028	<.003	<.033	<.017	<.022	<.03mc	<.055	--u	--u

WATER-QUALITY DATA
WATER YEAR OCTOBER 2005 TO SEPTEMBER 2006

Part 10 of 18

[Remark codes: <, less than; E, estimated; M, presence verified but not quantified. Value qualifier codes: b, value extrapolated at low end; c, see laboratory comment; k, counts outside acceptable range; l, sample lab preparation problem; m, value is highly variable by this method; n, below the LRL and above the LT-MDL. Null value qualifier codes: a, planned measurement was not made; u, unable to determine-matrix interference.]

Date	Prome- ton, water, fltrd, ug/L (04037)	Prome- tryn, water, fltrd, ug/L (04036)	Propy- zamide, water, fltrd, 0.7u GF ug/L (82676)	Pro- panil, water, fltrd, 0.7u GF ug/L (82679)	Propar- gite, water, fltrd, 0.7u GF ug/L (82685)	Sima- zine, water, fltrd, ug/L (04035)	Tebu- thiuron water, fltrd, 0.7u GF ug/L (82670)	Teflu- thrin, water, fltrd, ug/L (61606)	Ter- bufos sulfone water, fltrd, ug/L (61674)	Terbu- fos, water, fltrd, 0.7u GF ug/L (82675)	Ter- butyl- azine, water, fltrd, ug/L (04022)	Thio- bencarb water, fltrd, 0.7u GF ug/L (82681)	trans- Propi- cona- zole, water, fltrd, ug/L (79847)
Jun 21...	<.01	<.006	<.004	<.011	<.02	<.005	<.02	<.003mc	<.04	<.02	<.01	<.010	<.03mc

WATER-QUALITY DATA
WATER YEAR OCTOBER 2005 TO SEPTEMBER 2006

Part 11 of 18

[Remark codes: <, less than; E, estimated; M, presence verified but not quantified. Value qualifier codes: b, value extrapolated at low end; c, see laboratory comment; k, counts outside acceptable range; l, sample lab preparation problem; m, value is highly variable by this method; n, below the LRL and above the LT-MDL. Null value qualifier codes: a, planned measurement was not made; u, unable to determine-matrix interference.]

Date	Tribu- phos, water, fltrd, ug/L (61610)	Tri- flur- alin, water, fltrd, 0.7u GF ug/L (82661)	1,1,1,2 -Tetra- chloro- ethane, water, unfltrd, ug/L (77562)	1,1,1- Tri- chloro- ethane, water, unfltrd, ug/L (34506)	1,1,2,2 -Tetra- chloro- ethane, water, unfltrd, ug/L (34516)	CFC-113 water, unfltrd, ug/L (77652)	1,1,2- Tri- chloro- ethane, water, unfltrd, ug/L (34511)	1,1-Di- chloro- ethane, water, unfltrd, ug/L (34496)	1,1-Di- chloro- ethene, water, unfltrd, ug/L (34501)	1,1-Di- chloro- propene, water, unfltrd, ug/L (77168)	1,2,3,4 Tetra- methyl- benzene, water, unfltrd, ug/L (49999)	1,2,3,5 Tetra- methyl- benzene, water, unfltrd, ug/L (50000)	1,2,3- Tri- chloro- benzene, water, unfltrd, ug/L (77613)
Jun 21...	<.035mc	<.009	<.03b	<.03b	<.08b	<.04b	<.04b	<.04b	<.02b	<.03b	<.1	<.2	<.2

292309099330701 Local number YP-69-36-804—Continued

WATER-QUALITY DATA
WATER YEAR OCTOBER 2005 TO SEPTEMBER 2006

Part 12 of 18

[Remark codes: <, less than; E, estimated; M, presence verified but not quantified. Value qualifier codes: b, value extrapolated at low end; c, see laboratory comment; k, counts outside acceptable range; l, sample lab preparation problem; m, value is highly variable by this method; n, below the LRL and above the LT-MDL. Null value qualifier codes: a, planned measurement was not made; u, unable to determine-matrix interference.]

Date	1,2,3-Tri-chloro-propane water unfltrd	1,2,3-Tri-methyl-benzene water unfltrd	1,2,4-Tri-chloro-benzene water unfltrd	1,2,4-Tri-methyl-benzene water unfltrd	Dibromo-chloro-propane water unfltrd	1,2-Di-bromo-ethane, water unfltrd	1,2-Di-chloro-benzene water unfltrd	1,2-Di-chloro-ethane, water unfltrd	1,2-Di-chloro-propane water unfltrd	1,3,5-Tri-methyl-benzene water unfltrd	1,3-Di-chloro-benzene water unfltrd	1,3-Di-chloro-propane water unfltrd	1,4-Di-chloro-benzene water unfltrd
	ug/L (77443)	ug/L (77221)	ug/L (34551)	ug/L (77222)	ug/L (82625)	ug/L (77651)	ug/L (34536)	ug/L (32103)	ug/L (34541)	ug/L (77226)	ug/L (34566)	ug/L (77173)	ug/L (34571)
Jun 21...	<.18	<.1b	<.1	<.06b	<.5	<.04b	<.05b	<.1	<.03b	<.04b	<.03b	<.1b	<.03b

WATER-QUALITY DATA
WATER YEAR OCTOBER 2005 TO SEPTEMBER 2006

Part 13 of 18

[Remark codes: <, less than; E, estimated; M, presence verified but not quantified. Value qualifier codes: b, value extrapolated at low end; c, see laboratory comment; k, counts outside acceptable range; l, sample lab preparation problem; m, value is highly variable by this method; n, below the LRL and above the LT-MDL. Null value qualifier codes: a, planned measurement was not made; u, unable to determine-matrix interference.]

Date	2,2-Di-chloro-propane water unfltrd	2-Chloro-toluene water unfltrd	2-Ethyl-toluene water unfltrd	3-Chloro-propene water unfltrd	4-Chloro-toluene water unfltrd	4-Iso-propyl-toluene water unfltrd	Acetone water unfltrd	Acrylo-nitrile water unfltrd	Benzene water unfltrd	Bromo-benzene water unfltrd	Bromo-chloro-methane water unfltrd	Bromo-di-chloro-methane water unfltrd	Bromo-ethene, water, unfltrd
	ug/L (77170)	ug/L (77275)	ug/L (77220)	ug/L (78109)	ug/L (77277)	ug/L (77356)	ug/L (81552)	ug/L (34215)	ug/L (34030)	ug/L (81555)	ug/L (77297)	ug/L (32101)	ug/L (50002)
Jun 21...	<.05b	<.04b	<.06b	<.50mc	<.05b	<.08b	<6	<.8	<.02b	<.03b	<.12	<.03b	<.1

WATER-QUALITY DATA
WATER YEAR OCTOBER 2005 TO SEPTEMBER 2006

Part 14 of 18

[Remark codes: <, less than; E, estimated; M, presence verified but not quantified. Value qualifier codes: b, value extrapolated at low end; c, see laboratory comment; k, counts outside acceptable range; l, sample lab preparation problem; m, value is highly variable by this method; n, below the LRL and above the LT-MDL. Null value qualifier codes: a, planned measurement was not made; u, unable to determine-matrix interference.]

Date	Bromo-methane water unfltrd	Carbon di-sulfide water unfltrd	Chloro-benzene water unfltrd	Chloro-ethane, water unfltrd	Chloro-methane water unfltrd	cis-1,2-Di-chloro-ethene, water unfltrd	cis-1,3-Di-chloro-propene water unfltrd	Di-bromo-chloro-methane water unfltrd	Di-bromo-methane water unfltrd	Di-chloro-fluoro-methane water unfltrd	Di-chloro-methane water unfltrd	Di-ethyl-ether, water, unfltrd	Diiso-propyl-ether, water, unfltrd
	ug/L (34413)	ug/L (77041)	ug/L (34301)	ug/L (34311)	ug/L (34418)	ug/L (77093)	ug/L (34704)	ug/L (32105)	ug/L (30217)	ug/L (34668)	ug/L (34423)	ug/L (81576)	ug/L (81577)
Jun 21...	<.3mc	<.04b	<.03b	<.1	<.2mc	<.02b	<.05b	<.1	<.05b	<.18mc	<.1b	<.1b	<.10

292309099330701 Local number YP-69-36-804—Continued

WATER-QUALITY DATA
WATER YEAR OCTOBER 2005 TO SEPTEMBER 2006

Part 15 of 18

[Remark codes: <, less than; E, estimated; M, presence verified but not quantified. Value qualifier codes: b, value extrapolated at low end; c, see laboratory comment; k, counts outside acceptable range; l, sample lab preparation problem; m, value is highly variable by this method; n, below the LRL and above the LT-MDL. Null value qualifier codes: a, planned measurement was not made; u, unable to determine-matrix interference.]

Date	Ethyl methacrylate, water, unfltrd ug/L (73570)	Ethyl methyl ketone, water, unfltrd ug/L (81595)	Ethyl-benzene, water, unfltrd ug/L (34371)	Hexa-chloro-butadiene, water, unfltrd ug/L (39702)	Hexa-chloro-ethane, water, unfltrd ug/L (34396)	Iodo-methane, water, unfltrd ug/L (77424)	Iso-butyl methyl ketone, water, unfltrd ug/L (78133)	Iso-propyl-benzene, water, unfltrd ug/L (77223)	Methyl acrylonitrile, water, unfltrd ug/L (81593)	Methyl acrylate, water, unfltrd ug/L (49991)	Methyl methacrylate, water, unfltrd ug/L (81597)	Methyl tert-pentyl ether, water, unfltrd ug/L (50005)	meta- + para-Xylene, water, unfltrd ug/L (85795)
Jun 21...	<.2	<2.0	<.03b	<.1	<.1	<.50mc	<.4b	<.04b	<.4	<1.0	<.2	<.04b	<.06b

WATER-QUALITY DATA
WATER YEAR OCTOBER 2005 TO SEPTEMBER 2006

Part 16 of 18

[Remark codes: <, less than; E, estimated; M, presence verified but not quantified. Value qualifier codes: b, value extrapolated at low end; c, see laboratory comment; k, counts outside acceptable range; l, sample lab preparation problem; m, value is highly variable by this method; n, below the LRL and above the LT-MDL. Null value qualifier codes: a, planned measurement was not made; u, unable to determine-matrix interference.]

Date	Naphthalene, water, unfltrd ug/L (34696)	Methyl n-butyl ketone, water, unfltrd ug/L (77103)	n-Butyl benzene, water, unfltrd ug/L (77342)	n-propyl benzene, water, unfltrd ug/L (77224)	o-Xylene, water, unfltrd ug/L (77135)	sec-Butyl benzene, water, unfltrd ug/L (77350)	Styrene, water, unfltrd ug/L (77128)	t-Butyl ethyl ether, water, unfltrd ug/L (50004)	Methyl t-butyl ether, water, unfltrd ug/L (78032)	tert-Butyl benzene, water, unfltrd ug/L (77353)	Tetra-chloro-ethene, water, unfltrd ug/L (34475)	Tetra-chloro-methane, water, unfltrd ug/L (32102)	Tetra-hydro-furan, water, unfltrd ug/L (81607)
Jun 21...	<.5	<.4b	<.1	<.04b	<.04b	<.06b	<.04b	<.03b	<.1	<.08b	<.03b	<.06b	<1

WATER-QUALITY DATA
WATER YEAR OCTOBER 2005 TO SEPTEMBER 2006

Part 17 of 18

[Remark codes: <, less than; E, estimated; M, presence verified but not quantified. Value qualifier codes: b, value extrapolated at low end; c, see laboratory comment; k, counts outside acceptable range; l, sample lab preparation problem; m, value is highly variable by this method; n, below the LRL and above the LT-MDL. Null value qualifier codes: a, planned measurement was not made; u, unable to determine-matrix interference.]

Date	Toluene, water, unfltrd ug/L (34010)	trans-1,2-Di-chloro-ethene, water, unfltrd ug/L (34546)	trans-1,3-Di-chloro-propene, water, unfltrd ug/L (34699)	trans-1,4-Di-chloro-2-butene, water, unfltrd ug/L (73547)	Tri-bromo-methane, water, unfltrd ug/L (32104)	Tri-chloro-ethene, water, unfltrd ug/L (39180)	Tri-chloro-fluoro-methane, water, unfltrd ug/L (34488)	Tri-chloro-methane, water, unfltrd ug/L (32106)	Vinyl chloride, water, unfltrd ug/L (39175)	Di-chloro-vos, water, unfltrd ug/L (38775)	Deuterium/Protium ratio, water, unfltrd per mil (82082)	Ra-226, water, unfltrd method pCi/L (09511)	Uranium natural, water, unfltrd ug/L (22703)
Jun 21...	.75	<.03b	<.09b	<.7b	<.10	<.04b	<.08b	<.02b	<.1b	<.01mc	-23.00	.28c	.75

**WATER-QUALITY
DATA**

**WATER YEAR
OCTOBER 2005 TO
SEPTEMBER 2006**

Part 18 of 18
 [Remark codes:
 <, less than;
 E, estimated;
 M, presence verified
 but not quantified.
 Value qualifier codes:
 b, value extrapolated
 at low end;
 c, see laboratory
 comment;
 k, counts outside
 acceptable range;
 l, sample lab
 preparation problem;
 m, value is highly
 variable by this
 method; n, below the
 LRL and above the LT-
 MDL. Null value
 qualifier codes:
 a, planned measureme
 nt was not made;
 u, unable to
 determine-matrix
 interference.]

Date	0-18 / 0-16 ratio, water, unfltrd per mil (82085)
Jun 21...	-4.10