293130098573801 Local number TD-68-25-703

Edwards-Trinity aquifer system
Edwards and Associated Limestones

Medina County, TX

LOCATION.--Lat 29°31′30″, long 98°57′35″ referenced to North American Datum of 1983, Medina County, TX, Hydrologic Unit 12100302.

WATER-QUALITY RECORDS

REMARKS.--Part of the NAWQA Edwards Unconfined Major Aquifer Study

WATER-QUALITY DATA
WATER YEAR OCTOBER 2005 TO SEPTEMBER 2006

Part 1 of 18

[Remark codes: <, less than; E, estimated; M, presence verified but not quantified. Value qualifier codes: b, value extrapolated at low end; c, see laboratory comment; k, counts outside acceptable range; m, value is highly variable by this method; n, below the LRL and above the LT-MDL; t, below the long-term MDL. Null value qualifier codes: a, planned measurement was not made.]

Date	Time	Depth of well, feet below LSD (72008)	Depth to water level, feet below LSD (72019)	Turbdty white light, det ang 90+/-30 corrctd NTRU (63676)	Baro-metric pres-sure, mm Hg (00025)	Dis-solved oxygen, mg/L (00300)	pH, water, unfltrd field, std units (00400)	Specif. conduc-tance, wat unf uS/cm 25 degC (00095)	Temper-ature, air, deg C (00020)	Temper-ature, water, deg C (00010)	Calcium water, fltrd, mg/L (00915)	Magnes-ium, water, fltrd, mg/L (00925)	Potas-sium, water, fltrd, mg/L (00935)
May 17...	1400	425	--a	.3	742	6.2	7.2	457	32.0	22.1	77.0	9.29	1.07

WATER-QUALITY DATA
WATER YEAR OCTOBER 2005 TO SEPTEMBER 2006

Part 2 of 18

[Remark codes: <, less than; E, estimated; M, presence verified but not quantified. Value qualifier codes: b, value extrapolated at low end; c, see laboratory comment; k, counts outside acceptable range; m, value is highly variable by this method; n, below the LRL and above the LT-MDL; t, below the long-term MDL. Null value qualifier codes: a, planned measurement was not made.]

Date	Sodium, water, fltrd, mg/L (00930)	Alka-linity, wat flt inc tit field, mg/L as CaCO3 (39086)	Bromide water, fltrd, mg/L (71870)	Chlor-ide, water, fltrd, mg/L (00940)	Fluor-ide, water, fltrd, mg/L (00950)	Silica, water, fltrd, mg/L (00955)	Sulfate water, fltrd, mg/L (00945)	Residue on evap. at 180degC wat flt mg/L (70300)	Ammonia water, fltrd, mg/L as N (00608)	Nitrite + nitrate water fltrd, mg/L as N (00631)	Nitrite water, fltrd, mg/L as N (00613)	Total nitro-gen, wat flt by anal ysis, mg/L (62854)	Ortho-phos-phate, water, fltrd, mg/L as P (00671)
May 17...	6.20	187	.08	9.79	.10	10.2	32.6	263	<.04	.45	<.008	.46	<.006

293130098573801 Local number TD-68-25-703—Continued

WATER-QUALITY DATA
WATER YEAR OCTOBER 2005 TO SEPTEMBER 2006
Part 3 of 18

[Remark codes: <, less than; E, estimated; M, presence verified but not quantified. Value qualifier codes: b, value extrapolated at low end; c, see laboratory comment; k, counts outside acceptable range; m, value is highly variable by this method; n, below the LRL and above the LT-MDL; t, below the long-term MDL. Null value qualifier codes: a, planned measurement was not made.]

Date	Organic carbon, water, fltrd, mg/L (00681)	E coli, MI MF, water, col/ 100 mL (90901)	Total coli-form, MI MF, water, col/ 100 mL (90900)	Alum-inum, water, fltrd, ug/L (01106)	Anti-mony, water, fltrd, ug/L (01095)	Arsenic water, fltrd, ug/L (01000)	Barium, water, fltrd, ug/L (01005)	Beryll-ium, water, fltrd, ug/L (01010)	Boron, water, fltrd, ug/L (01020)	Cadmium water, fltrd, ug/L (01025)	Chrom-ium, water, fltrd, ug/L (01030)	Cobalt water, fltrd, ug/L (01035)	Copper, water, fltrd, ug/L (01040)
May													
17...	.5	E.0k	E.0k	<1.6	<.20	.44	30	<.06	47	<.04	<.04	.177	2.8

WATER-QUALITY DATA
WATER YEAR OCTOBER 2005 TO SEPTEMBER 2006
Part 4 of 18

[Remark codes: <, less than; E, estimated; M, presence verified but not quantified. Value qualifier codes: b, value extrapolated at low end; c, see laboratory comment; k, counts outside acceptable range; m, value is highly variable by this method; n, below the LRL and above the LT-MDL; t, below the long-term MDL. Null value qualifier codes: a, planned measurement was not made.]

Date	Iron-(II), water, unfltrd ug/L (99032)	Iron, water, fltrd, ug/L (01046)	Iron, water, unfltrd recover-able, ug/L (01045)	Lead, water, fltrd, ug/L (01049)	Lithium water, fltrd, ug/L (01130)	Mangan-ese, water, fltrd, ug/L (01056)	Molyb-denum, water, fltrd, ug/L (01060)	Nickel, water, fltrd, ug/L (01065)	Selen-ium, water, fltrd, ug/L (01145)	Silver, water, fltrd, ug/L (01075)	Stront-ium, water, fltrd, ug/L (01080)	Thall-ium, water, fltrd, ug/L (01057)	Vanad-ium, water, fltrd, ug/L (01085)
May													
17...	--a	<6	M	.10	1.3	<.2	.8	3.73	.29	<.2	274	E.04n	2.3

WATER-QUALITY DATA
WATER YEAR OCTOBER 2005 TO SEPTEMBER 2006
Part 5 of 18

[Remark codes: <, less than; E, estimated; M, presence verified but not quantified. Value qualifier codes: b, value extrapolated at low end; c, see laboratory comment; k, counts outside acceptable range; m, value is highly variable by this method; n, below the LRL and above the LT-MDL; t, below the long-term MDL. Null value qualifier codes: a, planned measurement was not made.]

Date	Zinc, water, fltrd, ug/L (01090)	1-Naph-thol, water, fltrd 0.7u GF ug/L (49295)	2,6-Di-ethyl-aniline water, fltrd 0.7u GF ug/L (82660)	2Chloro -2',6'-diethyl acet-anilide wat flt ug/L (61618)	CIAT, water, fltrd, ug/L (04040)	2-Ethyl -6-methyl-aniline water, fltrd, ug/L (61620)	3,4-Di-chloro-aniline water fltrd, ug/L (61625)	3,5-Di-chloro-aniline water, fltrd, ug/L (61627)	4Chloro 2methyl phenol, water, fltrd, ug/L (61633)	Aceto-chlor, water, fltrd, ug/L (49260)	Ala-chlor, water, fltrd, ug/L (46342)	alpha-Endo-sulfan, water, fltrd, ug/L (34362)	Atra-zine, water, fltrd, ug/L (39632)
May													
17...	13.9	<.09mc	<.006	<.006	E.006mtc	<.010mc	<.004mc	<.012	<.005mc	<.006	<.005	<.011	<.007

293130098573801 Local number TD-68-25-703—Continued

WATER-QUALITY DATA
WATER YEAR OCTOBER 2005 TO SEPTEMBER 2006
Part 6 of 18

[Remark codes: <, less than; E, estimated; M, presence verified but not quantified. Value qualifier codes: b, value extrapolated at low end; c, see laboratory comment; k, counts outside acceptable range; m, value is highly variable by this method; n, below the LRL and above the LT-MDL; t, below the long-term MDL. Null value qualifier codes: a, planned measurement was not made.]

Date	Azinphos-methyl oxon, water, fltrd, ug/L (61635)	Azinphos-methyl, water, fltrd 0.7u GF ug/L (82686)	Benfluralin, water, fltrd 0.7u GF ug/L (82673)	Carbaryl, water, fltrd 0.7u GF ug/L (82680)	Carbofuran, water, fltrd 0.7u GF ug/L (82674)	Chlorpyrifos oxon, water, fltrd, ug/L (61636)	Chlorpyrifos water, fltrd, ug/L (38933)	cis-Permethrin water fltrd 0.7u GF ug/L (82687)	cis-Propiconazole, water, fltrd, ug/L (79846)	Cyanazine, water, fltrd, ug/L (04041)	Cyfluthrin, water, fltrd, ug/L (61585)	lambda-Cyhalothrin, water, fltrd, ug/L (61595)	Cypermethrin water, fltrd, ug/L (61586)
May													
17...	<.04mc	<.050mc	<.010	<.041mc	<.020mc	<.06mc	<.005	<.006	<.013mc	<.018	<.053mc	<.014mc	<.046mc

WATER-QUALITY DATA
WATER YEAR OCTOBER 2005 TO SEPTEMBER 2006
Part 7 of 18

[Remark codes: <, less than; E, estimated; M, presence verified but not quantified. Value qualifier codes: b, value extrapolated at low end; c, see laboratory comment; k, counts outside acceptable range; m, value is highly variable by this method; n, below the LRL and above the LT-MDL; t, below the long-term MDL. Null value qualifier codes: a, planned measurement was not made.]

Date	DCPA, water, fltrd 0.7u GF ug/L (82682)	Desulfinyl fipronil, water, fltrd, ug/L (62170)	Diazinon, water, fltrd, ug/L (39572)	Dicrotophos, water, fltrd, ug/L (38454)	Dieldrin, water, fltrd, ug/L (39381)	Dimethoate, water, fltrd 0.7u GF ug/L (82662)	Disulfoton sulfone water, fltrd, ug/L (61640)	Disulfoton, water, fltrd 0.7u GF ug/L (82677)	Endosulfan sulfate water, fltrd, ug/L (61590)	EPTC, water, fltrd 0.7u GF ug/L (82668)	Ethion monoxon water, fltrd, ug/L (61644)	Ethion, water, fltrd, ug/L (82346)	Ethoprop, water, fltrd 0.7u GF ug/L (82672)
May													
17...	<.003	<.012	<.005	<.08mc	<.009	<.006mc	<.01	<.02mc	<.022	<.004	<.02mc	<.016	<.012

WATER-QUALITY DATA
WATER YEAR OCTOBER 2005 TO SEPTEMBER 2006
Part 8 of 18

[Remark codes: <, less than; E, estimated; M, presence verified but not quantified. Value qualifier codes: b, value extrapolated at low end; c, see laboratory comment; k, counts outside acceptable range; m, value is highly variable by this method; n, below the LRL and above the LT-MDL; t, below the long-term MDL. Null value qualifier codes: a, planned measurement was not made.]

Date	Fenamiphos sulfone water, fltrd, ug/L (61645)	Fenamiphos sulfoxide, water, fltrd, ug/L (61646)	Fenamiphos, water, fltrd, ug/L (61591)	Desulfinyl-fipronil amide, wat flt ug/L (62169)	Fipronil sulfide water, fltrd, ug/L (62167)	Fipronil sulfone water, fltrd, ug/L (62168)	Fipronil, water, fltrd, ug/L (62166)	Fonofos water, fltrd, ug/L (04095)	Hexazinone, water, fltrd, ug/L (04025)	Iprodione, water, fltrd, ug/L (61593)	Isofenphos, water, fltrd, ug/L (61594)	Malaoxon, water, fltrd, ug/L (61652)	Malathion, water, fltrd, ug/L (39532)
May													
17...	<.053	<.04mc	<.03	<.029	<.013	<.024	<.016	<.005	<.026	<.026mc	<.011	<.039	<.027

293130098573801 Local number TD-68-25-703—Continued

WATER-QUALITY DATA
WATER YEAR OCTOBER 2005 TO SEPTEMBER 2006
Part 9 of 18

[Remark codes: <, less than; E, estimated; M, presence verified but not quantified. Value qualifier codes: b, value extrapolated at low end; c, see laboratory comment; k, counts outside acceptable range; m, value is highly variable by this method; n, below the LRL and above the LT-MDL; t, below the long-term MDL. Null value qualifier codes: a, planned measurement was not made.]

Date	Metalaxyl, water, fltrd, ug/L (61596)	Methialthion water, fltrd, ug/L (61598)	Methyl paraoxon, water, fltrd, ug/L (61664)	Methyl parathion, water, fltrd 0.7u GF ug/L (82667)	Metolachlor, water, fltrd, ug/L (39415)	Metribuzin, water, fltrd, ug/L (82630)	Molinate, water, fltrd 0.7u GF ug/L (82671)	Myclobutanil water, fltrd, ug/L (61599)	Oxyfluorfen, water, fltrd, ug/L (61600)	Pendimethalin, water, fltrd 0.7u GF ug/L (82683)	Phorate oxon, water, fltrd, ug/L (61666)	Phorate water, fltrd 0.7u GF ug/L (82664)	Phosmet oxon, water, fltrd, ug/L (61668)
May 17...	<.007	<.009	<.02mc	<.015	<.006	<.028	<.003	<.033	<.017	<.022	<.03mc	<.055	<.05mc

WATER-QUALITY DATA
WATER YEAR OCTOBER 2005 TO SEPTEMBER 2006
Part 10 of 18

[Remark codes: <, less than; E, estimated; M, presence verified but not quantified. Value qualifier codes: b, value extrapolated at low end; c, see laboratory comment; k, counts outside acceptable range; m, value is highly variable by this method; n, below the LRL and above the LT-MDL; t, below the long-term MDL. Null value qualifier codes: a, planned measurement was not made.]

Date	Phosmet water, fltrd, ug/L (61601)	Prometon, water, fltrd, ug/L (04037)	Prometryn, water, fltrd, ug/L (04036)	Propyzamide, water, fltrd 0.7u GF ug/L (82676)	Propanil, water, fltrd 0.7u GF ug/L (82679)	Propargite, water, fltrd 0.7u GF ug/L (82685)	Simazine, water, fltrd, ug/L (04035)	Tebuthiuron water, fltrd 0.7u GF ug/L (82670)	Tefluthrin, water, fltrd, ug/L (61606)	Terbufos oxon sulfone water, fltrd, ug/L (61674)	Terbufos, water, fltrd 0.7u GF ug/L (82675)	Terbuthylazine, water, fltrd, ug/L (04022)	Thiobencarb water, fltrd 0.7u GF ug/L (82681)
May 17...	<.008mc	<.01	<.006	<.004	<.011	<.02	<.005	<.02	<.003mc	<.04	<.02	<.01	<.010

WATER-QUALITY DATA
WATER YEAR OCTOBER 2005 TO SEPTEMBER 2006
Part 11 of 18

[Remark codes: <, less than; E, estimated; M, presence verified but not quantified. Value qualifier codes: b, value extrapolated at low end; c, see laboratory comment; k, counts outside acceptable range; m, value is highly variable by this method; n, below the LRL and above the LT-MDL; t, below the long-term MDL. Null value qualifier codes: a, planned measurement was not made.]

Date	trans-Propiconazole, water, fltrd, ug/L (79847)	Tribuphos, water, fltrd, ug/L (61610)	Trifluralin, water, fltrd 0.7u GF ug/L (82661)	1,1,1,2-Tetrachloroethane, water, unfltrd ug/L (77562)	1,1,1-Trichloroethane, water, unfltrd ug/L (34506)	1,1,2,2-Tetrachloroethane, water, unfltrd ug/L (34516)	CFC-113 water unfltrd ug/L (77652)	1,1,2-Trichloroethane, water, unfltrd ug/L (34511)	1,1-Dichloroethane, water unfltrd ug/L (34496)	1,1-Dichloroethene, water, unfltrd ug/L (34501)	1,1-Dichloropropene water unfltrd ug/L (77168)	1,2,3,4 Tetramethylbenzene water unfltrd ug/L (49999)	1,2,3,5 Tetramethylbenzene water unfltrd ug/L (50000)
May 17...	<.03mc	<.035mc	<.009	<.03b	<.03b	<.08b	<.04b	<.04b	<.04b	<.02b	<.03b	<.1	<.2

293130098573801 Local number TD-68-25-703—Continued

WATER-QUALITY DATA
WATER YEAR OCTOBER 2005 TO SEPTEMBER 2006
Part 12 of 18

[Remark codes: <, less than; E, estimated; M, presence verified but not quantified. Value qualifier codes: b, value extrapolated at low end; c, see laboratory comment; k, counts outside acceptable range; m, value is highly variable by this method; n, below the LRL and above the LT-MDL; t, below the long-term MDL. Null value qualifier codes: a, planned measurement was not made.]

Date	1,2,3-Tri-chloro-benzene water unfltrd ug/L (77613)	1,2,3-Tri-chloro-propane water unfltrd ug/L (77443)	1,2,3-Tri-methyl-benzene water unfltrd ug/L (77221)	1,2,4-Tri-chloro-benzene water unfltrd ug/L (34551)	1,2,4-Tri-methyl-benzene water unfltrd ug/L (77222)	Dibromo chloro-propane water unfltrd ug/L (82625)	1,2-Di-bromo-ethane, water, unfltrd ug/L (77651)	1,2-Di-chloro-benzene water unfltrd ug/L (34536)	1,2-Di-chloro-ethane, water, unfltrd ug/L (32103)	1,2-Di-chloro-propane water unfltrd ug/L (34541)	1,3,5-Tri-methyl-benzene water unfltrd ug/L (77226)	1,3-Di-chloro-benzene water unfltrd ug/L (34566)	1,3-Di-chloro-propane water unfltrd ug/L (77173)
May 17...	<.2	<.18	<.1b	<.1	<.06b	<.5	<.04b	<.05b	<.1	<.03b	<.04b	<.03b	<.1b

WATER-QUALITY DATA
WATER YEAR OCTOBER 2005 TO SEPTEMBER 2006
Part 13 of 18

[Remark codes: <, less than; E, estimated; M, presence verified but not quantified. Value qualifier codes: b, value extrapolated at low end; c, see laboratory comment; k, counts outside acceptable range; m, value is highly variable by this method; n, below the LRL and above the LT-MDL; t, below the long-term MDL. Null value qualifier codes: a, planned measurement was not made.]

Date	1,4-Di-chloro-benzene water unfltrd ug/L (34571)	2,2-Di-chloro-propane water unfltrd ug/L (77170)	2-Chloro-toluene water unfltrd ug/L (77275)	2-Ethyl-toluene water unfltrd ug/L (77220)	3-Chloro-propene water unfltrd ug/L (78109)	4-Chloro-toluene water unfltrd ug/L (77277)	4-Iso-propyl-toluene water unfltrd ug/L (77356)	Acetone water unfltrd ug/L (81552)	Acrylo-nitrile water unfltrd ug/L (34215)	Benzene water unfltrd ug/L (34030)	Bromo-benzene water unfltrd ug/L (81555)	Bromo-chloro-methane water unfltrd ug/L (77297)	Bromo-di-chloro-methane water unfltrd ug/L (32101)
May 17...	<.03b	<.05b	<.04b	<.06b	<.50mc	<.05b	<.08b	<6	<.8	<.02b	<.03b	<.12	<.03b

WATER-QUALITY DATA
WATER YEAR OCTOBER 2005 TO SEPTEMBER 2006
Part 14 of 18

[Remark codes: <, less than; E, estimated; M, presence verified but not quantified. Value qualifier codes: b, value extrapolated at low end; c, see laboratory comment; k, counts outside acceptable range; m, value is highly variable by this method; n, below the LRL and above the LT-MDL; t, below the long-term MDL. Null value qualifier codes: a, planned measurement was not made.]

Date	Bromo-ethene, water, unfltrd ug/L (50002)	Bromo-methane water unfltrd ug/L (34413)	Carbon di-sulfide water unfltrd ug/L (77041)	Chloro-benzene water unfltrd ug/L (34301)	Chloro-ethane, water, unfltrd ug/L (34311)	Chloro-methane water unfltrd ug/L (34418)	cis-1,2-Di-chloro-ethene, water, unfltrd ug/L (77093)	cis-1,3-Di-chloro-propene water unfltrd ug/L (34704)	Di-bromo-chloro-methane water unfltrd ug/L (32105)	Di-bromo-methane water unfltrd ug/L (30217)	Di-chloro-di-fluoro-methane wat unf ug/L (34668)	Di-chloro-methane water unfltrd ug/L (34423)	Di-ethyl ether, water, unfltrd ug/L (81576)
May 17...	<.1	<.3mc	<.04b	<.03b	<.1	<.2mc	<.02b	<.05b	<.1	<.05b	<.18mc	<.1b	<.1b

293130098573801 Local number TD-68-25-703—Continued

WATER-QUALITY DATA
WATER YEAR OCTOBER 2005 TO SEPTEMBER 2006
Part 15 of 18

[Remark codes: <, less than; E, estimated; M, presence verified but not quantified. Value qualifier codes: b, value extrapolated at low end; c, see laboratory comment; k, counts outside acceptable range; m, value is highly variable by this method; n, below the LRL and above the LT-MDL; t, below the long-term MDL. Null value qualifier codes: a, planned measurement was not made.]

Date	Diisopropyl ether, water, unfltrd ug/L (81577)	Ethyl methacrylate, water, unfltrd ug/L (73570)	Ethyl methyl ketone, water, unfltrd ug/L (81595)	Ethylbenzene water unfltrd ug/L (34371)	Hexachlorobutadiene, water, unfltrd ug/L (39702)	Hexachloroethane, water, unfltrd ug/L (34396)	Iodomethane water unfltrd ug/L (77424)	Isobutyl methyl ketone, water, unfltrd ug/L (78133)	Isopropylbenzene water unfltrd ug/L (77223)	Methyl acrylonitrile water unfltrd ug/L (81593)	Methyl acrylate, water, unfltrd ug/L (49991)	Methyl methacrylate, water, unfltrd ug/L (81597)	Methyl tert-pentyl ether, water, unfltrd ug/L (50005)
May 17...	<.10	<.2	<2.0	<.03b	<.1	<.1	<.50mc	<.4b	<.04b	<.4	<1.0	<.2	<.04b

WATER-QUALITY DATA
WATER YEAR OCTOBER 2005 TO SEPTEMBER 2006
Part 16 of 18

[Remark codes: <, less than; E, estimated; M, presence verified but not quantified. Value qualifier codes: b, value extrapolated at low end; c, see laboratory comment; k, counts outside acceptable range; m, value is highly variable by this method; n, below the LRL and above the LT-MDL; t, below the long-term MDL. Null value qualifier codes: a, planned measurement was not made.]

Date	meta- + para-Xylene, water, unfltrd ug/L (85795)	Naphthalene, water, unfltrd ug/L (34696)	Methyl n-butyl ketone, water, unfltrd ug/L (77103)	n-Butylbenzene water unfltrd ug/L (77342)	n-propylbenzene water unfltrd ug/L (77224)	o-Xylene, water, unfltrd ug/L (77135)	sec-Butylbenzene water unfltrd ug/L (77350)	Styrene water unfltrd ug/L (77128)	t-Butyl ethyl ether, water, unfltrd ug/L (50004)	Methyl t-butyl ether, water, unfltrd ug/L (78032)	tert-Butylbenzene water unfltrd ug/L (77353)	Tetrachloroethene, water, unfltrd ug/L (34475)	Tetrachloromethane water unfltrd ug/L (32102)
May 17...	<.06b	<.5	<.4b	<.1	<.04b	<.04b	<.06b	<.04b	<.03b	<.1	<.08b	<.03b	<.06b

WATER-QUALITY DATA
WATER YEAR OCTOBER 2005 TO SEPTEMBER 2006
Part 17 of 18

[Remark codes: <, less than; E, estimated; M, presence verified but not quantified. Value qualifier codes: b, value extrapolated at low end; c, see laboratory comment; k, counts outside acceptable range; m, value is highly variable by this method; n, below the LRL and above the LT-MDL; t, below the long-term MDL. Null value qualifier codes: a, planned measurement was not made.]

Date	Tetrahydrofuran, water, unfltrd ug/L (81607)	Toluene water unfltrd ug/L (34010)	trans-1,2-Dichloroethene, water, unfltrd ug/L (34546)	trans-1,3-Dichloropropene water unfltrd ug/L (34699)	trans-1,4-Dichloro-2-butene, wat unf ug/L (73547)	Tribromomethane water unfltrd ug/L (32104)	Trichloroethene, water, unfltrd ug/L (39180)	Trichlorofluoromethane water unfltrd ug/L (34488)	Trichloromethane water unfltrd ug/L (32106)	Vinyl chloride, water, unfltrd ug/L (39175)	Dichlorvos, water, fltrd, ug/L (38775)	Deuterium/Protium ratio, water, unfltrd per mil (82082)	Ra-226, water, fltrd, radon method pCi/L (09511)
May 17...	<1	<.02b	<.03b	<.09b	<.7b	<.10	<.04b	<.08b	<.02b	<.1b	<.01mc	-17.30	.17c

293130098573801 Local number TD-68-25-703—Continued

WATER-QUALITY DATA
WATER YEAR OCTOBER 2005
TO SEPTEMBER 2006

Part 18 of 18

[Remark codes: <, less than; E, estimated; M, presence verified but not quantified. Value qualifier codes: b, value extrapolated at low end; c, see laboratory comment; k, counts outside acceptable range; m, value is highly variable by this method; n, below the LRL and above the LT-MDL; t, below the long-term MDL. Null value qualifier codes: a, planned measurement was not made.]

Date	Uranium natural water, fltrd, ug/L (22703)	O-18 / O-16 ratio, water, unfltrd per mil (82085)
May		
17...	.62	-2.95