Water-Data Report 2006

293408098331301 Local number AY-68-28-519

Edwards-Trinity aquifer system
Edwards and Associated Limestones

Bexar County, TX

LOCATION.--Lat 29°34′08″, long 98°33′13″ referenced to North American Datum of 1983, Bexar County, TX, Hydrologic Unit 12100301.

WATER-QUALITY RECORDS

REMARKS.--Part of the NAWQA San Antonio Land Use Study.

WATER-QUALITY DATA
WATER YEAR OCTOBER 2005 TO SEPTEMBER 2006

Part 1 of 18

[Remark codes: <, less than; E, estimated; M, presence verified but not quantified. Value qualifier codes: @, holding time exceeded; b, value extrapolated at low end; c, see laboratory comment; m, value is highly variable by this method; n, below the LRL and above the LT-MDL; t, below the long-term MDL.]

Date	Time	Depth of well, feet below LSD (72008)	Depth to water level, feet below LSD (72019)	Turbdty white light, det ang 90+/-30 corrctd NTRU (63676)	Barometric pressure, mm Hg (00025)	Dissolved oxygen, mg/L (00300)	pH, water, unfltrd field, std units (00400)	Specif. conductance, wat unf uS/cm 25 degC (00095)	Temperature, air, deg C (00020)	Temperature, water, deg C (00010)	Calcium water, fltrd, mg/L (00915)	Magnesium, water, fltrd, mg/L (00925)	Potassium, water, fltrd, mg/L (00935)
Aug 29...	1500	280	225.24	9.6	742	6.7	6.8	638	38.7	25.3	120	3.29	1.28

WATER-QUALITY DATA
WATER YEAR OCTOBER 2005 TO SEPTEMBER 2006

Part 2 of 18

[Remark codes: <, less than; E, estimated; M, presence verified but not quantified. Value qualifier codes: @, holding time exceeded; b, value extrapolated at low end; c, see laboratory comment; m, value is highly variable by this method; n, below the LRL and above the LT-MDL; t, below the long-term MDL.]

Date	Sodium, water, fltrd, mg/L (00930)	Alkalinity, wat flt inc tit field, mg/L as CaCO3 (39086)	Bromide water, fltrd, mg/L (71870)	Chloride, water, fltrd, mg/L (00940)	Fluoride, water, fltrd, mg/L (00950)	Silica, water, fltrd, mg/L (00955)	Sulfate water, fltrd, mg/L (00945)	Residue on evap. at 180degC wat flt mg/L (70300)	Ammonia water, fltrd, mg/L as N (00608)	Nitrite + nitrate water fltrd, mg/L as N (00631)	Nitrite water, fltrd, mg/L as N (00613)	Total nitrogen, wat flt by analysis, mg/L (62854)	Orthophosphate, water, fltrd, mg/L as P (00671)
Aug 29...	4.52	302	.06	15.6	E.08n	12.1	9.24	363	E.008n	1.03	<.002	1.09@	.017

293408098331301 Local number AY-68-28-519—Continued

WATER-QUALITY DATA
WATER YEAR OCTOBER 2005 TO SEPTEMBER 2006
Part 3 of 18
[Remark codes: <, less than; E, estimated; M, presence verified but not quantified. Value qualifier codes: @, holding time exceeded; b, value extrapolated at low end; c, see laboratory comment; m, value is highly variable by this method; n, below the LRL and above the LT-MDL; t, below the long-term MDL.]

Date	Organic carbon, water, fltrd, mg/L (00681)	Aluminum, water, fltrd, ug/L (01106)	Antimony, water, fltrd, ug/L (01095)	Arsenic water, fltrd, ug/L (01000)	Barium, water, fltrd, ug/L (01005)	Beryllium, water, fltrd, ug/L (01010)	Boron, water, fltrd, ug/L (01020)	Cadmium water, fltrd, ug/L (01025)	Chromium, water, fltrd, ug/L (01030)	Cobalt water, fltrd, ug/L (01035)	Copper, water, fltrd, ug/L (01040)	Iron-(II), water, unfltrd ug/L (99032)	Iron, water, fltrd, ug/L (01046)
Aug													
29...	.5	<1.6	<.20	.27	40	<.06	19	<.04	.55	E.03n	<.40	M	E4n

WATER-QUALITY DATA
WATER YEAR OCTOBER 2005 TO SEPTEMBER 2006
Part 4 of 18
[Remark codes: <, less than; E, estimated; M, presence verified but not quantified. Value qualifier codes: @, holding time exceeded; b, value extrapolated at low end; c, see laboratory comment; m, value is highly variable by this method; n, below the LRL and above the LT-MDL; t, below the long-term MDL.]

Date	Iron, water, unfltrd recover-able, ug/L (01045)	Lead, water, fltrd, ug/L (01049)	Lithium water, fltrd, ug/L (01130)	Manganese, water, fltrd, ug/L (01056)	Molybdenum, water, fltrd, ug/L (01060)	Nickel, water, fltrd, ug/L (01065)	Selenium, water, fltrd, ug/L (01145)	Silver, water, fltrd, ug/L (01075)	Strontium, water, fltrd, ug/L (01080)	Thallium, water, fltrd, ug/L (01057)	Vanadium, water, fltrd, ug/L (01085)	Zinc, water, fltrd, ug/L (01090)	1-Naphthol, water, fltrd 0.7u GF ug/L (49295)
Aug													
29...	M	E.05n	1.7	E.1n	E.2n	.53	.20	<.2	85.9	<.04	2.0	E.42n	<.09mc

WATER-QUALITY DATA
WATER YEAR OCTOBER 2005 TO SEPTEMBER 2006
Part 5 of 18
[Remark codes: <, less than; E, estimated; M, presence verified but not quantified. Value qualifier codes: @, holding time exceeded; b, value extrapolated at low end; c, see laboratory comment; m, value is highly variable by this method; n, below the LRL and above the LT-MDL; t, below the long-term MDL.]

Date	2,6-Diethylaniline water, fltrd 0.7u GF ug/L (82660)	2Chloro-2',6'-diethyl acetanilide wat flt ug/L (61618)	CIAT, water, fltrd, ug/L (04040)	2-Ethyl-6-methylaniline water, fltrd, ug/L (61620)	3,4-Dichloroaniline water fltrd, ug/L (61625)	3,5-Dichloroaniline water, fltrd, ug/L (61627)	4Chloro 2methyl phenol, water, fltrd, ug/L (61633)	Acetochlor, water, fltrd, ug/L (49260)	Alachlor, water, fltrd, ug/L (46342)	alpha-Endosulfan, water, fltrd, ug/L (34362)	Atrazine, water, fltrd, ug/L (39632)	Azinphosmethyl oxon, water, fltrd, ug/L (61635)	Azinphosmethyl, water, fltrd 0.7u GF ug/L (82686)
Aug													
29...	<.006	<.006	E.009mnc	<.010mc	<.004mc	<.012	<.005mc	<.006	<.005	<.011	E.005n	<.04mc	<.050mc

293408098331301 Local number AY-68-28-519—Continued

WATER-QUALITY DATA
WATER YEAR OCTOBER 2005 TO SEPTEMBER 2006
Part 6 of 18

[Remark codes: <, less than; E, estimated; M, presence verified but not quantified. Value qualifier codes: @, holding time exceeded; b, value extrapolated at low end; c, see laboratory comment; m, value is highly variable by this method; n, below the LRL and above the LT-MDL; t, below the long-term MDL.]

Date	Benflur-alin, water, fltrd 0.7u GF ug/L (82673)	Car-baryl, water, fltrd 0.7u GF ug/L (82680)	Carbo-furan, water, fltrd 0.7u GF ug/L (82674)	Chlor-pyrifos oxon, water, fltrd, ug/L (61636)	Chlor-pyrifos water, fltrd, ug/L (38933)	cis-Per-methrin water fltrd 0.7u GF ug/L (82687)	cis-Propi-cona-zole, water, fltrd, ug/L (79846)	Cyana-zine, water, fltrd, ug/L (04041)	Cyflu-thrin, water, fltrd, ug/L (61585)	lambda-Cyhalo-thrin, water, fltrd, ug/L (61595)	Cyper-methrin water, fltrd, ug/L (61586)	DCPA, water, fltrd 0.7u GF ug/L (82682)	Desulf-inyl fipro-nil, water, fltrd, ug/L (62170)
Aug 29...	<.010	<.041mc	<.020mc	<.06mc	<.005	<.006	<.013mc	<.018	<.053mc	<.014mc	<.046mc	<.003	<.012

WATER-QUALITY DATA
WATER YEAR OCTOBER 2005 TO SEPTEMBER 2006
Part 7 of 18

[Remark codes: <, less than; E, estimated; M, presence verified but not quantified. Value qualifier codes: @, holding time exceeded; b, value extrapolated at low end; c, see laboratory comment; m, value is highly variable by this method; n, below the LRL and above the LT-MDL; t, below the long-term MDL.]

Date	Diazi-non, water, fltrd, ug/L (39572)	Dicro-tophos, water, fltrd, ug/L (38454)	Diel-drin, water, fltrd, ug/L (39381)	Dimeth-oate, water, fltrd 0.7u GF ug/L (82662)	Disulf-oton sulfone water, fltrd, ug/L (61640)	Disul-foton, water, fltrd 0.7u GF ug/L (82677)	Endo-sulfan sulfate water, fltrd, ug/L (61590)	EPTC, water, fltrd 0.7u GF ug/L (82668)	Ethion monoxon water, fltrd, ug/L (61644)	Ethion, water, fltrd, ug/L (82346)	Etho-prop, water, fltrd 0.7u GF ug/L (82672)	Fenami-phos sulfone water, fltrd, ug/L (61645)	Fenami-phos sulf-oxide, water, fltrd, ug/L (61646)
Aug 29...	<.005	<.08mc	<.009	<.006mc	<.01	<.02mc	<.022	<.004	<.02mc	<.016	<.012	<.053	<.04mc

WATER-QUALITY DATA
WATER YEAR OCTOBER 2005 TO SEPTEMBER 2006
Part 8 of 18

[Remark codes: <, less than; E, estimated; M, presence verified but not quantified. Value qualifier codes: @, holding time exceeded; b, value extrapolated at low end; c, see laboratory comment; m, value is highly variable by this method; n, below the LRL and above the LT-MDL; t, below the long-term MDL.]

Date	Fenami-phos, water, fltrd, ug/L (61591)	Desulf-inyl-fipro-nil amide, wat flt ug/L (62169)	Fipro-nil sulfide water, fltrd, ug/L (62167)	Fipro-nil sulfone water, fltrd, ug/L (62168)	Fipro-nil, water, fltrd, ug/L (62166)	Fonofos water, fltrd, ug/L (04095)	Hexa-zinone, water, fltrd, ug/L (04025)	Ipro-dione, water, fltrd, ug/L (61593)	Isofen-phos, water, fltrd, ug/L (61594)	Mala-oxon, water, fltrd, ug/L (61652)	Mala-thion, water, fltrd, ug/L (39532)	Meta-laxyl, water, fltrd, ug/L (61596)	Methi-althion water, fltrd, ug/L (61598)
Aug 29...	<.03	<.029	<.013	<.024	<.016	<.005	<.026	<.026mc	<.011	<.039	<.027	<.007	<.009

293408098331301 Local number AY-68-28-519—Continued

WATER-QUALITY DATA
WATER YEAR OCTOBER 2005 TO SEPTEMBER 2006
Part 9 of 18
[Remark codes: <, less than; E, estimated; M, presence verified but not quantified. Value qualifier codes: @, holding time exceeded; b, value extrapolated at low end; c, see laboratory comment; m, value is highly variable by this method; n, below the LRL and above the LT-MDL; t, below the long-term MDL.]

Date	Methyl paraoxon, water, fltrd, ug/L (61664)	Methyl parathion, water, fltrd 0.7u GF ug/L (82667)	Metolachlor, water, fltrd, ug/L (39415)	Metribuzin, water, fltrd, ug/L (82630)	Molinate, water, fltrd 0.7u GF ug/L (82671)	Myclobutanil water, fltrd, ug/L (61599)	Oxyfluorfen, water, fltrd, ug/L (61600)	Pendimethalin, water, fltrd 0.7u GF ug/L (82683)	Phorate oxon, water, fltrd, ug/L (61666)	Phorate water, fltrd 0.7u GF ug/L (82664)	Phosmet oxon, water, fltrd, ug/L (61668)	Phosmet water, fltrd, ug/L (61601)	Prometon, water, fltrd, ug/L (04037)
Aug 29...	<.02mc	<.015	<.006	<.028	<.003	<.033	<.017	<.022	<.03mc	<.055	<.05mc	<.008mc	<.01

WATER-QUALITY DATA
WATER YEAR OCTOBER 2005 TO SEPTEMBER 2006
Part 10 of 18
[Remark codes: <, less than; E, estimated; M, presence verified but not quantified. Value qualifier codes: @, holding time exceeded; b, value extrapolated at low end; c, see laboratory comment; m, value is highly variable by this method; n, below the LRL and above the LT-MDL; t, below the long-term MDL.]

Date	Prometryn, water, fltrd, ug/L (04036)	Propyzamide, water, fltrd 0.7u GF ug/L (82676)	Propanil, water, fltrd 0.7u GF ug/L (82679)	Propargite, water, fltrd 0.7u GF ug/L (82685)	Simazine, water, fltrd, ug/L (04035)	Tebuthiuron water, fltrd 0.7u GF ug/L (82670)	Tefluthrin, water, fltrd, ug/L (61606)	Terbufos oxon sulfone water, fltrd, ug/L (61674)	Terbufos, water, fltrd 0.7u GF ug/L (82675)	Terbuthylazine, water, fltrd, ug/L (04022)	Thiobencarb water, fltrd 0.7u GF ug/L (82681)	trans-Propiconazole, water, fltrd, ug/L (79847)	Tribuphos, water, fltrd, ug/L (61610)
Aug 29...	<.006	<.004	<.011	<.02	E.004n	<.02	<.003mc	<.04	<.02	<.01	<.010	<.03mc	<.035mc

WATER-QUALITY DATA
WATER YEAR OCTOBER 2005 TO SEPTEMBER 2006
Part 11 of 18
[Remark codes: <, less than; E, estimated; M, presence verified but not quantified. Value qualifier codes: @, holding time exceeded; b, value extrapolated at low end; c, see laboratory comment; m, value is highly variable by this method; n, below the LRL and above the LT-MDL; t, below the long-term MDL.]

Date	Trifluralin, water, fltrd 0.7u GF ug/L (82661)	1,1,1,2-Tetrachloroethane, water, unfltrd ug/L (77562)	1,1,1-Trichloroethane, water, unfltrd ug/L (34506)	1,1,2,2-Tetrachloroethane, water, unfltrd ug/L (34516)	CFC-113 water unfltrd ug/L (77652)	1,1,2-Trichloroethane, water, unfltrd ug/L (34511)	1,1-Dichloroethane, water unfltrd ug/L (34496)	1,1-Dichloroethene, water, unfltrd ug/L (34501)	1,1-Dichloropropene water unfltrd ug/L (77168)	1,2,3,4 Tetramethylbenzene water unfltrd ug/L (49999)	1,2,3,5 Tetramethylbenzene water unfltrd ug/L (50000)	1,2,3-Trichlorobenzene water unfltrd ug/L (77613)	1,2,3-Trichloropropane water unfltrd ug/L (77443)
Aug 29...	<.009	<.03b	<.03b	<.08b	<.04b	<.04b	<.04b	<.02b	<.03b	<.1	<.2	<.2	<.18

293408098331301 Local number AY-68-28-519—Continued

WATER-QUALITY DATA
WATER YEAR OCTOBER 2005 TO SEPTEMBER 2006
Part 12 of 18
[Remark codes: <, less than; E, estimated; M, presence verified but not quantified. Value qualifier codes: @, holding time exceeded; b, value extrapolated at low end; c, see laboratory comment; m, value is highly variable by this method; n, below the LRL and above the LT-MDL; t, below the long-term MDL.]

Date	1,2,3-Tri-methyl-benzene water unfltrd ug/L (77221)	1,2,4-Tri-chloro-benzene water unfltrd ug/L (34551)	1,2,4-Tri-methyl-benzene water unfltrd ug/L (77222)	Dibromo chloro-propane water unfltrd ug/L (82625)	1,2-Di-bromo-ethane, water, unfltrd ug/L (77651)	1,2-Di-chloro-benzene water unfltrd ug/L (34536)	1,2-Di-chloro-ethane, water, unfltrd ug/L (32103)	1,2-Di-chloro-propane water unfltrd ug/L (34541)	1,3,5-Tri-methyl-benzene water unfltrd ug/L (77226)	1,3-Di-chloro-benzene water unfltrd ug/L (34566)	1,3-Di-chloro-propane water unfltrd ug/L (77173)	1,4-Di-chloro-benzene water unfltrd ug/L (34571)	2,2-Di-chloro-propane water unfltrd ug/L (77170)
Aug 29...	<.1b	<.1	<.06b	<.5	<.04b	<.05b	<.1	<.03b	<.04b	<.03b	<.1b	<.03b	<.05b

WATER-QUALITY DATA
WATER YEAR OCTOBER 2005 TO SEPTEMBER 2006
Part 13 of 18
[Remark codes: <, less than; E, estimated; M, presence verified but not quantified. Value qualifier codes: @, holding time exceeded; b, value extrapolated at low end; c, see laboratory comment; m, value is highly variable by this method; n, below the LRL and above the LT-MDL; t, below the long-term MDL.]

Date	2-Chloro-toluene water unfltrd ug/L (77275)	2-Ethyl-toluene water unfltrd ug/L (77220)	3-Chloro-propene water unfltrd ug/L (78109)	4-Chloro-toluene water unfltrd ug/L (77277)	4-Iso-propyl-toluene water unfltrd ug/L (77356)	Acetone water unfltrd ug/L (81552)	Acrylo-nitrile water unfltrd ug/L (34215)	Benzene water unfltrd ug/L (34030)	Bromo-benzene water unfltrd ug/L (81555)	Bromo-chloro-methane water unfltrd ug/L (77297)	Bromo-di-chloro-methane water unfltrd ug/L (32101)	Bromo-ethene, water, unfltrd ug/L (50002)	Bromo-methane water unfltrd ug/L (34413)
Aug 29...	<.04b	<.06b	<.50mc	<.05b	<.08b	<6	<.8	<.02b	<.03b	<.12	<.03b	<.1	<.3mc

WATER-QUALITY DATA
WATER YEAR OCTOBER 2005 TO SEPTEMBER 2006
Part 14 of 18
[Remark codes: <, less than; E, estimated; M, presence verified but not quantified. Value qualifier codes: @, holding time exceeded; b, value extrapolated at low end; c, see laboratory comment; m, value is highly variable by this method; n, below the LRL and above the LT-MDL; t, below the long-term MDL.]

Date	Carbon di-sulfide water unfltrd ug/L (77041)	Chloro-benzene water unfltrd ug/L (34301)	Chloro-ethane, water, unfltrd ug/L (34311)	Chloro-methane water unfltrd ug/L (34418)	cis-1,2-Di-chloro-ethene, water, unfltrd ug/L (77093)	cis-1,3-Di-chloro-propene water unfltrd ug/L (34704)	Di-bromo-chloro-methane water unfltrd ug/L (32105)	Di-bromo-methane water unfltrd ug/L (30217)	Di-chloro-di-fluoro-methane wat unf ug/L (34668)	Di-chloro-methane water unfltrd ug/L (34423)	Di-ethyl ether, water, unfltrd ug/L (81576)	Diiso-propyl ether, water, unfltrd ug/L (81577)	Ethyl methac-rylate, water, unfltrd ug/L (73570)
Aug 29...	<.04b	<.03b	<.1	<.2mc	<.02b	<.05b	<.1	<.05b	<.18mc	<.1b	<.1b	<.10	<.2

293408098331301 Local number AY-68-28-519—Continued

WATER-QUALITY DATA
WATER YEAR OCTOBER 2005 TO SEPTEMBER 2006
Part 15 of 18
[Remark codes: <, less than; E, estimated; M, presence verified but not quantified. Value qualifier codes: @, holding time exceeded; b, value extrapolated at low end; c, see laboratory comment; m, value is highly variable by this method; n, below the LRL and above the LT-MDL; t, below the long-term MDL.]

Date	Ethyl methyl ketone, water, unfltrd ug/L (81595)	Ethyl-benzene water unfltrd ug/L (34371)	Hexa-chloro-buta-diene, water, unfltrd ug/L (39702)	Hexa-chloro-ethane, water, unfltrd ug/L (34396)	Iodo-methane water unfltrd ug/L (77424)	Iso-butyl methyl ketone, water, unfltrd ug/L (78133)	Iso-propyl-benzene water unfltrd ug/L (77223)	Methyl acrylo-nitrile water unfltrd ug/L (81593)	Methyl acryl-ate, water, unfltrd ug/L (49991)	Methyl methac-rylate, water, unfltrd ug/L (81597)	Methyl tert-pentyl ether, water, unfltrd ug/L (50005)	meta- + para-Xylene, water, unfltrd ug/L (85795)	Naphth-alene, water, unfltrd ug/L (34696)
Aug 29...	<2.0	<.03b	<.1	<.1	<.50mc	<.4b	<.04b	<.4	<1.0	<.2	<.04b	<.06b	<.5

WATER-QUALITY DATA
WATER YEAR OCTOBER 2005 TO SEPTEMBER 2006
Part 16 of 18
[Remark codes: <, less than; E, estimated; M, presence verified but not quantified. Value qualifier codes: @, holding time exceeded; b, value extrapolated at low end; c, see laboratory comment; m, value is highly variable by this method; n, below the LRL and above the LT-MDL; t, below the long-term MDL.]

Date	Methyl n-butyl ketone, water, unfltrd ug/L (77103)	n-Butyl benzene water unfltrd ug/L (77342)	n-propyl-benzene water unfltrd ug/L (77224)	o-Xylene, water, unfltrd ug/L (77135)	sec-Butyl-benzene water unfltrd ug/L (77350)	Styrene water unfltrd ug/L (77128)	t-Butyl ethyl ether, water, unfltrd ug/L (50004)	Methyl t-butyl ether, water, unfltrd ug/L (78032)	tert-Butyl-benzene water unfltrd ug/L (77353)	Tetra-chloro-ethene, water, unfltrd ug/L (34475)	Tetra-chloro-methane water unfltrd ug/L (32102)	Tetra-hydro-furan, water, unfltrd ug/L (81607)	Toluene water unfltrd ug/L (34010)
Aug 29...	<.4b	<.1	<.04b	<.04b	<.06b	<.04b	<.03b	<.1	<.08b	E.01t	<.06b	<1	<.02b

WATER-QUALITY DATA
WATER YEAR OCTOBER 2005 TO SEPTEMBER 2006
Part 17 of 18
[Remark codes: <, less than; E, estimated; M, presence verified but not quantified. Value qualifier codes: @, holding time exceeded; b, value extrapolated at low end; c, see laboratory comment; m, value is highly variable by this method; n, below the LRL and above the LT-MDL; t, below the long-term MDL.]

Date	trans-1,2-Di-chloro-ethene, water, unfltrd ug/L (34546)	trans-1,3-Di-chloro-propene water unfltrd ug/L (34699)	trans-1,4-Di-chloro-2-butene, wat unf ug/L (73547)	Tri-bromo-methane water unfltrd ug/L (32104)	Tri-chloro-ethene, water, unfltrd ug/L (39180)	Tri-chloro-fluoro-methane water unfltrd ug/L (34488)	Tri-chloro-methane water unfltrd ug/L (32106)	Vinyl chlor-ide, water, unfltrd ug/L (39175)	Di-chlor-vos, water, fltrd, ug/L (38775)	Deu-terium/ Protium ratio, water, unfltrd per mil (82082)	Tritium 2-sigma water unfltrd pCi/L (75985)	Tritium water unfltrd pCi/L (07000)	Uranium natural water, fltrd, ug/L (22703)
Aug 29...	<.03b	<.09b	<.7b	<.10	<.04b	<.08b	E.06b	<.1b	<.01mc	-24.50	.60	5.8	.58

293408098331301 Local number AY-68-28-519—Continued

WATER-QUALITY DATA WATER YEAR OCTOBER 2005 TO SEPTEMBER 2006

Part 18 of 18

[Remark codes: <, less than; E, estimated; M, presence verified but not quantified. Value qualifier codes: @, holding time exceeded; b, value extrapolated at low end; c, see laboratory comment; m, value is highly variable by this method; n, below the LRL and above the LT-MDL; t, below the long-term MDL.]

Date	O-18 / O-16 ratio, water, unfltrd per mil (82085)
Aug	
29...	-4.53