



Water-Data Report 2007

404301073371402 Local number N 13468. 1

Northern Atlantic Coastal Plain aquifer system
 Magothy Aquifer
 Nassau County, NY

LOCATION.--Lat 40°42'59", long 73°37'15" referenced to North American Datum of 1927, Nassau County, NY, Hydrologic Unit 02030202.

WATER-QUALITY RECORDS

WELL CHARACTERISTICS.--Depth 525 ft. Upper casing diameter undefined; top of first opening 440 ft, bottom of last opening 520 ft.

**WATER-QUALITY DATA
 WATER YEAR OCTOBER 2006 TO SEPTEMBER 2007**

Part 1 of 25

[Remark codes: <, less than; E, estimated; M, presence verified but not quantified; U, analyzed for but not detected. Value qualifier codes: +, improper preservation; b, value extrapolated at low end; c, see result laboratory comment; m, value is highly variable by this method; n, below the LRL and above the LT-MDL; t, below the long-term MDL.]

Date	Time	Turbidity white light, det ang 90+/-30 degrees NTU (63675)	Dis- solved oxygen, mg/L (00300)	pH, water, unfltrd field, std units (00400)	Specif- ic conduc- tance, wat unf μS/cm 25 degC (00095)	Temper- ature, water, deg C (00010)	Alka- linity, wat flt inf tit field, mg/L as CaCO3 (39086)	Bicar- bonate, wat flt infl pt titr., field, mg/L (00453)	Organic carbon, water, fltrd, mg/L (00681)	Colipge F-spec, 2-step, pres or absence /L (99335)	Colipge som, Ec CN13hst 2-step, pres or absence /L (99332)	E coli, MI MF, water, col/ 100 mL (90901)	Total coli- form, MI MF, water, col/ 100 mL (90900)
Aug 27...	0915	.1	1.3	5.2	152	12.9	15	18	<.4+c	U	U	<2	<2

**WATER-QUALITY DATA
 WATER YEAR OCTOBER 2006 TO SEPTEMBER 2007**

Part 2 of 25

[Remark codes: <, less than; E, estimated; M, presence verified but not quantified; U, analyzed for but not detected. Value qualifier codes: +, improper preservation; b, value extrapolated at low end; c, see result laboratory comment; m, value is highly variable by this method; n, below the LRL and above the LT-MDL; t, below the long-term MDL.]

Date	Hydro- gen sulfide water, unfltrd mg/L (71875)	1,4-Di- chloro- benzene water, fltrd, μg/L (34572)	1- Methyl- naphth- alene, water, fltrd, μg/L (62054)	1-Naph- thol, water, fltrd 0.7u GF (49295)	2,4-D methyl ester, water, fltrd, μg/L (50470)	2,4-D, water, fltrd, μg/L (39732)	2,6-Di- ethyl- aniline water, fltrd 0.7u GF (38746)	2,6-Di- methyl- naphth- alene, water, fltrd, μg/L (82660)	2-[(2- Ethyl- 6methyl phenyl) amino]2 oxoESA μg/L (62850)	2Chloro -2',6'- diethyl acet- anilide wat flt μg/L (61618)	CIAT, water, fltrd, μg/L (04040)	CEAT, water, fltrd, μg/L (04038)	
Aug 27...	U	<.1mc	<.1	<.09mc	<.200	<.04	<.02	<.006	<.2	<.02	<.006	<.014mc	<.08

404301073371402 Local number N 13468. 1—Continued

WATER-QUALITY DATA
WATER YEAR OCTOBER 2006 TO SEPTEMBER 2007

Part 3 of 25

[Remark codes: <, less than; E, estimated; M, presence verified but not quantified; U, analyzed for but not detected. Value qualifier codes: +, improper preservation; b, value extrapolated at low end; c, see result laboratory comment; m, value is highly variable by this method; n, below the LRL and above the LT-MDL; t, below the long-term MDL.]

Date	Ala-chlor 2nd amide, water, fltrd, µg/L (63781)	Aceto- chlor 2nd amide, water, fltrd, µg/L (63782)	2-Ethyl -6- methyl- aniline water, fltrd, µg/L (61620)	OIET, water, fltrd, µg/L (50355)	2- Methyl- naphth- alene, water, fltrd, µg/L (62056)	3,4-Di- chloro- aniline water, fltrd, µg/L (61625)	3,5-Di- chloro- aniline water, fltrd, µg/L (61627)	3-beta- Copros- tanol, water, fltrd, µg/L (62057)	3- Hydroxy carbo- furan, wat flt 0.7u GF µg/L (49308)	3- Methyl- 1H- indole, water, fltrd, µg/L (62058)	3-tert- Butyl- 4-hy- droxy- anisole wat flt µg/L (62059)	4- Chloro- 2methyl phenol, water, fltrd, µg/L (61633)	4- Cumyl- phenol, water, fltrd, µg/L (62060)
Aug 27...	<.02	<.02	<.010mc	<.080	<.1	<.004mc	<.012	<2mc	<.020	<.08	<.6mc	<.005mc	<.14

WATER-QUALITY DATA
WATER YEAR OCTOBER 2006 TO SEPTEMBER 2007

Part 4 of 25

[Remark codes: <, less than; E, estimated; M, presence verified but not quantified; U, analyzed for but not detected. Value qualifier codes: +, improper preservation; b, value extrapolated at low end; c, see result laboratory comment; m, value is highly variable by this method; n, below the LRL and above the LT-MDL; t, below the long-term MDL.]

Date	4-n- Octyl- phenol, water, fltrd, µg/L (62061)	4- Nonyl- phenol, all isomers wat flt µg/L (62085)	4-Nonyl -phenol di- ethox- ylate, wat flt µg/L (62083)	4t-Octy lphenol di- ethox- ylate, wat flt µg/L (61705)	4t-Octy lphenol mono- ethox- ylate, wat flt µg/L (61706)	4-tert- Octyl- phenol, water, fltrd, µg/L (62062)	5-Meth- yl-1H- benzo- azole, tri- wat flt µg/L (62063)	9,10- Anthra- quinone water, fltrd, µg/L (62066)	Aceto- chlor ESA, water, fltrd 0.7u GF µg/L (61029)	Aceto- chlor OA, water, fltrd 0.7u GF µg/L (61030)	Aceto- chlor SAA, water, fltrd, µg/L (62847)	Aceto- chlor, water, fltrd, µg/L (49260)	Aceto- phenone water, fltrd, µg/L (62064)
Aug 27...	<.16	<2mc	<5mc	<1mc	<1mc	<.10	<2	<2	<.02	<.02	<.02	<.02	<.1

WATER-QUALITY DATA
WATER YEAR OCTOBER 2006 TO SEPTEMBER 2007

Part 5 of 25

[Remark codes: <, less than; E, estimated; M, presence verified but not quantified; U, analyzed for but not detected. Value qualifier codes: +, improper preservation; b, value extrapolated at low end; c, see result laboratory comment; m, value is highly variable by this method; n, below the LRL and above the LT-MDL; t, below the long-term MDL.]

Date	AHTN, water, fltrd, µg/L (62065)	Acifluor- fen, water, fltrd 0.7u GF µg/L (49315)	Ala- chlor ESA SA, water, fltrd, µg/L (62849)	Ala- chlor ESA, water, fltrd 0.7u GF µg/L (50009)	Ala- chlor OA, water, fltrd 0.7u GF µg/L (61031)	Ala- chlor SAA, water, fltrd, µg/L (62848)	Ala- chlor, water, fltrd, µg/L (46342)	Aldi- carb sulfone water, fltrd 0.7u GF µg/L (49313)	Aldi- carb sulf- oxide, wat flt 0.7u GF µg/L (49314)	Aldi- carb, water, fltrd 0.7u GF µg/L (49312)	alpha- Endo- sulfan, water, fltrd, µg/L (34362)	Anthra- cene, water, fltrd, µg/L (34221)	Atra- zine, water, fltrd, µg/L (39632)
Aug 27...	<.5	<.060	<.02	<.02	<.02	<.02	<.02	<.08	<.040	<.04	<.011	<.1	<.007

404301073371402 Local number N 13468. 1—Continued

WATER-QUALITY DATA
WATER YEAR OCTOBER 2006 TO SEPTEMBER 2007

Part 6 of 25

[Remark codes: <, less than; E, estimated; M, presence verified but not quantified; U, analyzed for but not detected. Value qualifier codes: +, improper preservation; b, value extrapolated at low end; c, see result laboratory comment; m, value is highly variable by this method; n, below the LRL and above the LT-MDL; t, below the long-term MDL.]

Date	Azin-phos-methyl oxon, water, fltrd, µg/L (61635)	Azin-phos-methyl, water, fltrd, 0.7u GF µg/L (82686)	Bendio-carb, water, fltrd, µg/L (50299)	Ben-flur-alin, water, fltrd, 0.7u GF µg/L (82673)	Benomyl, water, fltrd, µg/L (50300)	Bensul-furon-methyl, water, fltrd, µg/L (61693)	Ben-tazon, water, fltrd, 0.7u GF µg/L (38711)	Benzo-[a]-pyrene, water, fltrd, µg/L (34248)	Benzo-phenone, water, fltrd, µg/L (62067)	beta-Sitos-terol, water, fltrd, µg/L (62068)	beta-Stigmas-tanol, water, fltrd, µg/L (62086)	Broma-cil, water, fltrd, µg/L (04029)	Brom-oxnyl, water, fltrd, 0.7u GF µg/L (49311)
Aug 27...	<.04mc	<.080mc	<.04	<.010	<.020	<.06	<.02	<.1	<.2	<2mc	<2mc	<.04	<.12mc

WATER-QUALITY DATA
WATER YEAR OCTOBER 2006 TO SEPTEMBER 2007

Part 7 of 25

[Remark codes: <, less than; E, estimated; M, presence verified but not quantified; U, analyzed for but not detected. Value qualifier codes: +, improper preservation; b, value extrapolated at low end; c, see result laboratory comment; m, value is highly variable by this method; n, below the LRL and above the LT-MDL; t, below the long-term MDL.]

Date	Caf-feine, water, fltrd, µg/L (50305)	Camphor, water, fltrd, µg/L (62070)	Car-baryl, water, fltrd, 0.7u GF µg/L (49310)	Car-baryl, water, fltrd, 0.7u GF µg/L (82680)	Carba-zole, water, fltrd, µg/L (62071)	Carbo-furan, water, fltrd, 0.7u GF µg/L (49309)	Carbo-furan, water, fltrd, 0.7u GF µg/L (82674)	Chlor-amben-methyl ester, water, fltrd, µg/L (61188)	Chlori-muron-ethyl, water, fltrd, µg/L (50306)	Chlor-pyrifos oxon, water, fltrd, µg/L (61636)	Chlor-pyrifos, water, fltrd, µg/L (38933)	Choles-terol, water, fltrd, µg/L (62072)	cis-Per-methrin, water, fltrd, 0.7u GF µg/L (82687)
Aug 27...	<.040	<.1	<.02	<.060mc	<.1	<.060	<.020mc	<.10	<.080mc	<.06mc	<.005	<1mc	<.010

WATER-QUALITY DATA
WATER YEAR OCTOBER 2006 TO SEPTEMBER 2007

Part 8 of 25

[Remark codes: <, less than; E, estimated; M, presence verified but not quantified; U, analyzed for but not detected. Value qualifier codes: +, improper preservation; b, value extrapolated at low end; c, see result laboratory comment; m, value is highly variable by this method; n, below the LRL and above the LT-MDL; t, below the long-term MDL.]

Date	cis-Pro-pi-cona-zole, water, fltrd, µg/L (79846)	Clopyr-alid, water, fltrd, 0.7u GF µg/L (49305)	Cot-inine, water, fltrd, µg/L (62005)	Cyana-zine, water, fltrd, µg/L (04041)	Cyclo-ate, water, fltrd, µg/L (04031)	Cyflu-thrin, water, fltrd, µg/L (61585)	lambda-Cyhalo-thrin, water, fltrd, µg/L (61595)	Cyper-methrin, water, fltrd, µg/L (61586)	Dacthal mono-acid, water, fltrd, 0.7u GF µg/L (49304)	DCPA, water, fltrd, µg/L (82682)	De-chloro-aceto-chlor, water, fltrd, µg/L (63778)	De-chloro-ala-chlor, water, fltrd, µg/L (63777)	De-chloro-dimeth-enamid, water, fltrd, µg/L (63779)
Aug 27...	<.013mc	<.06	<.400mc	<.018	<.06	<.053mc	<.014mc	<.046mc	<.02	<.003	<.02	<.02	<.02

404301073371402 Local number N 13468. 1—Continued

WATER-QUALITY DATA
WATER YEAR OCTOBER 2006 TO SEPTEMBER 2007

Part 9 of 25

[Remark codes: <, less than; E, estimated; M, presence verified but not quantified; U, analyzed for but not detected. Value qualifier codes: +, improper preservation; b, value extrapolated at low end; c, see result laboratory comment; m, value is highly variable by this method; n, below the LRL and above the LT-MDL; t, below the long-term MDL.]

Date	De-chloro-metolachlor, water, fltrd, (63780)	DEET, water, fltrd, (62082)	Desulf-inyl-fipro-nil, water, fltrd, (62170)	Diazi-non, water, fltrd, (39572)	Dicamba water, fltrd, 0.7u GF (38442)	Di-chlor-prop, water, fltrd, 0.7u GF (49302)	Dicro-tophos, water, fltrd, (38454)	Diel-drin, water, fltrd, (39381)	Dimeth-enamid ESA, water, fltrd, (61951)	Dimeth-enamid OA, water, fltrd, (62482)	Dimeth-enamid water, fltrd, (61588)	Dimeth-oate, water, fltrd, 0.7u GF (82662)	Dinoseb water, fltrd, 0.7u GF (49301)
Aug 27...	<.02	Mt	<.012	<.005	<.08	<.04	<.08mc	<.009	<.02	<.02	<.02	<.006mc	<.04

WATER-QUALITY DATA
WATER YEAR OCTOBER 2006 TO SEPTEMBER 2007

Part 10 of 25

[Remark codes: <, less than; E, estimated; M, presence verified but not quantified; U, analyzed for but not detected. Value qualifier codes: +, improper preservation; b, value extrapolated at low end; c, see result laboratory comment; m, value is highly variable by this method; n, below the LRL and above the LT-MDL; t, below the long-term MDL.]

Date	Diphen-amid, water, fltrd, (04033)	Disulf-oton sulfone, water, fltrd, (61640)	Disul-foton, water, fltrd, 0.7u GF (82677)	Diuron, water, fltrd, 0.7u GF (49300)	D-Limo-nene, water, fltrd, (62073)	Endo-sulfan sulfate, water, fltrd, (61590)	EPTC, water, fltrd, 0.7u GF (82668)	Ethion monoxon, water, fltrd, (61644)	Ethion, water, fltrd, (82346)	Etho-prop, water, fltrd, 0.7u GF (82672)	Fenami-phos sulfone, water, fltrd, (61645)	Fenami-phos sulf-oxide, water, fltrd, (61646)	Fenami-phos, water, fltrd, (61591)
Aug 27...	<.04	<.01	<.02mc	<.04	<.1mc	<.022	<.002	<.02mc	<.016	<.012	<.053	<.04mc	<.03

WATER-QUALITY DATA
WATER YEAR OCTOBER 2006 TO SEPTEMBER 2007

Part 11 of 25

[Remark codes: <, less than; E, estimated; M, presence verified but not quantified; U, analyzed for but not detected. Value qualifier codes: +, improper preservation; b, value extrapolated at low end; c, see result laboratory comment; m, value is highly variable by this method; n, below the LRL and above the LT-MDL; t, below the long-term MDL.]

Date	Fenuron, water, fltrd, 0.7u GF (49297)	Desulf-inyl-fipro-nil amide, wat flt (62169)	Fipro-nil sulfide, water, fltrd, (62167)	Fipro-nil sulfone, water, fltrd, (62168)	Fipro-nil, water, fltrd, (62166)	Flufen-acet ESA, water, fltrd, (61952)	Flufe-nacet OA, water, fltrd, (62483)	Flufe-nacet, water, fltrd, (62481)	Flumet-sulam, water, fltrd, (61694)	Fluo-meturon, water, fltrd, 0.7u GF (38811)	Fluor-anthene, water, fltrd, (34377)	Fonofos, water, fltrd, (04095)	HHCB, water, fltrd, (62075)
Aug 27...	<.04	<.029	<.013	<.024	<.016mc	<.02	<.02	<.02	<.06	<.04	<.1	<.006	<.5

404301073371402 Local number N 13468. 1—Continued

WATER-QUALITY DATA
WATER YEAR OCTOBER 2006 TO SEPTEMBER 2007

Part 12 of 25

[Remark codes: <, less than; E, estimated; M, presence verified but not quantified; U, analyzed for but not detected. Value qualifier codes: +, improper preservation; b, value extrapolated at low end; c, see result laboratory comment; m, value is highly variable by this method; n, below the LRL and above the LT-MDL; t, below the long-term MDL.]

Date	Hexa-	Hydroxy	Hydroxy	Hydroxy	Hydroxy	Imaza-	Imaze-	Imida-	Indole,	Ipro-	Isobor-	Isofen-	Iso-
	zinone,	aceto-	ala-	dimeth-	metola-	quin,	thapyr,	cloprid					
	water,												
	fltrd,												
	µg/L												
	(04025)	(63784)	(63783)	(64045)	(63785)	(50356)	(50407)	(61695)	(62076)	(61593)	(62077)	(61594)	(34409)
Aug													
27...	<.026	<.02	<.02	<.02	<.02	<.04mc	<.04	<.060	<.1	<.026mc	<.1	<.011	<.1

WATER-QUALITY DATA
WATER YEAR OCTOBER 2006 TO SEPTEMBER 2007

Part 13 of 25

[Remark codes: <, less than; E, estimated; M, presence verified but not quantified; U, analyzed for but not detected. Value qualifier codes: +, improper preservation; b, value extrapolated at low end; c, see result laboratory comment; m, value is highly variable by this method; n, below the LRL and above the LT-MDL; t, below the long-term MDL.]

Date	Iso-	Iso-	Linuron	Mala-	Mala-	MCPA,	MCPB,	Menthol	Meta-	Meta-	Methid-	Methio-	Meth-
	propyl-	quin-	water,	oxon,	thion,	water,	water,						
	benzene	oline,	fltrd	water,	water,	fltrd	fltrd	water,	water,	water,	water,	water,	water,
	water,	water,	0.7u GF	fltrd,	fltrd,	0.7u GF	0.7u GF	fltrd,	fltrd,	fltrd,	fltrd,	fltrd,	fltrd
	fltrd,	fltrd,	µg/L										
	(62078)	(62079)	(38478)	(61652)	(39532)	(38482)	(38487)	(62080)	(50359)	(61596)	(61598)	(38501)	(49296)
Aug													
27...	<.1mc	<.4	<.04	<.039	<.016	<.06	<.20	<.2	<.04	<.007	<.009	<.040	<.060

WATER-QUALITY DATA
WATER YEAR OCTOBER 2006 TO SEPTEMBER 2007

Part 14 of 25

[Remark codes: <, less than; E, estimated; M, presence verified but not quantified; U, analyzed for but not detected. Value qualifier codes: +, improper preservation; b, value extrapolated at low end; c, see result laboratory comment; m, value is highly variable by this method; n, below the LRL and above the LT-MDL; t, below the long-term MDL.]

Date	Methyl	Methyl	Methyl	Metola-	Metola-	Metola-	Metri-	Metsul-	Moli-	Myclo-	N-(4-	Naphth-	
	acetate	para-	para-	chlor	chlor								chlor,
	water,	oxon,	thion,	water,	water,	water,	water,	on-	water,	water,	phenyl)	water,	
	unfltrd	water,	water,	late,	ESA,	OA,	chlor,	methy,	fltrd	water,	-N'-	fltrd,	
	fltrd,	fltrd,	fltrd,	water,	water,	water,	water,	water,	0.7u GF	fltrd,	urea,	µg/L	
	µg/L												
	(77032)	(61664)	(82667)	(62081)	(61043)	(61044)	(39415)	(82630)	(61697)	(82671)	(61599)	(61692)	(34443)
Aug													
27...	<.4	<.02mc	<.008	<.2	<.02	<.02	<.02	<.012	<.14mc	<.003	<.033	<.06	<.1

404301073371402 Local number N 13468. 1—Continued

WATER-QUALITY DATA
WATER YEAR OCTOBER 2006 TO SEPTEMBER 2007

Part 15 of 25

[Remark codes: <, less than; E, estimated; M, presence verified but not quantified; U, analyzed for but not detected. Value qualifier codes: +, improper preservation; b, value extrapolated at low end; c, see result laboratory comment; m, value is highly variable by this method; n, below the LRL and above the LT-MDL; t, below the long-term MDL.]

Date	Neburon water, fltrd 0.7u GF µg/L (49294)	Nico- sul- furon, water, fltrd µg/L (50364)	Norflur azon, water, fltrd 0.7u GF µg/L (49293)	Ory- zalin, water, fltrd 0.7u GF µg/L (49292)	Oxamyl, water, fltrd 0.7u GF µg/L (38866)	Oxy- fluor- fen, water, fltrd µg/L (61600)	p- Cresol, water, fltrd µg/L (62084)	Pendi- meth- alin, water, fltrd 0.7u GF µg/L (82683)	Phenan- threne, water, fltrd µg/L (34462)	Phenol, water, fltrd µg/L (34466)	Phorate oxon, water, fltrd µg/L (61666)	Phorate water, fltrd 0.7u GF µg/L (82664)	Phosmet oxon, water, fltrd µg/L (61668)
Aug 27...	<.02	<.10mc	<.04	<.04	<.04	<.017	<.18	<.020	<.1	<.4	<.03mc	<.020	<.05mc

WATER-QUALITY DATA
WATER YEAR OCTOBER 2006 TO SEPTEMBER 2007

Part 16 of 25

[Remark codes: <, less than; E, estimated; M, presence verified but not quantified; U, analyzed for but not detected. Value qualifier codes: +, improper preservation; b, value extrapolated at low end; c, see result laboratory comment; m, value is highly variable by this method; n, below the LRL and above the LT-MDL; t, below the long-term MDL.]

Date	Phosmet water, fltrd µg/L (61601)	Pic- loram, water, fltrd 0.7u GF µg/L (49291)	Prome- ton, water, fltrd µg/L (04037)	Prome- tryn, water, fltrd µg/L (04036)	Propy- zamide, water, fltrd 0.7u GF µg/L (82676)	Propa- chlor ESA, water, fltrd 0.7u GF µg/L (62766)	Propa- chlor OA, water, fltrd 0.7u GF µg/L (62767)	Propa- chlor, water, fltrd µg/L (04024)	Pro- panil, water, fltrd 0.7u GF µg/L (82679)	Propar- gite, water, fltrd 0.7u GF µg/L (82685)	Propham water, fltrd 0.7u GF µg/L (49236)	Propi- cona- zole, water, fltrd µg/L (50471)	Pro- poxur, water, fltrd 0.7u GF µg/L (38538)
Aug 27...	<.008mc	<.12	<.01	<.006	<.004	<.05	<.02	<.02	<.011	<.02	<.060	<.06	<.040mc

WATER-QUALITY DATA
WATER YEAR OCTOBER 2006 TO SEPTEMBER 2007

Part 17 of 25

[Remark codes: <, less than; E, estimated; M, presence verified but not quantified; U, analyzed for but not detected. Value qualifier codes: +, improper preservation; b, value extrapolated at low end; c, see result laboratory comment; m, value is highly variable by this method; n, below the LRL and above the LT-MDL; t, below the long-term MDL.]

Date	Pyrene, water, fltrd µg/L (34470)	Siduron water, fltrd µg/L (38548)	Sima- zine, water, fltrd µg/L (04035)	Sulfo- met- ruron- methyl, water, fltrd µg/L (50337)	Tebu- thiuron water, fltrd 0.7u GF µg/L (82670)	Teflu- thrin, water, fltrd µg/L (61606)	Terba- cil, water, fltrd µg/L (04032)	Ter- bufos oxon sulfone water, fltrd µg/L (61674)	Terbu- fos, water, fltrd 0.7u GF µg/L (82675)	Ter- buthyl- azine, water, fltrd µg/L (04022)	tert- Amyl alcohol water, unfltrd µg/L (77073)	tert- Butyl- alcohol water, unfltrd µg/L (77035)	Tetra- chloro- ethene, water, fltrd µg/L (34476)
Aug 27...	<.1	<.04	<.006	<.060	<.02	<.003mc	<.040	<.04	<.01	<.01	<.6	<.200	Mmtc

404301073371402 Local number N 13468. 1—Continued

WATER-QUALITY DATA
WATER YEAR OCTOBER 2006 TO SEPTEMBER 2007

Part 18 of 25

[Remark codes: <, less than; E, estimated; M, presence verified but not quantified; U, analyzed for but not detected. Value qualifier codes: +, improper preservation; b, value extrapolated at low end; c, see result laboratory comment; m, value is highly variable by this method; n, below the LRL and above the LT-MDL; t, below the long-term MDL.]

Date	Thio- bencarb water, fltrd 0.7u GF µg/L (82681)	trans- Propi- cona- zole, water, fltrd, µg/L (79847)	Tri- bromo- methane water, fltrd, µg/L (34288)	Tribu- phos- water, fltrd, µg/L (61610)	Tri- butyl phos- phate, water, fltrd, µg/L (62089)	Tri- clopyp, water, fltrd 0.7u GF µg/L (49235)	Triclo- san, water, fltrd, µg/L (62090)	Tri- ethyl citrate water, fltrd, µg/L (62091)	Tri- flur- alin, water, fltrd 0.7u GF µg/L (82661)	Tri- phenyl phos- phate, water, fltrd, µg/L (62092)	Tris(2- butoxy- ethyl) phos- phate, wat flt µg/L (62093)	Tris(2- chloro- ethyl) phos- phate, wat flt µg/L (62087)	Tris(di- chloro- i-Pr) phos- phate, wat flt µg/L (62088)
Aug 27...	<.010	<.03mc	<.1mc	<.035mc	<.2	<.04	<.2	<.4	<.009	<.2	<.5mc	<.2	<.2

WATER-QUALITY DATA
WATER YEAR OCTOBER 2006 TO SEPTEMBER 2007

Part 19 of 25

[Remark codes: <, less than; E, estimated; M, presence verified but not quantified; U, analyzed for but not detected. Value qualifier codes: +, improper preservation; b, value extrapolated at low end; c, see result laboratory comment; m, value is highly variable by this method; n, below the LRL and above the LT-MDL; t, below the long-term MDL.]

Date	1,1,1,2 -Tetra- chloro- ethane, water, unfltrd µg/L (77562)	1,1,1- Tri- chloro- ethane, water, unfltrd µg/L (34506)	1,1,2,2 -Tetra- chloro- ethane, water, unfltrd µg/L (34516)	CFC-113 water, unfltrd µg/L (77652)	1,1,2- Tri- chloro- ethane, water, unfltrd µg/L (34511)	1,1-Di- chloro- ethane, water, unfltrd µg/L (34496)	1,1-Di- chloro- ethene, water, unfltrd µg/L (34501)	1,1-Di- chloro- propene water, unfltrd µg/L (77168)	1,2,3,4 -Tetra- methyl- benzene water, unfltrd µg/L (49999)	1,2,3,5 -Tetra- methyl- benzene water, unfltrd µg/L (50000)	1,2,3- Tri- chloro- benzene water, unfltrd µg/L (77613)	1,2,3- Tri- chloro- propane water, unfltrd µg/L (77443)	1,2,3- Tri- methyl- benzene water, unfltrd µg/L (77221)
Aug 27...	<.04	.14	<.10	E.08b	<.04	.14	.23	<.04	<.1	<.1	<.1	<.12	<.1

WATER-QUALITY DATA
WATER YEAR OCTOBER 2006 TO SEPTEMBER 2007

Part 20 of 25

[Remark codes: <, less than; E, estimated; M, presence verified but not quantified; U, analyzed for but not detected. Value qualifier codes: +, improper preservation; b, value extrapolated at low end; c, see result laboratory comment; m, value is highly variable by this method; n, below the LRL and above the LT-MDL; t, below the long-term MDL.]

Date	1,2,4- Tri- chloro- benzene water, unfltrd µg/L (34551)	1,2,4- Tri- methyl- benzene water, unfltrd µg/L (77222)	Dibromo chloro- propane water, unfltrd µg/L (82625)	1,2-Di- bromo- ethane, water, unfltrd µg/L (77651)	1,2-Di- chloro- benzene water, unfltrd µg/L (34536)	1,2-Di- chloro- ethane, water, unfltrd µg/L (32103)	1,2-Di- chloro- propane water, unfltrd µg/L (34541)	1,3,5- Tri- methyl- benzene water, unfltrd µg/L (77226)	1,3-Di- chloro- benzene water, unfltrd µg/L (34566)	1,3-Di- chloro- propane water, unfltrd µg/L (77173)	1,4-Di- chloro- benzene water, unfltrd µg/L (34571)	2,2-Di- chloro- propane water, unfltrd µg/L (77170)	2- Chloro- toluene water, unfltrd µg/L (77275)
Aug 27...	<.1	<.04	<.5	<.04	<.04	<.1	<.02	<.04	<.04	<.1	<.04	<.06	<.04

404301073371402 Local number N 13468. 1—Continued

WATER-QUALITY DATA
WATER YEAR OCTOBER 2006 TO SEPTEMBER 2007

Part 21 of 25

[Remark codes: <, less than; E, estimated; M, presence verified but not quantified; U, analyzed for but not detected. Value qualifier codes: +, improper preservation; b, value extrapolated at low end; c, see result laboratory comment; m, value is highly variable by this method; n, below the LRL and above the LT-MDL; t, below the long-term MDL.]

Date	2-Ethyl-toluene water, unfltrd µg/L (77220)	3-Chloro-propene water, unfltrd µg/L (78109)	4-Chloro-toluene water, unfltrd µg/L (77277)	4-Iso-propyl-toluene water, unfltrd µg/L (77356)	Acetone water, unfltrd µg/L (81552)	Acrylo-nitrile water, unfltrd µg/L (34215)	Benzene water, unfltrd µg/L (34030)	Bromo-benzene water, unfltrd µg/L (81555)	Bromo-chloro-methane water, unfltrd µg/L (77297)	Bromo-di-chloro-methane water, unfltrd µg/L (32101)	Bromo-ethene water, unfltrd µg/L (50002)	Tri-bromo-methane water, unfltrd µg/L (32104)	Bromo-methane water, unfltrd µg/L (34413)
Aug 27...	<.04	<.08mc	<.04	<.08	<6	<.4	<.02	<.02	<.06	<.04	<.1	<.08	<.4mc

WATER-QUALITY DATA
WATER YEAR OCTOBER 2006 TO SEPTEMBER 2007

Part 22 of 25

[Remark codes: <, less than; E, estimated; M, presence verified but not quantified; U, analyzed for but not detected. Value qualifier codes: +, improper preservation; b, value extrapolated at low end; c, see result laboratory comment; m, value is highly variable by this method; n, below the LRL and above the LT-MDL; t, below the long-term MDL.]

Date	Carbon di-sulfide water, unfltrd µg/L (77041)	Chloro-benzene water, unfltrd µg/L (34301)	Chloro-ethane water, unfltrd µg/L (34311)	Chloro-methane water, unfltrd µg/L (34418)	cis-1,2-Di-chloro-ethene water, unfltrd µg/L (77093)	cis-1,3-Di-chloro-propene water, unfltrd µg/L (34704)	Di-bromo-chloro-methane water, unfltrd µg/L (32105)	Di-bromo-methane water, unfltrd µg/L (30217)	Di-chloro-di-fluoro-methane water, unfltrd µg/L (34668)	Di-chloro-methane water, unfltrd µg/L (34423)	Di-ethyl-ether, water, unfltrd µg/L (81576)	Diiso-propyl-ether, water, unfltrd µg/L (81577)	Ethyl methac-rylate, water, unfltrd µg/L (73570)
Aug 27...	<.06	<.02	<.1	<.1mc	.33	<.06	<.1	<.04	E.09mmc	<.04	<.1	<.06	<.1

WATER-QUALITY DATA
WATER YEAR OCTOBER 2006 TO SEPTEMBER 2007

Part 23 of 25

[Remark codes: <, less than; E, estimated; M, presence verified but not quantified; U, analyzed for but not detected. Value qualifier codes: +, improper preservation; b, value extrapolated at low end; c, see result laboratory comment; m, value is highly variable by this method; n, below the LRL and above the LT-MDL; t, below the long-term MDL.]

Date	Ethyl methyl ketone, water, unfltrd µg/L (81595)	Ethyl-benzene water, unfltrd µg/L (34371)	Hexa-chloro-buta-diene, water, unfltrd µg/L (39702)	Hexa-chloro-ethane, water, unfltrd µg/L (34396)	Iodo-methane water, unfltrd µg/L (77424)	Iso-butyl methyl ketone, water, unfltrd µg/L (78133)	Iso-propyl-benzene water, unfltrd µg/L (77223)	Methyl acrylo-nitrile water, unfltrd µg/L (81593)	Methyl acryl-ate, water, unfltrd µg/L (49991)	Methyl methac-rylate, water, unfltrd µg/L (81597)	Methyl tert-pentyl ether, water, unfltrd µg/L (50005)	meta-Xylene, water, unfltrd µg/L (85795)	Naphth-alene, water, unfltrd µg/L (34696)
Aug 27...	<1.6	<.02	<.1	<.1	<.40mc	<.2	<.04	<.4	<.4	<.2	<.04	<.08	<.4

404301073371402 Local number N 13468. 1—Continued

WATER-QUALITY DATA
WATER YEAR OCTOBER 2006 TO SEPTEMBER 2007

Part 24 of 25

[Remark codes: <, less than; E, estimated; M, presence verified but not quantified; U, analyzed for but not detected. Value qualifier codes: +, improper preservation; b, value extrapolated at low end; c, see result laboratory comment; m, value is highly variable by this method; n, below the LRL and above the LT-MDL; t, below the long-term MDL.]

Date	Methyl n-butyl ketone, water, unfiltrd µg/L (77103)	n-Butyl benzene water, unfiltrd µg/L (77342)	n- Propyl- benzene water, unfiltrd µg/L (77224)	o- Xylene, water, unfiltrd µg/L (77135)	sec- Butyl- benzene water, unfiltrd µg/L (77350)	Styrene water, unfiltrd µg/L (77128)	t-Butyl ethyl ether, water, unfiltrd µg/L (50004)	Methyl t-butyl ether, water, unfiltrd µg/L (78032)	tert- Butyl- benzene water, unfiltrd µg/L (77353)	Tetra- chloro- ethene, water, unfiltrd µg/L (34475)	Tetra- chloro- methane water, unfiltrd µg/L (32102)	Tetra- hydro- furan, water, unfiltrd µg/L (81607)	Toluene water, unfiltrd µg/L (34010)
Aug 27...	<.4	<.1	<.04	<.04	<.04	<.04	<.04	<.1	<.08	E.08b	E.02t	<1	<.02

WATER-QUALITY DATA
WATER YEAR OCTOBER 2006 TO SEPTEMBER 2007

Part 25 of 25

[Remark codes: <, less than; E, estimated; M, presence verified but not quantified; U, analyzed for but not detected. Value qualifier codes: +, improper preservation; b, value extrapolated at low end; c, see result laboratory comment; m, value is highly variable by this method; n, below the LRL and above the LT-MDL; t, below the long-term MDL.]

Date	trans- 1,2-Di- chloro- ethene, water, unfiltrd µg/L (34546)	trans- 1,3-Di- chloro- propene water, unfiltrd µg/L (34699)	trans- 1,4-Di- chloro- 2- butene, wat unf µg/L (73547)	Tri- chloro- ethene, water, unfiltrd µg/L (39180)	Tri- chloro- fluoro- methane water, unfiltrd µg/L (34488)	Tri- chloro- methane water, unfiltrd µg/L (32106)	Vinyl chlor- ide, water, unfiltrd µg/L (39175)	Di- chlor- vos, water, filtrd, µg/L (38775)
Aug 27...	<.02	<.10	<.6	.69	<.08	E.07b	<.1	<.01mc