



Water-Data Report 2008

**404143073482701 Local number Q 3165. 1**

Northern Atlantic Coastal Plain aquifer system  
 Glacial Aquifer, Upper  
 Queens County, NY

LOCATION.--Lat 40°41'43", long 73°48'27" referenced to North American Datum of 1927, Queens County, NY, Hydrologic Unit 02030202.

**WATER-QUALITY RECORDS**

WELL CHARACTERISTICS.--Depth 65 ft. Upper casing diameter 2 in; top of first opening 60 ft, bottom of last opening 65 ft.

DATUM.--Land-surface datum is 41.6 ft above National Geodetic Vertical Datum of 1929.

**WATER-QUALITY DATA  
 WATER YEAR OCTOBER 2007 TO SEPTEMBER 2008**

Part 1 of 20

[Remark codes: <, less than; E, estimated; M, presence verified but not quantified. Value qualifier codes: b, value extrapolated at low end; c, see result laboratory comment; d, diluted sample: method hi range exceeded; m, value is highly variable by this method; n, below the LRL and above the LT-MDL; t, below the long-term MDL.]

Date	Time	Depth to water level, feet below LSD (72019)	Water level, depth below MP, feet (61055)	Turbidity white light, det ang 90+/-30 degrees NTU (63675)	Dissolved oxygen, mg/L (00300)	pH, unfltrd field, std units (00400)	Specific conductance, wat unfiltered, $\mu$ S/cm 25 degC (00095)	Temperature, deg C (00010)	Calcium water unfltrd recover, mg/L (00916)	Magnesium water, unfltrd recover, mg/L (00927)	Potassium water, unfltrd recover, mg/L (00937)	Sodium, water, unfltrd recover, mg/L (00929)	Chloride, water, fltrd, mg/L (00940)
Jul 25...	1120	41.01	21.57	.2	<1.0	6.2	753	16.9	51.9	18.8	2.20	68.2	113

**WATER-QUALITY DATA  
 WATER YEAR OCTOBER 2007 TO SEPTEMBER 2008**

Part 2 of 20

[Remark codes: <, less than; E, estimated; M, presence verified but not quantified. Value qualifier codes: b, value extrapolated at low end; c, see result laboratory comment; d, diluted sample: method hi range exceeded; m, value is highly variable by this method; n, below the LRL and above the LT-MDL; t, below the long-term MDL.]

Date	Fluoride, water, fltrd, mg/L (00950)	Silica, water, fltrd, mg/L as SiO2 (00955)	Sulfate water, fltrd, mg/L (00945)	Residue on evap. at 180degC, wat flt mg/L (70300)	Ammonia water, fltrd, mg/L as N (00608)	Nitrate + nitrite water, fltrd, mg/L as N (00631)	Nitrite water, fltrd, mg/L as N (00613)	Orthophosphate, water, fltrd, mg/L as P (00671)	Arsenic water, unfltrd, $\mu$ g/L (01002)	Barium, water, unfltrd recover, $\mu$ g/L (01007)	Cadmium water, unfltrd, $\mu$ g/L (01027)	Chromium, water, unfltrd recover, $\mu$ g/L (01034)	Copper, water, unfltrd recover, $\mu$ g/L (01042)
Jul 25...	<.12	26.3	74.5	478	<.020	5.28d	<.002	.023	<.60	68.6	<.01	.57	<1.2

## 404143073482701 Local number Q 3165. 1—Continued

**WATER-QUALITY DATA**  
**WATER YEAR OCTOBER 2007 TO SEPTEMBER 2008**

Part 3 of 20

[Remark codes: <, less than; E, estimated; M, presence verified but not quantified. Value qualifier codes: b, value extrapolated at low end; c, see result laboratory comment; d, diluted sample: method hi range exceeded; m, value is highly variable by this method; n, below the LRL and above the LT-MDL; t, below the long-term MDL.]

Date	Iron, water, fltrd, (01046)	Iron, water, recover-able, (01045)	Lead, water, unfltrd, recover-able, (01051)	Mangan-ese, water, fltrd, (01056)	Mangan-ese, water, recover-able, (01055)	Mercury, water, recover-able, (71900)	Selen-ium, water, unfltrd, (01147)	Silver, water, unfltrd, recover-able, (01077)	Zinc, water, unfltrd, recover-able, (01092)	1,2-Di-phenyl-hydra-zine, water, unfltrd, (82626)	1-Naph-thol, water, fltrd, 0.7u GF (49295)	2,4,6-Tri-chloro-phenol, water, unfltrd, (34621)	2,4-Di-chloro-phenol, water, unfltrd, (34601)
Jul 25...	17	181	.21	1.5	5.5	<.010	.27	E.01n	E1.2n	<.30	<.04mc	<.6	<.39

**WATER-QUALITY DATA**  
**WATER YEAR OCTOBER 2007 TO SEPTEMBER 2008**

Part 4 of 20

[Remark codes: <, less than; E, estimated; M, presence verified but not quantified. Value qualifier codes: b, value extrapolated at low end; c, see result laboratory comment; d, diluted sample: method hi range exceeded; m, value is highly variable by this method; n, below the LRL and above the LT-MDL; t, below the long-term MDL.]

Date	2,4-Di-methyl-phenol, water, unfltrd, (34606)	2,4-Di-nitro-phenol, water, unfltrd, (34616)	2,4-Di-nitro-toluene, water, unfltrd, (34611)	2,6-Di-ethyl-aniline, water, fltrd, 0.7u GF (82660)	2,6-Di-nitro-toluene, water, unfltrd, (34626)	2-Chloro-'2,6'-diethyl acet-anilide, wat flt (61618)	CIAT, water, fltrd, (04040)	2-Chloro-naphth-alene, water, unfltrd, (34581)	2-Chloro-phenol, water, unfltrd, (34586)	2-Ethyl-6-methyl-aniline, water, fltrd, (61620)	2-Methyl-4,6-di-nitro-phenol, wat unf (34657)	2-Nitro-phenol, water, unfltrd, (34591)	3,3'-Di-chloro-benzi-dine, water, unfltrd, (34631)
Jul 25...	<.6	<.80mc	<.43	<.006	<.43	<.010	E.072mc	<.2	<.42	<.010mc	<.77mc	<.6	<.4mc

**WATER-QUALITY DATA**  
**WATER YEAR OCTOBER 2007 TO SEPTEMBER 2008**

Part 5 of 20

[Remark codes: <, less than; E, estimated; M, presence verified but not quantified. Value qualifier codes: b, value extrapolated at low end; c, see result laboratory comment; d, diluted sample: method hi range exceeded; m, value is highly variable by this method; n, below the LRL and above the LT-MDL; t, below the long-term MDL.]

Date	3,4-Di-chloro-aniline, water, fltrd, (61625)	4-Bromo-phenyl ether, wat unf (34636)	4-Chloro-2methyl phenol, water, fltrd, (61633)	4-Chloro-3-methyl-phenol, wat unf (34452)	4-Chloro-phenyl ether, wat unf (34641)	4-Nitro-phenol, water, unfltrd, (34646)	9H-Fluor-ene, water, unfltrd, (34381)	Ace-naphth-ene, water, unfltrd, (34205)	Ace-naphth-ylene, water, unfltrd, (34200)	Aceto-chlor, water, fltrd, (49260)	Ala-chlor, water, fltrd, (46342)	Aldrin, water, unfltrd, (39330)	alpha-Endo-sulfan, water, unfltrd, (39388)
Jul 25...	<.006mc	<.36	<.005mc	<.55	<.34	<.51mc	<.33	<.28	<.30	<.006	<.006	<.01	<.01

## 404143073482701 Local number Q 3165. 1—Continued

**WATER-QUALITY DATA**  
**WATER YEAR OCTOBER 2007 TO SEPTEMBER 2008**

Part 6 of 20

[Remark codes: <, less than; E, estimated; M, presence verified but not quantified. Value qualifier codes: b, value extrapolated at low end; c, see result laboratory comment; d, diluted sample: method hi range exceeded; m, value is highly variable by this method; n, below the LRL and above the LT-MDL; t, below the long-term MDL.]

Date	Anthracene, water, unfltrd µg/L (34220)	Atrazine, water, fltrd µg/L (39632)	Azin-phos-methyl, water, fltrd µg/L (61635)	Azin-phos-methyl, water, fltrd 0.7u GF µg/L (82686)	Ben-flur-alin, water, fltrd 0.7u GF µg/L (82673)	Benzo-[a]-anthracene, water, unfltrd µg/L (34526)	Benzo-[a]-pyrene, water, unfltrd µg/L (34247)	Benzo-[b]-fluor-anthene, water, unfltrd µg/L (34230)	Benzo-[ghi]-perylene, water, unfltrd µg/L (34521)	Benzo-[k]-fluor-anthene, water, unfltrd µg/L (34242)	Benzyl n-butyl phthalate, water, unfltrd µg/L (34292)	Bis(2-chloro-ethoxy) methane, water, unfltrd µg/L (34278)	Bis(2-chloro-ethyl) ether, water, unfltrd µg/L (34273)
Jul 25...	Mt	.014	<.06mc	<.120mc	<.010	<.26	<.33	<.40	<.4	<.4	<.4	<.35	<.30

**WATER-QUALITY DATA**  
**WATER YEAR OCTOBER 2007 TO SEPTEMBER 2008**

Part 7 of 20

[Remark codes: <, less than; E, estimated; M, presence verified but not quantified. Value qualifier codes: b, value extrapolated at low end; c, see result laboratory comment; d, diluted sample: method hi range exceeded; m, value is highly variable by this method; n, below the LRL and above the LT-MDL; t, below the long-term MDL.]

Date	Bis(2-chloro-iso-propyl) ether, wat unf µg/L (34283)	Bis(2-ethyl-hexyl) phthalate, wat unf µg/L (39100)	Carbaryl, water, fltrd 0.7u GF µg/L (82680)	Chlor-dane, technical, water, unfltrd µg/L (39350)	Chlor-pyrifos, water, fltrd µg/L (61636)	Chlor-pyrifos, water, fltrd µg/L (38933)	Chrys-ene, water, unfltrd µg/L (34320)	cis-Per-methrin, water, fltrd 0.7u GF µg/L (82687)	Cyflu-thrin, water, fltrd µg/L (61585)	Cyper-methrin, water, fltrd µg/L (61586)	DCPA, water, fltrd 0.7u GF µg/L (82682)	Desulf-inyl-fipro-nil, water, fltrd µg/L (62170)	Diazi-non, water, fltrd µg/L (39572)
Jul 25...	<.38	<2	<.060mc	<.1	<.06mc	<.005	<.33	<.010	<.016mc	<.014mc	<.003	<.012	<.005

**WATER-QUALITY DATA**  
**WATER YEAR OCTOBER 2007 TO SEPTEMBER 2008**

Part 8 of 20

[Remark codes: <, less than; E, estimated; M, presence verified but not quantified. Value qualifier codes: b, value extrapolated at low end; c, see result laboratory comment; d, diluted sample: method hi range exceeded; m, value is highly variable by this method; n, below the LRL and above the LT-MDL; t, below the long-term MDL.]

Date	Di-benzo-[a,h]-anthracene, wat unf µg/L (34556)	Dicro-tophos, water, fltrd µg/L (38454)	Diel-drin, water, fltrd µg/L (39381)	Diel-drin, water, unfltrd µg/L (39380)	Di-ethyl phthalate, water, unfltrd µg/L (34336)	Dimeth-oate, water, fltrd 0.7u GF µg/L (82662)	Di-methyl phthalate, water, unfltrd µg/L (34341)	Di-n-butyl phthalate, water, unfltrd µg/L (39110)	Di-n-octyl phthalate, water, unfltrd µg/L (34596)	Endrin, water, unfltrd µg/L (39390)	Ethion monoxon, water, fltrd µg/L (61644)	Ethion, water, fltrd µg/L (82346)	Fenami-phos sulfone, water, fltrd µg/L (61645)
Jul 25...	<.4	<.08mc	<.009	E.004n	<.61	<.006mc	<.59	<.7200c	<.4	<.01	<.02mc	<.006	<.053

## 404143073482701 Local number Q 3165. 1—Continued

**WATER-QUALITY DATA**  
**WATER YEAR OCTOBER 2007 TO SEPTEMBER 2008**

Part 9 of 20

[Remark codes: <, less than; E, estimated; M, presence verified but not quantified. Value qualifier codes: b, value extrapolated at low end; c, see result laboratory comment; d, diluted sample: method hi range exceeded; m, value is highly variable by this method; n, below the LRL and above the LT-MDL; t, below the long-term MDL.]

Date	Fenamiphos sulf-oxide, water, fltrd, (61646)	Fenamiphos, water, fltrd, (61591)	Desulf- inyl- fipro- nil amide, wat flt (62169)	Fipro- nil sulfide, water, fltrd, (62167)	Fipro- nil sulfone, water, fltrd, (62168)	Fipro- nil, water, fltrd, (62166)	Fluor- anthene, water, unfltrd, (34376)	Fonofos, water, fltrd, (04095)	Hepta- chlor epoxide, water, unfltrd, (39420)	Hepta- chlor, water, unfltrd, (39410)	Hexa- chloro- benzene, water, unfltrd, (39700)	Hexa- chloro- cyclo- penta- diene, wat unf fltrd, (34386)	Hexa- zinone, water, fltrd, (04025)
Jul 25...	<.20mc	<.03	<.029mc	<.013	<.024	<.020mc	<.30	<.010	<.009	<.01	<.30	<.4mc	.159

**WATER-QUALITY DATA**  
**WATER YEAR OCTOBER 2007 TO SEPTEMBER 2008**

Part 10 of 20

[Remark codes: <, less than; E, estimated; M, presence verified but not quantified. Value qualifier codes: b, value extrapolated at low end; c, see result laboratory comment; d, diluted sample: method hi range exceeded; m, value is highly variable by this method; n, below the LRL and above the LT-MDL; t, below the long-term MDL.]

Date	Indeno- [1,2,3- cd]- pyrene, water, unfltrd, (34403)	Ipro- dione, water, fltrd, (61593)	Isofen- phos, water, fltrd, (61594)	Iso- phorone, water, unfltrd, (34408)	Lindane, water, unfltrd, (39340)	Mala- oxon, water, fltrd, (61652)	Mala- thion, water, fltrd, (39532)	Meta- laxyl, water, fltrd, (61596)	Methid- athion, water, fltrd, (61598)	Methyl acetate, water, unfltrd, (77032)	Methyl para- oxon, water, fltrd, (61664)	Methyl para- thion, water, fltrd, 0.7u GF (82667)	MBAS, water, unfltrd, (38260)
Jul 25...	<.4	<.01mc	<.006	<.4	<.014	<.020	<.016	<.007	<.004	<.4	<.01mc	<.008	<.10

**WATER-QUALITY DATA**  
**WATER YEAR OCTOBER 2007 TO SEPTEMBER 2008**

Part 11 of 20

[Remark codes: <, less than; E, estimated; M, presence verified but not quantified. Value qualifier codes: b, value extrapolated at low end; c, see result laboratory comment; d, diluted sample: method hi range exceeded; m, value is highly variable by this method; n, below the LRL and above the LT-MDL; t, below the long-term MDL.]

Date	Metola- chlor, water, fltrd, (39415)	Metri- buzin, water, fltrd, (82630)	Mirex, water, unfltrd, (39755)	Myclo- butanil, water, fltrd, (61599)	Nitro- benzene, water, unfltrd, (34447)	N- Nitroso -di- methyl- amine, wat unf (34438)	N- Nitroso -di- n- propyl- amine, wat unf (34428)	N- Nitroso -di- phenyl- amine, wat unf (34433)	p,p'- DDD, water, unfltrd, (39360)	p,p'- DDE, water, unfltrd, (39365)	p,p'- DDT, water, unfltrd, (39370)	p,p'- Meth- oxy- chlor, water, unfltrd, (39480)	PCBs, water, unfltrd, (39516)
Jul 25...	<.010	<.012	<.006	<.010	<.21	<.33	<.4	<.4	<.016	<.014	<.010	<.002	<.1

## 404143073482701 Local number Q 3165. 1—Continued

**WATER-QUALITY DATA**  
**WATER YEAR OCTOBER 2007 TO SEPTEMBER 2008**

Part 12 of 20

[Remark codes: <, less than; E, estimated; M, presence verified but not quantified. Value qualifier codes: b, value extrapolated at low end; c, see result laboratory comment; d, diluted sample: method hi range exceeded; m, value is highly variable by this method; n, below the LRL and above the LT-MDL; t, below the long-term MDL.]

Date	Pendi- meth- alin, water, fltrd 0.7u GF µg/L (82683)	Penta- chloro- phenol, water, unfltrd µg/L (39032)	Phenan- threne, water, unfltrd µg/L (34461)	Phenol, water, unfltrd µg/L (34694)	Phorate oxon, water, fltrd, µg/L (61666)	Phorate water, fltrd 0.7u GF µg/L (82664)	Phosmet oxon, water, fltrd, µg/L (61668)	Phosmet water, fltrd, µg/L (61601)	Prome- ton, water, fltrd, µg/L (04037)	Prome- tryn, water, fltrd, µg/L (04036)	Propy- zamide, water, fltrd 0.7u GF µg/L (82676)	Pyrene, water, unfltrd µg/L (34469)	Sima- zine, water, fltrd, µg/L (04035)
Jul 25...	<.012	<.4mc	<.32	<.4	<.03mc	<.040	<.06mc	<.008mc	<.01	<.006	<.004	<.35	<.006

**WATER-QUALITY DATA**  
**WATER YEAR OCTOBER 2007 TO SEPTEMBER 2008**

Part 13 of 20

[Remark codes: <, less than; E, estimated; M, presence verified but not quantified. Value qualifier codes: b, value extrapolated at low end; c, see result laboratory comment; d, diluted sample: method hi range exceeded; m, value is highly variable by this method; n, below the LRL and above the LT-MDL; t, below the long-term MDL.]

Date	Tebu- thiuron water, fltrd 0.7u GF µg/L (82670)	Ter- bufos oxon sulfone water, fltrd, µg/L (61674)	Terbu- fos, water, fltrd 0.7u GF µg/L (82675)	Ter- buthyl- azine, water, fltrd, µg/L (04022)	tert- Amyl alcohol water, unfltrd µg/L (77073)	tert- Butyl- alcohol water, unfltrd µg/L (77035)	Toxa- phene, water, unfltrd µg/L (39400)	Tribu- phos, water, fltrd, µg/L (61610)	Tri- flur- alin, water, fltrd 0.7u GF µg/L (82661)	1,1,1,2 -Tetra- chloro- ethane, water, unfltrd µg/L (77562)	1,1,1- Tri- chloro- ethane, water, unfltrd µg/L (34506)	1,1,2,2 -Tetra- chloro- ethane, water, unfltrd µg/L (34516)	CFC-113 water, unfltrd µg/L (77652)
Jul 25...	<.02	<.04	<.02	<.01	<.6	<2.00	<1	<.035mc	<.009	<.04	.23	<.10	E.05b

**WATER-QUALITY DATA**  
**WATER YEAR OCTOBER 2007 TO SEPTEMBER 2008**

Part 14 of 20

[Remark codes: <, less than; E, estimated; M, presence verified but not quantified. Value qualifier codes: b, value extrapolated at low end; c, see result laboratory comment; d, diluted sample: method hi range exceeded; m, value is highly variable by this method; n, below the LRL and above the LT-MDL; t, below the long-term MDL.]

Date	1,1,2- Tri- chloro- ethane, water, unfltrd µg/L (34511)	1,1-Di- chloro- ethane, water, unfltrd µg/L (34496)	1,1-Di- chloro- ethene, water, unfltrd µg/L (34501)	1,1-Di- chloro- propene water, unfltrd µg/L (77168)	1,2,3,4 -Tetra- methyl- benzene water, unfltrd µg/L (49999)	1,2,3,5 -Tetra- methyl- benzene water, unfltrd µg/L (50000)	1,2,3- Tri- chloro- benzene water, unfltrd µg/L (77613)	1,2,3- Tri- chloro- propane water, unfltrd µg/L (77443)	1,2,3- Tri- methyl- benzene water, unfltrd µg/L (77221)	1,2,4- Tri- chloro- benzene water, unfltrd µg/L (34551)	1,2,4- Tri- methyl- benzene water, unfltrd µg/L (77222)	Dibromo chloro- propane water, unfltrd µg/L (82625)	1,2-Di- bromo- ethane, water, unfltrd µg/L (77651)
Jul 25...	<.06	<.04	<.03	<.04	<.1	<.1	<.1	<.12	<.1	<.1	<.04	<.5	<.04

## 404143073482701 Local number Q 3165. 1—Continued

**WATER-QUALITY DATA**  
**WATER YEAR OCTOBER 2007 TO SEPTEMBER 2008**

Part 15 of 20

[Remark codes: <, less than; E, estimated; M, presence verified but not quantified. Value qualifier codes: b, value extrapolated at low end; c, see result laboratory comment; d, diluted sample: method hi range exceeded; m, value is highly variable by this method; n, below the LRL and above the LT-MDL; t, below the long-term MDL.]

Date	1,2-Di-chloro-benzene water, unfltrd	1,2-Di-chloro-ethane, water, unfltrd	1,2-Di-chloro-propane, water, unfltrd	1,3,5-Tri-methyl-benzene, water, unfltrd	1,3-Di-chloro-benzene, water, unfltrd	1,3-Di-chloro-propane, water, unfltrd	1,4-Di-chloro-benzene, water, unfltrd	2,2-Di-chloro-propane, water, unfltrd	2-Chloro-toluene, water, unfltrd	2-Ethyl-toluene, water, unfltrd	3-Chloro-propene, water, unfltrd	4-Chloro-toluene, water, unfltrd	4-Iso-propyl-toluene, water, unfltrd
	µg/L (34536)	µg/L (32103)	µg/L (34541)	µg/L (77226)	µg/L (34566)	µg/L (77173)	µg/L (34571)	µg/L (77170)	µg/L (77275)	µg/L (77220)	µg/L (78109)	µg/L (77277)	µg/L (77356)
Jul 25...	<.02	<.1	<.02	<.04	<.04	<.1	<.02	<.06	<.04	<.04	<.08mc	<.04	<.08

**WATER-QUALITY DATA**  
**WATER YEAR OCTOBER 2007 TO SEPTEMBER 2008**

Part 16 of 20

[Remark codes: <, less than; E, estimated; M, presence verified but not quantified. Value qualifier codes: b, value extrapolated at low end; c, see result laboratory comment; d, diluted sample: method hi range exceeded; m, value is highly variable by this method; n, below the LRL and above the LT-MDL; t, below the long-term MDL.]

Date	Acetone water, unfltrd	Acrylo-nitrile, water, unfltrd	Benzene, water, unfltrd	Bromo-benzene, water, unfltrd	Bromo-chloro-methane, water, unfltrd	Bromo-di-chloro-methane, water, unfltrd	Bromo-ethene, water, unfltrd	Tri-bromo-methane, water, unfltrd	Bromo-methane, water, unfltrd	Carbon di-sulfide, water, unfltrd	Chloro-benzene, water, unfltrd	Chloro-ethane, water, unfltrd	Chloro-methane, water, unfltrd
	µg/L (81552)	µg/L (34215)	µg/L (34030)	µg/L (81555)	µg/L (77297)	µg/L (32101)	µg/L (50002)	µg/L (32104)	µg/L (34413)	µg/L (77041)	µg/L (34301)	µg/L (34311)	µg/L (34418)
Jul 25...	<4	<.4	<.02	<.02	<.06	<.04	<.1	<.08	<.4mc	<.06	<.02	<.1	<.1mc

**WATER-QUALITY DATA**  
**WATER YEAR OCTOBER 2007 TO SEPTEMBER 2008**

Part 17 of 20

[Remark codes: <, less than; E, estimated; M, presence verified but not quantified. Value qualifier codes: b, value extrapolated at low end; c, see result laboratory comment; d, diluted sample: method hi range exceeded; m, value is highly variable by this method; n, below the LRL and above the LT-MDL; t, below the long-term MDL.]

Date	cis-1,2-Di-chloro-ethene, water, unfltrd	cis-1,3-Di-chloro-propene, water, unfltrd	Di-bromo-chloro-methane, water, unfltrd	Di-bromo-methane, water, unfltrd	Di-chloro-fluoro-methane, water, unfltrd	Di-chloro-methane, water, unfltrd	Di-ethyl-ether, water, unfltrd	Diiso-propyl-ether, water, unfltrd	Ethyl-methac-rylate, water, unfltrd	Ethyl-methyl-ketone, water, unfltrd	Ethyl-benzene, water, unfltrd	Hexa-chloro-buta-diene, water, unfltrd	Hexa-chloro-ethane, water, unfltrd
	µg/L (77093)	µg/L (34704)	µg/L (32105)	µg/L (30217)	µg/L (34668)	µg/L (34423)	µg/L (81576)	µg/L (81577)	µg/L (73570)	µg/L (81595)	µg/L (34371)	µg/L (39702)	µg/L (34396)
Jul 25...	E.03b	<.10	<.1	<.04	<.14mc	E.1b	<.1	<.06	<.1	<.16	<.04	<.1	<.1

404143073482701 Local number Q 3165. 1—Continued

**WATER-QUALITY DATA**  
**WATER YEAR OCTOBER 2007 TO SEPTEMBER 2008**

Part 18 of 20

[Remark codes: <, less than; E, estimated; M, presence verified but not quantified. Value qualifier codes: b, value extrapolated at low end; c, see result laboratory comment; d, diluted sample: method hi range exceeded; m, value is highly variable by this method; n, below the LRL and above the LT-MDL; t, below the long-term MDL.]

Date	Iodo-methane water, unfltrd µg/L (77424)	Iso-butyl methyl ketone, water, unfltrd µg/L (78133)	Iso-propyl benzene water, unfltrd µg/L (77223)	Methyl acrylo-nitrile water, unfltrd µg/L (81593)	Methyl acryl-ate, water, unfltrd µg/L (49991)	Methyl methac-rylate, water, unfltrd µg/L (81597)	Methyl tert-pentyl ether, water, unfltrd µg/L (50005)	meta-+ para-Xylene, water, unfltrd µg/L (85795)	Naphth-alene, water, unfltrd µg/L (34696)	Methyl n-butyl ketone, water, unfltrd µg/L (77103)	n-Butyl benzene water, unfltrd µg/L (77342)	n-Propyl benzene water, unfltrd µg/L (77224)	o-Xylene, water, unfltrd µg/L (77135)
Jul 25...	<.40mc	<.4	<.04	<.2	<.6	<.2	<.06	<.08	<.2	<.6	<.1	<.04	<.04

**WATER-QUALITY DATA**  
**WATER YEAR OCTOBER 2007 TO SEPTEMBER 2008**

Part 19 of 20

[Remark codes: <, less than; E, estimated; M, presence verified but not quantified. Value qualifier codes: b, value extrapolated at low end; c, see result laboratory comment; d, diluted sample: method hi range exceeded; m, value is highly variable by this method; n, below the LRL and above the LT-MDL; t, below the long-term MDL.]

Date	sec-Butyl-benzene water, unfltrd µg/L (77350)	Styrene water, unfltrd µg/L (77128)	t-Butyl ethyl ether, water, unfltrd µg/L (50004)	Methyl t-butyl ether, water, unfltrd µg/L (78032)	tert-Butyl-benzene water, unfltrd µg/L (77353)	Tetra-chloro-ethene, water, unfltrd µg/L (34475)	Tetra-chloro-methane, water, unfltrd µg/L (32102)	Tetra-hydro-furan, water, unfltrd µg/L (81607)	Toluene water, unfltrd µg/L (34010)	trans-1,2-Di-chloro-ethene, water, unfltrd µg/L (34546)	trans-1,3-Di-chloro-propene, water, unfltrd µg/L (34699)	trans-1,4-Di-chloro-2-butene, wat unf µg/L (73547)	Tri-chloro-ethene, water, unfltrd µg/L (39180)
Jul 25...	<.04	<.04	<.04	<.1	<.06	11.7	<.08	<.1	<.02	<.02	<.10	<.6	.56

**WATER-QUALITY DATA**  
**WATER YEAR OCTOBER 2007 TO SEPTEMBER 2008**

Part 20 of 20

[Remark codes: <, less than; E, estimated; M, presence verified but not quantified. Value qualifier codes: b, value extrapolated at low end; c, see result laboratory comment; d, diluted sample: method hi range exceeded; m, value is highly variable by this method; n, below the LRL and above the LT-MDL; t, below the long-term MDL.]

Date	Tri-chloro-fluoro-methane water, unfltrd µg/L (34488)	Tri-chloro-methane water, unfltrd µg/L (32106)	Vinyl chlor-ide, water, unfltrd µg/L (39175)	Di-chlor-vo-s, water, fltrd, µg/L (38775)
Jul 25...	1.20	2.39	<.1	<.01mc