



Water-Data Report 2009

252650080252401 Local number G -3856

Biscayne aquifer
 Biscayne Limestone Aquifer
 Miami-Dade County, FL

LOCATION.--Lat 25°26'50.49", long 80°25'24.58" referenced to North American Datum of 1983, in NW ¼ NE ¼ NW ¼ sec.27, T.57 S., R.39 E., Miami-Dade County, FL, Hydrologic Unit 03090202, 3/4 mile west of the intersection of SW 139 Court and Palm Drive, 160 ft south of Palm Drive.

WATER-QUALITY RECORDS

WELL CHARACTERISTICS.--Depth 85 ft. Upper casing diameter 2 in.; top of first opening 80 ft, bottom of last opening 85 ft.

DATUM.--Land-surface datum is 6 ft above National Geodetic Vertical Datum of 1929. Measuring point: Top of casing, 8.20 ft above National Geodetic Vertical Datum of 1929 (NGVD), June 15, 2009, to present. From Nov. 21, 2007, to June 15, 2009, Top of casing was 6.00 ft above NGVD. See REMARKS.

PERIOD OF RECORD.--November 2007 to current year. See REMARKS.

REVISED RECORD.-- Records of bulk conductivity were revised for the water year 2009 by removing a correction that was not needed. The correction removed was a 1.33 multiplier to bulk conductivities that had been applied to adjust for a mislabeled calibration coil. The specific coil used, however, did not require this correction. Revised bulk conductivities are approximately 75% lower than originally published for 2009.

INSTRUMENTATION.--Measurement with electronic tape. Intermittent profiles with induction logger. See REMARKS

REMARKS.--This station is used for salinity monitoring. Induction logs were collected intermittently. Well was reconstructed on June 15, 2009 to raise the top of casing above land surface. A comprehensive water quality sample was collected on Aug. 18, 2009 as part of a hydrologic investigation concerning the extent and origin of saltwater in the aquifer. Induction logs are used to assess the movement of the fresh-water/salt-water interface in ground water. See [RECORDS OF BULK CONDUCTIVITY](#).

**WATER-QUALITY DATA
 WATER YEAR OCTOBER 2008 TO SEPTEMBER 2009**

Part 1 of 2

Date	Time	Dis- solved oxygen, mg/L (00300)	pH, water, unfltrd field, std units (00400)	Specif- ic conduc- tance, wat unf μS/cm @ 25 degC (00095)	Temper- ature, deg C (00010)	Turbid- ity, wat unf lab, Hach 2100AN NTU (99872)	Elev- ation, feet above NGVD (72020)	Calcium water, fltrd, mg/L (00915)	Magnes- ium, water, fltrd, mg/L (00925)	Potas- sium, water, fltrd, mg/L (00935)	Sodium, water, fltrd, mg/L (00930)	Alka- linity, wat flt inf tit field, mg/L as CaCO3 (39086)	Bicar- bonate, wat flt inf pt titr., field, mg/L (00453)
Aug 18-18	1501	1.0	7.1	2,410	24.2	.1	2.44	120	21.1	8.66	258	170	207

WATER-QUALITY DATA
WATER YEAR OCTOBER 2008 TO SEPTEMBER 2009


Part 2 of 2

Date	Bromide water, fltrd, mg/L (71870)	Chlor- ide, water, fltrd, mg/L (00940)	Fluor- ide, water, fltrd, mg/L (00950)	Silica, water, fltrd, mg/L as SiO2 (00955)	Sulfate water, fltrd, mg/L (00945)	Barium, water, fltrd, µg/L (01005)	Iron, water, fltrd, µg/L (01046)	Stront- ium, water, fltrd, µg/L (01080)	Boron, water, fltrd, µg/L (01020)	Tritium water, unfltrd, pCi/L (07000)	Uranium natural water, fltrd, µg/L (22703)
Aug 18-18	1.86	533	.15	3.4	47.9	35	3	1,500	69	7.7	1.46

252650080252401 Local number G -3856—Continued



WY 2009 Induction log results
Station: USGS 252650080252401
Local name: G -3856



**INDUCTION LOG DATES,
 ASSOCIATED CHLORIDE SAMPLE DATES**

Induction log date	Chloride sample date	Dissolved chloride concentration, in mg/L
Apr. 28, 2008	- no sample -	--
Feb. 26, 2008	- no sample -	--
Nov. 21, 2007	- no sample -	--