



Water-Data Report 2010

404216073442302 Local number Q 2276. 1

Northern Atlantic Coastal Plain aquifer system
Magothy Aquifer

Queens County, NY

LOCATION.--Lat 40°42'16", long 73°44'23" referenced to North American Datum of 1927, Queens County, NY, Hydrologic Unit 02030202.

WATER-QUALITY RECORDS

WELL CHARACTERISTICS.--Depth 341 ft. Top of first opening 305 ft, bottom of last opening 345 ft.

DATUM.--Land-surface datum is 55 ft above National Geodetic Vertical Datum of 1929.

WATER-QUALITY DATA

WATER YEAR OCTOBER 2009 TO SEPTEMBER 2010

Part 1 of 28

[ANC, acid neutralizing capacity; CaCO₃, calcium carbonate; N, nitrogen; NTU, nephelometric turbidity unit; P, phosphorus; PCBs, polychlorinated biphenyls; SiO₂, silicon dioxide; mg/L, milligrams per liter; nm, nanometers; °C, degrees Celsius; µS/cm, microsiemens per centimeter; µg/L, micrograms per liter; <, less than; E, estimated]

Date	Sample start time	Dissolved oxygen, water, unfiltered, mg/L (00300)	pH, water, unfiltered, field, standard units (00400)	Specific conductance, water, unfiltered, µS/cm at 25°C (00095)	Temperature, water, °C (00010)	Turbidity, water, unfiltered, broad band light source (400-680 nm), detection angle 90 +/- 30 degrees to incident light, NTU (63675)	Dissolved solids dried at 180°C, water, filtered, mg/L (70300)	Calcium, water, unfiltered, recoverable, mg/L (00916)	Magnesium, water, unfiltered, recoverable, mg/L (00927)	Potassium, water, unfiltered, recoverable, mg/L (00937)
08-20-2010	1100	6.5	5.8	160	13.2	1.6	106	9.04	5.35	1.04

404216073442302 Local number Q 2276. 1—Continued

WATER-QUALITY DATA
WATER YEAR OCTOBER 2009 TO SEPTEMBER 2010

Part 2 of 28

[ANC, acid neutralizing capacity; CaCO₃, calcium carbonate; N, nitrogen; NTU, nephelometric turbidity unit; P, phosphorus; PCBs, polychlorinated biphenyls; SiO₂, silicon dioxide; mg/L, milligrams per liter; nm, nanometers; °C, degrees Celsius; µS/cm, microsiemens per centimeter; µg/L, micrograms per liter; <, less than; E, estimated]

Date	Sample start time	Sodium, water, unfiltered, recoverable, mg/L (00929)	ANC, water, unfiltered, fixed endpoint titration, mg/L as CaCO ₃ (90410)	Chloride, water, filtered, mg/L (00940)	Fluoride, water, filtered, mg/L (00950)	Silica, water, filtered, mg/L as SiO ₂ (00955)	Sulfate, water, filtered, mg/L (00945)	Ammonia, water, filtered, mg/L as N (00608)	Nitrate plus nitrite, water, filtered, mg/L as N (00631)	Nitrite, water, filtered, mg/L as N (00613)
08-20-2010	1100	9.46	15.8	15.6	< .08	15.2	4.08	< .020	8.44	< .002

WATER-QUALITY DATA
WATER YEAR OCTOBER 2009 TO SEPTEMBER 2010

Part 3 of 28

[ANC, acid neutralizing capacity; CaCO₃, calcium carbonate; N, nitrogen; NTU, nephelometric turbidity unit; P, phosphorus; PCBs, polychlorinated biphenyls; SiO₂, silicon dioxide; mg/L, milligrams per liter; nm, nanometers; °C, degrees Celsius; µS/cm, microsiemens per centimeter; µg/L, micrograms per liter; <, less than; E, estimated]

Date	Sample start time	Orthophosphate, water, filtered, mg/L as P (00671)	Barium, water, unfiltered, recoverable, µg/L (01007)	Cadmium, water, unfiltered, µg/L (01027)	Chromium, water, unfiltered, recoverable, µg/L (01034)	Copper, water, unfiltered, recoverable, µg/L (01042)	Iron, water, filtered, µg/L (01046)	Iron, water, unfiltered, recoverable, µg/L (01045)	Lead, water, unfiltered, recoverable, µg/L (01051)	Manganese, water, filtered, µg/L (01056)
08-20-2010	1100	0.014	5.38	< .040	E .24	21.6	E 5.5	E 6.0	1.33	0.66

WATER-QUALITY DATA
WATER YEAR OCTOBER 2009 TO SEPTEMBER 2010

Part 4 of 28

[ANC, acid neutralizing capacity; CaCO₃, calcium carbonate; N, nitrogen; NTU, nephelometric turbidity unit; P, phosphorus; PCBs, polychlorinated biphenyls; SiO₂, silicon dioxide; mg/L, milligrams per liter; nm, nanometers; °C, degrees Celsius; µS/cm, microsiemens per centimeter; µg/L, micrograms per liter; <, less than; E, estimated]

Date	Sample start time	Manganese, water, unfiltered, recoverable, µg/L (01055)	Mercury, water, unfiltered, recoverable, µg/L (71900)	Silver, water, unfiltered, recoverable, µg/L (01077)	Zinc, water, unfiltered, recoverable, µg/L (01092)	Arsenic, water, unfiltered, µg/L (01002)	Selenium, water, unfiltered, µg/L (01147)	1,2,3-Trichloropropane, water, unfiltered, recoverable, µg/L (77443)	1,2-Dibromo-3-chloropropane, water, unfiltered, recoverable, µg/L (82625)	1,2-Dibromoethane, water, unfiltered, recoverable, µg/L (77651)
08-20-2010	1100	E .5	< .010	< .016	E 1.6	0.20	0.457	< .120	< .340	< .050

404216073442302 Local number Q 2276. 1—Continued

WATER-QUALITY DATA
WATER YEAR OCTOBER 2009 TO SEPTEMBER 2010

Part 5 of 28

[ANC, acid neutralizing capacity; CaCO₃, calcium carbonate; N, nitrogen; NTU, nephelometric turbidity unit; P, phosphorus; PCBs, polychlorinated biphenyls; SiO₂, silicon dioxide; mg/L, milligrams per liter; nm, nanometers; °C, degrees Celsius; µS/cm, microsiemens per centimeter; µg/L, micrograms per liter; <, less than; E, estimated]

Date	Sample start time	1,2-Dichloroethane, water, unfiltered, recoverable, µg/L (32103)	1,2-Dichloropropane, water, unfiltered, recoverable, µg/L (34541)	1,3-Dichloropropane, water, unfiltered, recoverable, µg/L (77173)	1,4-Dichlorobenzene, water, unfiltered, recoverable, µg/L (34571)	1-Naphthol, water, (0.7 micron glass fiber filter), recoverable, µg/L (49295)	2,4,6-Trichlorophenol, water, unfiltered, recoverable, µg/L (34621)	2,4-Dichlorophenol, water, unfiltered, recoverable, µg/L (34601)	2,4-Dimethylphenol, water, unfiltered, recoverable, µg/L (34606)	2,6-Diethylaniline, water, (0.7 micron glass fiber filter), recoverable, µg/L (82660)
08-20-2010	1100	< .08	< .0260	< .06	< .026	< .0360	< .34	< .36	< .8	< .0060

WATER-QUALITY DATA
WATER YEAR OCTOBER 2009 TO SEPTEMBER 2010

Part 6 of 28

[ANC, acid neutralizing capacity; CaCO₃, calcium carbonate; N, nitrogen; NTU, nephelometric turbidity unit; P, phosphorus; PCBs, polychlorinated biphenyls; SiO₂, silicon dioxide; mg/L, milligrams per liter; nm, nanometers; °C, degrees Celsius; µS/cm, microsiemens per centimeter; µg/L, micrograms per liter; <, less than; E, estimated]

Date	Sample start time	2-Chloro-2',6'-diethylacetanilide, water, filtered, recoverable, µg/L (61618)	2-Chloro-4-isopropylamino-6-amino-s-triazine, water, filtered, recoverable, µg/L (04040)	2-Ethyl-6-methylaniline, water, filtered, recoverable, µg/L (61620)	2-Methyl-4,6-dinitrophenol, water, unfiltered, recoverable, µg/L (34657)	3,4-Dichloroaniline, water, filtered, recoverable, µg/L (61625)	3-Chloropropene, water, unfiltered, recoverable, µg/L (78109)	4-Chloro-2-methylphenol, water, filtered, recoverable, µg/L (61633)	4-Chloro-3-methylphenol, water, filtered, recoverable, µg/L (34452)	4-Nitrophenol, water, unfiltered, recoverable, µg/L (34646)
08-20-2010	1100	< .010	< .014	< .010	< 0.76	< .0042	< .08	< .0032	< .55	< .51

404216073442302 Local number Q 2276. 1—Continued

WATER-QUALITY DATA
WATER YEAR OCTOBER 2009 TO SEPTEMBER 2010

Part 7 of 28

[ANC, acid neutralizing capacity; CaCO₃, calcium carbonate; N, nitrogen; NTU, nephelometric turbidity unit; P, phosphorus; PCBs, polychlorinated biphenyls; SiO₂, silicon dioxide; mg/L, milligrams per liter; nm, nanometers; °C, degrees Celsius; µS/cm, microsiemens per centimeter; µg/L, micrograms per liter; <, less than; E, estimated]

Date	Sample start time	Aceto-chlor, water, filtered, recoverable, µg/L (49260)	Acrylo-nitrile, water, unfiltered, recoverable, µg/L (34215)	Alachlor, water, filtered, recoverable, µg/L (46342)	Aldrin, water, unfiltered, recoverable, µg/L (39330)	alpha-Endo-sulfan, water, unfiltered, recoverable, µg/L (39388)	Atrazine, water, filtered, recoverable, µg/L (39632)	Azinphos-methyl oxygen analog, water, filtered, recoverable, µg/L (61635)	Azinphos-methyl, water, filtered (0.7 micron glass fiber filter), recoverable, µg/L (82686)	Benfluralin, water, filtered (0.7 micron glass fiber filter), recoverable, µg/L (82673)
08-20-2010	1100	< .010	< .80	< .008	< .013	< .012	< .007	< .042	< .120	< .014

WATER-QUALITY DATA
WATER YEAR OCTOBER 2009 TO SEPTEMBER 2010

Part 8 of 28

[ANC, acid neutralizing capacity; CaCO₃, calcium carbonate; N, nitrogen; NTU, nephelometric turbidity unit; P, phosphorus; PCBs, polychlorinated biphenyls; SiO₂, silicon dioxide; mg/L, milligrams per liter; nm, nanometers; °C, degrees Celsius; µS/cm, microsiemens per centimeter; µg/L, micrograms per liter; <, less than; E, estimated]

Date	Sample start time	Bromo-methane, water, unfiltered, recoverable, µg/L (34413)	Carbaryl, water, filtered (0.7 micron glass fiber filter), recoverable, µg/L (82680)	Carbon disulfide, water, unfiltered, recoverable, µg/L (77041)	Chlordane (technical), water, unfiltered, recoverable, µg/L (39350)	Chlorpyrifos oxygen analog, water, filtered, recoverable, µg/L (61636)	Chlorpyrifos, water, filtered, recoverable, µg/L (38933)	cis-1,3-Dichloro-propene, water, unfiltered, recoverable, µg/L (34704)	cis-Permeth-rin, water, filtered (0.7 micron glass fiber filter), recoverable, µg/L (82687)	Cyfluthrin, water, filtered, recoverable, µg/L (61585)
08-20-2010	1100	< .2	< .060	< 0.04	< .1	< .05	< .0100	< .10	< .014	< .016

404216073442302 Local number Q 2276. 1—Continued

WATER-QUALITY DATA

WATER YEAR OCTOBER 2009 TO SEPTEMBER 2010

Part 9 of 28

[ANC, acid neutralizing capacity; CaCO₃, calcium carbonate; N, nitrogen; NTU, nephelometric turbidity unit; P, phosphorus; PCBs, polychlorinated biphenyls; SiO₂, silicon dioxide; mg/L, milligrams per liter; nm, nanometers; °C, degrees Celsius; µS/cm, microsiemens per centimeter; µg/L, micrograms per liter; <, less than; E, estimated]

Date	Sample start time	Cypermethrin, water, filtered, recoverable, µg/L (61586)	DCPA, water, filtered (0.7 micron glass fiber filter), recoverable, µg/L (82682)	Desulfinyl-fipronil amide, water, filtered, recoverable, µg/L (62169)	Desulfinyl-fipronil, water, filtered, recoverable, µg/L (62170)	Diazinon, water, filtered, recoverable, µg/L (39572)	Dichlorvos, water, filtered, recoverable, µg/L (38775)	Dicrotophos, water, filtered, recoverable, µg/L (38454)	Dieldrin, water, filtered, recoverable, µg/L (39381)	Dieldrin, water, unfiltered, recoverable, µg/L (39380)
08-20-2010	1100	< .020	< .0076	< .029	< .012	< .0050	< .02	< .08	< .009	< .008

WATER-QUALITY DATA

WATER YEAR OCTOBER 2009 TO SEPTEMBER 2010

Part 10 of 28

[ANC, acid neutralizing capacity; CaCO₃, calcium carbonate; N, nitrogen; NTU, nephelometric turbidity unit; P, phosphorus; PCBs, polychlorinated biphenyls; SiO₂, silicon dioxide; mg/L, milligrams per liter; nm, nanometers; °C, degrees Celsius; µS/cm, microsiemens per centimeter; µg/L, micrograms per liter; <, less than; E, estimated]

Date	Sample start time	Dimethoate, water, filtered (0.7 micron glass fiber filter), recoverable, µg/L (82662)	Endrin, water, unfiltered, recoverable, µg/L (39390)	Ethion monoxon, water, filtered, recoverable, µg/L (61644)	Ethion, water, filtered, recoverable, µg/L (82346)	Fenamiphos sulfone, water, filtered, recoverable, µg/L (61645)	Fenamiphos sulfoxide, water, filtered, recoverable, µg/L (61646)	Fenamiphos, water, filtered, recoverable, µg/L (61591)	Fipronil sulfide, water, filtered, recoverable, µg/L (62167)	Fipronil, water, filtered, recoverable, µg/L (62166)
08-20-2010	1100	< .0060	< .012	< .021	< .008	< .053	< .08	< .030	< .013	< .018

WATER-QUALITY DATA

WATER YEAR OCTOBER 2009 TO SEPTEMBER 2010

Part 11 of 28

[ANC, acid neutralizing capacity; CaCO₃, calcium carbonate; N, nitrogen; NTU, nephelometric turbidity unit; P, phosphorus; PCBs, polychlorinated biphenyls; SiO₂, silicon dioxide; mg/L, milligrams per liter; nm, nanometers; °C, degrees Celsius; µS/cm, microsiemens per centimeter; µg/L, micrograms per liter; <, less than; E, estimated]

Date	Sample start time	Fonofos, water, filtered, recoverable, µg/L (04095)	Heptachlor epoxide, water, unfiltered, recoverable, µg/L (39420)	Heptachlor, water, unfiltered, recoverable, µg/L (39410)	Hexachlorobenzene, water, unfiltered, recoverable, µg/L (39700)	Hexazinone, water, filtered, recoverable, µg/L (04025)	Iodomethane, water, unfiltered, recoverable, µg/L (77424)	Iprodione, water, filtered, recoverable, µg/L (61593)	Isofenphos, water, filtered, recoverable, µg/L (61594)	Lindane, water, unfiltered, recoverable, µg/L (39340)
08-20-2010	1100	< .0044	< .009	< .008	< .30	< .008	< .26	< .014	< .006	< .014

404216073442302 Local number Q 2276. 1—Continued

WATER-QUALITY DATA
WATER YEAR OCTOBER 2009 TO SEPTEMBER 2010

Part 12 of 28

[ANC, acid neutralizing capacity; CaCO₃, calcium carbonate; N, nitrogen; NTU, nephelometric turbidity unit; P, phosphorus; PCBs, polychlorinated biphenyls; SiO₂, silicon dioxide; mg/L, milligrams per liter; nm, nanometers; °C, degrees Celsius; µS/cm, microsiemens per centimeter; µg/L, micrograms per liter; <, less than; E, estimated]

Date	Sample start time	Malaoxon, water, filtered, recoverable, µg/L (61652)	Malathion, water, filtered, recoverable, µg/L (39532)	Metalaxyl, water, filtered, recoverable, µg/L (61596)	Methidathion, water, filtered, recoverable, µg/L (61598)	Methyl paraoxon, water, filtered, recoverable, µg/L (61664)	Methyl parathion, water, filtered (0.7 micron glass fiber filter), recoverable, µg/L (82667)	Metolachlor, water, filtered, recoverable, µg/L (39415)	Metribuzin, water, filtered, recoverable, µg/L (82630)	Mirex, water, unfiltered, recoverable, µg/L (39755)
08-20-2010	1100	< .080	< .016	< .007	< .006	< .010	< .008	< .014	< .012	< .0060

WATER-QUALITY DATA
WATER YEAR OCTOBER 2009 TO SEPTEMBER 2010

Part 13 of 28

[ANC, acid neutralizing capacity; CaCO₃, calcium carbonate; N, nitrogen; NTU, nephelometric turbidity unit; P, phosphorus; PCBs, polychlorinated biphenyls; SiO₂, silicon dioxide; mg/L, milligrams per liter; nm, nanometers; °C, degrees Celsius; µS/cm, microsiemens per centimeter; µg/L, micrograms per liter; <, less than; E, estimated]

Date	Sample start time	Myclobutanil, water, filtered, recoverable, µg/L (61599)	p,p'-DDD, water, unfiltered, recoverable, µg/L (39360)	p,p'-DDE, water, unfiltered, recoverable, µg/L (39365)	p,p'-DDT, water, unfiltered, recoverable, µg/L (39370)	p,p'-Methoxychlor, water, unfiltered, recoverable, µg/L (39480)	Pendi-methalin, water, filtered (0.7 micron glass fiber filter), recoverable, µg/L (82683)	Pentachlorophenol, water, unfiltered, recoverable, µg/L (39032)	Phorate oxygen analog, water, filtered, recoverable, µg/L (61666)	Phorate, water, filtered (0.7 micron glass fiber filter), recoverable, µg/L (82664)
08-20-2010	1100	< .010	< .016	< .014	< .010	< .002	< .012	< .6	< .027	< .020

404216073442302 Local number Q 2276. 1—Continued

WATER-QUALITY DATA
WATER YEAR OCTOBER 2009 TO SEPTEMBER 2010

Part 14 of 28

[ANC, acid neutralizing capacity; CaCO₃, calcium carbonate; N, nitrogen; NTU, nephelometric turbidity unit; P, phosphorus; PCBs, polychlorinated biphenyls; SiO₂, silicon dioxide; mg/L, milligrams per liter; nm, nanometers; °C, degrees Celsius; µS/cm, microsiemens per centimeter; µg/L, micrograms per liter; <, less than; E, estimated]

Date	Sample start time	Phosmet oxygen analog, water, filtered, recoverable, µg/L (61668)	Phosmet, water, filtered, recoverable, µg/L (61601)	Prometon, water, filtered, recoverable, µg/L (04037)	Prometryn, water, filtered, recoverable, µg/L (04036)	Propyz-amide, water, filtered, (0.7 micron glass fiber filter), recoverable, µg/L (82676)	Simazine, water, filtered, recoverable, µg/L (04035)	Tebu-thiuron, water, filtered, (0.7 micron glass fiber filter), recoverable, µg/L (82670)	Terbufos oxygen analog sulfone, water, filtered, recoverable, µg/L (61674)	Terbuthyl-azine, water, filtered, recoverable, µg/L (04022)
08-20-2010	1100	< .0511	< .034	< .012	< .006	< .0036	< .006	< .028	< .045	< .006

WATER-QUALITY DATA
WATER YEAR OCTOBER 2009 TO SEPTEMBER 2010

Part 15 of 28

[ANC, acid neutralizing capacity; CaCO₃, calcium carbonate; N, nitrogen; NTU, nephelometric turbidity unit; P, phosphorus; PCBs, polychlorinated biphenyls; SiO₂, silicon dioxide; mg/L, milligrams per liter; nm, nanometers; °C, degrees Celsius; µS/cm, microsiemens per centimeter; µg/L, micrograms per liter; <, less than; E, estimated]

Date	Sample start time	Toxa-phene, water, unfiltered, recoverable, µg/L (39400)	trans-1,3-Dichloro-propene, water, unfiltered, recoverable, µg/L (34699)	Tribuphos, water, filtered, recoverable, µg/L (61610)	Trifluralin, water, filtered, (0.7 micron glass fiber filter), recoverable, µg/L (82661)	PCBs, water, unfiltered, recoverable, µg/L (39516)	1,1,1,2-Tetra-chloro-ethane, water, unfiltered, recoverable, µg/L (77562)	1,1,1-Tri-chloro-ethane, water, unfiltered, recoverable, µg/L (34506)	1,1,2,2-Tetra-chloro-ethane, water, unfiltered, recoverable, µg/L (34516)	1,1,2-Trichloro-1,2,2-trifluoro-ethane, water, unfiltered, recoverable, µg/L (77652)
08-20-2010	1100	< 1	< .14	< .018	< .018	< .1	< .040	< .030	< .14	< .034

404216073442302 Local number Q 2276. 1—Continued

WATER-QUALITY DATA

WATER YEAR OCTOBER 2009 TO SEPTEMBER 2010

Part 16 of 28

[ANC, acid neutralizing capacity; CaCO₃, calcium carbonate; N, nitrogen; NTU, nephelometric turbidity unit; P, phosphorus; PCBs, polychlorinated biphenyls; SiO₂, silicon dioxide; mg/L, milligrams per liter; nm, nanometers; °C, degrees Celsius; µS/cm, microsiemens per centimeter; µg/L, micrograms per liter; <, less than; E, estimated]

Date	Sample start time	1,1,2-Trichloroethane, water, unfiltered, recoverable, µg/L (34511)	1,1-Dichloroethane, water, unfiltered, recoverable, µg/L (34496)	1,1-Dichloroethene, water, unfiltered, recoverable, µg/L (34501)	1,1-Dichloropropene, water, unfiltered, recoverable, µg/L (77168)	1,2,3,4-Tetramethylbenzene, water, unfiltered, recoverable, µg/L (49999)	1,2,3,5-Tetramethylbenzene, water, unfiltered, recoverable, µg/L (50000)	1,2,3-Trichlorobenzene, water, unfiltered, recoverable, µg/L (77613)	1,2,3-Trimethylbenzene, water, unfiltered, recoverable, µg/L (77221)	1,2,4-Trichlorobenzene, water, unfiltered, recoverable, µg/L (34551)
08-20-2010	1100	< .046	< .044	< .022	< .030	< .08	< .080	< .06	< .060	< .08

WATER-QUALITY DATA

WATER YEAR OCTOBER 2009 TO SEPTEMBER 2010

Part 17 of 28

[ANC, acid neutralizing capacity; CaCO₃, calcium carbonate; N, nitrogen; NTU, nephelometric turbidity unit; P, phosphorus; PCBs, polychlorinated biphenyls; SiO₂, silicon dioxide; mg/L, milligrams per liter; nm, nanometers; °C, degrees Celsius; µS/cm, microsiemens per centimeter; µg/L, micrograms per liter; <, less than; E, estimated]

Date	Sample start time	1,2,4-Trimethylbenzene, water, unfiltered, recoverable, µg/L (77222)	1,2-Dichlorobenzene, water, unfiltered, recoverable, µg/L (34536)	1,2-Diphenylhydrazine, water, unfiltered, recoverable, µg/L (82626)	1,3,5-Trimethylbenzene, water, unfiltered, recoverable, µg/L (77226)	1,3-Dichlorobenzene, water, unfiltered, recoverable, µg/L (34566)	2,2-Dichloropropane, water, unfiltered, recoverable, µg/L (77170)	2,4-Dinitrophenol, water, unfiltered, recoverable, µg/L (34616)	2,4-Dinitrotoluene, water, unfiltered, recoverable, µg/L (34611)	2,6-Dinitrotoluene, water, unfiltered, recoverable, µg/L (34626)
08-20-2010	1100	< .032	< .028	< .30	< .032	< .024	< .06	< 1	< .56	< .4

WATER-QUALITY DATA

WATER YEAR OCTOBER 2009 TO SEPTEMBER 2010

Part 18 of 28

[ANC, acid neutralizing capacity; CaCO₃, calcium carbonate; N, nitrogen; NTU, nephelometric turbidity unit; P, phosphorus; PCBs, polychlorinated biphenyls; SiO₂, silicon dioxide; mg/L, milligrams per liter; nm, nanometers; °C, degrees Celsius; µS/cm, microsiemens per centimeter; µg/L, micrograms per liter; <, less than; E, estimated]

Date	Sample start time	2-Chloronaphthalene, water, unfiltered, recoverable, µg/L (34581)	2-Chlorophenol, water, unfiltered, recoverable, µg/L (34586)	2-Chlorotoluene, water, unfiltered, recoverable, µg/L (77275)	2-Ethyltoluene, water, unfiltered, recoverable, µg/L (77220)	2-Nitrophenol, water, unfiltered, recoverable, µg/L (34591)	3,3'-Dichlorobenzidine, water, unfiltered, recoverable, µg/L (34631)	4-Bromophenyl phenyl ether, water, unfiltered, recoverable, µg/L (34636)	4-Chlorophenyl phenyl ether, water, unfiltered, recoverable, µg/L (34641)	4-Chlorotoluene, water, unfiltered, recoverable, µg/L (77277)
08-20-2010	1100	< .16	< .26	< .028	< .032	< .4	< .42	< .24	< .34	< .042

404216073442302 Local number Q 2276. 1—Continued

WATER-QUALITY DATA
WATER YEAR OCTOBER 2009 TO SEPTEMBER 2010

Part 19 of 28

[ANC, acid neutralizing capacity; CaCO₃, calcium carbonate; N, nitrogen; NTU, nephelometric turbidity unit; P, phosphorus; PCBs, polychlorinated biphenyls; SiO₂, silicon dioxide; mg/L, milligrams per liter; nm, nanometers; °C, degrees Celsius; µS/cm, microsiemens per centimeter; µg/L, micrograms per liter; <, less than; E, estimated]

Date	Sample start time	4-Iso-propyl-toluene, water, unfiltered, recoverable, µg/L (77356)	9H-Fluorene, water, unfiltered, recoverable, µg/L (34381)	Acenaph-thene, water, unfiltered, recoverable, µg/L (34205)	Acenaph-thylene, water, unfiltered, recoverable, µg/L (34200)	Acetone, water, unfiltered, recoverable, µg/L (81552)	Anthra-cene, water, unfiltered, recoverable, µg/L (34220)	Benzene, water, unfiltered, recoverable, µg/L (34030)	Benzo[a]-anthra-cene, water, unfiltered, recoverable, µg/L (34526)	Benzo[a]-pyrene, water, unfiltered, recoverable, µg/L (34247)
08-20-2010	1100	< .06	< .33	< .28	< .30	< 3.4	< .39	< .026	< .26	< .33

WATER-QUALITY DATA
WATER YEAR OCTOBER 2009 TO SEPTEMBER 2010

Part 20 of 28

[ANC, acid neutralizing capacity; CaCO₃, calcium carbonate; N, nitrogen; NTU, nephelometric turbidity unit; P, phosphorus; PCBs, polychlorinated biphenyls; SiO₂, silicon dioxide; mg/L, milligrams per liter; nm, nanometers; °C, degrees Celsius; µS/cm, microsiemens per centimeter; µg/L, micrograms per liter; <, less than; E, estimated]

Date	Sample start time	Benzo[a]-fluor-anthene, water, unfiltered, recoverable, µg/L (34230)	Benzo-[ghi]-perylene, water, unfiltered, recoverable, µg/L (34521)	Benzo[k]-fluoran-thene, water, unfiltered, recoverable, µg/L (34242)	Benzyl n-butyl phthalate, water, unfiltered, recoverable, µg/L (34292)	Bis(2-chloro-ethoxy)-methane, water, unfiltered, recoverable, µg/L (34278)	Bis(2-chloro-ethyl) ether, water, unfiltered, recoverable, µg/L (34273)	Bis(2-chloro-isopropyl) ether, water, unfiltered, recoverable, µg/L (34283)	Bis(2-ethylhexyl) phthalate, water, unfiltered, recoverable, µg/L (39100)	Bromo-benzene, water, unfiltered, recoverable, µg/L (81555)
08-20-2010	1100	< .30	< .38	< .30	< 1.8	< .24	< .30	< .14	< 2.0	< .022

WATER-QUALITY DATA
WATER YEAR OCTOBER 2009 TO SEPTEMBER 2010

Part 21 of 28

[ANC, acid neutralizing capacity; CaCO₃, calcium carbonate; N, nitrogen; NTU, nephelometric turbidity unit; P, phosphorus; PCBs, polychlorinated biphenyls; SiO₂, silicon dioxide; mg/L, milligrams per liter; nm, nanometers; °C, degrees Celsius; µS/cm, microsiemens per centimeter; µg/L, micrograms per liter; <, less than; E, estimated]

Date	Sample start time	Bromo-chloro-methane, water, unfiltered, recoverable, µg/L (77297)	Bromo-dichloro-methane, water, unfiltered, recoverable, µg/L (32101)	Bromo-ethene, water, unfiltered, recoverable, µg/L (50002)	Chloro-benzene, water, unfiltered, recoverable, µg/L (34301)	Chloro-ethane, water, unfiltered, recoverable, µg/L (34311)	Chloro-methane, water, unfiltered, recoverable, µg/L (34418)	Chrysene, water, unfiltered, recoverable, µg/L (34320)	cis-1,2-Di-chloro-ethene, water, unfiltered, recoverable, µg/L (77093)	Dibenzo-[a,h]-anthra-cene, water, unfiltered, recoverable, µg/L (34556)
08-20-2010	1100	< .06	< .034	< .12	< .016	< .06	< .1	< .33	< .022	< .42

404216073442302 Local number Q 2276. 1—Continued

WATER-QUALITY DATA
WATER YEAR OCTOBER 2009 TO SEPTEMBER 2010

Part 22 of 28

[ANC, acid neutralizing capacity; CaCO₃, calcium carbonate; N, nitrogen; NTU, nephelometric turbidity unit; P, phosphorus; PCBs, polychlorinated biphenyls; SiO₂, silicon dioxide; mg/L, milligrams per liter; nm, nanometers; °C, degrees Celsius; µS/cm, microsiemens per centimeter; µg/L, micrograms per liter; <, less than; E, estimated]

Date	Sample start time	Dibromo-chloro-methane, water, unfiltered, recoverable, µg/L (32105)	Dibromo-methane, water, unfiltered, recoverable, µg/L (30217)	Dichloro-difluoro-methane, water, unfiltered, recoverable, µg/L (34668)	Dichloro-methane, water, unfiltered, recoverable, µg/L (34423)	Diethyl ether, water, unfiltered, recoverable, µg/L (81576)	Diethyl phthalate, water, unfiltered, recoverable, µg/L (34336)	Diiso-propyl ether, water, unfiltered, recoverable, µg/L (81577)	Dimethyl phthalate, water, unfiltered, recoverable, µg/L (34341)	Di-n-butyl phthalate, water, unfiltered, recoverable, µg/L (39110)
08-20-2010	1100	< .12	< .050	< .10	< .04	< .1	< .61	< .06	< .36	1.65

WATER-QUALITY DATA
WATER YEAR OCTOBER 2009 TO SEPTEMBER 2010

Part 23 of 28

[ANC, acid neutralizing capacity; CaCO₃, calcium carbonate; N, nitrogen; NTU, nephelometric turbidity unit; P, phosphorus; PCBs, polychlorinated biphenyls; SiO₂, silicon dioxide; mg/L, milligrams per liter; nm, nanometers; °C, degrees Celsius; µS/cm, microsiemens per centimeter; µg/L, micrograms per liter; <, less than; E, estimated]

Date	Sample start time	Di-n-octyl phthalate, water, unfiltered, recoverable, µg/L (34596)	Ethyl methacrylate, water, unfiltered, recoverable, µg/L (73570)	Ethyl methyl ketone, water, unfiltered, recoverable, µg/L (81595)	Ethyl-benzene, water, unfiltered, recoverable, µg/L (34371)	Fluoranthene, water, unfiltered, recoverable, µg/L (34376)	Hexa-chloro-butadiene, water, unfiltered, recoverable, µg/L (39702)	Hexa-chloro-cyclopentadiene, water, unfiltered, recoverable, µg/L (34386)	Hexa-chloro-ethane, water, unfiltered, recoverable, µg/L (34396)	Indeno-[1,2,3-cd]-pyrene, water, unfiltered, recoverable, µg/L (34403)
08-20-2010	1100	< .6	< .14	< 1.6	< .036	< .30	< .06	< .50	< .14	< .38

WATER-QUALITY DATA
WATER YEAR OCTOBER 2009 TO SEPTEMBER 2010

Part 24 of 28

[ANC, acid neutralizing capacity; CaCO₃, calcium carbonate; N, nitrogen; NTU, nephelometric turbidity unit; P, phosphorus; PCBs, polychlorinated biphenyls; SiO₂, silicon dioxide; mg/L, milligrams per liter; nm, nanometers; °C, degrees Celsius; µS/cm, microsiemens per centimeter; µg/L, micrograms per liter; <, less than; E, estimated]

Date	Sample start time	Isobutyl methyl ketone, water, unfiltered, recoverable, µg/L (78133)	Iso-phorone, water, unfiltered, recoverable, µg/L (34408)	Isopropyl-benzene, water, unfiltered, recoverable, µg/L (77223)	Methyl acetate, water, unfiltered, recoverable, µg/L (77032)	Methyl acrylate, water, unfiltered, recoverable, µg/L (49991)	Methyl acrylonitrile, water, unfiltered, recoverable, µg/L (81593)	Methyl methacrylate, water, unfiltered, recoverable, µg/L (81597)	Methyl tert-butyl ether, water, unfiltered, recoverable, µg/L (78032)	Methyl tert-pentyl ether, water, unfiltered, recoverable, µg/L (50005)
08-20-2010	1100	< .32	< .26	< .042	< .46	< .6	< .26	< .22	< .10	< .06

404216073442302 Local number Q 2276. 1—Continued

WATER-QUALITY DATA
WATER YEAR OCTOBER 2009 TO SEPTEMBER 2010

Part 25 of 28

[ANC, acid neutralizing capacity; CaCO₃, calcium carbonate; N, nitrogen; NTU, nephelometric turbidity unit; P, phosphorus; PCBs, polychlorinated biphenyls; SiO₂, silicon dioxide; mg/L, milligrams per liter; nm, nanometers; °C, degrees Celsius; µS/cm, microsiemens per centimeter; µg/L, micrograms per liter; <, less than; E, estimated]

Date	Sample start time	Methylene blue active substances, water, unfiltered, recoverable, mg/L (38260)	m-Xylene plus p-xylene, water, unfiltered, recoverable, µg/L (85795)	Naphthalene, water, unfiltered, recoverable, µg/L (34696)	n-Butyl methyl ketone, water, unfiltered, recoverable, µg/L (77103)	n-Butylbenzene, water, unfiltered, recoverable, µg/L (77342)	Nitrobenzene, water, unfiltered, recoverable, µg/L (34447)	N-Nitrosodimethylamine, water, unfiltered, recoverable, µg/L (34438)	N-Nitrosopropylamine, water, unfiltered, recoverable, µg/L (34428)	N-Nitrosophenylamine, water, unfiltered, recoverable, µg/L (34433)
08-20-2010	1100	< .100	< .08	< .18	< .5	< .08	< 0.26	< .24	< .4	< .28

WATER-QUALITY DATA
WATER YEAR OCTOBER 2009 TO SEPTEMBER 2010

Part 26 of 28

[ANC, acid neutralizing capacity; CaCO₃, calcium carbonate; N, nitrogen; NTU, nephelometric turbidity unit; P, phosphorus; PCBs, polychlorinated biphenyls; SiO₂, silicon dioxide; mg/L, milligrams per liter; nm, nanometers; °C, degrees Celsius; µS/cm, microsiemens per centimeter; µg/L, micrograms per liter; <, less than; E, estimated]

Date	Sample start time	n-Propylbenzene, water, unfiltered, recoverable, µg/L (77224)	o-Xylene, water, unfiltered, recoverable, µg/L (77135)	Phenanthrene, water, unfiltered, recoverable, µg/L (34461)	Phenol, water, unfiltered, recoverable, µg/L (34694)	Pyrene, water, unfiltered, recoverable, µg/L (34469)	sec-Butylbenzene, water, unfiltered, recoverable, µg/L (77350)	Styrene, water, unfiltered, recoverable, µg/L (77128)	tert-Amyl alcohol, water, unfiltered, recoverable, µg/L (77073)	tert-Butyl alcohol, water, unfiltered, recoverable, µg/L (77035)
08-20-2010	1100	< .036	< .032	< .32	< .28	< .35	< .034	< .030	< .6	< .80

WATER-QUALITY DATA
WATER YEAR OCTOBER 2009 TO SEPTEMBER 2010

Part 27 of 28

[ANC, acid neutralizing capacity; CaCO₃, calcium carbonate; N, nitrogen; NTU, nephelometric turbidity unit; P, phosphorus; PCBs, polychlorinated biphenyls; SiO₂, silicon dioxide; mg/L, milligrams per liter; nm, nanometers; °C, degrees Celsius; µS/cm, microsiemens per centimeter; µg/L, micrograms per liter; <, less than; E, estimated]

Date	Sample start time	tert-Butyl ethyl ether, water, unfiltered, recoverable, µg/L (50004)	tert-Butylbenzene, water, unfiltered, recoverable, µg/L (77353)	Tetra-chloroethene, water, unfiltered, recoverable, µg/L (34475)	Tetra-chloromethane, water, unfiltered, recoverable, µg/L (32102)	Tetrahydrofuran, water, unfiltered, recoverable, µg/L (81607)	Toluene, water, unfiltered, recoverable, µg/L (34010)	trans-1,2-Dichloroethene, water, unfiltered, recoverable, µg/L (34546)	trans-1,4-Dichloro-2-butene, water, unfiltered, recoverable, µg/L (73547)	Tribromomethane, water, unfiltered, recoverable, µg/L (32104)
08-20-2010	1100	< .032	< .060	< .026	E .05	< 1.4	< .02	< .018	< .4	< .10

404216073442302 Local number Q 2276. 1—Continued

WATER-QUALITY DATA
WATER YEAR OCTOBER 2009 TO SEPTEMBER 2010

Part 28 of 28

[ANC, acid neutralizing capacity; CaCO₃, calcium carbonate; N, nitrogen; NTU, nephelometric turbidity unit; P, phosphorus; PCBs, polychlorinated biphenyls; SiO₂, silicon dioxide; mg/L, milligrams per liter; nm, nanometers; °C, degrees Celsius; µS/cm, microsiemens per centimeter; µg/L, micrograms per liter; <, less than; E, estimated]

Date	Sample start time	Trichloro-			
		ethene, water, unfiltered, recover- able, µg/L (39180)	fluoro- methane, water, unfiltered, recover- able, µg/L (34488)	methane, water, unfiltered, recover- able, µg/L (32106)	Vinyl chloride, water, unfiltered, recover- able, µg/L (39175)
08-20-2010	1100	< .022	< .08	0.03	< .06