



Water-Data Report 2011

01549930 Pleasant Stream at Marsh Hill, PA

West Branch Susquehanna Basin
Lower West Branch Susquehanna Subbasin

LOCATION.--Lat 41°28'25.82", long 76°58'10.96", referenced to World Geodetic System of 1984, Lycoming County, PA, Hydrologic Unit 02050206.

DRAINAGE AREA.--26.8 mi².

WATER-QUALITY RECORDS

PERIOD OF RECORD.--August 2011 to September 2011.

REMARKS.--Analyses for pH, water temperature, specific conductance, and dissolved oxygen were performed on site. Analyses for major ions, nutrients, and trace metals were performed at the USGS National Water Quality Laboratory in Denver, Colorado.

COOPERATION.--Water-quality samples were collected and analyzed in cooperation with the Williamsport Municipal Water Authority as part of the Lycoming Creek Basin Ambient Water-Quality Snapshot Project.

**WATER-QUALITY DATA
WATER YEAR OCTOBER 2010 TO SEPTEMBER 2011**

Part 1 of 6

[%, percent; ANC, acid neutralizing capacity; CaCO₃, calcium carbonate; N, nitrogen; NTRU, nephelometric turbidity ratio unit; P, phosphorus; SiO₂, silicon dioxide; ft³/s, cubic feet per second; mg/L, milligrams per liter; mm Hg, millimeters of mercury; nm, nanometers; °C, degrees Celsius; µS/cm, microsiemens per centimeter; µg/L, micrograms per liter; <, less than]

Date	Sample start time	Barometric pressure, mm Hg (00025)	Temperature, air, °C (00020)	Discharge, instantaneous, ft ³ /s (00061)	Dissolved oxygen, unfiltered, mg/L (00300)	Dissolved oxygen, unfiltered, % saturation (00301)	pH, water, unfiltered, field, standard units (00400)	Specific conductance, unfiltered, water, µS/cm at 25 °C (00095)	Temperature, water, °C (00010)
08-02-2011	0830	739	19.0	8.5	8.8	97	6.5	48	18.5

01549930 Pleasant Stream at Marsh Hill, PA—Continued

WATER-QUALITY DATA

WATER YEAR OCTOBER 2010 TO SEPTEMBER 2011

Part 2 of 6

[%, percent; ANC, acid neutralizing capacity; CaCO₃, calcium carbonate; N, nitrogen; NTRU, nephelometric turbidity ratio unit; P, phosphorus; SiO₂, silicon dioxide; ft³/s, cubic feet per second; mg/L, milligrams per liter; mm Hg, millimeters of mercury; nm, nanometers; °C, degrees Celsius; µS/cm, microsiemens per centimeter; µg/L, micrograms per liter; <, less than]

Date	Sample start time	Turbidity, water, unfiltered, broad band light source (400-680 nm), detectors at multiple angles including 90 +/- 30 degrees, ratiometric correction, NTRU (63676)	Dissolved solids dried at 180 °C, water, filtered, mg/L (70300)	Calcium, water, filtered, mg/L (00915)	Magnesium, water, filtered, mg/L (00925)	Potassium, water, filtered, mg/L (00935)	Sodium, water, filtered, mg/L (00930)	ANC, water, unfiltered, inflection-point, incremental titration method, field, mg/L as CaCO ₃ (00419)	Bicarbonate, water, filtered, inflection-point, incremental titration method, field, mg/L (00453)
08-02-2011	0830	1.0	34	6.06	1.11	.60	.78	12	14

WATER-QUALITY DATA

WATER YEAR OCTOBER 2010 TO SEPTEMBER 2011

Part 3 of 6

[%, percent; ANC, acid neutralizing capacity; CaCO₃, calcium carbonate; N, nitrogen; NTRU, nephelometric turbidity ratio unit; P, phosphorus; SiO₂, silicon dioxide; ft³/s, cubic feet per second; mg/L, milligrams per liter; mm Hg, millimeters of mercury; nm, nanometers; °C, degrees Celsius; µS/cm, microsiemens per centimeter; µg/L, micrograms per liter; <, less than]

Date	Sample start time	Bromide, water, filtered, mg/L (71870)	Chloride, water, filtered, mg/L (00940)	Fluoride, water, filtered, mg/L (00950)	Silica, water, filtered, mg/L as SiO ₂ (00955)	Sulfate, water, filtered, mg/L (00945)	Ammonia plus organic nitrogen, water, unfiltered, mg/L as N (00625)	Ammonia, water, filtered, mg/L as N (00608)	Nitrate plus nitrite, water, filtered, mg/L as N (00631)	Nitrite, water, filtered, mg/L as N (00613)
08-02-2011	0830	<.010	1.10	<.04	3.69	6.06	.06	<.010	.23	.001

WATER-QUALITY DATA

WATER YEAR OCTOBER 2010 TO SEPTEMBER 2011

Part 4 of 6

[%, percent; ANC, acid neutralizing capacity; CaCO₃, calcium carbonate; N, nitrogen; NTRU, nephelometric turbidity ratio unit; P, phosphorus; SiO₂, silicon dioxide; ft³/s, cubic feet per second; mg/L, milligrams per liter; mm Hg, millimeters of mercury; nm, nanometers; °C, degrees Celsius; µS/cm, microsiemens per centimeter; µg/L, micrograms per liter; <, less than]

Date	Sample start time	Orthophosphate, water, filtered, mg/L as P (00671)	Phosphorus, water, filtered, mg/L as P (00666)	Phosphorus, water, unfiltered, mg/L as P (00665)	Aluminum, water, filtered, µg/L (01106)	Barium, water, filtered, µg/L (01005)	Beryllium, water, filtered, µg/L (01010)	Cadmium, water, filtered, µg/L (01025)	Chromium, water, filtered, µg/L (01030)
08-02-2011	0830	<.004	<.02	<.02	2.4	16.0	<.006	<.016	<.06

01549930 Pleasant Stream at Marsh Hill, PA—Continued

WATER-QUALITY DATA

WATER YEAR OCTOBER 2010 TO SEPTEMBER 2011

Part 5 of 6

[%, percent; ANC, acid neutralizing capacity; CaCO₃, calcium carbonate; N, nitrogen; NTRU, nephelometric turbidity ratio unit; P, phosphorus; SiO₂, silicon dioxide; ft³/s, cubic feet per second; mg/L, milligrams per liter; mm Hg, millimeters of mercury; nm, nanometers; °C, degrees Celsius; µS/cm, microsiemens per centimeter; µg/L, micrograms per liter; <, less than]

Date	Sample start time	Cobalt, water, filtered, µg/L (01035)	Copper, water, filtered, µg/L (01040)	Iron, water, filtered, µg/L (01046)	Lead, water, filtered, µg/L (01049)	Lithium, water, filtered, µg/L (01130)	Manganese, water, filtered, µg/L (01056)	Molybdenum, water, filtered, µg/L (01060)	Nickel, water, filtered, µg/L (01065)	Silver, water, filtered, µg/L (01075)
08-02-2011	0830	< .020	< .50	3.2	< .015	.30	3.14	.015	.21	< .005

WATER-QUALITY DATA

WATER YEAR OCTOBER 2010 TO SEPTEMBER 2011

Part 6 of 6

[%, percent; ANC, acid neutralizing capacity; CaCO₃, calcium carbonate; N, nitrogen; NTRU, nephelometric turbidity ratio unit; P, phosphorus; SiO₂, silicon dioxide; ft³/s, cubic feet per second; mg/L, milligrams per liter; mm Hg, millimeters of mercury; nm, nanometers; °C, degrees Celsius; µS/cm, microsiemens per centimeter; µg/L, micrograms per liter; <, less than]

Date	Sample start time	Strontium, water, filtered, µg/L (01080)	Zinc, water, filtered, µg/L (01090)	Antimony, water, filtered, µg/L (01095)	Arsenic, water, filtered, µg/L (01000)	Boron, water, filtered, µg/L (01020)	Selenium, water, filtered, µg/L (01145)	Uranium (natural), water, filtered, µg/L (22703)
08-02-2011	0830	33.1	< 1.4	< .027	.12	5	.06	.004