Water-Data Report 2011

03082154 BACK CREEK NEAR MILLERTOWN, PA

Monongahela Basin
Youghiogheny Subbasin

LOCATION.--Lat 40°01′56″, long 79°22′44″ referenced to North American Datum of 1983, Fayette County, PA, Hydrologic Unit 05020006.

DRAINAGE AREA.--9.33 mi^2.

WATER-QUALITY RECORDS

PERIOD OF RECORD.--May 2010 to October 2010.

REMARKS.--Samples collected as part of the Back Creek Watershed Assessment Project.

COOPERATION.--Station established by the U.S. Geological Survey in cooperation with the Somerset County Conservation District.

WATER-QUALITY DATA
WATER YEAR OCTOBER 2010 TO SEPTEMBER 2011

Part 1 of 3

[ANC, acid neutralizing capacity; $CaCO_3$, calcium carbonate; N, nitrogen; P, phosphorus; ft^3/s, cubic feet per second; mg/L, milligrams per liter; °C, degrees Celsius; µS/cm, microsiemens per centimeter; µg/L, micrograms per liter; <, less than]

Date	Sample start time	Discharge, instantaneous, ft^3/s (00061)	Dissolved oxygen, water, unfiltered, mg/L (00300)	pH, water, unfiltered, field, standard units (00400)	Specific conductance, water, unfiltered, µS/cm at 25 °C (00095)	Temperature, water, °C (00010)	Calcium, water, filtered, mg/L (00915)	Magnesium, water, filtered, mg/L (00925)	ANC, water, unfiltered, fixed endpoint (pH 4.5) titration, field, mg/L as $CaCO_3$ (00410)	Acidity, water, unfiltered, heated, milligrams per liter as calcium carbonate (70508)
10-13-2010	**1100**	2.4	10.9	7.4	184	9.8	19.2	2.36	36	-33

WATER-QUALITY DATA
WATER YEAR OCTOBER 2010 TO SEPTEMBER 2011

Part 2 of 3

[ANC, acid neutralizing capacity; $CaCO_3$, calcium carbonate; N, nitrogen; P, phosphorus; ft^3/s, cubic feet per second; mg/L, milligrams per liter; °C, degrees Celsius; µS/cm, microsiemens per centimeter; µg/L, micrograms per liter; <, less than]

Date	Sample start time	Bromide, water, filtered, mg/L (71870)	Chloride, water, filtered, mg/L (00940)	Sulfate, water, filtered, mg/L (00945)	Ammonia, water, filtered, mg/L as N (00608)	Nitrate plus nitrite, water, filtered, mg/L as N (00631)	Nitrite, water, filtered, mg/L as N (00613)	Phosphorus, water, filtered, mg/L as P (00666)	Phosphorus, water, unfiltered, mg/L as P (00665)
10-13-2010	**1100**	< .010	25.7	11.0	.051	.40	.002	< .01	< .01

Suggested citation: U.S. Geological Survey, 2012, Water-resources data for the United States, Water Year 2011: U.S. Geological Survey Water-Data Report WDR-US-2011, site 03082154, accessed at http://wdr.water.usgs.gov/wy2011/pdfs/03082154.2011.pdf

03082154 BACK CREEK NEAR MILLERTOWN, PA—Continued

WATER-QUALITY DATA
WATER YEAR OCTOBER 2010 TO SEPTEMBER 2011

Part 3 of 3

[ANC, acid neutralizing capacity; $CaCO_3$, calcium carbonate; N, nitrogen; P, phosphorus; ft^3/s, cubic feet per second; mg/L, milligrams per liter; °C, degrees Celsius; µS/cm, microsiemens per centimeter; µg/L, micrograms per liter; <, less than]

Date	Sample start time	Total nitrogen, water, unfiltered, analytically determined, mg/L (62855)	Aluminum, water, filtered, µg/L (01106)	Barium, water, filtered, µg/L (01005)	Iron, water, filtered, µg/L (01046)	Manga-nese, water, filtered, µg/L (01056)	Strontium, water, filtered, µg/L (01080)
10-13-2010	**1100**	.46	2.5	41.7	11.8	7.42	42.6

WATER-QUALITY DATA
WATER YEAR OCTOBER 2009 TO SEPTEMBER 2010

Part 1 of 3

[ANC, acid neutralizing capacity; $CaCO_3$, calcium carbonate; N, nitrogen; P, phosphorus; ft^3/s, cubic feet per second; mg/L, milligrams per liter; °C, degrees Celsius; µS/cm, microsiemens per centimeter; µg/L, micrograms per liter; <, less than; E, estimated]

Date	Sample start time	Discharge, instanta-neous, ft^3/s (00061)	Dissolved oxygen, water, unfiltered, mg/L (00300)	pH, water, unfiltered, field, standard units (00400)	Specific conduc-tance, water, unfiltered, µS/cm at 25 °C (00095)	Tempera-ture, water, °C (00010)	Calcium, water, filtered, mg/L (00915)	Magne-sium, water, filtered, mg/L (00925)	ANC, water, unfiltered, fixed endpoint (pH 4.5) titration, field, mg/L as $CaCO_3$ (00410)	Acidity, water, unfiltered, heated, milligrams per liter as calcium carbonate (70508)
05-26-2010	**1100**	30	10.4	7.2	115	12.8	10.8	1.53	18	-16

WATER-QUALITY DATA
WATER YEAR OCTOBER 2009 TO SEPTEMBER 2010

Part 2 of 3

[ANC, acid neutralizing capacity; $CaCO_3$, calcium carbonate; N, nitrogen; P, phosphorus; ft^3/s, cubic feet per second; mg/L, milligrams per liter; °C, degrees Celsius; µS/cm, microsiemens per centimeter; µg/L, micrograms per liter; <, less than; E, estimated]

Date	Sample start time	Bromide, water, filtered, mg/L (71870)	Chloride, water, filtered, mg/L (00940)	Sulfate, water, filtered, mg/L (00945)	Ammonia, water, filtered, mg/L as N (00608)	Nitrate plus nitrite, water, filtered, mg/L as N (00631)	Nitrite, water, filtered, mg/L as N (00613)	Phos-phorus, water, filtered, mg/L as P (00666)	Phos-phorus, water, unfiltered, mg/L as P (00665)
05-26-2010	**1100**	E .016	14.6	11.4	< .020	.44	< .002	< .02	< .02

03082154 BACK CREEK NEAR MILLERTOWN, PA—Continued

WATER-QUALITY DATA
WATER YEAR OCTOBER 2009 TO SEPTEMBER 2010

Part 3 of 3

[ANC, acid neutralizing capacity; $CaCO_3$, calcium carbonate; N, nitrogen; P, phosphorus; ft^3/s, cubic feet per second; mg/L, milligrams per liter; °C, degrees Celsius; µS/cm, microsiemens per centimeter; µg/L, micrograms per liter; <, less than; E, estimated]

Date	Sample start time	Total nitrogen, water, unfiltered, analytically determined, mg/L (62855)	Aluminum, water, filtered, µg/L (01106)	Barium, water, filtered, µg/L (01005)	Iron, water, filtered, µg/L (01046)	Manga-nese, water, filtered, µg/L (01056)	Strontium, water, filtered, µg/L (01080)
05-26-2010	**1100**	.78	10.6	31.6	9.5	3.92	26.3