Water-Data Report 2011

301148092024101 Local number Lf-10031Z

Coastal lowlands aquifer system
Chicot Aquifer, Upper Sand Unit

Lafayette Parish, LA

LOCATION.--Lat 30°11′48″, long 92°02′41″ referenced to North American Datum of 1983, in sec.54, T.10 S., R.4 E., Lafayette Parish, LA, Hydrologic Unit 08080103.

WATER-QUALITY RECORDS

WELL CHARACTERISTICS.--Depth 61 ft. Upper casing diameter 2. in; top of first opening 51 ft, bottom of last opening 61 ft.

DATUM.--Land-surface datum is 32 ft above National Geodetic Vertical Datum of 1929.

WATER-QUALITY DATA
WATER YEAR OCTOBER 2010 TO SEPTEMBER 2011

[ANC, acid neutralizing capacity; $CaCO_3$, calcium carbonate; N, nitrogen; P, phosphorus; SiO_2, silicon dioxide; mg/L, milligrams per liter; °C, degrees Celsius; µS/cm, microsiemens per centimeter; µg/L, micrograms per liter; <, less than]

Date	Sample start time	pH, water, unfiltered, field, standard units (00400)	Specific conduc-tance, water, unfiltered, µS/cm at 25 °C (00095)	Tempera-ture, water, °C (00010)	Dissolved oxygen, water, unfiltered, mg/L (00300)	Alkalinity, water, filtered, inflection-point, incremental titration method, field, mg/L as $CaCO_3$ (39086)	ANC, water, unfiltered, inflection-point, incremental titration method, field, mg/L as $CaCO_3$ (00419)	Bicarbonate, water, filtered, inflection-point, incremental titration method, field, mg/L (00453)
04-27-2011	1000	6.6	272	23.8	.8	129	132	157

Date	Sample start time	Dissolved solids dried at 180 °C, water, filtered, mg/L (70300)	Calcium, water, filtered, mg/L (00915)	Magne-sium, water, filtered, mg/L (00925)	Potassium, water, filtered, mg/L (00935)	Sodium, water, filtered, mg/L (00930)	Bromide, water, filtered, mg/L (71870)	Chloride, water, filtered, mg/L (00940)	Fluoride, water, filtered, mg/L (00950)	Silica, water, filtered, mg/L as SiO_2 (00955)
04-27-2011	1000	165	28.0	9.32	1.87	17.4	.06	7.03	.44	33.1

Suggested citation: U.S. Geological Survey, 2012, Water-resources data for the United States, Water Year 2011: U.S. Geological Survey Water-Data Report WDR-US-2011, site 301148092024101, accessed at http://wdr.water.usgs.gov/wy2011/pdfs/301148092024101.2011.pdf

301148092024101 Local number Lf-10031Z—Continued

WATER-QUALITY DATA
WATER YEAR OCTOBER 2010 TO SEPTEMBER 2011

[ANC, acid neutralizing capacity; $CaCO_3$, calcium carbonate; N, nitrogen; P, phosphorus; SiO_2, silicon dioxide; mg/L, milligrams per liter; °C, degrees Celsius; µS/cm, microsiemens per centimeter; µg/L, micrograms per liter; <, less than]

Date	Sample start time	Sulfate, water, filtered, mg/L (00945)	Organic carbon, water, filtered, mg/L (00681)	Ammonia, water, filtered, mg/L as N (00608)	Nitrate plus nitrite, water, filtered, mg/L as N (00631)	Nitrite, water, filtered, mg/L as N (00613)	Orthophos-phate, water, filtered, mg/L as P (00671)	Total nitrogen, water, filtered, analytically determined, mg/L (62854)	Aluminum, water, filtered, µg/L (01106)
04-27-2011	**1000**	1.13	.5	.021	< .02	< .001	.314	.06	3.2

Date	Sample start time	Barium, water, filtered, µg/L (01005)	Beryllium, water, filtered, µg/L (01010)	Cadmium, water, filtered, µg/L (01025)	Chromium, water, filtered, µg/L (01030)	Cobalt, water, filtered, µg/L (01035)	Copper, water, filtered, µg/L (01040)	Iron, water, filtered, µg/L (01046)	Lead, water, filtered, µg/L (01049)	Lithium, water, filtered, µg/L (01130)
04-27-2011	**1000**	104	.01	< .02	.45	1.8	< .50	54	< .01	6.6

Date	Sample start time	Manga-nese, water, filtered, µg/L (01056)	Molyb-denum, water, filtered, µg/L (01060)	Nickel, water, filtered, µg/L (01065)	Silver, water, filtered, µg/L (01075)	Strontium, water, filtered, µg/L (01080)	Thallium, water, filtered, µg/L (01057)	Vanadium, water, filtered, µg/L (01085)	Zinc, water, filtered, µg/L (01090)	Antimony, water, filtered, µg/L (01095)
04-27-2011	**1000**	338	1.83	1.6	< .01	140	< .01	.78	6.8	.03

Date	Sample start time	Arsenic, water, filtered, µg/L (01000)	Boron, water, filtered, µg/L (01020)	Selenium, water, filtered, µg/L (01145)	1,2,3-Tri-chloro-propane, water, unfiltered, recover-able, µg/L (77443)	1,2-Dibromo-3-chloro-propane, water, unfiltered, recover-able, µg/L (82625)	1,2-Dibromo-ethane, water, unfiltered, recover-able, µg/L (77651)	1,2-Dichloro-ethane, water, unfiltered, recover-able, µg/L (32103)	1,2-Dichloro-propane, water, unfiltered, recover-able, µg/L (34541)	1,3-Di-chloro-propane, water, unfiltered, recover-able, µg/L (77173)
04-27-2011	**1000**	.95	24	.04	< .12	< .4	< .03	< .1	< .03	< .1

301148092024101 Local number Lf-10031Z—Continued

WATER-QUALITY DATA
WATER YEAR OCTOBER 2010 TO SEPTEMBER 2011

[ANC, acid neutralizing capacity; $CaCO_3$, calcium carbonate; N, nitrogen; P, phosphorus; SiO_2, silicon dioxide; mg/L, milligrams per liter; °C, degrees Celsius; µS/cm, microsiemens per centimeter; µg/L, micrograms per liter; <, less than]

Date	Sample start time	1,4-Dichloro-benzene, water, unfiltered, recover-able, µg/L (34571)	1-Naphthol, water, filtered (0.7 micron glass fiber filter), recover-able, µg/L (49295)	2,4-D methyl ester, water, filtered, recover-able, µg/L (50470)	2,4-D, water, filtered, recover-able, µg/L (39732)	2,4-DB, water, filtered (0.7 micron glass fiber filter), recover-able, µg/L (38746)	2,6-Diethyl-aniline, water, filtered (0.7 micron glass fiber filter), recover-able, µg/L (82660)	2-Chloro-2',6'-diethyl-acetanil-ide, water, filtered, recover-able, µg/L (61618)	2-Chloro-4-isopropyl-amino-6-amino-s-triazine, water, filtered, recover-able, µg/L (04040)	2-Chloro-6-ethyl-amino-4-amino-s-triazine, water, filtered, recover-able, µg/L (04038)
04-27-2011	1000	< .03	< .036	< .200	< .06	< .02	< .006	< .010	< .006	< .06

Date	Sample start time	2-Ethyl-6-methyl-aniline, water, filtered, recover-able, µg/L (61620)	2-Hydroxy-4-iso-propyl-amino-6-ethyl-amino-s-triazine, water, filtered, recover-able, µg/L (50355)	3,4-Dichloro-aniline, water, filtered, recover-able, µg/L (61625)	3,5-Di-chloro-aniline, water, filtered, recover-able, µg/L (61627)	3-Chloro-propene, water, unfiltered, recover-able, µg/L (78109)	3-Hydroxy carbo-furan, water, filtered (0.7 micron glass fiber filter), recover-able, µg/L (49308)	4-Chloro-2-methyl-phenol, water, filtered, recover-able, µg/L (61633)	Aceto-chlor, water, filtered, recover-able, µg/L (49260)	Acifluor-fen, water, filtered (0.7 micron glass fiber filter), recover-able, µg/L (49315)
04-27-2011	1000	< .010	.015	< .004	< .004	< .08	< .040	< .005	< .010	< .040

Date	Sample start time	Acrylo-nitrile, water, unfiltered, recover-able, µg/L (34215)	Alachlor, water, filtered, recover-able, µg/L (46342)	Aldicarb sulfone, water, filtered (0.7 micron glass fiber filter), recover-able, µg/L (49313)	Aldicarb sulfoxide, water, filtered (0.7 micron glass fiber filter), recover-able, µg/L (49314)	Aldicarb, water, filtered (0.7 micron glass fiber filter), recover-able, µg/L (49312)	alpha-Endo-sulfan, water, filtered, recover-able, µg/L (34362)	Atrazine, water, filtered, recover-able, µg/L (39632)	Azinphos-methyl oxygen analog, water, filtered, recover-able, µg/L (61635)	Azinphos-methyl, water, filtered (0.7 micron glass fiber filter), recover-able, µg/L (82686)
04-27-2011	1000	< 0.8	< .008	< .08	< .060	< .12	< .006	.005	< .04	< .120

301148092024101 Local number Lf-10031Z—Continued

WATER-QUALITY DATA
WATER YEAR OCTOBER 2010 TO SEPTEMBER 2011

[ANC, acid neutralizing capacity; $CaCO_3$, calcium carbonate; N, nitrogen; P, phosphorus; SiO_2, silicon dioxide; mg/L, milligrams per liter; °C, degrees Celsius; µS/cm, microsiemens per centimeter; µg/L, micrograms per liter; <, less than]

Date	Sample start time	Bendiocarb, water, filtered, recoverable, µg/L (50299)	Benfluralin, water, filtered (0.7 micron glass fiber filter), recoverable, µg/L (82673)	Benomyl, water, filtered, recoverable, µg/L (50300)	Bensulfuron-methyl, water, filtered, recoverable, µg/L (61693)	Bentazon, water, filtered (0.7 micron glass fiber filter), recoverable, µg/L (38711)	Bromacil, water, filtered, recoverable, µg/L (04029)	Bromomethane, water, unfiltered, recoverable, µg/L (34413)	Bromoxynil, water, filtered (0.7 micron glass fiber filter), recoverable, µg/L (49311)	Carbaryl, water, filtered (0.7 micron glass fiber filter), recoverable, µg/L (49310)
04-27-2011	1000	< .04	< .014	< .060	< .06	< .06	< .06	< .2	< .12	< .04

Date	Sample start time	Carbaryl, water, filtered (0.7 micron glass fiber filter), recoverable, µg/L (82680)	Carbofuran, water, filtered (0.7 micron glass fiber filter), recoverable, µg/L (49309)	Carbofuran, water, filtered (0.7 micron glass fiber filter), recoverable, µg/L (82674)	Carbon disulfide, water, unfiltered, µg/L (77041)	Chloramben methyl ester, water, filtered, recoverable, µg/L (61188)	Chlorimuron-ethyl, water, filtered, recoverable, µg/L (50306)	Chlorpyrifos oxygen analog, water, filtered, recoverable, µg/L (61636)	Chlorpyrifos, water, filtered, recoverable, µg/L (38933)
04-27-2011	1000	< .060	< .040	< .060	< .08	< .10	< .080	< .06	< .004

Date	Sample start time	cis-1,3-Dichloropropene, water, unfiltered, recoverable, µg/L (34704)	cis-Permethrin, water, filtered (0.7 micron glass fiber filter), recoverable, µg/L (82687)	cis-Propiconazole, water, filtered, recoverable, µg/L (79846)	Clopyralid, water, filtered (0.7 micron glass fiber filter), recoverable, µg/L (49305)	Cyanazine, water, filtered, recoverable, µg/L (04041)	Cycloate, water, filtered, recoverable, µg/L (04031)	Cyfluthrin, water, filtered, recoverable, µg/L (61585)	Cypermethrin, water, filtered, recoverable, µg/L (61586)	Dacthal monoacid, water, filtered (0.7 micron glass fiber filter), recoverable, µg/L (49304)
04-27-2011	1000	< .10	< .010	< .008	< .06	< .022	< .04	< .016	< .020	< .04

301148092024101 Local number Lf-10031Z—Continued

WATER-QUALITY DATA
WATER YEAR OCTOBER 2010 TO SEPTEMBER 2011

[ANC, acid neutralizing capacity; $CaCO_3$, calcium carbonate; N, nitrogen; P, phosphorus; SiO_2, silicon dioxide; mg/L, milligrams per liter; °C, degrees Celsius; µS/cm, microsiemens per centimeter; µg/L, micrograms per liter; <, less than]

Date	Sample start time	DCPA, water, filtered (0.7 micron glass fiber filter), recoverable, µg/L (82682)	Desulfinylfipronil amide, water, filtered, recoverable, µg/L (62169)	Desulfinylfipronil, water, filtered, recoverable, µg/L (62170)	Diazinon, water, filtered, recoverable, µg/L (39572)	Dicamba, water, filtered (0.7 micron glass fiber filter), recoverable, µg/L (38442)	Dichlorprop, water, filtered (0.7 micron glass fiber filter), recoverable, µg/L (49302)	Dichlorvos, water, filtered, recoverable, µg/L (38775)	Dicrotophos, water, filtered, recoverable, µg/L (38454)	Dieldrin, water, filtered, recoverable, µg/L (39381)
04-27-2011	1000	< .008	< .029	< .012	< .006	< .04	< .04	< .04	< .08	< .008

Date	Sample start time	Dimethoate, water, filtered (0.7 micron glass fiber filter), recoverable, µg/L (82662)	Dinoseb, water, filtered (0.7 micron glass fiber filter), recoverable, µg/L (49301)	Diphenamid, water, filtered, recoverable, µg/L (04033)	Disulfoton sulfone, water, filtered, recoverable, µg/L (61640)	Disulfoton, water, filtered (0.7 micron glass fiber filter), recoverable, µg/L (82677)	Diuron, water, filtered (0.7 micron glass fiber filter), recoverable, µg/L (49300)	Endosulfan sulfate, water, filtered, recoverable, µg/L (61590)	EPTC, water, filtered (0.7 micron glass fiber filter), recoverable, µg/L (82668)	Ethion monoxon, water, filtered, recoverable, µg/L (61644)
04-27-2011	1000	< .006	< .04	< .04	< .01	< .04	< .04	< .016	< .006	< .02

Date	Sample start time	Ethion, water, filtered, recoverable, µg/L (82346)	Ethoprop, water, filtered (0.7 micron glass fiber filter), recoverable, µg/L (82672)	Fenamiphos sulfone, water, filtered, recoverable, µg/L (61645)	Fenamiphos sulfoxide, water, filtered, recoverable, µg/L (61646)	Fenamiphos, water, filtered, recoverable, µg/L (61591)	Fenuron, water, filtered (0.7 micron glass fiber filter), recoverable, µg/L (49297)	Fipronil sulfide, water, filtered, recoverable, µg/L (62167)	Fipronil sulfone, water, filtered, recoverable, µg/L (62168)	Fipronil, water, filtered, recoverable, µg/L (62166)
04-27-2011	1000	< .008	< .016	< .054	< .08	< .03	< .06	< .012	< .024	< .018

301148092024101 Local number Lf-10031Z—Continued

WATER-QUALITY DATA
WATER YEAR OCTOBER 2010 TO SEPTEMBER 2011

[ANC, acid neutralizing capacity; $CaCO_3$, calcium carbonate; N, nitrogen; P, phosphorus; SiO_2, silicon dioxide; mg/L, milligrams per liter; °C, degrees Celsius; µS/cm, microsiemens per centimeter; µg/L, micrograms per liter; <, less than]

Date	Sample start time	Flumetsulam, water, filtered, recoverable, µg/L (61694)	Fluometuron, water, filtered (0.7 micron glass fiber filter), recoverable, µg/L (38811)	Fonofos, water, filtered, recoverable, µg/L (04095)	Hexazinone, water, filtered, recoverable, µg/L (04025)	Imazaquin, water, filtered, recoverable, µg/L (50356)	Imazethapyr, water, filtered, recoverable, µg/L (50407)	Imidacloprid, water, filtered, recoverable, µg/L (61695)	Iodomethane, water, unfiltered, recoverable, µg/L (77424)	Iprodione, water, filtered, recoverable, µg/L (61593)
04-27-2011	1000	< .06	< .04	< .005	< .008	< .06	< .06	< .060	< .26	< .014

Date	Sample start time	Isofenphos, water, filtered, recoverable, µg/L (61594)	lambda-Cyhalothrin, water, filtered, recoverable, µg/L (61595)	Linuron, water, filtered (0.7 micron glass fiber filter), recoverable, µg/L (38478)	Malaoxon, water, filtered, recoverable, µg/L (61652)	Malathion, water, filtered, recoverable, µg/L (39532)	MCPA, water, filtered (0.7 micron glass fiber filter), recoverable, µg/L (38482)	MCPB, water, filtered (0.7 micron glass fiber filter), recoverable, µg/L (38487)	Metalaxyl, water, filtered, recoverable, µg/L (50359)	Metalaxyl, water, filtered, recoverable, µg/L (61596)
04-27-2011	1000	< .006	< .010	< .04	< .022	< .016	< .04	< .20	< .04	< .014

Date	Sample start time	Methidathion, water, filtered, recoverable, µg/L (61598)	Methiocarb, water, filtered (0.7 micron glass fiber filter), recoverable, µg/L (38501)	Methomyl, water, filtered (0.7 micron glass fiber filter), recoverable, µg/L (49296)	Methyl paraoxon, water, filtered, recoverable, µg/L (61664)	Methyl parathion, water, filtered (0.7 micron glass fiber filter), recoverable, µg/L (82667)	Metolachlor, water, filtered, recoverable, µg/L (39415)	Metribuzin, water, filtered, recoverable, µg/L (82630)	Metsulfuron-methyl, water, filtered, recoverable, µg/L (61697)	Molinate, water, filtered (0.7 micron glass fiber filter), recoverable, µg/L (82671)
04-27-2011	1000	< .012	< .040	< .120	< .01	< .008	< .020	< .012	< .14	< .004

301148092024101 Local number Lf-10031Z—Continued

WATER-QUALITY DATA
WATER YEAR OCTOBER 2010 TO SEPTEMBER 2011

[ANC, acid neutralizing capacity; $CaCO_3$, calcium carbonate; N, nitrogen; P, phosphorus; SiO_2, silicon dioxide; mg/L, milligrams per liter; °C, degrees Celsius; µS/cm, microsiemens per centimeter; µg/L, micrograms per liter; <, less than]

Date	Sample start time	Myclobutanil, water, filtered, recoverable, µg/L (61599)	N-(4-Chlorophenyl)-N'-methylurea, water, filtered, recoverable, µg/L (61692)	Neburon, water, filtered (0.7 micron glass fiber filter), recoverable, µg/L (49294)	Nicosulfuron, water, filtered, recoverable, µg/L (50364)	Norflurazon, water, filtered (0.7 micron glass fiber filter), recoverable, µg/L (49293)	Oryzalin, water, filtered (0.7 micron glass fiber filter), recoverable, µg/L (49292)	Oxamyl, water, filtered (0.7 micron glass fiber filter), recoverable, µg/L (38866)	Oxyfluorfen, water, filtered, recoverable, µg/L (61600)	Pendimethalin, water, filtered (0.7 micron glass fiber filter), recoverable, µg/L (82683)
04-27-2011	**1000**	< .010	< .06	< .02	< .10	< .04	< .04	< .12	< .006	< .012

Date	Sample start time	Phorate oxygen analog, water, filtered, recoverable, µg/L (61666)	Phorate, water, filtered (0.7 micron glass fiber filter), recoverable, µg/L (82664)	Phosmet oxygen analog, water, filtered, recoverable, µg/L (61668)	Phosmet, water, filtered, recoverable, µg/L (61601)	Picloram, water, filtered (0.7 micron glass fiber filter), recoverable, µg/L (49291)	Prometon, water, filtered, recoverable, µg/L (04037)	Prometryn, water, filtered, recoverable, µg/L (04036)	Propanil, water, filtered (0.7 micron glass fiber filter), recoverable, µg/L (82679)	Propargite, water, filtered (0.7 micron glass fiber filter), recoverable, µg/L (82685)
04-27-2011	**1000**	< .03	< .020	< .05	< .014	< .12	< .012	< .006	< .010	< .02

Date	Sample start time	Propham, water, filtered (0.7 micron glass fiber filter), recoverable, µg/L (49236)	Propiconazole, water, filtered, recoverable, µg/L (50471)	Propoxur, water, filtered (0.7 micron glass fiber filter), recoverable, µg/L (38538)	Propyzamide, water, filtered (0.7 micron glass fiber filter), recoverable, µg/L (82676)	Siduron, water, filtered, recoverable, µg/L (38548)	Simazine, water, filtered, recoverable, µg/L (04035)	Sulfometuron-methyl, water, filtered, recoverable, µg/L (50337)	Tebuthiuron, water, filtered (0.7 micron glass fiber filter), recoverable, µg/L (82670)	Tefluthrin, water, filtered, recoverable, µg/L (61606)
04-27-2011	**1000**	< .040	< .04	< .060	< .004	< .04	< .006	< .060	< .03	< .010

301148092024101 Local number Lf-10031Z—Continued

WATER-QUALITY DATA
WATER YEAR OCTOBER 2010 TO SEPTEMBER 2011

[ANC, acid neutralizing capacity; $CaCO_3$, calcium carbonate; N, nitrogen; P, phosphorus; SiO_2, silicon dioxide; mg/L, milligrams per liter; °C, degrees Celsius; µS/cm, microsiemens per centimeter; µg/L, micrograms per liter; <, less than]

Date	Sample start time	Terbacil, water, filtered, recoverable, µg/L (04032)	Terbufos oxygen analog sulfone, water, filtered, recoverable, µg/L (61674)	Terbufos, water, filtered (0.7 micron glass fiber filter), recoverable, µg/L (82675)	Terbuthylazine, water, filtered, recoverable, µg/L (04022)	Thiobencarb, water, filtered (0.7 micron glass fiber filter), recoverable, µg/L (82681)	trans-1,3-Dichloropropene, water, unfiltered, recoverable, µg/L (34699)	trans-Propiconazole, water, filtered, recoverable, µg/L (79847)	Tribuphos, water, filtered, recoverable, µg/L (61610)	Triclopyr, water, filtered (0.7 micron glass fiber filter), recoverable, µg/L (49235)
04-27-2011	1000	< .040	< .04	< .02	< .01	< .016	< .14	< .01	< .018	< .08

Date	Sample start time	Trifluralin, water, filtered (0.7 micron glass fiber filter), recoverable, µg/L (82661)	2,4-D plus 2,4-D methyl ester, sum on a molar basis, micrograms per liter as 2,4-D (66496)	1,1,1,2-Tetrachloroethane, water, unfiltered, recoverable, µg/L (77562)	1,1,1-Trichloroethane, water, unfiltered, recoverable, µg/L (34506)	1,1,2,2-Tetrachloroethane, water, unfiltered, recoverable, µg/L (34516)	1,1,2-Trichloro-1,2,2-trifluoroethane, water, unfiltered, recoverable, µg/L (77652)	1,1,2-Trichloroethane, water, unfiltered, recoverable, µg/L (34511)	1,1-Dichloroethane, water, unfiltered, recoverable, µg/L (34496)	1,1-Dichloroethene, water, unfiltered, recoverable, µg/L (34501)
04-27-2011	1000	< .018	< .06	< .04	< .03	< .14	< .03	< .03	< .04	< .02

Date	Sample start time	1,1-Dichloropropene, water, unfiltered, recoverable, µg/L (77168)	1,2,3,4-Tetramethylbenzene, water, unfiltered, recoverable, µg/L (49999)	1,2,3,5-Tetramethylbenzene, water, unfiltered, recoverable, µg/L (50000)	1,2,3-Trichlorobenzene, water, unfiltered, recoverable, µg/L (77613)	1,2,3-Trimethylbenzene, water, unfiltered, recoverable, µg/L (77221)	1,2,4-Trichlorobenzene, water, unfiltered, recoverable, µg/L (34551)	1,2,4-Trimethylbenzene, water, unfiltered, recoverable, µg/L (77222)	1,2-Dichlorobenzene, water, unfiltered, recoverable, µg/L (34536)	1,3,5-Trimethylbenzene, water, unfiltered, recoverable, µg/L (77226)
04-27-2011	1000	< .04	< .1	< .080	< .1	< .060	< .1	< .03	< .03	< .03

301148092024101 Local number Lf-10031Z—Continued

WATER-QUALITY DATA
WATER YEAR OCTOBER 2010 TO SEPTEMBER 2011

[ANC, acid neutralizing capacity; $CaCO_3$, calcium carbonate; N, nitrogen; P, phosphorus; SiO_2, silicon dioxide; mg/L, milligrams per liter; °C, degrees Celsius; µS/cm, microsiemens per centimeter; µg/L, micrograms per liter; <, less than]

Date	Sample start time	1,3-Dichlorobenzene, water, unfiltered, recoverable, µg/L (34566)	2,2-Dichloropropane, water, unfiltered, recoverable, µg/L (77170)	2-Chlorotoluene, water, unfiltered, recoverable, µg/L (77275)	2-Ethyltoluene, water, unfiltered, recoverable, µg/L (77220)	4-Chlorotoluene, water, unfiltered, recoverable, µg/L (77277)	4-Isopropyltoluene, water, unfiltered, recoverable, µg/L (77356)	Acetone, water, unfiltered, recoverable, µg/L (81552)	Benzene, water, unfiltered, recoverable, µg/L (34030)	Bromobenzene, water, unfiltered, recoverable, µg/L (81555)
04-27-2011	1000	< .02	< .06	< .03	< .03	< .04	< .06	< 3	< .03	< .02

Date	Sample start time	Bromochloromethane, water, unfiltered, recoverable, µg/L (77297)	Bromodichloromethane, water, unfiltered, recoverable, µg/L (32101)	Bromoethene, water, unfiltered, recoverable, µg/L (50002)	Caffeine, water, filtered, recoverable, µg/L (50305)	Chlorobenzene, water, unfiltered, recoverable, µg/L (34301)	Chloroethane, water, unfiltered, recoverable, µg/L (34311)	Chloromethane, water, unfiltered, recoverable, µg/L (34418)	cis-1,2-Dichloroethene, water, unfiltered, recoverable, µg/L (77093)	Dibromochloromethane, water, unfiltered, recoverable, µg/L (32105)
04-27-2011	1000	< .06	< .03	< .1	< .080	< .03	< .1	< .140	< .02	< .1

Date	Sample start time	Dibromomethane, water, unfiltered, recoverable, µg/L (30217)	Dichlorodifluoromethane, water, unfiltered, recoverable, µg/L (34668)	Dichloromethane, water, unfiltered, recoverable, µg/L (34423)	Diethyl ether, water, unfiltered, recoverable, µg/L (81576)	Diisopropyl ether, water, unfiltered, recoverable, µg/L (81577)	Ethyl methacrylate, water, unfiltered, recoverable, µg/L (73570)	Ethyl methyl ketone, water, unfiltered, recoverable, µg/L (81595)	Ethylbenzene, water, unfiltered, recoverable, µg/L (34371)	Hexachlorobutadiene, water, unfiltered, recoverable, µg/L (39702)
04-27-2011	1000	< .05	< .10	< .04	< .1	< .06	< .2	< 1.6	< .04	< .1

301148092024101 Local number Lf-10031Z—Continued

WATER-QUALITY DATA
WATER YEAR OCTOBER 2010 TO SEPTEMBER 2011

[ANC, acid neutralizing capacity; $CaCO_3$, calcium carbonate; N, nitrogen; P, phosphorus; SiO_2, silicon dioxide; mg/L, milligrams per liter; °C, degrees Celsius; µS/cm, microsiemens per centimeter; µg/L, micrograms per liter; <, less than]

Date	Sample start time	Hexa-chloro-ethane, water, unfiltered, recover-able, µg/L (34396)	Isobutyl methyl ketone, water, unfiltered, recover-able, µg/L (78133)	Isopropyl-benzene, water, unfiltered, recover-able, µg/L (77223)	Methyl acrylate, water, unfiltered, recover-able, µg/L (49991)	Methyl acrylo-nitrile, water, unfiltered, recover-able, µg/L (81593)	Methyl metha-crylate, water, unfiltered, recover-able, µg/L (81597)	Methyl tert-butyl ether, water, unfiltered, recover-able, µg/L (78032)	Methyl tert-pentyl ether, water, unfiltered, recover-able, µg/L (50005)	m-Xylene plus p-xylene, water, unfiltered, recover-able, µg/L (85795)
04-27-2011	1000	< .2	< .3	< .04	< .8	< .3	< .2	< .10	< .06	< .08

Date	Sample start time	Naphtha-lene, water, unfiltered, recover-able, µg/L (34696)	n-Butyl methyl ketone, water, unfiltered, recover-able, µg/L (77103)	n-Butyl-benzene, water, unfiltered, recover-able, µg/L (77342)	n-Propyl-benzene, water, unfiltered, recover-able, µg/L (77224)	o-Xylene, water, unfiltered, recover-able, µg/L (77135)	sec-Butyl-benzene, water, unfiltered, recover-able, µg/L (77350)	Styrene, water, unfiltered, recover-able, µg/L (77128)	tert-Butyl ethyl ether, water, unfiltered, recover-able, µg/L (50004)	tert-Butyl-benzene, water, unfiltered, recover-able, µg/L (77353)
04-27-2011	1000	< .2	< .4	< .1	< .04	< .03	< .03	< .04	< .03	< .06

Date	Sample start time	Tetra-chloro-ethene, water, unfiltered, recover-able, µg/L (34475)	Tetra-chloro-methane, water, unfiltered, recover-able, µg/L (32102)	Tetra-hydro-furan, water, unfiltered, recover-able, µg/L (81607)	Toluene, water, unfiltered, recover-able, µg/L (34010)	trans-1,2-Dichloro-ethene, water, unfiltered, recover-able, µg/L (34546)	trans-1,4-Dichloro-2-butene, water, unfiltered, recover-able, µg/L (73547)	Tribromo-methane, water, unfiltered, recover-able, µg/L (32104)	Trichloro-ethene, water, unfiltered, recover-able, µg/L (39180)	Trichloro-fluoro-methane, water, unfiltered, recover-able, µg/L (34488)
04-27-2011	1000	< .03	< .06	< 1	< .02	< .02	< .4	< .10	< .02	< .06

Date	Sample start time	Trichloro-methane, water, unfiltered, recover-able, µg/L (32106)	Vinyl chloride, water, unfiltered, recover-able, µg/L (39175)	Tritium, water, unfiltered, picocuries per liter (07000)	Uranium (natural), water, filtered, µg/L (22703)
04-27-2011	1000	< .03	< .1	.3	.09