



Water-Data Report 2011

301425091593901 Local number Lf-10181Z

Coastal lowlands aquifer system
Chicot Aquifer, Upper Sand Unit

Lafayette Parish, LA

LOCATION.--Lat 30°14'25", long 91°59'39" referenced to North American Datum of 1983, in sec.100, T.9 S., R.5 E., Lafayette Parish, LA, Hydrologic Unit 08080103.

WATER-QUALITY RECORDS

WELL CHARACTERISTICS.--Depth 58 ft. Upper casing diameter 2. in; top of first opening 48 ft, bottom of last opening 58 ft.

DATUM.--Land-surface datum is 42 ft above National Geodetic Vertical Datum of 1929.

**WATER-QUALITY DATA
WATER YEAR OCTOBER 2010 TO SEPTEMBER 2011**

[ANC, acid neutralizing capacity; CaCO₃, calcium carbonate; N, nitrogen; P, phosphorus; SiO₂, silicon dioxide; mg/L, milligrams per liter; °C, degrees Celsius; µS/cm, microsiemens per centimeter; µg/L, micrograms per liter; <, less than]

Date	Sample start time	pH, water, unfiltered, field, standard units (00400)	Specific conductance, water, unfiltered, µS/cm at 25 °C (00095)	Temperature, water, °C (00010)	Dissolved oxygen, water, unfiltered, mg/L (00300)	Alkalinity, water, filtered, inflection-point, incremental titration method, field, mg/L as CaCO ₃ (39086)	ANC, water, unfiltered, inflection-point, incremental titration method, field, mg/L as CaCO ₃ (00419)	Bicarbonate, water, filtered, incremental titration method, field, mg/L (00453)	Dissolved solids dried at 180 °C, water, filtered, mg/L (70300)
05-04-2011	1500	5.8	129	22.2	4.8	45	46	55	102

Date	Sample start time	Calcium, water, filtered, mg/L (00915)	Magnesium, water, filtered, mg/L (00925)	Potassium, water, filtered, mg/L (00935)	Sodium, water, filtered, mg/L (00930)	Bromide, water, filtered, mg/L (71870)	Chloride, water, filtered, mg/L (00940)	Fluoride, water, filtered, mg/L (00950)	Silica, water, filtered, mg/L as SiO ₂ (00955)	Sulfate, water, filtered, mg/L (00945)
05-04-2011	1500	9.79	4.31	1.77	7.58	.19	3.00	.14	45.4	4.91

301425091593901 Local number Lf-10181Z—Continued

WATER-QUALITY DATA
WATER YEAR OCTOBER 2010 TO SEPTEMBER 2011

[ANC, acid neutralizing capacity; CaCO₃, calcium carbonate; N, nitrogen; P, phosphorus; SiO₂, silicon dioxide; mg/L, milligrams per liter; °C, degrees Celsius; µS/cm, microsiemens per centimeter; µg/L, micrograms per liter; <, less than]

Date	Sample start time	Organic carbon, water, filtered, mg/L (00681)	Ammonia, water, filtered, mg/L as N (00608)	Nitrate plus nitrite, water, filtered, mg/L as N (00631)	Nitrite, water, filtered, mg/L as N (00613)	Orthophosphate, water, filtered, mg/L as P (00671)	Total nitrogen, water, filtered, analytically determined, mg/L (62854)	Aluminum, water, filtered, µg/L (01106)	Barium, water, filtered, µg/L (01005)
05-04-2011	1500	.3	< .010	.89	< .001	.252	.93	5.9	40

Date	Sample start time	Beryllium, water, filtered, µg/L (01010)	Cadmium, water, filtered, µg/L (01025)	Chromium, water, filtered, µg/L (01030)	Cobalt, water, filtered, µg/L (01035)	Copper, water, filtered, µg/L (01040)	Iron, water, filtered, µg/L (01046)	Lead, water, filtered, µg/L (01049)	Lithium, water, filtered, µg/L (01130)	Manganese, water, filtered, µg/L (01056)
05-04-2011	1500	.02	.02	6.3	.21	1.2	12	.02	11.5	1.4

Date	Sample start time	Molybdenum, water, filtered, µg/L (01060)	Nickel, water, filtered, µg/L (01065)	Silver, water, filtered, µg/L (01075)	Strontium, water, filtered, µg/L (01080)	Thallium, water, filtered, µg/L (01057)	Vanadium, water, filtered, µg/L (01085)	Zinc, water, filtered, µg/L (01090)	Antimony, water, filtered, µg/L (01095)	Arsenic, water, filtered, µg/L (01000)
05-04-2011	1500	.11	2.4	< .01	33.9	< .01	.82	1.5	.03	.48

Date	Sample start time	Boron, water, filtered, µg/L (01020)	Selenium, water, filtered, µg/L (01145)	1,2,3-Trichloropropane, water, unfiltered, recoverable, µg/L (77443)	1,2-Dibromo-3-chloropropane, water, unfiltered, recoverable, µg/L (82625)	1,2-Dibromoethane, water, unfiltered, recoverable, µg/L (77651)	1,2-Dichloroethane, water, unfiltered, recoverable, µg/L (32103)	1,2-Dichloropropane, water, unfiltered, recoverable, µg/L (34541)	1,3-Dichloropropane, water, unfiltered, recoverable, µg/L (77173)	1,4-Dichlorobenzene, water, unfiltered, recoverable, µg/L (34571)
05-04-2011	1500	15	1.1	< .12	< .4	< .03	< .1	< .03	< .1	< .03

301425091593901 Local number Lf-10181Z—Continued

WATER-QUALITY DATA
WATER YEAR OCTOBER 2010 TO SEPTEMBER 2011

[ANC, acid neutralizing capacity; CaCO₃, calcium carbonate; N, nitrogen; P, phosphorus; SiO₂, silicon dioxide; mg/L, milligrams per liter; °C, degrees Celsius; µS/cm, microsiemens per centimeter; µg/L, micrograms per liter; <, less than]

Date	Sample start time	1-Naphthol, water, filtered (0.7 micron glass fiber filter), recoverable, µg/L (49295)	2,4-D methyl ester, water, filtered, recoverable, µg/L (50470)	2,4-D, water, filtered, recoverable, µg/L (39732)	2,4-DB, water, filtered (0.7 micron glass fiber filter), recoverable, µg/L (38746)	2,6-Diethyl-aniline, water, filtered (0.7 micron glass fiber filter), recoverable, µg/L (82660)	2-Chloro-2',6'-diethyl-acetanilide, water, filtered, recoverable, µg/L (61618)	2-Chloro-4-isopropyl-amino-6-triazine, water, filtered, recoverable, µg/L (04040)	2-Chloro-6-ethyl-amino-4-triazine, water, filtered, recoverable, µg/L (04038)	2-Ethyl-6-methyl-aniline, water, filtered, recoverable, µg/L (61620)
05-04-2011	1500	< .036	< .200	< .06	< .02	< .006	< .010	< .006	< .06	< .010

Date	Sample start time	2-Hydroxy-4-isopropyl-amino-6-ethyl-amino-6-triazine, water, filtered, recoverable, µg/L (50355)	3,4-Dichloro-aniline, water, filtered, recoverable, µg/L (61625)	3,5-Dichloro-aniline, water, filtered, recoverable, µg/L (61627)	3-Chloro-propene, water, unfiltered, recoverable, µg/L (78109)	3-Hydroxy-carbo-furan, water, filtered (0.7 micron glass fiber filter), recoverable, µg/L (49308)	4-Chloro-2-methyl-phenol, water, filtered, recoverable, µg/L (61633)	Acetochlor, water, filtered, recoverable, µg/L (49260)	Acifluorfen, water, filtered (0.7 micron glass fiber filter), recoverable, µg/L (49315)	Acrylonitrile, water, unfiltered, recoverable, µg/L (34215)
05-04-2011	1500	< .060	< .004	< .004	< .08	< .040	< .005	< .010	< .040	< 0.8

Date	Sample start time	Alachlor, water, filtered, recoverable, µg/L (46342)	Aldicarb sulfone, water, filtered (0.7 micron glass fiber filter), recoverable, µg/L (49313)	Aldicarb sulfoxide, water, filtered (0.7 micron glass fiber filter), recoverable, µg/L (49314)	Aldicarb, water, filtered (0.7 micron glass fiber filter), recoverable, µg/L (49312)	alpha-Endo-sulfan, water, filtered, recoverable, µg/L (34362)	Atrazine, water, filtered, recoverable, µg/L (39632)	Azinphos-methyl oxygen analog, water, filtered, recoverable, µg/L (61635)	Azinphos-methyl, water, filtered (0.7 micron glass fiber filter), recoverable, µg/L (82686)	Bendiocarb, water, filtered, recoverable, µg/L (50299)
05-04-2011	1500	< .008	< .08	< .060	< .12	< .006	< .008	< .04	< .120	< .04

301425091593901 Local number Lf-10181Z—Continued

WATER-QUALITY DATA
WATER YEAR OCTOBER 2010 TO SEPTEMBER 2011

[ANC, acid neutralizing capacity; CaCO₃, calcium carbonate; N, nitrogen; P, phosphorus; SiO₂, silicon dioxide; mg/L, milligrams per liter; °C, degrees Celsius; µS/cm, microsiemens per centimeter; µg/L, micrograms per liter; <, less than]

Date	Sample start time	Benfluralin, water, filtered (0.7 micron glass fiber filter), recoverable, µg/L (82673)	Benomyl, water, filtered, recoverable, µg/L (50300)	Ben-sulfuron-methyl, water, filtered, recoverable, µg/L (61693)	Bentazon, water, filtered (0.7 micron glass fiber filter), recoverable, µg/L (38711)	Bromacil, water, filtered, recoverable, µg/L (04029)	Bromo-methane, water, unfiltered, recoverable, µg/L (34413)	Brom-oxynil, water, filtered (0.7 micron glass fiber filter), recoverable, µg/L (49311)	Carbaryl, water, filtered (0.7 micron glass fiber filter), recoverable, µg/L (49310)	Carbaryl, water, filtered (0.7 micron glass fiber filter), recoverable, µg/L (82680)
05-04-2011	1500	< .014	< .060	< .06	< .06	< .06	< .2	< .12	< .04	< .060

Date	Sample start time	Carbofuran, water, filtered (0.7 micron glass fiber filter), recoverable, µg/L (49309)	Carbofuran, water, filtered (0.7 micron glass fiber filter), recoverable, µg/L (82674)	Carbon disulfide, water, unfiltered, µg/L (77041)	Chlor-amben methyl ester, water, filtered, recoverable, µg/L (61188)	Chlorimuron-ethyl, water, filtered, recoverable, µg/L (50306)	Chlorpyrifos analog, water, filtered, recoverable, µg/L (61636)	Chlorpyrifos, water, filtered, recoverable, µg/L (38933)	cis-1,3-Dichloro-propene, water, unfiltered, recoverable, µg/L (34704)
05-04-2011	1500	< .040	< .060	< .08	< .10	< .080	< .06	< .004	< .10

Date	Sample start time	cis-Permethrin, water, filtered (0.7 micron glass fiber filter), recoverable, µg/L (82687)	cis-Propiconazole, water, filtered, recoverable, µg/L (79846)	Clopyralid, water, filtered (0.7 micron glass fiber filter), recoverable, µg/L (49305)	Cyanazine, water, filtered, recoverable, µg/L (04041)	Cycloate, water, filtered, recoverable, µg/L (04031)	Cyfluthrin, water, filtered, recoverable, µg/L (61585)	Cypermethrin, water, filtered, recoverable, µg/L (61586)	Dacthal monoacid, water, filtered (0.7 micron glass fiber filter), recoverable, µg/L (49304)	DCPA, water, filtered (0.7 micron glass fiber filter), recoverable, µg/L (82682)
05-04-2011	1500	< .010	< .008	< .06	< .022	< .04	< .016	< .020	< .04	< .008

301425091593901 Local number Lf-10181Z—Continued

WATER-QUALITY DATA
WATER YEAR OCTOBER 2010 TO SEPTEMBER 2011

[ANC, acid neutralizing capacity; CaCO₃, calcium carbonate; N, nitrogen; P, phosphorus; SiO₂, silicon dioxide; mg/L, milligrams per liter; °C, degrees Celsius; µS/cm, microsiemens per centimeter; µg/L, micrograms per liter; <, less than]

Date	Sample start time	Desulfinyl-fipronil amide, water, filtered, recoverable, µg/L (62169)	Desulfinyl-fipronil, water, filtered, recoverable, µg/L (62170)	Diazinon, water, filtered, recoverable, µg/L (39572)	Dicamba, water, filtered (0.7 micron glass fiber filter), recoverable, µg/L (38442)	Dichlor-prop, water, filtered (0.7 micron glass fiber filter), recoverable, µg/L (49302)	Dichlor-vos, water, filtered, recoverable, µg/L (38775)	Dicrotophos, water, filtered, recoverable, µg/L (38454)	Dieldrin, water, filtered, recoverable, µg/L (39381)	Dimethoate, water, filtered (0.7 micron glass fiber filter), recoverable, µg/L (82662)
05-04-2011	1500	< .029	< .012	< .006	< .04	< .04	< .04	< .08	< .008	< .006

Date	Sample start time	Dinoseb, water, filtered (0.7 micron glass fiber filter), recoverable, µg/L (49301)	Di-phenamid, water, filtered, recoverable, µg/L (04033)	Disulfoton sulfone, water, filtered, recoverable, µg/L (61640)	Disulfoton, water, filtered (0.7 micron glass fiber filter), recoverable, µg/L (82677)	Diuron, water, filtered (0.7 micron glass fiber filter), recoverable, µg/L (49300)	Endosulfan sulfate, water, filtered, recoverable, µg/L (61590)	EPTC, water, filtered (0.7 micron glass fiber filter), recoverable, µg/L (82668)	Ethion monoxon, water, filtered, recoverable, µg/L (61644)	Ethion, water, filtered, recoverable, µg/L (82346)
05-04-2011	1500	< .04	< .04	< .01	< .04	< .04	< .016	< .006	< .02	< .008

Date	Sample start time	Ethoprop, water, filtered (0.7 micron glass fiber filter), recoverable, µg/L (82672)	Fenami-phos sulfone, water, filtered, recoverable, µg/L (61645)	Fenami-phos sulfoxide, water, filtered, recoverable, µg/L (61646)	Fenami-phos, water, filtered, recoverable, µg/L (61591)	Fenuron, water, filtered (0.7 micron glass fiber filter), recoverable, µg/L (49297)	Fipronil sulfide, water, filtered, recoverable, µg/L (62167)	Fipronil sulfone, water, filtered, recoverable, µg/L (62168)	Fipronil, water, filtered, recoverable, µg/L (62166)	Flumetsulam, water, filtered, recoverable, µg/L (61694)
05-04-2011	1500	< .016	< .054	< .08	< .03	< .06	< .012	< .024	< .018	< .06

301425091593901 Local number Lf-10181Z—Continued

WATER-QUALITY DATA
WATER YEAR OCTOBER 2010 TO SEPTEMBER 2011

[ANC, acid neutralizing capacity; CaCO₃, calcium carbonate; N, nitrogen; P, phosphorus; SiO₂, silicon dioxide; mg/L, milligrams per liter; °C, degrees Celsius; µS/cm, microsiemens per centimeter; µg/L, micrograms per liter; <, less than]

Date	Sample start time	Fluometuron, water, filtered (0.7 micron glass fiber filter), recoverable, µg/L (38811)	Fonofos, water, filtered, recoverable, µg/L (04095)	Hexazinone, water, filtered, recoverable, µg/L (04025)	Imazaquin, water, filtered, recoverable, µg/L (50356)	Imazethapyr, water, filtered, recoverable, µg/L (50407)	Imidacloprid, water, filtered, recoverable, µg/L (61695)	Iodomethane, water, unfiltered, recoverable, µg/L (77424)	Iprodione, water, filtered, recoverable, µg/L (61593)	Isofenphos, water, filtered, recoverable, µg/L (61594)
05-04-2011	1500	< .04	< .005	< .008	< .06	< .06	< .060	< .26	< .014	< .006

Date	Sample start time	lambda-Cyhalothrin, water, filtered, recoverable, µg/L (61595)	Linuron, water, filtered (0.7 micron glass fiber filter), recoverable, µg/L (38478)	Malaoxon, water, filtered, recoverable, µg/L (61652)	Malathion, water, filtered, recoverable, µg/L (39532)	MCPA, water, filtered (0.7 micron glass fiber filter), recoverable, µg/L (38482)	MCPB, water, filtered (0.7 micron glass fiber filter), recoverable, µg/L (38487)	Metalaxyl, water, filtered, recoverable, µg/L (50359)	Metalaxyl, water, filtered, recoverable, µg/L (61596)	Methidathion, water, filtered, recoverable, µg/L (61598)
05-04-2011	1500	< .010	< .04	< .022	< .016	< .04	< .20	< .04	< .014	< .012

Date	Sample start time	Methiocarb, water, filtered (0.7 micron glass fiber filter), recoverable, µg/L (38501)	Methomyl, water, filtered (0.7 micron glass fiber filter), recoverable, µg/L (49296)	Methyl parathion, water, filtered (0.7 micron glass fiber filter), recoverable, µg/L (61664)	Methyl parathion, water, filtered (0.7 micron glass fiber filter), recoverable, µg/L (82667)	Metolachlor, water, filtered, recoverable, µg/L (39415)	Metribuzin, water, filtered, recoverable, µg/L (82630)	Metsulfuron-methyl, water, filtered, recoverable, µg/L (61697)	Molinate, water, filtered (0.7 micron glass fiber filter), recoverable, µg/L (82671)	Myclobutanil, water, filtered, recoverable, µg/L (61599)
05-04-2011	1500	< .040	< .120	< .01	< .008	< .020	< .012	< .14	< .004	< .010

301425091593901 Local number Lf-10181Z—Continued

WATER-QUALITY DATA
WATER YEAR OCTOBER 2010 TO SEPTEMBER 2011

[ANC, acid neutralizing capacity; CaCO₃, calcium carbonate; N, nitrogen; P, phosphorus; SiO₂, silicon dioxide; mg/L, milligrams per liter; °C, degrees Celsius; µS/cm, microsiemens per centimeter; µg/L, micrograms per liter; <, less than]

Date	Sample start time	N-(4-Chlorophenyl)-N'-methyl-urea, water, filtered, recoverable, µg/L (61692)	Neburon, water, filtered, (0.7 micron glass fiber filter), recoverable, µg/L (49294)	Nicosulfuron, water, filtered, recoverable, µg/L (50364)	Norflurazon, water, filtered, (0.7 micron glass fiber filter), recoverable, µg/L (49293)	Oryzalin, water, filtered, (0.7 micron glass fiber filter), recoverable, µg/L (49292)	Oxamyl, water, filtered, (0.7 micron glass fiber filter), recoverable, µg/L (38866)	Oxyfluorfen, water, filtered, recoverable, µg/L (61600)	Pendimethalin, water, filtered, (0.7 micron glass fiber filter), recoverable, µg/L (82683)	Phorate oxygen analog, water, filtered, recoverable, µg/L (61666)
05-04-2011	1500	< .06	< .02	< .10	< .04	< .04	< .12	< .006	< .012	< .03

Date	Sample start time	Phorate, water, filtered, (0.7 micron glass fiber filter), recoverable, µg/L (82664)	Phosmet oxygen analog, water, filtered, recoverable, µg/L (61668)	Phosmet, water, filtered, recoverable, µg/L (61601)	Picloram, water, filtered, (0.7 micron glass fiber filter), recoverable, µg/L (49291)	Prometon, water, filtered, recoverable, µg/L (04037)	Prometryn, water, filtered, recoverable, µg/L (04036)	Propanil, water, filtered, (0.7 micron glass fiber filter), recoverable, µg/L (82679)	Propargite, water, filtered, (0.7 micron glass fiber filter), recoverable, µg/L (82685)	Propham, water, filtered, (0.7 micron glass fiber filter), recoverable, µg/L (49236)
05-04-2011	1500	< .020	< .05	< .014	< .12	< .012	< .006	< .010	< .02	< .040

Date	Sample start time	Propiconazole, water, filtered, recoverable, µg/L (50471)	Propoxur, water, filtered, (0.7 micron glass fiber filter), recoverable, µg/L (38538)	Propyzamide, water, filtered, (0.7 micron glass fiber filter), recoverable, µg/L (82676)	Siduron, water, filtered, recoverable, µg/L (38548)	Simazine, water, filtered, recoverable, µg/L (04035)	Sulfometuron-methyl, water, filtered, recoverable, µg/L (50337)	Tebu-thiuron, water, filtered, (0.7 micron glass fiber filter), recoverable, µg/L (82670)	Tefluthrin, water, filtered, recoverable, µg/L (61606)	Terbacil, water, filtered, recoverable, µg/L (04032)
05-04-2011	1500	< .04	< .060	< .004	< .04	< .006	< .060	< .03	< .010	< .040

301425091593901 Local number Lf-10181Z—Continued

WATER-QUALITY DATA
WATER YEAR OCTOBER 2010 TO SEPTEMBER 2011

[ANC, acid neutralizing capacity; CaCO₃, calcium carbonate; N, nitrogen; P, phosphorus; SiO₂, silicon dioxide; mg/L, milligrams per liter; °C, degrees Celsius; µS/cm, microsiemens per centimeter; µg/L, micrograms per liter; <, less than]

Date	Sample start time	Terbufos oxygen analog sulfone, water, filtered, recoverable, µg/L (61674)	Terbufos, water, filtered (0.7 micron glass fiber filter), recoverable, µg/L (82675)	Terbutylazine, water, filtered, recoverable, µg/L (04022)	Thioben-carb, water, filtered (0.7 micron glass fiber filter), recoverable, µg/L (82681)	trans-1,3-Dichloropropene, water, unfiltered, recoverable, µg/L (34699)	trans-Propiconazole, water, filtered, recoverable, µg/L (79847)	Tribuphos, water, filtered, recoverable, µg/L (61610)	Triclopyr, water, filtered (0.7 micron glass fiber filter), recoverable, µg/L (49235)	Trifluralin, water, filtered (0.7 micron glass fiber filter), recoverable, µg/L (82661)
05-04-2011	1500	< .04	< .02	< .01	< .016	< .14	< .01	< .018	< .08	< .018

Date	Sample start time	2,4-D plus 2,4-D methyl ester, sum on a molar basis, micrograms per liter as 2,4-D (66496)	1,1,1,2-Tetra-chloro-ethane, water, unfiltered, recoverable, µg/L (77562)	1,1,1-Tri-chloro-ethane, water, unfiltered, recoverable, µg/L (34506)	1,1,2,2-Tetra-chloro-ethane, water, unfiltered, recoverable, µg/L (34516)	1,1,2-Trichloro-1,2,2-trifluoro-ethane, water, unfiltered, recoverable, µg/L (77652)	1,1,2-Tri-chloro-ethane, water, unfiltered, recoverable, µg/L (34511)	1,1-Di-chloro-ethane, water, unfiltered, recoverable, µg/L (34496)	1,1-Di-chloro-ethene, water, unfiltered, recoverable, µg/L (34501)	1,1-Di-chloro-propene, water, unfiltered, recoverable, µg/L (77168)
05-04-2011	1500	< .06	< .04	< .03	< .14	< .03	< .03	< .04	< .02	< .04

Date	Sample start time	1,2,3,4-Tetra-methyl-benzene, water, unfiltered, recoverable, µg/L (49999)	1,2,3,5-Tetra-methyl-benzene, water, unfiltered, recoverable, µg/L (50000)	1,2,3-Tri-chloro-benzene, water, unfiltered, recoverable, µg/L (77613)	1,2,3-Tri-methyl-benzene, water, unfiltered, recoverable, µg/L (77221)	1,2,4-Tri-chloro-benzene, water, unfiltered, recoverable, µg/L (34551)	1,2,4-Tri-methyl-benzene, water, unfiltered, recoverable, µg/L (77222)	1,2-Dichloro-benzene, water, unfiltered, recoverable, µg/L (34536)	1,3,5-Tri-methyl-benzene, water, unfiltered, recoverable, µg/L (77226)	1,3-Dichloro-benzene, water, unfiltered, recoverable, µg/L (34566)
05-04-2011	1500	< .1	< .080	< .1	< .060	< .1	< .03	< .03	< .03	< .02

301425091593901 Local number Lf-10181Z—Continued

WATER-QUALITY DATA
WATER YEAR OCTOBER 2010 TO SEPTEMBER 2011

[ANC, acid neutralizing capacity; CaCO₃, calcium carbonate; N, nitrogen; P, phosphorus; SiO₂, silicon dioxide; mg/L, milligrams per liter; °C, degrees Celsius; µS/cm, microsiemens per centimeter; µg/L, micrograms per liter; <, less than]

Date	Sample start time	2,2-Di-chloro-propane, water, unfiltered, recoverable, µg/L (77170)	2-Chloro-toluene, water, unfiltered, recoverable, µg/L (77275)	2-Ethyl-toluene, water, unfiltered, recoverable, µg/L (77220)	4-Chloro-toluene, water, unfiltered, recoverable, µg/L (77277)	4-Iso-propyl-toluene, water, unfiltered, recoverable, µg/L (77356)	Acetone, water, unfiltered, recoverable, µg/L (81552)	Benzene, water, unfiltered, recoverable, µg/L (34030)	Bromo-benzene, water, unfiltered, recoverable, µg/L (81555)	Bromo-chloro-methane, water, unfiltered, recoverable, µg/L (77297)
05-04-2011	1500	< .06	< .03	< .03	< .04	< .06	< 3	< .03	< .02	< .06

Date	Sample start time	Bromo-dichloro-methane, water, unfiltered, recoverable, µg/L (32101)	Bromo-ethene, water, unfiltered, recoverable, µg/L (50002)	Caffeine, water, filtered, recoverable, µg/L (50305)	Chloro-benzene, water, unfiltered, recoverable, µg/L (34301)	Chloro-ethane, water, unfiltered, recoverable, µg/L (34311)	Chloro-methane, water, unfiltered, recoverable, µg/L (34418)	cis-1,2-Di-chloro-ethene, water, unfiltered, recoverable, µg/L (77093)	Dibromo-chloro-methane, water, unfiltered, recoverable, µg/L (32105)	Dibromo-methane, water, unfiltered, recoverable, µg/L (30217)
05-04-2011	1500	< .03	< .1	< .080	< .03	< .1	< .140	< .02	< .1	< .05

Date	Sample start time	Dichloro-difluoro-methane, water, unfiltered, recoverable, µg/L (34668)	Dichloro-methane, water, unfiltered, recoverable, µg/L (34423)	Diethyl ether, water, unfiltered, recoverable, µg/L (81576)	Diiso-propyl ether, water, unfiltered, recoverable, µg/L (81577)	Ethyl metha-crylate, water, unfiltered, recoverable, µg/L (73570)	Ethyl methyl ketone, water, unfiltered, recoverable, µg/L (81595)	Ethyl-benzene, water, unfiltered, recoverable, µg/L (34371)	Hexa-chloro-butadiene, water, unfiltered, recoverable, µg/L (39702)	Hexa-chloro-ethane, water, unfiltered, recoverable, µg/L (34396)
05-04-2011	1500	< .10	< .04	< .1	< .06	< .2	< 1.6	< .04	< .1	< .2

Date	Sample start time	Isobutyl methyl ketone, water, unfiltered, recoverable, µg/L (78133)	Isopropyl-benzene, water, unfiltered, recoverable, µg/L (77223)	Methyl acrylate, water, unfiltered, recoverable, µg/L (49991)	Methyl acrylo-nitrile, water, unfiltered, recoverable, µg/L (81593)	Methyl metha-crylate, water, unfiltered, recoverable, µg/L (81597)	Methyl tert-butyl ether, water, unfiltered, recoverable, µg/L (78032)	Methyl tert-pentyl ether, water, unfiltered, recoverable, µg/L (50005)	m-Xylene plus p-xylene, water, unfiltered, recoverable, µg/L (85795)	Naphtha-lene, water, unfiltered, recoverable, µg/L (34696)
05-04-2011	1500	< .3	< .04	< .8	< .3	< .2	< .10	< .06	< .08	< .2

301425091593901 Local number Lf-10181Z—Continued

WATER-QUALITY DATA
WATER YEAR OCTOBER 2010 TO SEPTEMBER 2011

[ANC, acid neutralizing capacity; CaCO₃, calcium carbonate; N, nitrogen; P, phosphorus; SiO₂, silicon dioxide; mg/L, milligrams per liter; °C, degrees Celsius; µS/cm, microsiemens per centimeter; µg/L, micrograms per liter; <, less than]

Date	Sample start time	n-Butyl methyl ketone, water, unfiltered, recoverable, µg/L (77103)	n-Butyl benzene, water, unfiltered, recoverable, µg/L (77342)	n-Propyl benzene, water, unfiltered, recoverable, µg/L (77224)	o-Xylene, water, unfiltered, recoverable, µg/L (77135)	sec-Butyl benzene, water, unfiltered, recoverable, µg/L (77350)	Styrene, water, unfiltered, recoverable, µg/L (77128)	tert-Butyl ethyl ether, water, unfiltered, recoverable, µg/L (50004)	tert-Butyl benzene, water, unfiltered, recoverable, µg/L (77353)	Tetra-chloro-ethene, water, unfiltered, recoverable, µg/L (34475)
05-04-2011	1500	< .4	< .1	< .04	< .03	< .03	< .04	< .03	< .06	< .03

Date	Sample start time	Tetra-chloro-methane, water, unfiltered, recoverable, µg/L (32102)	Tetra-hydro-furan, water, unfiltered, recoverable, µg/L (81607)	Toluene, water, unfiltered, recoverable, µg/L (34010)	trans-1,2-Dichloro-ethene, water, unfiltered, recoverable, µg/L (34546)	trans-1,4-Dichloro-2-butene, water, unfiltered, recoverable, µg/L (73547)	Tribromo-methane, water, unfiltered, recoverable, µg/L (32104)	Trichloro-ethene, water, unfiltered, recoverable, µg/L (39180)	Trichloro-fluoro-methane, water, unfiltered, recoverable, µg/L (34488)	Trichloro-methane, water, unfiltered, recoverable, µg/L (32106)
05-04-2011	1500	< .06	< 1	< .02	< .02	< .4	< .10	< .02	< .06	< .03

Date	Sample start time	Vinyl chloride, water, unfiltered, recoverable, µg/L (39175)	Tritium, water, unfiltered, picocuries per liter (07000)	Uranium (natural), water, filtered, µg/L (22703)
05-04-2011	1500	< .1	2.9	.00