



Water-Data Report 2011

**383832075095202 Local number WCV-187-GP01**

Northern Atlantic Coastal Plain aquifer system  
Columbia Group

Sussex County, DE

LOCATION.--Lat 38°38'32", long 75°09'52" referenced to North American Datum of 1983, Sussex County, DE, Hydrologic Unit 02060010.

**WATER-QUALITY RECORDS**

WELL CHARACTERISTICS.--Depth 12 ft. Upper casing diameter .75 in; top of first opening 8 ft, bottom of last opening 12 ft.

PERIOD OF RECORD.--May 2011.

REMARKS.--The purpose of this project was to study the effects This temporary well was installed using direct push technology. This well was developed, sampled, and then removed.of suburban land use on the quality of shallow groundwater in the coastal plain of Delaware.

**WATER-QUALITY DATA  
WATER YEAR OCTOBER 2010 TO SEPTEMBER 2011**

Part 1 of 5

[%, percent; CaCO<sub>3</sub>, calcium carbonate; N, nitrogen; P, phosphorus; SiO<sub>2</sub>, silicon dioxide; ft, feet; mg/L, milligrams per liter; mm Hg, millimeters of mercury; °C, degrees Celsius; µS/cm, microsiemens per centimeter; µg/L, micrograms per liter; <, less than; U, analyzed for but not detected]

Date	Sample start time	Medium name	Sample type	Barometric pressure, mm Hg (00025)	Temperature, air, °C (00020)	Depth to water level, ft below land surface (72019)	Dissolved oxygen, water, unfiltered, mg/L (00300)	Dissolved oxygen, water, unfiltered, % saturation (00301)	Flow rate, instantaneous, gallons per minute (00059)	pH, water, unfiltered, field, standard units (00400)
05-05-2011	1415	Groundwater	Regular	762	16.0	9.15	3.5	34	.10	5.2

**WATER-QUALITY DATA  
WATER YEAR OCTOBER 2010 TO SEPTEMBER 2011**

Part 2 of 5

[%, percent; CaCO<sub>3</sub>, calcium carbonate; N, nitrogen; P, phosphorus; SiO<sub>2</sub>, silicon dioxide; ft, feet; mg/L, milligrams per liter; mm Hg, millimeters of mercury; °C, degrees Celsius; µS/cm, microsiemens per centimeter; µg/L, micrograms per liter; <, less than; U, analyzed for but not detected]

Date	Sample start time	pH, water, unfiltered, laboratory, standard units (00403)	Specific conductance, water, unfiltered, laboratory, µS/cm at 25 °C (90095)	Specific conductance, water, unfiltered, µS/cm at 25 °C (00095)	Temperature, water, °C (00010)	Dissolved solids dried at 180 °C, water, filtered, mg/L (70300)	Hardness, water, mg/L as CaCO <sub>3</sub> (00900)	Calcium, water, filtered, mg/L (00915)	Magnesium, water, filtered, mg/L (00925)	Potassium, water, filtered, mg/L (00935)
05-05-2011	1415	5.4	100	100	14.5	57	26.0	2.23	4.95	3.32

## 383832075095202 Local number WCV-187-GP01—Continued

## WATER-QUALITY DATA

## WATER YEAR OCTOBER 2010 TO SEPTEMBER 2011

Part 3 of 5

[%, percent; CaCO<sub>3</sub>, calcium carbonate; N, nitrogen; P, phosphorus; SiO<sub>2</sub>, silicon dioxide; ft, feet; mg/L, milligrams per liter; mm Hg, millimeters of mercury; °C, degrees Celsius; µS/cm, microsiemens per centimeter; µg/L, micrograms per liter; <, less than; U, analyzed for but not detected]

Date	Sample start time	Sodium, water, filtered, mg/L (00930)	Alkalinity, water, filtered, inflection-point, incremental titration method, field, mg/L as CaCO <sub>3</sub> (39086)	Bicarbonate, water, filtered, inflection-point, incremental titration method, field, mg/L (00453)	Bromide, water, filtered, mg/L (71870)	Chloride, water, filtered, mg/L (00940)	Fluoride, water, filtered, mg/L (00950)	Hydrogen sulfide, water, unfiltered, mg/L (71875)	Silica, water, filtered, mg/L as SiO <sub>2</sub> (00955)
05-05-2011	1415	6.25	8	10	.0131	13.2	< .04	U	5.56

## WATER-QUALITY DATA

## WATER YEAR OCTOBER 2010 TO SEPTEMBER 2011

Part 4 of 5

[%, percent; CaCO<sub>3</sub>, calcium carbonate; N, nitrogen; P, phosphorus; SiO<sub>2</sub>, silicon dioxide; ft, feet; mg/L, milligrams per liter; mm Hg, millimeters of mercury; °C, degrees Celsius; µS/cm, microsiemens per centimeter; µg/L, micrograms per liter; <, less than; U, analyzed for but not detected]

Date	Sample start time	Sulfate, water, filtered, mg/L (00945)	Ammonia plus organic nitrogen, water, filtered, mg/L as N (00623)	Ammonia, water, filtered, mg/L as N (00608)	Nitrate plus nitrite, water, filtered, mg/L as N (00631)	Nitrate, water, filtered, mg/L as N (00618)	Nitrite, water, filtered, mg/L as N (00613)	Organic nitrogen, water, filtered, mg/L (00607)	Orthophosphate, water, filtered, mg/L (00660)	Orthophosphate, water, filtered, mg/L as P (00671)
05-05-2011	1415	6.80	.138	.0176	2.93	2.92	.00136	.12	.019	.00618

## WATER-QUALITY DATA

## WATER YEAR OCTOBER 2010 TO SEPTEMBER 2011

Part 5 of 5

[%, percent; CaCO<sub>3</sub>, calcium carbonate; N, nitrogen; P, phosphorus; SiO<sub>2</sub>, silicon dioxide; ft, feet; mg/L, milligrams per liter; mm Hg, millimeters of mercury; °C, degrees Celsius; µS/cm, microsiemens per centimeter; µg/L, micrograms per liter; <, less than; U, analyzed for but not detected]

Date	Sample start time	Phosphorus, water, filtered, mg/L as P (00666)	Total nitrogen, water, filtered, mg/L (00602)	Iron, water, filtered, µg/L (01046)	Manganese, water, filtered, µg/L (01056)
05-05-2011	1415	< .020	3.1	196	49.7