



Water-Data Report 2011

**385930077215901 Local number 52V 23**

Early Mesozoic basin aquifers  
Jurassic System

Fairfax County, VA

LOCATION.--Lat 38°59'30.18", long 77°21'58.56" referenced to North American Datum of 1983, Fairfax County, VA, Hydrologic Unit 02070008.

**WATER-QUALITY RECORDS**

WELL CHARACTERISTICS.--Depth 120.43 ft. Upper casing diameter 6 in; top of first opening 17.5 ft, bottom of last opening 120 ft.

DATUM.--Land-surface datum is 275 ft above North American Vertical Datum of 1988. Measuring point: Top of casing, 0.0 ft above land-surface datum, Dec. 27, 2002, to present.

PERIOD OF RECORD.--Water-quality records collected starting in 2003 water year.

**WATER-QUALITY DATA  
WATER YEAR OCTOBER 2010 TO SEPTEMBER 2011**

Part 1 of 27

[%, percent; CaCO<sub>3</sub>, calcium carbonate; FNU, Formazin nephelometric units; GCMS, gas chromatography/mass spectrometry; LED, light-emitting diode; N, nitrogen; P, phosphorus; SiO<sub>2</sub>, silicon dioxide; VOC, volatile organic compounds; ft, feet; mg/L, milligrams per liter; mm Hg, millimeters of mercury; nm, nanometers; °C, degrees Celsius; µS/cm, microsiemens per centimeter; µg/L, micrograms per liter; <, less than; E, estimated; M, presence verified but not quantified]

Date	Sample start time	Medium name	Sample type	Barometric pressure, mm Hg (00025)	Depth to water level, ft below land surface (72019)	Dissolved oxygen, unfiltered, mg/L (00300)	Dissolved oxygen, unfiltered, % saturation (00301)	Flow rate, instantaneous, gallons per minute (00059)	pH, water, unfiltered, field, standard units (00400)	pH, water, unfiltered, laboratory, standard units (00403)
08-17-2011	1815	Groundwater	Regular	752	6.66	5.8	72	.14	6.8	6.9

**WATER-QUALITY DATA  
WATER YEAR OCTOBER 2010 TO SEPTEMBER 2011**

Part 2 of 27

[%, percent; CaCO<sub>3</sub>, calcium carbonate; FNU, Formazin nephelometric units; GCMS, gas chromatography/mass spectrometry; LED, light-emitting diode; N, nitrogen; P, phosphorus; SiO<sub>2</sub>, silicon dioxide; VOC, volatile organic compounds; ft, feet; mg/L, milligrams per liter; mm Hg, millimeters of mercury; nm, nanometers; °C, degrees Celsius; µS/cm, microsiemens per centimeter; µg/L, micrograms per liter; <, less than; E, estimated; M, presence verified but not quantified]

Date	Sample start time	Specific conductance, water, unfiltered, laboratory, µS/cm at 25 °C (90095)	Specific conductance, water, unfiltered, µS/cm at 25 °C (00095)	Temperature, water, °C (00010)	Turbidity, water, unfiltered, monochrome near infrared LED light, 780-900 nm, detection angle 90 +/- 2.5 degrees, FNU (63680)	Sampling depth, ft (00003)	1,2-Dichloro-ethane-d4, surrogate, Schedule 2090, water, percent recovery (99832)	1-Bromo-4-fluoro-benzene, surrogate, VOC schedules, unfiltered, percent recovery (99834)	alpha-HCH-d6, surrogate, Schedule 2003, water, filtered, percent recovery (99995)
08-17-2011	1815	784	795	25.7	11	75.0	126.42	82.50	82.4

385930077215901 Local number 52V 23—Continued

**WATER-QUALITY DATA**  
**WATER YEAR OCTOBER 2010 TO SEPTEMBER 2011**

Part 3 of 27

[%, percent; CaCO<sub>3</sub>, calcium carbonate; FNU, Formazin nephelometric units; GCMS, gas chromatography/mass spectrometry; LED, light-emitting diode; N, nitrogen; P, phosphorus; SiO<sub>2</sub>, silicon dioxide; VOC, volatile organic compounds; ft, feet; mg/L, milligrams per liter; mm Hg, millimeters of mercury; nm, nanometers; °C, degrees Celsius; µS/cm, microsiemens per centimeter; µg/L, micrograms per liter; <, less than; E, estimated; M, presence verified but not quantified]

Date	Sample start time	Diazinon-d10, surrogate, Schedule 2003, water, filtered, percent recovery (99994)	Toluene-d8, surrogate, Schedule 2090, water, unfiltered, percent recovery; (99833)	Number of tentatively identified compounds (TICS) from VOC analysis by GCMS, number (99871)	Sampler type (84164)	Sampling method (82398)	Dissolved solids dried at 180 °C, water, filtered, mg/L (70300)	Hardness, water, mg/L as CaCO <sub>3</sub> (00900)
08-17-2011	1815	98.1	89.31	.0	Sbmrsl pos pressure	Submersible pump	478	322

**WATER-QUALITY DATA**  
**WATER YEAR OCTOBER 2010 TO SEPTEMBER 2011**

Part 4 of 27

[%, percent; CaCO<sub>3</sub>, calcium carbonate; FNU, Formazin nephelometric units; GCMS, gas chromatography/mass spectrometry; LED, light-emitting diode; N, nitrogen; P, phosphorus; SiO<sub>2</sub>, silicon dioxide; VOC, volatile organic compounds; ft, feet; mg/L, milligrams per liter; mm Hg, millimeters of mercury; nm, nanometers; °C, degrees Celsius; µS/cm, microsiemens per centimeter; µg/L, micrograms per liter; <, less than; E, estimated; M, presence verified but not quantified]

Date	Sample start time	Calcium, water, filtered, mg/L (00915)	Magnesium, water, filtered, mg/L (00925)	Potassium, water, filtered, mg/L (00935)	Sodium, water, filtered, mg/L (00930)	Alkalinity, water, filtered, inflection-point, incremental titration method, field, mg/L as CaCO <sub>3</sub> (39086)	Bicarbonate, water, filtered, inflection-point, incremental titration method, field, mg/L (00453)	Bromide, water, filtered, mg/L (71870)	Chloride, water, filtered, mg/L (00940)
08-17-2011	1815	71.7	34.6	.613	24.7	166	202	.131	120

## 385930077215901 Local number 52V 23—Continued

**WATER-QUALITY DATA**  
**WATER YEAR OCTOBER 2010 TO SEPTEMBER 2011**

Part 5 of 27

[%, percent; CaCO<sub>3</sub>, calcium carbonate; FNU, Formazin nephelometric units; GCMS, gas chromatography/mass spectrometry; LED, light-emitting diode; N, nitrogen; P, phosphorus; SiO<sub>2</sub>, silicon dioxide; VOC, volatile organic compounds; ft, feet; mg/L, milligrams per liter; mm Hg, millimeters of mercury; nm, nanometers; °C, degrees Celsius; µS/cm, microsiemens per centimeter; µg/L, micrograms per liter; <, less than; E, estimated; M, presence verified but not quantified]

Date	Sample start time	Fluoride, water, filtered, mg/L (00950)	Silica, water, filtered, mg/L as SiO <sub>2</sub> (00955)	Sulfate, water, filtered, mg/L (00945)	Ammonia, water, filtered, mg/L as N (00608)	Nitrate plus nitrite, water, filtered, mg/L as N (00631)	Nitrate, water, filtered, mg/L as N (00618)	Nitrite, water, filtered, mg/L as N (00613)	Organic nitrogen, water, filtered, mg/L (00607)	Orthophosphate, water, filtered, mg/L (00660)
08-17-2011	1815	<.04	52.5	32.6	.0441	.566	.556	.0102	.08	.032

**WATER-QUALITY DATA**  
**WATER YEAR OCTOBER 2010 TO SEPTEMBER 2011**

Part 6 of 27

[%, percent; CaCO<sub>3</sub>, calcium carbonate; FNU, Formazin nephelometric units; GCMS, gas chromatography/mass spectrometry; LED, light-emitting diode; N, nitrogen; P, phosphorus; SiO<sub>2</sub>, silicon dioxide; VOC, volatile organic compounds; ft, feet; mg/L, milligrams per liter; mm Hg, millimeters of mercury; nm, nanometers; °C, degrees Celsius; µS/cm, microsiemens per centimeter; µg/L, micrograms per liter; <, less than; E, estimated; M, presence verified but not quantified]

Date	Sample start time	Orthophosphate, water, filtered, mg/L as P (00671)	Total nitrogen, water, filtered, analytically determined, mg/L (62854)	Aluminum, water, filtered, µg/L (01106)	Barium, water, filtered, µg/L (01005)	Beryllium, water, filtered, µg/L (01010)	Cadmium, water, filtered, µg/L (01025)	Chromium, water, filtered, µg/L (01030)	Cobalt, water, filtered, µg/L (01035)
08-17-2011	1815	.0104	.687	< 1.7	2.69	< .006	.016	.311	.370

**WATER-QUALITY DATA**  
**WATER YEAR OCTOBER 2010 TO SEPTEMBER 2011**

Part 7 of 27

[%, percent; CaCO<sub>3</sub>, calcium carbonate; FNU, Formazin nephelometric units; GCMS, gas chromatography/mass spectrometry; LED, light-emitting diode; N, nitrogen; P, phosphorus; SiO<sub>2</sub>, silicon dioxide; VOC, volatile organic compounds; ft, feet; mg/L, milligrams per liter; mm Hg, millimeters of mercury; nm, nanometers; °C, degrees Celsius; µS/cm, microsiemens per centimeter; µg/L, micrograms per liter; <, less than; E, estimated; M, presence verified but not quantified]

Date	Sample start time	Copper, water, filtered, µg/L (01040)	Iron, water, filtered, µg/L (01046)	Lead, water, filtered, µg/L (01049)	Lithium, water, filtered, µg/L (01130)	Manganese, water, filtered, µg/L (01056)	Molybdenum, water, filtered, µg/L (01060)	Nickel, water, filtered, µg/L (01065)	Silver, water, filtered, µg/L (01075)	Strontium, water, filtered, µg/L (01080)
08-17-2011	1815	< .5	818	< .015	3.63	488	.594	2.16	< .005	152

## 385930077215901 Local number 52V 23—Continued

**WATER-QUALITY DATA**  
**WATER YEAR OCTOBER 2010 TO SEPTEMBER 2011**

Part 8 of 27

[%, percent; CaCO<sub>3</sub>, calcium carbonate; FNU, Formazin nephelometric units; GCMS, gas chromatography/mass spectrometry; LED, light-emitting diode; N, nitrogen; P, phosphorus; SiO<sub>2</sub>, silicon dioxide; VOC, volatile organic compounds; ft, feet; mg/L, milligrams per liter; mm Hg, millimeters of mercury; nm, nanometers; °C, degrees Celsius; µS/cm, microsiemens per centimeter; µg/L, micrograms per liter; <, less than; E, estimated; M, presence verified but not quantified]

Date	Sample start time	Thallium,	Vanadium,	Zinc,	Antimony,	Arsenic,	Boron,	Selenium,	1,2,3-Tri-chloro-propane, water, unfiltered, recoverable,	1,2-Dibromo-3-chloro-propane, water, unfiltered, recoverable,
		water, filtered, µg/L (01057)	water, filtered, µg/L (01085)	water, filtered, µg/L (01090)	water, filtered, µg/L (01095)	water, filtered, µg/L (01000)	water, filtered, µg/L (01020)	water, filtered, µg/L (01145)	µg/L (77443)	µg/L (82625)
08-17-2011	1815	< .010	< .08	< 1.4	< .027	.137	92.2	.053	< .12	< .4

**WATER-QUALITY DATA**  
**WATER YEAR OCTOBER 2010 TO SEPTEMBER 2011**

Part 9 of 27

[%, percent; CaCO<sub>3</sub>, calcium carbonate; FNU, Formazin nephelometric units; GCMS, gas chromatography/mass spectrometry; LED, light-emitting diode; N, nitrogen; P, phosphorus; SiO<sub>2</sub>, silicon dioxide; VOC, volatile organic compounds; ft, feet; mg/L, milligrams per liter; mm Hg, millimeters of mercury; nm, nanometers; °C, degrees Celsius; µS/cm, microsiemens per centimeter; µg/L, micrograms per liter; <, less than; E, estimated; M, presence verified but not quantified]

Date	Sample start time	1,2-Dibromo-ethane, water, unfiltered, recoverable,	1,2-Dichloro-ethane, water, unfiltered, recoverable,	1,2-Dichloro-propane, water, unfiltered, recoverable,	1,3-Di-chloro-propane, water, unfiltered, recoverable,	1,4-Dichloro-benzene, water, unfiltered, recoverable,	1-Naphthol, water, filtered (0.7 micron glass fiber filter), recoverable,	2,6-Diethyl-aniline, water, filtered (0.7 micron glass fiber filter), recoverable,	2-Chloro-2',6'-diethyl-acetanil-ide, water, filtered, recoverable,	2-Chloro-4-isopropyl-amino-6-amino-s-triazine, water, filtered, recoverable,
		µg/L (77651)	µg/L (32103)	µg/L (34541)	µg/L (77173)	µg/L (34571)	µg/L (49295)	µg/L (82660)	µg/L (61618)	µg/L (04040)
08-17-2011	1815	< .028	< .08	< .026	< .06	< .026	< .036	< .0060	< .010	E .0262

## 385930077215901 Local number 52V 23—Continued

**WATER-QUALITY DATA**  
**WATER YEAR OCTOBER 2010 TO SEPTEMBER 2011**

Part 10 of 27

[%, percent; CaCO<sub>3</sub>, calcium carbonate; FNU, Formazin nephelometric units; GCMS, gas chromatography/mass spectrometry; LED, light-emitting diode; N, nitrogen; P, phosphorus; SiO<sub>2</sub>, silicon dioxide; VOC, volatile organic compounds; ft, feet; mg/L, milligrams per liter; mm Hg, millimeters of mercury; nm, nanometers; °C, degrees Celsius; µS/cm, microsiemens per centimeter; µg/L, micrograms per liter; <, less than; E, estimated; M, presence verified but not quantified]

Date	Sample start time	2-Ethyl-6-methyl-aniline, water, filtered, recoverable, µg/L (61620)	3,4-Dichloro-aniline, water, filtered, recoverable, µg/L (61625)	3,5-Di-chloro-aniline, water, filtered, recoverable, µg/L (61627)	3-Chloro-propene, water, unfiltered, recoverable, µg/L (78109)	4-Chloro-2-methyl-phenol, water, filtered, recoverable, µg/L (61633)	Aceto-chlor, water, filtered, recoverable, µg/L (49260)	Acrylo-nitrile, water, unfiltered, recoverable, µg/L (34215)	Alachlor, water, filtered, recoverable, µg/L (46342)	alpha-Endo-sulfan, water, filtered, recoverable, µg/L (34362)
08-17-2011	1815	< .010	< .0042	< .0040	< .08	< .0046	< .010	< .8	< .008	.0074

**WATER-QUALITY DATA**  
**WATER YEAR OCTOBER 2010 TO SEPTEMBER 2011**

Part 11 of 27

[%, percent; CaCO<sub>3</sub>, calcium carbonate; FNU, Formazin nephelometric units; GCMS, gas chromatography/mass spectrometry; LED, light-emitting diode; N, nitrogen; P, phosphorus; SiO<sub>2</sub>, silicon dioxide; VOC, volatile organic compounds; ft, feet; mg/L, milligrams per liter; mm Hg, millimeters of mercury; nm, nanometers; °C, degrees Celsius; µS/cm, microsiemens per centimeter; µg/L, micrograms per liter; <, less than; E, estimated; M, presence verified but not quantified]

Date	Sample start time	Atrazine, water, filtered, recoverable, µg/L (39632)	Azinphos-methyl oxygen analog, water, filtered, recoverable, µg/L (61635)	Azinphos-methyl, water, filtered (0.7 micron glass fiber filter), recoverable, µg/L (82686)	Benfluralin, water, filtered (0.7 micron glass fiber filter), recoverable, µg/L (82673)	Bromo-methane, water, unfiltered, recoverable, µg/L (34413)	Carbaryl, water, filtered (0.7 micron glass fiber filter), recoverable, µg/L (82680)	Carbofuran, water, filtered (0.7 micron glass fiber filter), recoverable, µg/L (82674)	Carbon disulfide, water, unfiltered, µg/L (77041)
08-17-2011	1815	< .008	< .042	< .12	< .014	< .2	< .06	< .060	< .08

385930077215901 Local number 52V 23—Continued

**WATER-QUALITY DATA**  
**WATER YEAR OCTOBER 2010 TO SEPTEMBER 2011**

Part 12 of 27

[%, percent; CaCO<sub>3</sub>, calcium carbonate; FNU, Formazin nephelometric units; GCMS, gas chromatography/mass spectrometry; LED, light-emitting diode; N, nitrogen; P, phosphorus; SiO<sub>2</sub>, silicon dioxide; VOC, volatile organic compounds; ft, feet; mg/L, milligrams per liter; mm Hg, millimeters of mercury; nm, nanometers; °C, degrees Celsius; µS/cm, microsiemens per centimeter; µg/L, micrograms per liter; <, less than; E, estimated; M, presence verified but not quantified]

Date	Sample start time	Chlorpyrifos oxygen analog, water, filtered, recoverable, µg/L (61636)	Chlorpyrifos, water, filtered, recoverable, µg/L (38933)	cis-1,3-Dichloropropene, water, unfiltered, recoverable, µg/L (34704)	cis-Permethrin, water, filtered (0.7 micron glass fiber filter), recoverable, µg/L (82687)	cis-Propiconazole, water, filtered, recoverable, µg/L (79846)	Cyanazine, water, filtered, recoverable, µg/L (04041)	Cyfluthrin, water, filtered, recoverable, µg/L (61585)	Cypermethrin, water, filtered, recoverable, µg/L (61586)	DCPA, water, filtered (0.7 micron glass fiber filter), recoverable, µg/L (82682)
08-17-2011	1815	< .06	< .0036	< .1	< .010	< .008	< .022	< .016	< .020	< .0076

**WATER-QUALITY DATA**  
**WATER YEAR OCTOBER 2010 TO SEPTEMBER 2011**

Part 13 of 27

[%, percent; CaCO<sub>3</sub>, calcium carbonate; FNU, Formazin nephelometric units; GCMS, gas chromatography/mass spectrometry; LED, light-emitting diode; N, nitrogen; P, phosphorus; SiO<sub>2</sub>, silicon dioxide; VOC, volatile organic compounds; ft, feet; mg/L, milligrams per liter; mm Hg, millimeters of mercury; nm, nanometers; °C, degrees Celsius; µS/cm, microsiemens per centimeter; µg/L, micrograms per liter; <, less than; E, estimated; M, presence verified but not quantified]

Date	Sample start time	Desulfinyl-fipronil amide, water, filtered, recoverable, µg/L (62169)	Desulfinyl-fipronil, water, filtered, recoverable, µg/L (62170)	Diazinon, water, filtered, recoverable, µg/L (39572)	Dichlorvos, water, filtered, recoverable, µg/L (38775)	Dicrotophos, water, filtered, recoverable, µg/L (38454)	Dieldrin, water, filtered, recoverable, µg/L (39381)	Dimethoate, water, filtered (0.7 micron glass fiber filter), recoverable, µg/L (82662)	Disulfoton sulfone, water, filtered, recoverable, µg/L (61640)	Disulfoton, water, filtered (0.7 micron glass fiber filter), recoverable, µg/L (82677)
08-17-2011	1815	< .029	< .012	< .0060	< .04	< .08	< .008	< .006	< .014	< .040

## 385930077215901 Local number 52V 23—Continued

**WATER-QUALITY DATA**  
**WATER YEAR OCTOBER 2010 TO SEPTEMBER 2011**

Part 14 of 27

[%, percent; CaCO<sub>3</sub>, calcium carbonate; FNU, Formazin nephelometric units; GCMS, gas chromatography/mass spectrometry; LED, light-emitting diode; N, nitrogen; P, phosphorus; SiO<sub>2</sub>, silicon dioxide; VOC, volatile organic compounds; ft, feet; mg/L, milligrams per liter; mm Hg, millimeters of mercury; nm, nanometers; °C, degrees Celsius; µS/cm, microsiemens per centimeter; µg/L, micrograms per liter; <, less than; E, estimated; M, presence verified but not quantified]

Date	Sample start time	Endosulfan sulfate, water, filtered, recoverable, µg/L (61590)	EPTC, water, filtered (0.7 micron glass fiber filter), recoverable, µg/L (82668)	Ethion monoxon, water, filtered, recoverable, µg/L (61644)	Ethion, water, filtered, recoverable, µg/L (82346)	Ethoprop, water, filtered (0.7 micron glass fiber filter), recoverable, µg/L (82672)	Fenami-phos sulfone, water, filtered, recoverable, µg/L (61645)	Fenami-phos sulfoxide, water, filtered, recoverable, µg/L (61646)	Fenami-phos, water, filtered, recoverable, µg/L (61591)	Fipronil sulfide, water, filtered, recoverable, µg/L (62167)
08-17-2011	1815	< .016	< .0056	< .021	< .008	< .016	< .054	< .08	< .030	.0404

**WATER-QUALITY DATA**  
**WATER YEAR OCTOBER 2010 TO SEPTEMBER 2011**

Part 15 of 27

[%, percent; CaCO<sub>3</sub>, calcium carbonate; FNU, Formazin nephelometric units; GCMS, gas chromatography/mass spectrometry; LED, light-emitting diode; N, nitrogen; P, phosphorus; SiO<sub>2</sub>, silicon dioxide; VOC, volatile organic compounds; ft, feet; mg/L, milligrams per liter; mm Hg, millimeters of mercury; nm, nanometers; °C, degrees Celsius; µS/cm, microsiemens per centimeter; µg/L, micrograms per liter; <, less than; E, estimated; M, presence verified but not quantified]

Date	Sample start time	Fipronil sulfone, water, filtered, recoverable, µg/L (62168)	Fipronil, water, filtered, recoverable, µg/L (62166)	Fonofos, water, filtered, recoverable, µg/L (04095)	Hexa-zinone, water, filtered, recoverable, µg/L (04025)	Iodo-methane, water, unfiltered, recoverable, µg/L (77424)	Iprodione, water, filtered, recoverable, µg/L (61593)	Isofen-phos, water, filtered, recoverable, µg/L (61594)	lambda-Cyhalothrin, water, filtered, recoverable, µg/L (61595)	Malaoxon, water, filtered, recoverable, µg/L (61652)
08-17-2011	1815	.0579	E .0237	< .0048	< .008	< .26	< .014	< .006	< .010	< .022

## 385930077215901 Local number 52V 23—Continued

**WATER-QUALITY DATA**  
**WATER YEAR OCTOBER 2010 TO SEPTEMBER 2011**

Part 16 of 27

[%, percent; CaCO<sub>3</sub>, calcium carbonate; FNU, Formazin nephelometric units; GCMS, gas chromatography/mass spectrometry; LED, light-emitting diode; N, nitrogen; P, phosphorus; SiO<sub>2</sub>, silicon dioxide; VOC, volatile organic compounds; ft, feet; mg/L, milligrams per liter; mm Hg, millimeters of mercury; nm, nanometers; °C, degrees Celsius; µS/cm, microsiemens per centimeter; µg/L, micrograms per liter; <, less than; E, estimated; M, presence verified but not quantified]

Date	Sample start time	Malathion, water, filtered, recoverable, µg/L (39532)	Metalaxyl, water, filtered, recoverable, µg/L (61596)	Methidathion, water, filtered, recoverable, µg/L (61598)	Methyl parathion, water, filtered, recoverable, µg/L (61664)	Methyl parathion, water, filtered, recoverable, µg/L (82667)	Metolachlor, water, filtered, recoverable, µg/L (39415)	Metribuzin, water, filtered, recoverable, µg/L (82630)	Molinate, water, filtered, recoverable, µg/L (82671)	Myclobutanil, water, filtered, recoverable, µg/L (61599)
08-17-2011	1815	< .016	< .014	< .012	< .014	< .008	< .020	< .012	< .0040	< .010

**WATER-QUALITY DATA**  
**WATER YEAR OCTOBER 2010 TO SEPTEMBER 2011**

Part 17 of 27

[%, percent; CaCO<sub>3</sub>, calcium carbonate; FNU, Formazin nephelometric units; GCMS, gas chromatography/mass spectrometry; LED, light-emitting diode; N, nitrogen; P, phosphorus; SiO<sub>2</sub>, silicon dioxide; VOC, volatile organic compounds; ft, feet; mg/L, milligrams per liter; mm Hg, millimeters of mercury; nm, nanometers; °C, degrees Celsius; µS/cm, microsiemens per centimeter; µg/L, micrograms per liter; <, less than; E, estimated; M, presence verified but not quantified]

Date	Sample start time	Oxyfluorfen, water, filtered, recoverable, µg/L (61600)	Pendimethalin, water, filtered, recoverable, µg/L (82683)	Phorate oxygen analog, water, filtered, recoverable, µg/L (61666)	Phorate, water, filtered, recoverable, µg/L (82664)	Phosmet oxygen analog, water, filtered, recoverable, µg/L (61668)	Phosmet, water, filtered, recoverable, µg/L (61601)	Prometon, water, filtered, recoverable, µg/L (04037)	Prometryn, water, filtered, recoverable, µg/L (04036)	Propanil, water, filtered, recoverable, µg/L (82679)
08-17-2011	1815	< .006	< .012	< .027	< .020	< .0511	< .14	< .012	< .006	< .010

## 385930077215901 Local number 52V 23—Continued

**WATER-QUALITY DATA**  
**WATER YEAR OCTOBER 2010 TO SEPTEMBER 2011**

Part 18 of 27

[%, percent; CaCO<sub>3</sub>, calcium carbonate; FNU, Formazin nephelometric units; GCMS, gas chromatography/mass spectrometry; LED, light-emitting diode; N, nitrogen; P, phosphorus; SiO<sub>2</sub>, silicon dioxide; VOC, volatile organic compounds; ft, feet; mg/L, milligrams per liter; mm Hg, millimeters of mercury; nm, nanometers; °C, degrees Celsius; µS/cm, microsiemens per centimeter; µg/L, micrograms per liter; <, less than; E, estimated; M, presence verified but not quantified]

Date	Sample start time	Propargite, water, filtered (0.7 micron glass fiber filter), recoverable, µg/L (82685)	Propyzamide, water, filtered (0.7 micron glass fiber filter), recoverable, µg/L (82676)	Simazine, water, filtered, recoverable, µg/L (04035)	Tebu-thiuron, water, filtered (0.7 micron glass fiber filter), recoverable, µg/L (82670)	Tefluthrin, water, filtered, recoverable, µg/L (61606)	Terbufos oxygen analog sulfone, water, filtered, recoverable, µg/L (61674)	Terbufos, water, filtered (0.7 micron glass fiber filter), recoverable, µg/L (82675)	Terbuthyl-azine, water, filtered, recoverable, µg/L (04022)	Thioben-carb, water, filtered (0.7 micron glass fiber filter), recoverable, µg/L (82681)
08-17-2011	1815	< .020	< .0036	< .006	< .028	< .010	< .045	< .018	< .0060	< .016

**WATER-QUALITY DATA**  
**WATER YEAR OCTOBER 2010 TO SEPTEMBER 2011**

Part 19 of 27

[%, percent; CaCO<sub>3</sub>, calcium carbonate; FNU, Formazin nephelometric units; GCMS, gas chromatography/mass spectrometry; LED, light-emitting diode; N, nitrogen; P, phosphorus; SiO<sub>2</sub>, silicon dioxide; VOC, volatile organic compounds; ft, feet; mg/L, milligrams per liter; mm Hg, millimeters of mercury; nm, nanometers; °C, degrees Celsius; µS/cm, microsiemens per centimeter; µg/L, micrograms per liter; <, less than; E, estimated; M, presence verified but not quantified]

Date	Sample start time	trans-1,3-Dichloro-propene, water, unfiltered, recoverable, µg/L (34699)	trans-Propicon-azole, water, filtered, recoverable, µg/L (79847)	Tribuphos, water, filtered, recoverable, µg/L (61610)	Trifluralin, water, filtered (0.7 micron glass fiber filter), recoverable, µg/L (82661)	1,1,1,2-Tetra-chloro-ethane, water, unfiltered, recoverable, µg/L (77562)	1,1,1-Tri-chloro-ethane, water, unfiltered, recoverable, µg/L (34506)	1,1,2,2-Tetra-chloro-ethane, water, unfiltered, recoverable, µg/L (34516)	1,1,2-Tri-chloro-1,2,2-trifluoro-ethane, water, unfiltered, recoverable, µg/L (77652)	1,1,2-Tri-chloro-ethane, water, unfiltered, recoverable, µg/L (34511)
08-17-2011	1815	< .14	< .010	< .018	< .018	< .04	< .03	< .14	< .034	< .028

## 385930077215901 Local number 52V 23—Continued

**WATER-QUALITY DATA**  
**WATER YEAR OCTOBER 2010 TO SEPTEMBER 2011**

Part 20 of 27

[%, percent; CaCO<sub>3</sub>, calcium carbonate; FNU, Formazin nephelometric units; GCMS, gas chromatography/mass spectrometry; LED, light-emitting diode; N, nitrogen; P, phosphorus; SiO<sub>2</sub>, silicon dioxide; VOC, volatile organic compounds; ft, feet; mg/L, milligrams per liter; mm Hg, millimeters of mercury; nm, nanometers; °C, degrees Celsius; µS/cm, microsiemens per centimeter; µg/L, micrograms per liter; <, less than; E, estimated; M, presence verified but not quantified]

Date	Sample start time	1,1-Di-chloro-ethane, water, unfiltered, recoverable, µg/L (34496)	1,1-Di-chloro-ethene, water, unfiltered, recoverable, µg/L (34501)	1,1-Di-chloro-propene, water, unfiltered, recoverable, µg/L (77168)	1,2,3,4-Tetra-methyl-benzene, water, unfiltered, recoverable, µg/L (49999)	1,2,3,5-Tetra-methyl-benzene, water, unfiltered, recoverable, µg/L (50000)	1,2,3-Tri-chloro-benzene, water, unfiltered, recoverable, µg/L (77613)	1,2,3-Tri-methyl-benzene, water, unfiltered, recoverable, µg/L (77221)	1,2,4-Tri-chloro-benzene, water, unfiltered, recoverable, µg/L (34551)	1,2,4-Tri-methyl-benzene, water, unfiltered, recoverable, µg/L (77222)
08-17-2011	1815	< .044	< .022	< .04	< .1	< .08	< .06	< .06	< .08	< .032

**WATER-QUALITY DATA**  
**WATER YEAR OCTOBER 2010 TO SEPTEMBER 2011**

Part 21 of 27

[%, percent; CaCO<sub>3</sub>, calcium carbonate; FNU, Formazin nephelometric units; GCMS, gas chromatography/mass spectrometry; LED, light-emitting diode; N, nitrogen; P, phosphorus; SiO<sub>2</sub>, silicon dioxide; VOC, volatile organic compounds; ft, feet; mg/L, milligrams per liter; mm Hg, millimeters of mercury; nm, nanometers; °C, degrees Celsius; µS/cm, microsiemens per centimeter; µg/L, micrograms per liter; <, less than; E, estimated; M, presence verified but not quantified]

Date	Sample start time	1,2-Dichloro-benzene, water, unfiltered, recoverable, µg/L (34536)	1,3,5-Tri-methyl-benzene, water, unfiltered, recoverable, µg/L (77226)	1,3-Dichloro-benzene, water, unfiltered, recoverable, µg/L (34566)	2,2-Di-chloro-propane, water, unfiltered, recoverable, µg/L (77170)	2-Chloro-toluene, water, unfiltered, recoverable, µg/L (77275)	2-Ethyl-toluene, water, unfiltered, recoverable, µg/L (77220)	4-Chloro-toluene, water, unfiltered, recoverable, µg/L (77277)	4-Iso-propyl-toluene, water, unfiltered, recoverable, µg/L (77356)	Acetone, water, unfiltered, recoverable, µg/L (81552)
08-17-2011	1815	< .028	< .032	< .024	< .06	< .028	< .032	< .042	< .06	< 3.4

**WATER-QUALITY DATA**  
**WATER YEAR OCTOBER 2010 TO SEPTEMBER 2011**

Part 22 of 27

[%, percent; CaCO<sub>3</sub>, calcium carbonate; FNU, Formazin nephelometric units; GCMS, gas chromatography/mass spectrometry; LED, light-emitting diode; N, nitrogen; P, phosphorus; SiO<sub>2</sub>, silicon dioxide; VOC, volatile organic compounds; ft, feet; mg/L, milligrams per liter; mm Hg, millimeters of mercury; nm, nanometers; °C, degrees Celsius; µS/cm, microsiemens per centimeter; µg/L, micrograms per liter; <, less than; E, estimated; M, presence verified but not quantified]

Date	Sample start time	Benzene, water, unfiltered, recoverable, µg/L (34030)	Bromo-benzene, water, unfiltered, recoverable, µg/L (81555)	Bromo-chloro-methane, water, unfiltered, recoverable, µg/L (77297)	Bromo-dichloro-methane, water, unfiltered, recoverable, µg/L (32101)	Bromo-ethene, water, unfiltered, recoverable, µg/L (50002)	Chloro-benzene, water, unfiltered, recoverable, µg/L (34301)	Chloro-ethane, water, unfiltered, recoverable, µg/L (34311)	Chloro-methane, water, unfiltered, recoverable, µg/L (34418)	cis-1,2-Di-chloro-ethene, water, unfiltered, recoverable, µg/L (77093)
08-17-2011	1815	< .026	< .022	< .06	< .034	< .12	< .026	< .06	< .14	< .022

## 385930077215901 Local number 52V 23—Continued

**WATER-QUALITY DATA**  
**WATER YEAR OCTOBER 2010 TO SEPTEMBER 2011**

Part 23 of 27

[%, percent; CaCO<sub>3</sub>, calcium carbonate; FNU, Formazin nephelometric units; GCMS, gas chromatography/mass spectrometry; LED, light-emitting diode; N, nitrogen; P, phosphorus; SiO<sub>2</sub>, silicon dioxide; VOC, volatile organic compounds; ft, feet; mg/L, milligrams per liter; mm Hg, millimeters of mercury; nm, nanometers; °C, degrees Celsius; µS/cm, microsiemens per centimeter; µg/L, micrograms per liter; <, less than; E, estimated; M, presence verified but not quantified]

Date	Sample start time	Dibromo-chloro-methane, water, unfiltered, recoverable, µg/L (32105)	Dibromo-methane, water, unfiltered, recoverable, µg/L (30217)	Dichloro-difluoro-methane, water, unfiltered, recoverable, µg/L (34668)	Dichloro-methane, water, unfiltered, recoverable, µg/L (34423)	Diethyl ether, water, unfiltered, recoverable, µg/L (81576)	Diiso-propyl ether, water, unfiltered, recoverable, µg/L (81577)	Ethyl methacrylate, water, unfiltered, recoverable, µg/L (73570)	Ethyl methyl ketone, water, unfiltered, recoverable, µg/L (81595)	Ethyl-benzene, water, unfiltered, recoverable, µg/L (34371)
08-17-2011	1815	< .12	< .05	< .1	< .04	< .1	< .06	< .2	< 1.6	< .036

**WATER-QUALITY DATA**  
**WATER YEAR OCTOBER 2010 TO SEPTEMBER 2011**

Part 24 of 27

[%, percent; CaCO<sub>3</sub>, calcium carbonate; FNU, Formazin nephelometric units; GCMS, gas chromatography/mass spectrometry; LED, light-emitting diode; N, nitrogen; P, phosphorus; SiO<sub>2</sub>, silicon dioxide; VOC, volatile organic compounds; ft, feet; mg/L, milligrams per liter; mm Hg, millimeters of mercury; nm, nanometers; °C, degrees Celsius; µS/cm, microsiemens per centimeter; µg/L, micrograms per liter; <, less than; E, estimated; M, presence verified but not quantified]

Date	Sample start time	Hexa-chloro-butadiene, water, unfiltered, recoverable, µg/L (39702)	Hexa-chloro-ethane, water, unfiltered, recoverable, µg/L (34396)	Isobutyl methyl ketone, water, unfiltered, recoverable, µg/L (78133)	Isopropyl-benzene, water, unfiltered, recoverable, µg/L (77223)	Methyl acrylate, water, unfiltered, recoverable, µg/L (49991)	Methyl acrylonitrile, water, unfiltered, recoverable, µg/L (81593)	Methyl methacrylate, water, unfiltered, recoverable, µg/L (81597)	Methyl tert-butyl ether, water, unfiltered, recoverable, µg/L (78032)	Methyl tert-pentyl ether, water, unfiltered, recoverable, µg/L (50005)
08-17-2011	1815	< .08	< .22	< .32	< .042	< .8	< .26	< .22	< .1	< .06

**WATER-QUALITY DATA**  
**WATER YEAR OCTOBER 2010 TO SEPTEMBER 2011**

Part 25 of 27

[%, percent; CaCO<sub>3</sub>, calcium carbonate; FNU, Formazin nephelometric units; GCMS, gas chromatography/mass spectrometry; LED, light-emitting diode; N, nitrogen; P, phosphorus; SiO<sub>2</sub>, silicon dioxide; VOC, volatile organic compounds; ft, feet; mg/L, milligrams per liter; mm Hg, millimeters of mercury; nm, nanometers; °C, degrees Celsius; µS/cm, microsiemens per centimeter; µg/L, micrograms per liter; <, less than; E, estimated; M, presence verified but not quantified]

Date	Sample start time	m-Xylene plus p-xylene, water, unfiltered, recoverable, µg/L (85795)	Naphthalene, water, unfiltered, recoverable, µg/L (34696)	n-Butyl methyl ketone, water, unfiltered, recoverable, µg/L (77103)	n-Butyl-benzene, water, unfiltered, recoverable, µg/L (77342)	n-Propyl-benzene, water, unfiltered, recoverable, µg/L (77224)	o-Xylene, water, unfiltered, recoverable, µg/L (77135)	sec-Butyl-benzene, water, unfiltered, recoverable, µg/L (77350)	Styrene, water, unfiltered, recoverable, µg/L (77128)	tert-Butyl ethyl ether, water, unfiltered, recoverable, µg/L (50004)
08-17-2011	1815	< .08	< .18	< .4	< .08	< .036	< .032	< .034	< .042	< .032

385930077215901 Local number 52V 23—Continued

**WATER-QUALITY DATA**  
**WATER YEAR OCTOBER 2010 TO SEPTEMBER 2011**

Part 26 of 27

[%, percent; CaCO<sub>3</sub>, calcium carbonate; FNU, Formazin nephelometric units; GCMS, gas chromatography/mass spectrometry; LED, light-emitting diode; N, nitrogen; P, phosphorus; SiO<sub>2</sub>, silicon dioxide; VOC, volatile organic compounds; ft, feet; mg/L, milligrams per liter; mm Hg, millimeters of mercury; nm, nanometers; °C, degrees Celsius; µS/cm, microsiemens per centimeter; µg/L, micrograms per liter; <, less than; E, estimated; M, presence verified but not quantified]

Date	Sample start time	tert-Butylbenzene, water, unfiltered, recoverable, µg/L (77353)	Tetra-chloroethene, water, unfiltered, recoverable, µg/L (34475)	Tetra-chloromethane, water, unfiltered, recoverable, µg/L (32102)	Tetra-hydrofuran, water, unfiltered, recoverable, µg/L (81607)	Toluene, water, unfiltered, recoverable, µg/L (34010)	trans-1,2-Dichloroethene, water, unfiltered, recoverable, µg/L (34546)	trans-1,4-Dichloro-2-butene, water, unfiltered, recoverable, µg/L (73547)	Tribromo-methane, water, unfiltered, recoverable, µg/L (32104)	Trichloro-ethene, water, unfiltered, recoverable, µg/L (39180)
08-17-2011	1815	< .06	.0328	< .06	< 1.4	< .018	< .018	< .36	< .1	< .022

**WATER-QUALITY DATA**  
**WATER YEAR OCTOBER 2010 TO SEPTEMBER 2011**

Part 27 of 27

[%, percent; CaCO<sub>3</sub>, calcium carbonate; FNU, Formazin nephelometric units; GCMS, gas chromatography/mass spectrometry; LED, light-emitting diode; N, nitrogen; P, phosphorus; SiO<sub>2</sub>, silicon dioxide; VOC, volatile organic compounds; ft, feet; mg/L, milligrams per liter; mm Hg, millimeters of mercury; nm, nanometers; °C, degrees Celsius; µS/cm, microsiemens per centimeter; µg/L, micrograms per liter; <, less than; E, estimated; M, presence verified but not quantified]

Date	Sample start time	Trichloro-fluoro-methane, water, unfiltered, recoverable, µg/L (34488)	Trichloro-methane, water, unfiltered, recoverable, µg/L (32106)	Trihalomet hanes, water, unfiltered, minimum summation, microgram s per liter (90851)	Vinyl chloride, water, unfiltered, recoverable, µg/L (39175)	Uranium (natural), water, filtered, µg/L (22703)
08-17-2011	1815	< .06	.0478	M	< .06	.0913