Water-Data Report 2011

394918084100100 Local number MT-1255

Sand and gravel aquifers (glaciated regions)
Outwash

Montgomery County, OH

LOCATION.--Lat 39°49'17.5", long 84°10'01.3" referenced to North American Datum of 1983, Montgomery County, OH, Hydrologic Unit 05080001.

GROUNDWATER RECORDS

WELL CHARACTERISTICS.--Depth 75 ft. Upper casing diameter 5 in; top of first opening 69 ft, bottom of last opening 75 ft. Domestic water-supply well.

DATUM.--Land-surface datum is 780 ft above National Geodetic Vertical Datum of 1929. Measuring point: TOP OF CASING, 1.55 ft above land-surface datum, June 22, 1999, to present.

PERIOD OF RECORD.--Periodic water-level measurements from June 22, 1999 to current year. A water level from the well log is reported before this date but is not used in the period of record.

REMARKS.--This well is part of the NAWQA (National Water-Quality Assessment) of the White, Great, and Little Miami River Basins (WHMI study unit).

EXTREMES FOR PERIOD OF RECORD.--Highest water level measured, 27.25 ft below land-surface datum, Aug. 17, 2006; lowest measured, 40.18 ft below land-surface datum, Sept. 3, 2010 (well had been pumped recently).

WATER LEVELS IN FEET BELOW LAND-SURFACE DATUM
WATER YEAR OCTOBER 2010 TO SEPTEMBER 2011
[Measurement method: V, calibrated electric tape--accuracy of instrument has been checked. Water-level status: - - , static.]

Date	Water level	Measurement method	Water- level status
Jul 27	31.55	V	--

Suggested citation: U.S. Geological Survey, 2012, Water-resources data for the United States, Water Year 2011: U.S. Geological Survey Water-Data Report WDR-US-2011, site 394918084100100, accessed at http://wdr.water.usgs.gov/wy2011/pdfs/394918084100100.2011.pdf

394918084100100 Local number MT-1255—Continued

WATER-QUALITY RECORDS

PERIOD OF RECORD.--Water-quality data from June 22, 1999 to current year. Samples are collected approximately every two years.

REMARKS.--This well is part of the NAWQA (National Water-Quality Assessment) of the White, Great, and Little Miami River Basins (WHMI study unit). Water-quality samples are collected and analyzed for water-quality constituents (field parameters, major ions, nutrients, trace elements, pesticides and other organic compounds).

WATER-QUALITY DATA
WATER YEAR OCTOBER 2010 TO SEPTEMBER 2011

Part 1 of 23

[$CaCO_3$, calcium carbonate; N, nitrogen; NTRU, nephelometric turbidity ratio unit; P, phosphorus; SiO_2, silicon dioxide; mg/L, milligrams per liter; mm Hg, millimeters of mercury; nm, nanometers; °C, degrees Celsius; µS/cm, microsiemens per centimeter; µg/L, micrograms per liter; <, less than; U, analyzed for but not detected]

Date	Barometric pressure, mm Hg (00025)	Temperature, air, °C (00020)	Dissolved oxygen, water, unfiltered, mg/L (00300)	pH, water, unfiltered, field, standard units (00400)	pH, water, unfiltered, laboratory, standard units (00403)	Specific conductance, water, unfiltered, laboratory, µS/cm at 25 °C (90095)	Specific conductance, water, unfiltered, µS/cm at 25 °C (00095)	Temperature, water, °C (00010)	Turbidity, water, unfiltered, broad band light source (400-680 nm), detectors at multiple angles including 90 +/- 30 degrees, ratiometric correction, NTRU (63676)
07-27-2011	745	35.0	2.0	6.9	7.4	902	922	14.7	.2

WATER-QUALITY DATA
WATER YEAR OCTOBER 2010 TO SEPTEMBER 2011

Part 2 of 23

[$CaCO_3$, calcium carbonate; N, nitrogen; NTRU, nephelometric turbidity ratio unit; P, phosphorus; SiO_2, silicon dioxide; mg/L, milligrams per liter; mm Hg, millimeters of mercury; nm, nanometers; °C, degrees Celsius; µS/cm, microsiemens per centimeter; µg/L, micrograms per liter; <, less than; U, analyzed for but not detected]

Date	Dissolved solids dried at 180 °C, water, filtered, mg/L (70300)	Calcium, water, filtered, mg/L (00915)	Magnesium, water, filtered, mg/L (00925)	Potassium, water, filtered, mg/L (00935)	Sodium, water, filtered, mg/L (00930)	Alkalinity, water, filtered, inflection-point, incremental titration method, field, mg/L as $CaCO_3$ (39086)	Bicarbonate, water, filtered, inflection-point, incremental titration method, field, mg/L (00453)	Bromide, water, filtered, mg/L (71870)	Carbonate, water, filtered, inflection-point incremental titration method, field, mg/L (00452)
07-27-2011	534	98.7	31.6	3.66	49.6	250	304	.05	.4

394918084100100 Local number MT-1255—Continued

WATER-QUALITY DATA
WATER YEAR OCTOBER 2010 TO SEPTEMBER 2011

Part 3 of 23

[$CaCO_3$, calcium carbonate; N, nitrogen; NTRU, nephelometric turbidity ratio unit; P, phosphorus; SiO_2, silicon dioxide; mg/L, milligrams per liter; mm Hg, millimeters of mercury; nm, nanometers; °C, degrees Celsius; µS/cm, microsiemens per centimeter; µg/L, micrograms per liter; <, less than; U, analyzed for but not detected]

Date	Chloride, water, filtered, mg/L (00940)	Fluoride, water, filtered, mg/L (00950)	Hydrogen sulfide, water, unfiltered, mg/L (71875)	Silica, water, filtered, mg/L as SiO_2 (00955)	Sulfate, water, filtered, mg/L (00945)	Ammonia, water, filtered, mg/L as N (00608)	Nitrate plus nitrite, water, filtered, mg/L as N (00631)	Nitrite, water, filtered, mg/L as N (00613)	Orthophosphate, water, filtered, mg/L as P (00671)
07-27-2011	101	.28	U	9.46	54.8	< .010	1.03	.002	.008

WATER-QUALITY DATA
WATER YEAR OCTOBER 2010 TO SEPTEMBER 2011

Part 4 of 23

[$CaCO_3$, calcium carbonate; N, nitrogen; NTRU, nephelometric turbidity ratio unit; P, phosphorus; SiO_2, silicon dioxide; mg/L, milligrams per liter; mm Hg, millimeters of mercury; nm, nanometers; °C, degrees Celsius; µS/cm, microsiemens per centimeter; µg/L, micrograms per liter; <, less than; U, analyzed for but not detected]

Date	Total nitrogen, water, filtered, analytically determined, mg/L (62854)	Aluminum, water, filtered, µg/L (01106)	Barium, water, filtered, µg/L (01005)	Beryllium, water, filtered, µg/L (01010)	Cadmium, water, filtered, µg/L (01025)	Chromium, water, filtered, µg/L (01030)	Cobalt, water, filtered, µg/L (01035)	Copper, water, filtered, µg/L (01040)	Iron, water, filtered, µg/L (01046)	Lead, water, filtered, µg/L (01049)
07-27-2011	1.06	< 1.7	184	< .01	.03	< .06	.14	4.9	6	.45

WATER-QUALITY DATA
WATER YEAR OCTOBER 2010 TO SEPTEMBER 2011

Part 5 of 23

[$CaCO_3$, calcium carbonate; N, nitrogen; NTRU, nephelometric turbidity ratio unit; P, phosphorus; SiO_2, silicon dioxide; mg/L, milligrams per liter; mm Hg, millimeters of mercury; nm, nanometers; °C, degrees Celsius; µS/cm, microsiemens per centimeter; µg/L, micrograms per liter; <, less than; U, analyzed for but not detected]

Date	Lithium, water, filtered, µg/L (01130)	Manganese, water, filtered, µg/L (01056)	Molybdenum, water, filtered, µg/L (01060)	Nickel, water, filtered, µg/L (01065)	Silver, water, filtered, µg/L (01075)	Strontium, water, filtered, µg/L (01080)	Thallium, water, filtered, µg/L (01057)	Vanadium, water, filtered, µg/L (01085)	Zinc, water, filtered, µg/L (01090)	Antimony, water, filtered, µg/L (01095)
07-27-2011	3.2	2.4	2.09	1.2	< .01	1,030	.03	< .08	26.0	.07

394918084100100 Local number MT-1255—Continued

WATER-QUALITY DATA
WATER YEAR OCTOBER 2010 TO SEPTEMBER 2011
Part 6 of 23

[$CaCO_3$, calcium carbonate; N, nitrogen; NTRU, nephelometric turbidity ratio unit; P, phosphorus; SiO_2, silicon dioxide; mg/L, milligrams per liter; mm Hg, millimeters of mercury; nm, nanometers; °C, degrees Celsius; µS/cm, microsiemens per centimeter; µg/L, micrograms per liter; <, less than; U, analyzed for but not detected]

Date	Arsenic, water, filtered, µg/L (01000)	Boron, water, filtered, µg/L (01020)	Selenium, water, filtered, µg/L (01145)	1,2,3-Trichloropropane, water, unfiltered, recoverable, µg/L (77443)	1,2-Dibromo-3-chloropropane, water, unfiltered, recoverable, µg/L (82625)	1,2-Dibromoethane, water, unfiltered, recoverable, µg/L (77651)	1,2-Dichloroethane, water, unfiltered, recoverable, µg/L (32103)	1,2-Dichloropropane, water, unfiltered, recoverable, µg/L (34541)	1,3-Dichloropropane, water, unfiltered, recoverable, µg/L (77173)	1,4-Dichlorobenzene, water, unfiltered, recoverable, µg/L (34571)
07-27-2011	.14	46	3.5	< .12	< .4	< .03	< .1	< .03	< .1	< .03

WATER-QUALITY DATA
WATER YEAR OCTOBER 2010 TO SEPTEMBER 2011
Part 7 of 23

[$CaCO_3$, calcium carbonate; N, nitrogen; NTRU, nephelometric turbidity ratio unit; P, phosphorus; SiO_2, silicon dioxide; mg/L, milligrams per liter; mm Hg, millimeters of mercury; nm, nanometers; °C, degrees Celsius; µS/cm, microsiemens per centimeter; µg/L, micrograms per liter; <, less than; U, analyzed for but not detected]

Date	1-Naphthol, water, filtered (0.7 micron glass fiber filter), recoverable, µg/L (49295)	2,6-Diethylaniline, water, filtered (0.7 micron glass fiber filter), recoverable, µg/L (82660)	2-Chloro-2',6'-diethylacetanilide, water, filtered, recoverable, µg/L (61618)	2-Chloro-4-isopropylamino-6-amino-s-triazine, water, filtered, recoverable, µg/L (04040)	2-Ethyl-6-methylaniline, water, filtered, recoverable, µg/L (61620)	3,4-Dichloroaniline, water, filtered, recoverable, µg/L (61625)	3,5-Dichloroaniline, water, filtered, recoverable, µg/L (61627)	3-Chloropropene, water, unfiltered, recoverable, µg/L (78109)	4-Chloro-2-methylphenol, water, filtered, recoverable, µg/L (61633)	Acetochlor, water, filtered, recoverable, µg/L (49260)
07-27-2011	< .036	< .006	< .010	< .006	< .010	< .004	< .004	< .08	< .005	< .010

394918084100100 Local number MT-1255—Continued

WATER-QUALITY DATA
WATER YEAR OCTOBER 2010 TO SEPTEMBER 2011

Part 8 of 23

[$CaCO_3$, calcium carbonate; N, nitrogen; NTRU, nephelometric turbidity ratio unit; P, phosphorus; SiO_2, silicon dioxide; mg/L, milligrams per liter; mm Hg, millimeters of mercury; nm, nanometers; °C, degrees Celsius; µS/cm, microsiemens per centimeter; µg/L, micrograms per liter; <, less than; U, analyzed for but not detected]

Date	Acrylo-nitrile, water, unfiltered, recover-able, µg/L (34215)	Alachlor, water, filtered, recover-able, µg/L (46342)	alpha-Endo-sulfan, water, filtered, recover-able, µg/L (34362)	Atrazine, water, filtered, recover-able, µg/L (39632)	Azinphos-methyl oxygen analog, water, filtered, recover-able, µg/L (61635)	Azinphos-methyl, water, filtered (0.7 micron glass fiber filter), recover-able, µg/L (82686)	Benfluralin, water, filtered (0.7 micron glass fiber filter), recoverable, µg/L (82673)	Bromo-methane, water, unfiltered, recover-able, µg/L (34413)	Carbaryl, water, filtered (0.7 micron glass fiber filter), recover-able, µg/L (82680)
07-27-2011	< 0.8	< .008	< .006	< .008	< .04	< .120	< .014	< .2	< .060

WATER-QUALITY DATA
WATER YEAR OCTOBER 2010 TO SEPTEMBER 2011

Part 9 of 23

[$CaCO_3$, calcium carbonate; N, nitrogen; NTRU, nephelometric turbidity ratio unit; P, phosphorus; SiO_2, silicon dioxide; mg/L, milligrams per liter; mm Hg, millimeters of mercury; nm, nanometers; °C, degrees Celsius; µS/cm, microsiemens per centimeter; µg/L, micrograms per liter; <, less than; U, analyzed for but not detected]

Date	Carbofuran, water, filtered (0.7 micron glass fiber filter), recoverable, µg/L (82674)	Carbon disulfide, water, unfiltered, µg/L (77041)	Chlorpyrifos oxygen analog, water, filtered, recoverable, µg/L (61636)	Chlor-pyrifos, water, filtered, recover-able, µg/L (38933)	cis-1,3-Di-chloro-propene, water, unfiltered, recover-able, µg/L (34704)	cis-Permeth-rin, water, filtered (0.7 micron glass fiber filter), recover-able, µg/L (82687)	cis-Propicon-azole, water, filtered, recover-able, µg/L (79846)	Cyanazine, water, filtered, recover-able, µg/L (04041)	Cyfluthrin, water, filtered, recover-able, µg/L (61585)
07-27-2011	< .060	< .08	< .06	< .004	< .10	< .010	< .008	< .022	< .016

394918084100100 Local number MT-1255—Continued

WATER-QUALITY DATA
WATER YEAR OCTOBER 2010 TO SEPTEMBER 2011
Part 10 of 23

[$CaCO_3$, calcium carbonate; N, nitrogen; NTRU, nephelometric turbidity ratio unit; P, phosphorus; SiO_2, silicon dioxide; mg/L, milligrams per liter; mm Hg, millimeters of mercury; nm, nanometers; °C, degrees Celsius; µS/cm, microsiemens per centimeter; µg/L, micrograms per liter; <, less than; U, analyzed for but not detected]

Date	Cypermethrin, water, filtered, recoverable, µg/L (61586)	DCPA, water, filtered (0.7 micron glass fiber filter), recoverable, µg/L (82682)	Desulfinylfipronil amide, water, filtered, recoverable, µg/L (62169)	Desulfinylfipronil, water, filtered, recoverable, µg/L (62170)	Diazinon, water, filtered, recoverable, µg/L (39572)	Dichlorvos, water, filtered, recoverable, µg/L (38775)	Dicrotophos, water, filtered, recoverable, µg/L (38454)	Dieldrin, water, filtered, recoverable, µg/L (39381)	Dimethoate, water, filtered (0.7 micron glass fiber filter), recoverable, µg/L (82662)	Disulfoton sulfone, water, filtered, recoverable, µg/L (61640)
07-27-2011	< .020	< .008	< .029	< .012	< .006	< .04	< .08	< .008	< .006	< .01

WATER-QUALITY DATA
WATER YEAR OCTOBER 2010 TO SEPTEMBER 2011
Part 11 of 23

[$CaCO_3$, calcium carbonate; N, nitrogen; NTRU, nephelometric turbidity ratio unit; P, phosphorus; SiO_2, silicon dioxide; mg/L, milligrams per liter; mm Hg, millimeters of mercury; nm, nanometers; °C, degrees Celsius; µS/cm, microsiemens per centimeter; µg/L, micrograms per liter; <, less than; U, analyzed for but not detected]

Date	Disulfoton, water, filtered (0.7 micron glass fiber filter), recoverable, µg/L (82677)	Endosulfan sulfate, water, filtered, recoverable, µg/L (61590)	EPTC, water, filtered (0.7 micron glass fiber filter), recoverable, µg/L (82668)	Ethion monoxon, water, filtered, recoverable, µg/L (61644)	Ethion, water, filtered, recoverable, µg/L (82346)	Ethoprop, water, filtered (0.7 micron glass fiber filter), recoverable, µg/L (82672)	Fenamiphos sulfone, water, filtered, recoverable, µg/L (61645)	Fenamiphos sulfoxide, water, filtered, recoverable, µg/L (61646)	Fenamiphos, water, filtered, recoverable, µg/L (61591)	Fipronil sulfide, water, filtered, recoverable, µg/L (62167)
07-27-2011	< .04	< .016	< .006	< .02	< .008	< .016	< .054	< .08	< .03	< .012

WATER-QUALITY DATA
WATER YEAR OCTOBER 2010 TO SEPTEMBER 2011
Part 12 of 23

[$CaCO_3$, calcium carbonate; N, nitrogen; NTRU, nephelometric turbidity ratio unit; P, phosphorus; SiO_2, silicon dioxide; mg/L, milligrams per liter; mm Hg, millimeters of mercury; nm, nanometers; °C, degrees Celsius; µS/cm, microsiemens per centimeter; µg/L, micrograms per liter; <, less than; U, analyzed for but not detected]

Date	Fipronil sulfone, water, filtered, recoverable, µg/L (62168)	Fipronil, water, filtered, recoverable, µg/L (62166)	Fonofos, water, filtered, recoverable, µg/L (04095)	Hexazinone, water, filtered, recoverable, µg/L (04025)	Iodomethane, water, unfiltered, recoverable, µg/L (77424)	Iprodione, water, filtered, recoverable, µg/L (61593)	Isofenphos, water, filtered, recoverable, µg/L (61594)	lambda-Cyhalothrin, water, filtered, recoverable, µg/L (61595)	Malaoxon, water, filtered, recoverable, µg/L (61652)	Malathion, water, filtered, recoverable, µg/L (39532)
07-27-2011	< .024	< .018	< .005	< .008	< .26	< .014	< .006	< .010	< .022	< .016

394918084100100 Local number MT-1255—Continued

WATER-QUALITY DATA
WATER YEAR OCTOBER 2010 TO SEPTEMBER 2011
Part 13 of 23

[$CaCO_3$, calcium carbonate; N, nitrogen; NTRU, nephelometric turbidity ratio unit; P, phosphorus; SiO_2, silicon dioxide; mg/L, milligrams per liter; mm Hg, millimeters of mercury; nm, nanometers; °C, degrees Celsius; µS/cm, microsiemens per centimeter; µg/L, micrograms per liter; <, less than; U, analyzed for but not detected]

Date	Metalaxyl, water, filtered, recoverable, µg/L (61596)	Methidathion, water, filtered, recoverable, µg/L (61598)	Methyl paraoxon, water, filtered, recoverable, µg/L (61664)	Methyl parathion, water, filtered (0.7 micron glass fiber filter), recoverable, µg/L (82667)	Metolachlor, water, filtered, recoverable, µg/L (39415)	Metribuzin, water, filtered, recoverable, µg/L (82630)	Molinate, water, filtered (0.7 micron glass fiber filter), recoverable, µg/L (82671)	Myclobutanil, water, filtered, recoverable, µg/L (61599)	Oxyfluorfen, water, filtered, recoverable, µg/L (61600)	Pendimethalin, water, filtered (0.7 micron glass fiber filter), recoverable, µg/L (82683)
07-27-2011	< .014	< .012	< .01	< .008	< .020	< .012	< .004	< .010	< .006	< .012

WATER-QUALITY DATA
WATER YEAR OCTOBER 2010 TO SEPTEMBER 2011
Part 14 of 23

[$CaCO_3$, calcium carbonate; N, nitrogen; NTRU, nephelometric turbidity ratio unit; P, phosphorus; SiO_2, silicon dioxide; mg/L, milligrams per liter; mm Hg, millimeters of mercury; nm, nanometers; °C, degrees Celsius; µS/cm, microsiemens per centimeter; µg/L, micrograms per liter; <, less than; U, analyzed for but not detected]

Date	Phorate oxygen analog, water, filtered, recoverable, µg/L (61666)	Phorate, water, filtered (0.7 micron glass fiber filter), recoverable, µg/L (82664)	Phosmet oxygen analog, water, filtered, recoverable, µg/L (61668)	Phosmet, water, filtered, recoverable, µg/L (61601)	Prometon, water, filtered, recoverable, µg/L (04037)	Prometryn, water, filtered, recoverable, µg/L (04036)	Propanil, water, filtered (0.7 micron glass fiber filter), recoverable, µg/L (82679)	Propargite, water, filtered (0.7 micron glass fiber filter), recoverable, µg/L (82685)	Propyzamide, water, filtered (0.7 micron glass fiber filter), recoverable, µg/L (82676)	Simazine, water, filtered, recoverable, µg/L (04035)
07-27-2011	< .03	< .020	< .05	< .140	< .012	< .006	< .010	< .02	< .004	< .006

394918084100100 Local number MT-1255—Continued

WATER-QUALITY DATA
WATER YEAR OCTOBER 2010 TO SEPTEMBER 2011
Part 15 of 23
[$CaCO_3$, calcium carbonate; N, nitrogen; NTRU, nephelometric turbidity ratio unit; P, phosphorus; SiO_2, silicon dioxide; mg/L, milligrams per liter; mm Hg, millimeters of mercury; nm, nanometers; °C, degrees Celsius; µS/cm, microsiemens per centimeter; µg/L, micrograms per liter; <, less than; U, analyzed for but not detected]

Date	Tebuthiuron, water, filtered (0.7 micron glass fiber filter), recoverable, µg/L (82670)	Tefluthrin, water, filtered, recoverable, µg/L (61606)	Terbufos oxygen analog sulfone, water, filtered, recoverable, µg/L (61674)	Terbufos, water, filtered (0.7 micron glass fiber filter), recoverable, µg/L (82675)	Terbuthylazine, water, filtered, recoverable, µg/L (04022)	Thiobencarb, water, filtered (0.7 micron glass fiber filter), recoverable, µg/L (82681)	trans-1,3-Dichloropropene, water, unfiltered, recoverable, µg/L (34699)	trans-Propiconazole, water, filtered, recoverable, µg/L (79847)	Tribuphos, water, filtered, recoverable, µg/L (61610)	Trifluralin, water, filtered (0.7 micron glass fiber filter), recoverable, µg/L (82661)
07-27-2011	< .03	< .010	< .04	< .02	< .01	< .016	< .14	< .01	< .018	< .018

WATER-QUALITY DATA
WATER YEAR OCTOBER 2010 TO SEPTEMBER 2011
Part 16 of 23
[$CaCO_3$, calcium carbonate; N, nitrogen; NTRU, nephelometric turbidity ratio unit; P, phosphorus; SiO_2, silicon dioxide; mg/L, milligrams per liter; mm Hg, millimeters of mercury; nm, nanometers; °C, degrees Celsius; µS/cm, microsiemens per centimeter; µg/L, micrograms per liter; <, less than; U, analyzed for but not detected]

Date	1,1,1,2-Tetrachloroethane, water, unfiltered, recoverable, µg/L (77562)	1,1,1-Trichloroethane, water, unfiltered, recoverable, µg/L (34506)	1,1,2,2-Tetrachloroethane, water, unfiltered, recoverable, µg/L (34516)	1,1,2-Trichloro-1,2,2-trifluoroethane, water, unfiltered, recoverable, µg/L (77652)	1,1,2-Trichloroethane, water, unfiltered, recoverable, µg/L (34511)	1,1-Dichloroethane, water, unfiltered, recoverable, µg/L (34496)	1,1-Dichloroethene, water, unfiltered, recoverable, µg/L (34501)	1,1-Dichloropropene, water, unfiltered, recoverable, µg/L (77168)	1,2,3,4-Tetramethylbenzene, water, unfiltered, recoverable, µg/L (49999)	1,2,3,5-Tetramethylbenzene, water, unfiltered, recoverable, µg/L (50000)
07-27-2011	< .04	< .03	< .14	< .03	< .03	< .04	< .02	< .04	< .1	< .080

WATER-QUALITY DATA
WATER YEAR OCTOBER 2010 TO SEPTEMBER 2011
Part 17 of 23
[$CaCO_3$, calcium carbonate; N, nitrogen; NTRU, nephelometric turbidity ratio unit; P, phosphorus; SiO_2, silicon dioxide; mg/L, milligrams per liter; mm Hg, millimeters of mercury; nm, nanometers; °C, degrees Celsius; µS/cm, microsiemens per centimeter; µg/L, micrograms per liter; <, less than; U, analyzed for but not detected]

Date	1,2,3-Trichlorobenzene, water, unfiltered, recoverable, µg/L (77613)	1,2,3-Trimethylbenzene, water, unfiltered, recoverable, µg/L (77221)	1,2,4-Trichlorobenzene, water, unfiltered, recoverable, µg/L (34551)	1,2,4-Trimethylbenzene, water, unfiltered, recoverable, µg/L (77222)	1,2-Dichlorobenzene, water, unfiltered, recoverable, µg/L (34536)	1,3,5-Trimethylbenzene, water, unfiltered, recoverable, µg/L (77226)	1,3-Dichlorobenzene, water, unfiltered, recoverable, µg/L (34566)	2,2-Dichloropropane, water, unfiltered, recoverable, µg/L (77170)	2-Chlorotoluene, water, unfiltered, recoverable, µg/L (77275)	2-Ethyltoluene, water, unfiltered, recoverable, µg/L (77220)
07-27-2011	< .1	< .060	< .1	< .03	< .03	< .03	< .02	< .06	< .03	< .03

394918084100100 Local number MT-1255—Continued

WATER-QUALITY DATA
WATER YEAR OCTOBER 2010 TO SEPTEMBER 2011
Part 18 of 23
[$CaCO_3$, calcium carbonate; N, nitrogen; NTRU, nephelometric turbidity ratio unit; P, phosphorus; SiO_2, silicon dioxide; mg/L, milligrams per liter; mm Hg, millimeters of mercury; nm, nanometers; °C, degrees Celsius; µS/cm, microsiemens per centimeter; µg/L, micrograms per liter; <, less than; U, analyzed for but not detected]

Date	4-Chloro-toluene, water, unfiltered, recover-able, µg/L (77277)	4-Iso-propyl-toluene, water, unfiltered, recover-able, µg/L (77356)	Acetone, water, unfiltered, recover-able, µg/L (81552)	Benzene, water, unfiltered, recover-able, µg/L (34030)	Bromo-benzene, water, unfiltered, recover-able, µg/L (81555)	Bromo-chloro-methane, water, unfiltered, recover-able, µg/L (77297)	Bromo-dichloro-methane, water, unfiltered, recover-able, µg/L (32101)	Bromo-ethene, water, unfiltered, recover-able, µg/L (50002)	Chloro-benzene, water, unfiltered, recover-able, µg/L (34301)	Chloro-ethane, water, unfiltered, recover-able, µg/L (34311)
07-27-2011	< .04	< .06	< 3	< .03	< .02	< .06	< .03	< .1	< .03	< .1

WATER-QUALITY DATA
WATER YEAR OCTOBER 2010 TO SEPTEMBER 2011
Part 19 of 23
[$CaCO_3$, calcium carbonate; N, nitrogen; NTRU, nephelometric turbidity ratio unit; P, phosphorus; SiO_2, silicon dioxide; mg/L, milligrams per liter; mm Hg, millimeters of mercury; nm, nanometers; °C, degrees Celsius; µS/cm, microsiemens per centimeter; µg/L, micrograms per liter; <, less than; U, analyzed for but not detected]

Date	Chloro-methane, water, unfiltered, recover-able, µg/L (34418)	cis-1,2-Di-chloro-ethene, water, unfiltered, recover-able, µg/L (77093)	Dibromo-chloro-methane, water, unfiltered, recover-able, µg/L (32105)	Dibromo-methane, water, unfiltered, recover-able, µg/L (30217)	Dichloro-difluoro-methane, water, unfiltered, recover-able, µg/L (34668)	Dichloro-methane, water, unfiltered, recover-able, µg/L (34423)	Diethyl ether, water, unfiltered, recover-able, µg/L (81576)	Diiso-propyl ether, water, unfiltered, recover-able, µg/L (81577)	Ethyl metha-crylate, water, unfiltered, recover-able, µg/L (73570)	Ethyl methyl ketone, water, unfiltered, recover-able, µg/L (81595)
07-27-2011	< .140	< .02	< .1	< .05	< .10	< .04	< .1	< .06	< .2	< 1.6

WATER-QUALITY DATA
WATER YEAR OCTOBER 2010 TO SEPTEMBER 2011
Part 20 of 23
[$CaCO_3$, calcium carbonate; N, nitrogen; NTRU, nephelometric turbidity ratio unit; P, phosphorus; SiO_2, silicon dioxide; mg/L, milligrams per liter; mm Hg, millimeters of mercury; nm, nanometers; °C, degrees Celsius; µS/cm, microsiemens per centimeter; µg/L, micrograms per liter; <, less than; U, analyzed for but not detected]

Date	Ethyl-benzene, water, unfiltered, recover-able, µg/L (34371)	Hexa-chloro-butadiene, water, unfiltered, recover-able, µg/L (39702)	Hexa-chloro-ethane, water, unfiltered, recover-able, µg/L (34396)	Isobutyl methyl ketone, water, unfiltered, recover-able, µg/L (78133)	Isopropyl-benzene, water, unfiltered, recover-able, µg/L (77223)	Methyl acrylate, water, unfiltered, recover-able, µg/L (49991)	Methyl acrylo-nitrile, water, unfiltered, recover-able, µg/L (81593)	Methyl metha-crylate, water, unfiltered, recover-able, µg/L (81597)	Methyl tert-butyl ether, water, unfiltered, recover-able, µg/L (78032)	Methyl tert-pentyl ether, water, unfiltered, recover-able, µg/L (50005)
07-27-2011	< .04	< .1	< .2	< .3	< .04	< .8	< .3	< .2	< .10	< .06

394918084100100 Local number MT-1255—Continued

WATER-QUALITY DATA
WATER YEAR OCTOBER 2010 TO SEPTEMBER 2011
Part 21 of 23
[$CaCO_3$, calcium carbonate; N, nitrogen; NTRU, nephelometric turbidity ratio unit; P, phosphorus; SiO_2, silicon dioxide; mg/L, milligrams per liter; mm Hg, millimeters of mercury; nm, nanometers; °C, degrees Celsius; µS/cm, microsiemens per centimeter; µg/L, micrograms per liter; <, less than; U, analyzed for but not detected]

Date	m-Xylene plus p-xylene, water, unfiltered, recoverable, µg/L (85795)	Naphthalene, water, unfiltered, recoverable, µg/L (34696)	n-Butyl methyl ketone, water, unfiltered, recoverable, µg/L (77103)	n-Butylbenzene, water, unfiltered, recoverable, µg/L (77342)	n-Propylbenzene, water, unfiltered, recoverable, µg/L (77224)	o-Xylene, water, unfiltered, recoverable, µg/L (77135)	sec-Butylbenzene, water, unfiltered, recoverable, µg/L (77350)	Styrene, water, unfiltered, recoverable, µg/L (77128)	tert-Butyl ethyl ether, water, unfiltered, recoverable, µg/L (50004)	tert-Butylbenzene, water, unfiltered, recoverable, µg/L (77353)
07-27-2011	< .08	< .2	< .4	< .1	< .04	< .03	< .03	< .04	< .03	< .06

WATER-QUALITY DATA
WATER YEAR OCTOBER 2010 TO SEPTEMBER 2011
Part 22 of 23
[$CaCO_3$, calcium carbonate; N, nitrogen; NTRU, nephelometric turbidity ratio unit; P, phosphorus; SiO_2, silicon dioxide; mg/L, milligrams per liter; mm Hg, millimeters of mercury; nm, nanometers; °C, degrees Celsius; µS/cm, microsiemens per centimeter; µg/L, micrograms per liter; <, less than; U, analyzed for but not detected]

Date	Tetrachloroethene, water, unfiltered, recoverable, µg/L (34475)	Tetrachloromethane, water, unfiltered, recoverable, µg/L (32102)	Tetrahydrofuran, water, unfiltered, recoverable, µg/L (81607)	Toluene, water, unfiltered, recoverable, µg/L (34010)	trans-1,2-Dichloroethene, water, unfiltered, recoverable, µg/L (34546)	trans-1,4-Dichloro-2-butene, water, unfiltered, recoverable, µg/L (73547)	Tribromomethane, water, unfiltered, recoverable, µg/L (32104)	Trichloroethene, water, unfiltered, recoverable, µg/L (39180)	Trichlorofluoromethane, water, unfiltered, recoverable, µg/L (34488)	Trichloromethane, water, unfiltered, recoverable, µg/L (32106)
07-27-2011	< .03	< .06	< 1	< .02	< .02	< .4	< .10	< .02	< .06	< .03

394918084100100 Local number MT-1255—Continued

WATER-QUALITY DATA
WATER YEAR OCTOBER 2010 TO SEPTEMBER 2011

Part 23 of 23

[$CaCO_3$, calcium carbonate; N, nitrogen; NTRU, nephelometric turbidity ratio unit; P, phosphorus; SiO_2, silicon dioxide; mg/L, milligrams per liter; mm Hg, millimeters of mercury; nm, nanometers; °C, degrees Celsius; µS/cm, microsiemens per centimeter; µg/L, micrograms per liter; <, less than; U, analyzed for but not detected]

Date	Vinyl chloride, water, unfiltered, recover-able, µg/L (39175)	Uranium (natural), water, filtered, µg/L (22703)
07-27-2011	< .1	1.82