



Water-Data Report 2011

403337074093401 Local number R 139. 1

Northern Atlantic Coastal Plain aquifer system
Raritan Formation

Richmond County, NY

LOCATION.--Lat 40°33'37.4", long 74°09'33.5" referenced to North American Datum of 1983, Richmond County, NY, Hydrologic Unit 02030104, at southeast corner of East Gurley Avenue and Brookfield Avenue, easternmost well, Great Kills, Staten Island.

GROUNDWATER RECORDS

WELL CHARACTERISTICS.--Depth 122.8 ft. Upper casing diameter 4 in; top of first opening 112.8 ft, bottom of last opening 122.8 ft.

DATUM.--Land-surface datum is 28.5 ft above National Geodetic Vertical Datum of 1929. Measuring point: Top of casing, 0.48 ft below land-surface datum.


PERIOD OF RECORD.--February 2005 to current year.

GAGE.--Measurement with chalked steel tape by United States Geological Survey personnel.

EXTREMES FOR PERIOD OF RECORD.--Highest water level measured, 13.64 ft above sea level, July 29, 2011; lowest measured, 10.95 ft above sea level, September 27, 2010.

**WATER SURFACE ELEVATION IN FEET NGVD 1929
WATER YEAR OCTOBER 2010 TO SEPTEMBER 2011**

Date	Water level	Date	Water level
Oct 22	12.07	Jun 28	11.55
Nov 18	12.87	30	11.68
Dec 22	12.81	Jul 29	13.64
Feb 22	12.58	Aug 19	13.12
Apr 15	12.04	Sep 30	12.87
May 25	11.59		



403337074093401 Local number R 139. 1—Continued

WATER-QUALITY RECORDS

WATER-QUALITY DATA

WATER YEAR OCTOBER 2010 TO SEPTEMBER 2011

Part 1 of 28

[ANC, acid neutralizing capacity; CaCO₃, calcium carbonate; N, nitrogen; NTRU, nephelometric turbidity ratio unit; P, phosphorus; PCBs, polychlorinated biphenyls; SiO₂, silicon dioxide; mg/L, milligrams per liter; nm, nanometers; °C, degrees Celsius; µS/cm, microsiemens per centimeter; µg/L, micrograms per liter; <, less than; E, estimated; M, presence verified but not quantified]

Date	Sample start time	Dissolved oxygen, water, unfiltered, mg/L (00300)	pH, water, unfiltered, field, standard units (00400)	Specific conductance, water, unfiltered, µS/cm at 25°C (00095)	Temperature, water, °C (00010)	Turbidity, water, unfiltered, broad band light source (400-680 nm), detectors at multiple angles including 90 +/- 30 degrees, ratiometric correction, NTRU (63676)	Dissolved solids dried at 180°C, water, filtered, mg/L (70300)	Calcium, water, unfiltered, recoverable, mg/L (00916)	Magnesium, water, unfiltered, recoverable, mg/L (00927)
06-30-2011	1050	4.5	10.0	279	19.4	11	140	17.1	0.942

WATER-QUALITY DATA

WATER YEAR OCTOBER 2010 TO SEPTEMBER 2011

Part 2 of 28

[ANC, acid neutralizing capacity; CaCO₃, calcium carbonate; N, nitrogen; NTRU, nephelometric turbidity ratio unit; P, phosphorus; PCBs, polychlorinated biphenyls; SiO₂, silicon dioxide; mg/L, milligrams per liter; nm, nanometers; °C, degrees Celsius; µS/cm, microsiemens per centimeter; µg/L, micrograms per liter; <, less than; E, estimated; M, presence verified but not quantified]

Date	Sample start time	Potassium, water, unfiltered, recoverable, mg/L (00937)	Sodium, water, unfiltered, recoverable, mg/L (00929)	ANC, water, unfiltered, fixed endpoint (pH 4.5) titration, laboratory, mg/L as CaCO ₃ (90410)	Chloride, water, filtered, mg/L (00940)	Fluoride, water, filtered, mg/L (00950)	Silica, water, filtered, mg/L as SiO ₂ (00955)	Sulfate, water, filtered, mg/L (00945)	Ammonia, water, filtered, mg/L as N (00608)	Nitrate plus nitrite, water, filtered, mg/L as N (00631)
06-30-2011	1050	14.4	22.1	40.2	35.1	0.12	9.57	11.3	< .010	1.32

403337074093401 Local number R 139. 1—Continued

WATER-QUALITY DATA
WATER YEAR OCTOBER 2010 TO SEPTEMBER 2011

Part 3 of 28

[ANC, acid neutralizing capacity; CaCO₃, calcium carbonate; N, nitrogen; NTRU, nephelometric turbidity ratio unit; P, phosphorus; PCBs, polychlorinated biphenyls; SiO₂, silicon dioxide; mg/L, milligrams per liter; nm, nanometers; °C, degrees Celsius; µS/cm, microsiemens per centimeter; µg/L, micrograms per liter; <, less than; E, estimated; M, presence verified but not quantified]

Date	Sample start time	Nitrite, water, filtered, mg/L as N (00613)	Orthophosphate, water, filtered, mg/L as P (00671)	Barium, water, unfiltered, recoverable, µg/L (01007)	Cadmium, water, unfiltered, µg/L (01027)	Chromium, water, unfiltered, recoverable, µg/L (01034)	Copper, water, unfiltered, recoverable, µg/L (01042)	Iron, water, filtered, µg/L (01046)	Iron, water, unfiltered, recoverable, µg/L (01045)	Lead, water, unfiltered, recoverable, µg/L (01051)
06-30-2011	1050	0.001	0.015	78.9	0.386	13.3	3.1	67.5	522	0.43

WATER-QUALITY DATA
WATER YEAR OCTOBER 2010 TO SEPTEMBER 2011

Part 4 of 28

[ANC, acid neutralizing capacity; CaCO₃, calcium carbonate; N, nitrogen; NTRU, nephelometric turbidity ratio unit; P, phosphorus; PCBs, polychlorinated biphenyls; SiO₂, silicon dioxide; mg/L, milligrams per liter; nm, nanometers; °C, degrees Celsius; µS/cm, microsiemens per centimeter; µg/L, micrograms per liter; <, less than; E, estimated; M, presence verified but not quantified]

Date	Sample start time	Manganese, water, filtered, µg/L (01056)	Manganese, water, unfiltered, recoverable, µg/L (01055)	Mercury, water, unfiltered, recoverable, µg/L (71900)	Silver, water, unfiltered, recoverable, µg/L (01077)	Zinc, water, unfiltered, recoverable, µg/L (01092)	Arsenic, water, unfiltered, µg/L (01002)	Selenium, water, unfiltered, µg/L (01147)	1,2,3-Trichloropropane, water, unfiltered, recoverable, µg/L (77443)	1,2-Dibromo-3-chloropropane, water, unfiltered, recoverable, µg/L (82625)
06-30-2011	1050	2.01	39.1	< .005	0.094	6.9	0.79	< .050	< .120	< .400

WATER-QUALITY DATA
WATER YEAR OCTOBER 2010 TO SEPTEMBER 2011

Part 5 of 28

[ANC, acid neutralizing capacity; CaCO₃, calcium carbonate; N, nitrogen; NTRU, nephelometric turbidity ratio unit; P, phosphorus; PCBs, polychlorinated biphenyls; SiO₂, silicon dioxide; mg/L, milligrams per liter; nm, nanometers; °C, degrees Celsius; µS/cm, microsiemens per centimeter; µg/L, micrograms per liter; <, less than; E, estimated; M, presence verified but not quantified]

Date	Sample start time	1,2-Dibromoethane, water, unfiltered, recoverable, µg/L (77651)	1,2-Dichloroethane, water, unfiltered, recoverable, µg/L (32103)	1,2-Dichloropropane, water, unfiltered, recoverable, µg/L (34541)	1,3-Dichloropropane, water, unfiltered, recoverable, µg/L (77173)	1,4-Dichlorobenzene, water, unfiltered, recoverable, µg/L (34571)	1-Naphthol, water, filtered (0.7 micron glass fiber filter), recoverable, µg/L (49295)	2,4,6-Trichlorophenol, water, unfiltered, recoverable, µg/L (34621)	2,4-Dichlorophenol, water, unfiltered, recoverable, µg/L (34601)	2,4-Dimethylphenol, water, unfiltered, recoverable, µg/L (34606)
06-30-2011	1050	< .028	< .08	< .0260	< .06	0.016	< .0360	< .34	< .36	< .8

403337074093401 Local number R 139. 1—Continued

WATER-QUALITY DATA
WATER YEAR OCTOBER 2010 TO SEPTEMBER 2011

Part 6 of 28

[ANC, acid neutralizing capacity; CaCO₃, calcium carbonate; N, nitrogen; NTRU, nephelometric turbidity ratio unit; P, phosphorus; PCBs, polychlorinated biphenyls; SiO₂, silicon dioxide; mg/L, milligrams per liter; nm, nanometers; °C, degrees Celsius; µS/cm, microsiemens per centimeter; µg/L, micrograms per liter; <, less than; E, estimated; M, presence verified but not quantified]

Date	Sample start time	2,6-Diethyl-aniline, water, filtered (0.7 micron glass fiber filter), recoverable, µg/L (82660)	2-Chloro-2',6'-diethyl-acetanilide, water, filtered, recoverable, µg/L (61618)	2-Chloro-4-isopropyl-amino-6-triazine, water, filtered, recoverable, µg/L (04040)	2-Ethyl-6-methyl-aniline, water, filtered, recoverable, µg/L (61620)	2-Methyl-4,6-dinitro-phenol, water, unfiltered, recoverable, µg/L (34657)	3,4-Dichloro-aniline, water, filtered, recoverable, µg/L (61625)	3-Chloro-propene, water, unfiltered, recoverable, µg/L (78109)	4-Chloro-2-methyl-phenol, water, filtered, recoverable, µg/L (61633)	4-Chloro-3-methyl-phenol, water, filtered, recoverable, µg/L (34452)
06-30-2011	1050	< .0060	< .010	< .006	< .010	< 2	< .0042	< .08	< .0046	< .54

WATER-QUALITY DATA
WATER YEAR OCTOBER 2010 TO SEPTEMBER 2011

Part 7 of 28

[ANC, acid neutralizing capacity; CaCO₃, calcium carbonate; N, nitrogen; NTRU, nephelometric turbidity ratio unit; P, phosphorus; PCBs, polychlorinated biphenyls; SiO₂, silicon dioxide; mg/L, milligrams per liter; nm, nanometers; °C, degrees Celsius; µS/cm, microsiemens per centimeter; µg/L, micrograms per liter; <, less than; E, estimated; M, presence verified but not quantified]

Date	Sample start time	4-Nitro-phenol, water, unfiltered, recoverable, µg/L (34646)	Aceto-chlor, water, filtered, recoverable, µg/L (49260)	Acrylo-nitrile, water, unfiltered, recoverable, µg/L (34215)	Alachlor, water, filtered, recoverable, µg/L (46342)	Aldrin, water, unfiltered, recoverable, µg/L (39330)	alpha-Endo-sulfan, water, unfiltered, recoverable, µg/L (39388)	Atrazine, water, filtered, recoverable, µg/L (39632)	Azinphos-methyl oxygen analog, water, filtered, recoverable, µg/L (61635)	Azinphos-methyl, water, filtered (0.7 micron glass fiber filter), recoverable, µg/L (82686)
06-30-2011	1050	< .52	< .010	< .80	< .008	< .013	< .012	< .008	< .042	< .120

403337074093401 Local number R 139. 1—Continued

WATER-QUALITY DATA
WATER YEAR OCTOBER 2010 TO SEPTEMBER 2011

Part 8 of 28

[ANC, acid neutralizing capacity; CaCO₃, calcium carbonate; N, nitrogen; NTRU, nephelometric turbidity ratio unit; P, phosphorus; PCBs, polychlorinated biphenyls; SiO₂, silicon dioxide; mg/L, milligrams per liter; nm, nanometers; °C, degrees Celsius; µS/cm, microsiemens per centimeter; µg/L, micrograms per liter; <, less than; E, estimated; M, presence verified but not quantified]

Date	Sample start time	Benfluralin,	Carbaryl,	Chlordane		Chlorpyrifos		cis-1,3-Di-	
		water, filtered (0.7 micron glass fiber filter), recoverable, µg/L (82673)	water, filtered (0.7 micron glass fiber filter), recoverable, µg/L (82680)	(technical), water, unfiltered, recoverable, µg/L (39350)	oxygen analog, water, filtered, recoverable, µg/L (61636)	pyrifos, water, filtered, recoverable, µg/L (38933)	chloro-propene, water, unfiltered, recoverable, µg/L (34704)		
06-30-2011	1050	< .014	< .2	< .060	< .1	< .1	< .06	< .0036	< .10

WATER-QUALITY DATA
WATER YEAR OCTOBER 2010 TO SEPTEMBER 2011

Part 9 of 28

[ANC, acid neutralizing capacity; CaCO₃, calcium carbonate; N, nitrogen; NTRU, nephelometric turbidity ratio unit; P, phosphorus; PCBs, polychlorinated biphenyls; SiO₂, silicon dioxide; mg/L, milligrams per liter; nm, nanometers; °C, degrees Celsius; µS/cm, microsiemens per centimeter; µg/L, micrograms per liter; <, less than; E, estimated; M, presence verified but not quantified]

Date	Sample start time	cis-Permethrin,	DCPA,		Desulfinyl-		Diazinon,	Dichlorvos,	Dicrotophos,	
		water, filtered (0.7 micron glass fiber filter), recoverable, µg/L (82687)	Cyfluthrin, water, filtered, recoverable, µg/L (61585)	water, filtered (0.7 micron glass fiber filter), recoverable, µg/L (82682)	fipronil amide, water, filtered, recoverable, µg/L (62169)	Desulfinyl-fipronil, water, filtered, recoverable, µg/L (62170)				water, filtered, recoverable, µg/L (39572)
06-30-2011	1050	< .010	< .016	< .020	< .0076	< .029	< .012	< .0060	< .04	< .08

WATER-QUALITY DATA
WATER YEAR OCTOBER 2010 TO SEPTEMBER 2011

Part 10 of 28

[ANC, acid neutralizing capacity; CaCO₃, calcium carbonate; N, nitrogen; NTRU, nephelometric turbidity ratio unit; P, phosphorus; PCBs, polychlorinated biphenyls; SiO₂, silicon dioxide; mg/L, milligrams per liter; nm, nanometers; °C, degrees Celsius; µS/cm, microsiemens per centimeter; µg/L, micrograms per liter; <, less than; E, estimated; M, presence verified but not quantified]

Date	Sample start time	Dieldrin,	Dieldrin,	Dimetho-	Endrin,	Ethion	Ethion,	Fenami-	Fenami-	Fenami-
		water, filtered, recoverable, µg/L (39381)	water, unfiltered, recoverable, µg/L (39380)	ate, water, filtered (0.7 micron glass fiber filter), recoverable, µg/L (82662)	water, unfiltered, recoverable, µg/L (39390)	monoxon, water, filtered, recoverable, µg/L (61644)	water, filtered, recoverable, µg/L (82346)	phos sulfone, water, filtered, recoverable, µg/L (61645)	phos sulfoxide, water, filtered, recoverable, µg/L (61646)	phos, water, filtered, recoverable, µg/L (61591)
06-30-2011	1050	< .008	< .008	< .0060	< .012	< .021	< .008	< .054	< .08	< .030

403337074093401 Local number R 139. 1—Continued

WATER-QUALITY DATA
WATER YEAR OCTOBER 2010 TO SEPTEMBER 2011

Part 11 of 28

[ANC, acid neutralizing capacity; CaCO₃, calcium carbonate; N, nitrogen; NTRU, nephelometric turbidity ratio unit; P, phosphorus; PCBs, polychlorinated biphenyls; SiO₂, silicon dioxide; mg/L, milligrams per liter; nm, nanometers; °C, degrees Celsius; µS/cm, microsiemens per centimeter; µg/L, micrograms per liter; <, less than; E, estimated; M, presence verified but not quantified]

Date	Sample start time	Fipronil sulfide, water, filtered, recoverable, µg/L (62167)	Fipronil sulfone, water, filtered, recoverable, µg/L (62168)	Fipronil, water, filtered, recoverable, µg/L (62166)	Fonofos, water, filtered, recoverable, µg/L (04095)	Heptachlor epoxide, water, unfiltered, recoverable, µg/L (39420)	Heptachlor, water, unfiltered, recoverable, µg/L (39410)	Hexachlorobenzene, water, unfiltered, recoverable, µg/L (39700)	Hexazinone, water, filtered, recoverable, µg/L (04025)	Iodomethane, water, unfiltered, recoverable, µg/L (77424)
06-30-2011	1050	< .012	< .024	< .018	< .0048	< .009	< .008	< .30	< .008	< .26

WATER-QUALITY DATA
WATER YEAR OCTOBER 2010 TO SEPTEMBER 2011

Part 12 of 28

[ANC, acid neutralizing capacity; CaCO₃, calcium carbonate; N, nitrogen; NTRU, nephelometric turbidity ratio unit; P, phosphorus; PCBs, polychlorinated biphenyls; SiO₂, silicon dioxide; mg/L, milligrams per liter; nm, nanometers; °C, degrees Celsius; µS/cm, microsiemens per centimeter; µg/L, micrograms per liter; <, less than; E, estimated; M, presence verified but not quantified]

Date	Sample start time	Iprodione, water, filtered, recoverable, µg/L (61593)	Isofenphos, water, filtered, recoverable, µg/L (61594)	Lindane, water, unfiltered, recoverable, µg/L (39340)	Malaoxon, water, filtered, recoverable, µg/L (61652)	Malathion, water, filtered, recoverable, µg/L (39532)	Metalaxyl, water, filtered, recoverable, µg/L (61596)	Methidathion, water, filtered, recoverable, µg/L (61598)	Methyl parathion, water, filtered, recoverable, µg/L (61664)	Methyl parathion, water, filtered (0.7 micron glass fiber filter), recoverable, µg/L (82667)
06-30-2011	1050	< .014	< .006	< .014	< .022	< .016	< .014	< .012	< .014	< .008

WATER-QUALITY DATA
WATER YEAR OCTOBER 2010 TO SEPTEMBER 2011

Part 13 of 28

[ANC, acid neutralizing capacity; CaCO₃, calcium carbonate; N, nitrogen; NTRU, nephelometric turbidity ratio unit; P, phosphorus; PCBs, polychlorinated biphenyls; SiO₂, silicon dioxide; mg/L, milligrams per liter; nm, nanometers; °C, degrees Celsius; µS/cm, microsiemens per centimeter; µg/L, micrograms per liter; <, less than; E, estimated; M, presence verified but not quantified]

Date	Sample start time	Metolachlor, water, filtered, recoverable, µg/L (39415)	Metribuzin, water, filtered, recoverable, µg/L (82630)	Mirex, water, unfiltered, recoverable, µg/L (39755)	Myclobutanil, water, filtered, recoverable, µg/L (61599)	p,p'-DDD, water, unfiltered, recoverable, µg/L (39360)	p,p'-DDE, water, unfiltered, recoverable, µg/L (39365)	p,p'-DDT, water, unfiltered, recoverable, µg/L (39370)	p,p'-Methoxychlor, water, unfiltered, recoverable, µg/L (39480)	Pendimethalin, water, filtered (0.7 micron glass fiber filter), recoverable, µg/L (82683)
06-30-2011	1050	< .020	< .012	< .0060	< .010	< .016	< .014	< .010	< .002	< .012

403337074093401 Local number R 139. 1—Continued

WATER-QUALITY DATA
WATER YEAR OCTOBER 2010 TO SEPTEMBER 2011

Part 14 of 28

[ANC, acid neutralizing capacity; CaCO₃, calcium carbonate; N, nitrogen; NTRU, nephelometric turbidity ratio unit; P, phosphorus; PCBs, polychlorinated biphenyls; SiO₂, silicon dioxide; mg/L, milligrams per liter; nm, nanometers; °C, degrees Celsius; µS/cm, microsiemens per centimeter; µg/L, micrograms per liter; <, less than; E, estimated; M, presence verified but not quantified]

Date	Sample start time	Penta-chloro-phenol, water, unfiltered, recoverable, µg/L (39032)	Phorate oxygen analog, water, filtered, recoverable, µg/L (61666)	Phorate, water, filtered (0.7 micron glass fiber filter), recoverable, µg/L (82664)	Phosmet oxygen analog, water, filtered, recoverable, µg/L (61668)	Phosmet, water, filtered, recoverable, µg/L (61601)	Prometon, water, filtered, recoverable, µg/L (04037)	Prometryn, water, filtered, recoverable, µg/L (04036)	Propyz-amide, water, filtered (0.7 micron glass fiber filter), recoverable, µg/L (82676)	Simazine, water, filtered, recoverable, µg/L (04035)
06-30-2011	1050	< .6	< .027	< .020	< .0511	< .140	0.009	< .006	< .0036	< .006

WATER-QUALITY DATA
WATER YEAR OCTOBER 2010 TO SEPTEMBER 2011

Part 15 of 28

[ANC, acid neutralizing capacity; CaCO₃, calcium carbonate; N, nitrogen; NTRU, nephelometric turbidity ratio unit; P, phosphorus; PCBs, polychlorinated biphenyls; SiO₂, silicon dioxide; mg/L, milligrams per liter; nm, nanometers; °C, degrees Celsius; µS/cm, microsiemens per centimeter; µg/L, micrograms per liter; <, less than; E, estimated; M, presence verified but not quantified]

Date	Sample start time	Tebu-thiuron, water, filtered (0.7 micron glass fiber filter), recoverable, µg/L (82670)	Terbufos oxygen sulfone, water, filtered, recoverable, µg/L (61674)	Terbufos, water, filtered (0.7 micron glass fiber filter), recoverable, µg/L (82675)	Terbuthyl-azine, water, filtered, recoverable, µg/L (04022)	Toxa-phene, water, unfiltered, recoverable, µg/L (39400)	trans-1,3-Dichloro-propene, water, unfiltered, recoverable, µg/L (34699)	Tribuphos, water, filtered, recoverable, µg/L (61610)	Trifluralin, water, filtered (0.7 micron glass fiber filter), recoverable, µg/L (82661)	PCBs, water, unfiltered, recoverable, µg/L (39516)
06-30-2011	1050	< .028	< .045	< .018	< .006	< 1	< .14	< .018	< .018	< .1

403337074093401 Local number R 139. 1—Continued

WATER-QUALITY DATA
WATER YEAR OCTOBER 2010 TO SEPTEMBER 2011

Part 16 of 28

[ANC, acid neutralizing capacity; CaCO₃, calcium carbonate; N, nitrogen; NTRU, nephelometric turbidity ratio unit; P, phosphorus; PCBs, polychlorinated biphenyls; SiO₂, silicon dioxide; mg/L, milligrams per liter; nm, nanometers; °C, degrees Celsius; µS/cm, microsiemens per centimeter; µg/L, micrograms per liter; <, less than; E, estimated; M, presence verified but not quantified]

Date	Sample start time	1,1,1,2-Tetra-chloro-ethane, water, unfiltered, recoverable, µg/L (77562)	1,1,1-Tri-chloro-ethane, water, unfiltered, recoverable, µg/L (34506)	1,1,2,2-Tetra-chloro-ethane, water, unfiltered, recoverable, µg/L (34516)	1,1,2-Tri-chloro-2,2-trifluoro-ethane, water, unfiltered, recoverable, µg/L (77652)	1,1,2-Tri-chloro-ethane, water, unfiltered, recoverable, µg/L (34511)	1,1-Di-chloro-ethane, water, unfiltered, recoverable, µg/L (34496)	1,1-Di-chloro-ethene, water, unfiltered, recoverable, µg/L (34501)	1,1-Di-chloro-propene, water, unfiltered, recoverable, µg/L (77168)	1,2,3,4-Tetra-methyl-benzene, water, unfiltered, recoverable, µg/L (49999)
06-30-2011	1050	< .040	< .030	< .14	< .034	< .028	< .044	< .022	< .040	< .10

WATER-QUALITY DATA
WATER YEAR OCTOBER 2010 TO SEPTEMBER 2011

Part 17 of 28

[ANC, acid neutralizing capacity; CaCO₃, calcium carbonate; N, nitrogen; NTRU, nephelometric turbidity ratio unit; P, phosphorus; PCBs, polychlorinated biphenyls; SiO₂, silicon dioxide; mg/L, milligrams per liter; nm, nanometers; °C, degrees Celsius; µS/cm, microsiemens per centimeter; µg/L, micrograms per liter; <, less than; E, estimated; M, presence verified but not quantified]

Date	Sample start time	1,2,3,5-Tetra-methyl-benzene, water, unfiltered, recoverable, µg/L (50000)	1,2,3-Tri-chloro-benzene, water, unfiltered, recoverable, µg/L (77613)	1,2,3-Tri-methyl-benzene, water, unfiltered, recoverable, µg/L (77221)	1,2,4-Tri-chloro-benzene, water, unfiltered, recoverable, µg/L (34551)	1,2,4-Tri-methyl-benzene, water, unfiltered, recoverable, µg/L (77222)	1,2-Dichloro-benzene, water, unfiltered, recoverable, µg/L (34536)	1,2-Diphenyl-hydrazine, water, unfiltered, recoverable, µg/L (82626)	1,3,5-Tri-methyl-benzene, water, unfiltered, recoverable, µg/L (77226)	1,3-Dichloro-benzene, water, unfiltered, recoverable, µg/L (34566)
06-30-2011	1050	< .080	< .06	< .060	< .08	< .032	< .028	< .30	< .032	< .024

WATER-QUALITY DATA
WATER YEAR OCTOBER 2010 TO SEPTEMBER 2011

Part 18 of 28

[ANC, acid neutralizing capacity; CaCO₃, calcium carbonate; N, nitrogen; NTRU, nephelometric turbidity ratio unit; P, phosphorus; PCBs, polychlorinated biphenyls; SiO₂, silicon dioxide; mg/L, milligrams per liter; nm, nanometers; °C, degrees Celsius; µS/cm, microsiemens per centimeter; µg/L, micrograms per liter; <, less than; E, estimated; M, presence verified but not quantified]

Date	Sample start time	2,2-Di-chloro-propane, water, unfiltered, recoverable, µg/L (77170)	2,4-Dinitro-phenol, water, unfiltered, recoverable, µg/L (34616)	2,4-Dinitro-toluene, water, unfiltered, recoverable, µg/L (34611)	2,6-Dinitro-toluene, water, unfiltered, recoverable, µg/L (34626)	2-Chloro-naphthalene, water, unfiltered, recoverable, µg/L (34581)	2-Chloro-phenol, water, unfiltered, recoverable, µg/L (34586)	2-Chloro-toluene, water, unfiltered, recoverable, µg/L (77275)	2-Ethyl-toluene, water, unfiltered, recoverable, µg/L (77220)	2-Nitro-phenol, water, unfiltered, recoverable, µg/L (34591)
06-30-2011	1050	< .06	< 2	< .56	< .4	< .16	< .26	< .028	< .032	< .4

403337074093401 Local number R 139. 1—Continued

WATER-QUALITY DATA
WATER YEAR OCTOBER 2010 TO SEPTEMBER 2011

Part 19 of 28

[ANC, acid neutralizing capacity; CaCO₃, calcium carbonate; N, nitrogen; NTRU, nephelometric turbidity ratio unit; P, phosphorus; PCBs, polychlorinated biphenyls; SiO₂, silicon dioxide; mg/L, milligrams per liter; nm, nanometers; °C, degrees Celsius; µS/cm, microsiemens per centimeter; µg/L, micrograms per liter; <, less than; E, estimated; M, presence verified but not quantified]

Date	Sample start time	3,3'-Dichlorobenzidine, water, unfiltered, recoverable, µg/L (34631)	4-Bromophenyl ether, water, unfiltered, recoverable, µg/L (34636)	4-Chlorophenyl ether, water, unfiltered, recoverable, µg/L (34641)	4-Chlorotoluene, water, unfiltered, recoverable, µg/L (77277)	4-Iso-propyl-toluene, water, unfiltered, recoverable, µg/L (77356)	9H-Fluorene, water, unfiltered, recoverable, µg/L (34381)	Acenaphthene, water, unfiltered, recoverable, µg/L (34205)	Acenaphthylene, water, unfiltered, recoverable, µg/L (34200)	Acetone, water, unfiltered, recoverable, µg/L (81552)
06-30-2011	1050	< .42	< .24	< .34	< .042	< .06	< .34	< .28	< .30	< 3.4

WATER-QUALITY DATA
WATER YEAR OCTOBER 2010 TO SEPTEMBER 2011

Part 20 of 28

[ANC, acid neutralizing capacity; CaCO₃, calcium carbonate; N, nitrogen; NTRU, nephelometric turbidity ratio unit; P, phosphorus; PCBs, polychlorinated biphenyls; SiO₂, silicon dioxide; mg/L, milligrams per liter; nm, nanometers; °C, degrees Celsius; µS/cm, microsiemens per centimeter; µg/L, micrograms per liter; <, less than; E, estimated; M, presence verified but not quantified]

Date	Sample start time	Anthracene, water, unfiltered, recoverable, µg/L (34220)	Benzene, water, unfiltered, recoverable, µg/L (34030)	Benzo[a]anthracene, water, unfiltered, recoverable, µg/L (34526)	Benzo[a]pyrene, water, unfiltered, recoverable, µg/L (34247)	Benzo[a]fluoranthene, water, unfiltered, recoverable, µg/L (34230)	Benzo[ghi]perylene, water, unfiltered, recoverable, µg/L (34521)	Benzo[k]fluoranthene, water, unfiltered, recoverable, µg/L (34242)	Benzyl n-butyl phthalate, water, unfiltered, recoverable, µg/L (34292)	Bis(2-chloroethoxy)methane, water, unfiltered, recoverable, µg/L (34278)
06-30-2011	1050	< .38	< .026	< .26	< .32	< .30	< .38	< .30	< 1.8	< .24

WATER-QUALITY DATA
WATER YEAR OCTOBER 2010 TO SEPTEMBER 2011

Part 21 of 28

[ANC, acid neutralizing capacity; CaCO₃, calcium carbonate; N, nitrogen; NTRU, nephelometric turbidity ratio unit; P, phosphorus; PCBs, polychlorinated biphenyls; SiO₂, silicon dioxide; mg/L, milligrams per liter; nm, nanometers; °C, degrees Celsius; µS/cm, microsiemens per centimeter; µg/L, micrograms per liter; <, less than; E, estimated; M, presence verified but not quantified]

Date	Sample start time	Bis(2-chloroethyl) ether, water, unfiltered, recoverable, µg/L (34273)	Bis(2-chloroisopropyl) ether, water, unfiltered, recoverable, µg/L (34283)	Bis(2-ethylhexyl) phthalate, water, unfiltered, recoverable, µg/L (39100)	Bromobenzene, water, unfiltered, recoverable, µg/L (81555)	Bromo-chloro-methane, water, unfiltered, recoverable, µg/L (77297)	Bromo-dichloro-methane, water, unfiltered, recoverable, µg/L (32101)	Bromo-ethene, water, unfiltered, recoverable, µg/L (50002)	Chlorobenzene, water, unfiltered, recoverable, µg/L (34301)	Chloro-ethane, water, unfiltered, recoverable, µg/L (34311)
06-30-2011	1050	< .30	< .14	0.8	< .022	< .06	< .034	< .12	< .026	< .06

403337074093401 Local number R 139. 1—Continued

WATER-QUALITY DATA
WATER YEAR OCTOBER 2010 TO SEPTEMBER 2011

Part 22 of 28

[ANC, acid neutralizing capacity; CaCO₃, calcium carbonate; N, nitrogen; NTRU, nephelometric turbidity ratio unit; P, phosphorus; PCBs, polychlorinated biphenyls; SiO₂, silicon dioxide; mg/L, milligrams per liter; nm, nanometers; °C, degrees Celsius; µS/cm, microsiemens per centimeter; µg/L, micrograms per liter; <, less than; E, estimated; M, presence verified but not quantified]

Date	Sample start time	Chloro-	Chrysene,	Dibenzo-	Dibromo-	Dibromo-	Dichloro-	Dichloro-	Diethyl	
		methane,	water,	cis-1,2-Di-	chloro-	chloro-	difluoro-	methane,	methane,	ether,
		water,	water,	chloro-	methane,	methane,	methane,	methane,	water,	
		unfiltered,	unfiltered,	ethene,	water,	water,	water,	water,	unfiltered,	
		recover-	recover-	water,	unfiltered,	unfiltered,	unfiltered,	unfiltered,	recover-	
		able,	able,	recover-	recover-	recover-	recover-	recover-	able,	
		µg/L	µg/L	able,	able,	able,	able,	able,	µg/L	
		(34418)	(34320)	µg/L	µg/L	µg/L	µg/L	µg/L	(81576)	
		(77093)	(34556)	(32105)	(30217)	(34668)	(34423)	(81576)		
06-30-2011	1050	< .1	< .32	< .022	< .42	< .12	< .050	< .10	< .04	< .1

WATER-QUALITY DATA
WATER YEAR OCTOBER 2010 TO SEPTEMBER 2011

Part 23 of 28

[ANC, acid neutralizing capacity; CaCO₃, calcium carbonate; N, nitrogen; NTRU, nephelometric turbidity ratio unit; P, phosphorus; PCBs, polychlorinated biphenyls; SiO₂, silicon dioxide; mg/L, milligrams per liter; nm, nanometers; °C, degrees Celsius; µS/cm, microsiemens per centimeter; µg/L, micrograms per liter; <, less than; E, estimated; M, presence verified but not quantified]

Date	Sample start time	Diethyl	Diiso-	Dimethyl	Di-n-butyl	Di-n-octyl	Ethyl	Ethyl	Ethyl-	Fluoran-
		phthalate,	propyl	phthalate,	phthalate,	phthalate,	metha-	methyl	benzene,	thene,
		water,	ether,	water,	water,	water,	crylate,	ketone,	water,	water,
		unfiltered,	water,	unfiltered,	unfiltered,	unfiltered,	water,	water,	unfiltered,	unfiltered,
		recover-	unfiltered,	recover-	recover-	recover-	recover-	recover-	recover-	recover-
		able,	recover-	able,	able,	able,	able,	able,	able,	able,
		µg/L	able,	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L
		(34336)	(81577)	(34341)	(39110)	(34596)	(73570)	(81595)	(34371)	(34376)
06-30-2011	1050	< .62	< .06	< .36	E .11	< .6	< .20	< 1.6	< .036	M

WATER-QUALITY DATA
WATER YEAR OCTOBER 2010 TO SEPTEMBER 2011

Part 24 of 28

[ANC, acid neutralizing capacity; CaCO₃, calcium carbonate; N, nitrogen; NTRU, nephelometric turbidity ratio unit; P, phosphorus; PCBs, polychlorinated biphenyls; SiO₂, silicon dioxide; mg/L, milligrams per liter; nm, nanometers; °C, degrees Celsius; µS/cm, microsiemens per centimeter; µg/L, micrograms per liter; <, less than; E, estimated; M, presence verified but not quantified]

Date	Sample start time	Hexa-	Hexa-	Hexa-	Indeno-	Isobutyl	Iso-	Isopropyl-	Methyl	Methyl
		chloro-	chloro-	chloro-	[1,2,3-cd]-	methyl	phorone,	benzene,	acetate,	acrylate,
		butadiene,	cyclo-	ethane,	pyrene,	ketone,	water,	water,	water,	water,
		unfiltered,	penta-	water,	water,	unfiltered,	unfiltered,	unfiltered,	unfiltered,	unfiltered,
		recover-	diene,	unfiltered,	unfiltered,	recover-	recover-	recover-	recover-	recover-
		able,	water,	recover-	recover-	able,	able,	able,	able,	able,
		µg/L	unfiltered,	able,	able,	µg/L	µg/L	µg/L	µg/L	µg/L
		(39702)	recover-	µg/L	µg/L	(78133)	(34408)	(77223)	(77032)	(49991)
		(34386)	able,	(34396)	(34403)	(78133)	(34408)	(77223)	(77032)	(49991)
06-30-2011	1050	< .08	< .50	< .22	< .38	< .32	< .26	< .042	< .46	< .8

403337074093401 Local number R 139. 1—Continued

WATER-QUALITY DATA
WATER YEAR OCTOBER 2010 TO SEPTEMBER 2011

Part 25 of 28

[ANC, acid neutralizing capacity; CaCO₃, calcium carbonate; N, nitrogen; NTRU, nephelometric turbidity ratio unit; P, phosphorus; PCBs, polychlorinated biphenyls; SiO₂, silicon dioxide; mg/L, milligrams per liter; nm, nanometers; °C, degrees Celsius; µS/cm, microsiemens per centimeter; µg/L, micrograms per liter; <, less than; E, estimated; M, presence verified but not quantified]

Date	Sample start time	Methyl acrylonitrile, water, unfiltered, recoverable,	Methyl methacrylate, water, unfiltered, recoverable,	Methyl tert-butyl ether, water, unfiltered, recoverable,	Methyl tert-pentyl ether, water, unfiltered, recoverable,	Methylene blue active substances, water, unfiltered, recoverable,	m-Xylene plus p-xylene, water, unfiltered, recoverable,	Naphthalene, water, unfiltered, recoverable,	n-Butyl methyl ketone, water, unfiltered, recoverable,	n-Butylbenzene, water, unfiltered, recoverable,
		(81593) µg/L	(81597) µg/L	(78032) µg/L	(50005) µg/L	(38260) mg/L	(85795) µg/L	(34696) µg/L	(77103) µg/L	(77342) µg/L
06-30-2011	1050	< .26	< .22	< .10	< .06	< .050	< .08	< .18	< .4	< .08

WATER-QUALITY DATA
WATER YEAR OCTOBER 2010 TO SEPTEMBER 2011

Part 26 of 28

[ANC, acid neutralizing capacity; CaCO₃, calcium carbonate; N, nitrogen; NTRU, nephelometric turbidity ratio unit; P, phosphorus; PCBs, polychlorinated biphenyls; SiO₂, silicon dioxide; mg/L, milligrams per liter; nm, nanometers; °C, degrees Celsius; µS/cm, microsiemens per centimeter; µg/L, micrograms per liter; <, less than; E, estimated; M, presence verified but not quantified]

Date	Sample start time	Nitrobenzene, water, unfiltered, recoverable,	N-Nitrosodimethylamine, water, unfiltered, recoverable,	N-Nitrosodipropylamine, water, unfiltered, recoverable,	N-Nitrosodiphenylamine, water, unfiltered, recoverable,	n-Propylbenzene, water, unfiltered, recoverable,	o-Xylene, water, unfiltered, recoverable,	Phenanthrene, water, unfiltered, recoverable,	Phenol, water, unfiltered, recoverable,	Pyrene, water, unfiltered, recoverable,
		(34447) µg/L	(34438) µg/L	(34428) µg/L	(34433) µg/L	(77224) µg/L	(77135) µg/L	(34461) µg/L	(34694) µg/L	(34469) µg/L
06-30-2011	1050	< 0.26	< .24	< .4	< .28	< .036	< .032	< .32	< .28	M

WATER-QUALITY DATA
WATER YEAR OCTOBER 2010 TO SEPTEMBER 2011

Part 27 of 28

[ANC, acid neutralizing capacity; CaCO₃, calcium carbonate; N, nitrogen; NTRU, nephelometric turbidity ratio unit; P, phosphorus; PCBs, polychlorinated biphenyls; SiO₂, silicon dioxide; mg/L, milligrams per liter; nm, nanometers; °C, degrees Celsius; µS/cm, microsiemens per centimeter; µg/L, micrograms per liter; <, less than; E, estimated; M, presence verified but not quantified]

Date	Sample start time	sec-Butylbenzene, water, unfiltered, recoverable,	Styrene, water, unfiltered, recoverable,	tert-Amyl alcohol, water, unfiltered, recoverable,	tert-Butyl alcohol, water, unfiltered, recoverable,	tert-Butyl ethyl ether, water, unfiltered, recoverable,	tert-Butylbenzene, water, unfiltered, recoverable,	Tetra-chloroethene, water, unfiltered, recoverable,	Tetra-chloromethane, water, unfiltered, recoverable,	Tetrahydrofuran, water, unfiltered, recoverable,
		(77350) µg/L	(77128) µg/L	(77073) µg/L	(77035) µg/L	(50004) µg/L	(77353) µg/L	(34475) µg/L	(32102) µg/L	(81607) µg/L
06-30-2011	1050	< .034	< .042	< .6	< .80	< .032	< .060	< .026	< .06	< 1.4

403337074093401 Local number R 139. 1—Continued

WATER-QUALITY DATA
WATER YEAR OCTOBER 2010 TO SEPTEMBER 2011

Part 28 of 28

[ANC, acid neutralizing capacity; CaCO₃, calcium carbonate; N, nitrogen; NTRU, nephelometric turbidity ratio unit; P, phosphorus; PCBs, polychlorinated biphenyls; SiO₂, silicon dioxide; mg/L, milligrams per liter; nm, nanometers; °C, degrees Celsius; µS/cm, microsiemens per centimeter; µg/L, micrograms per liter; <, less than; E, estimated; M, presence verified but not quantified]

Date	Sample start time	Toluene, water, unfiltered, recoverable, µg/L (34010)	trans-1,2-Dichloro-ethene, water, unfiltered, recoverable, µg/L (34546)	trans-1,4-Dichloro-2-butene, water, unfiltered, recoverable, µg/L (73547)	Tribromo-methane, water, unfiltered, recoverable, µg/L (32104)	Trichloro-ethene, water, unfiltered, recoverable, µg/L (39180)	Trichloro-fluoro-methane, water, unfiltered, recoverable, µg/L (34488)	Trichloro-methane, water, unfiltered, recoverable, µg/L (32106)	Vinyl chloride, water, unfiltered, recoverable, µg/L (39175)
06-30-2011	1050	< .02	< .018	< .4	< .10	< .022	< .06	< .03	< .06