

Water-Data Report 2011

404138073535101 Local number Q 3649. 1

Northern Atlantic Coastal Plain aquifer system
Glacial Aquifer, Upper

Queens County, NY

LOCATION.--Lat 40°41'38", long 73°53'51" referenced to North American Datum of 1927, Queens County, NY, Hydrologic Unit 02030201, at north side of Cabot Road, 66 ft west of Cypress Avenue, easternmost well, Ridgewood.

GROUNDWATER RECORDS

WELL CHARACTERISTICS.--Depth 110 ft. Upper casing diameter 2 in; top of first opening 100 ft, bottom of last opening 105 ft.

DATUM.--Land-surface datum is 88.4 ft above National Geodetic Vertical Datum of 1929. Measuring point: Top of casing, 0.28 ft below land-surface datum.


PERIOD OF RECORD.--April 1993 to current year.

GAGE.--Measurement with chalked steel tape by United States Geological Survey personnel.

EXTREMES FOR PERIOD OF RECORD.--Highest water level measured, 15.65 ft above sea level, May 26, 2010; lowest measured, 11.30 ft above sea level, August 28, 2002.

**WATER SURFACE ELEVATION IN FEET NGVD 1929
WATER YEAR OCTOBER 2010 TO SEPTEMBER 2011**

Date	Water level	Date	Water level
Oct 28	15.02	May 31	14.32
Nov 24	14.76	Jun 28	14.42
Mar 31	14.31	Jul 29	14.42
Apr 14	14.11	Aug 18	14.31
May 26	14.34	Sep 30	14.91



404138073535101 Local number Q 3649. 1—Continued

WATER-QUALITY RECORDS

WATER-QUALITY DATA

WATER YEAR OCTOBER 2010 TO SEPTEMBER 2011

Part 1 of 28

[ANC, acid neutralizing capacity; CaCO₃, calcium carbonate; N, nitrogen; NTRU, nephelometric turbidity ratio unit; P, phosphorus; PCBs, polychlorinated biphenyls; SiO₂, silicon dioxide; mg/L, milligrams per liter; nm, nanometers; °C, degrees Celsius; µS/cm, microsiemens per centimeter; µg/L, micrograms per liter; <, less than; M, presence verified but not quantified]

Date	Sample start time	Dissolved oxygen, water, unfiltered, mg/L (00300)	pH, water, unfiltered, field, standard units (00400)	Specific conductance, water, unfiltered, µS/cm at 25°C (00095)	Temperature, water, °C (00010)	Turbidity, water, unfiltered, broad band light source (400-680 nm), detectors at multiple angles including 90 +/- 30 degrees, ratiometric correction, NTRU (63676)	Dissolved solids dried at 180°C, water, filtered, mg/L (70300)	Calcium, water, unfiltered, recoverable, mg/L (00916)	Magnesium, water, unfiltered, recoverable, mg/L (00927)
05-31-2011	1230	4.7	7.1	1,090	16.6	2.7	664	103	45.2

WATER-QUALITY DATA

WATER YEAR OCTOBER 2010 TO SEPTEMBER 2011

Part 2 of 28

[ANC, acid neutralizing capacity; CaCO₃, calcium carbonate; N, nitrogen; NTRU, nephelometric turbidity ratio unit; P, phosphorus; PCBs, polychlorinated biphenyls; SiO₂, silicon dioxide; mg/L, milligrams per liter; nm, nanometers; °C, degrees Celsius; µS/cm, microsiemens per centimeter; µg/L, micrograms per liter; <, less than; M, presence verified but not quantified]

Date	Sample start time	Potassium, water, unfiltered, recoverable, mg/L (00937)	Sodium, water, unfiltered, recoverable, mg/L (00929)	ANC, water, unfiltered, fixed endpoint (pH 4.5) titration, laboratory, mg/L as CaCO ₃ (90410)	Chloride, water, filtered, mg/L (00940)	Fluoride, water, filtered, mg/L (00950)	Silica, water, filtered, mg/L as SiO ₂ (00955)	Sulfate, water, filtered, mg/L (00945)	Ammonia, water, filtered, mg/L as N (00608)	Nitrate plus nitrite, water, filtered, mg/L as N (00631)
05-31-2011	1230	2.30	49.6	225	161	< .04	31.8	90.4	< .010	9.34

404138073535101 Local number Q 3649. 1—Continued

WATER-QUALITY DATA
WATER YEAR OCTOBER 2010 TO SEPTEMBER 2011

Part 3 of 28

[ANC, acid neutralizing capacity; CaCO₃, calcium carbonate; N, nitrogen; NTRU, nephelometric turbidity ratio unit; P, phosphorus; PCBs, polychlorinated biphenyls; SiO₂, silicon dioxide; mg/L, milligrams per liter; nm, nanometers; °C, degrees Celsius; µS/cm, microsiemens per centimeter; µg/L, micrograms per liter; <, less than; M, presence verified but not quantified]

Date	Sample start time	Nitrite, water, filtered, mg/L as N (00613)	Orthophosphate, water, filtered, mg/L as P (00671)	Barium, water, unfiltered, recoverable, µg/L (01007)	Cadmium, water, unfiltered, µg/L (01027)	Chromium, water, unfiltered, recoverable, µg/L (01034)	Copper, water, unfiltered, recoverable, µg/L (01042)	Iron, water, filtered, µg/L (01046)	Iron, water, unfiltered, recoverable, µg/L (01045)	Lead, water, unfiltered, recoverable, µg/L (01051)
05-31-2011	1230	< .001	0.012	138	< .050	3.9	0.90	5.8	252	0.42

WATER-QUALITY DATA
WATER YEAR OCTOBER 2010 TO SEPTEMBER 2011

Part 4 of 28

[ANC, acid neutralizing capacity; CaCO₃, calcium carbonate; N, nitrogen; NTRU, nephelometric turbidity ratio unit; P, phosphorus; PCBs, polychlorinated biphenyls; SiO₂, silicon dioxide; mg/L, milligrams per liter; nm, nanometers; °C, degrees Celsius; µS/cm, microsiemens per centimeter; µg/L, micrograms per liter; <, less than; M, presence verified but not quantified]

Date	Sample start time	Manganese, water, filtered, µg/L (01056)	Manganese, water, unfiltered, recoverable, µg/L (01055)	Mercury, water, unfiltered, recoverable, µg/L (71900)	Silver, water, unfiltered, recoverable, µg/L (01077)	Zinc, water, unfiltered, recoverable, µg/L (01092)	Arsenic, water, unfiltered, µg/L (01002)	Selenium, water, unfiltered, µg/L (01147)	1,2,3-Trichloropropane, water, unfiltered, recoverable, µg/L (77443)	1,2-Dibromo-3-chloropropane, water, unfiltered, recoverable, µg/L (82625)
05-31-2011	1230	2.06	21.8	< .005	< .015	< 2.4	1.4	3.03	< .120	< .400

WATER-QUALITY DATA
WATER YEAR OCTOBER 2010 TO SEPTEMBER 2011

Part 5 of 28

[ANC, acid neutralizing capacity; CaCO₃, calcium carbonate; N, nitrogen; NTRU, nephelometric turbidity ratio unit; P, phosphorus; PCBs, polychlorinated biphenyls; SiO₂, silicon dioxide; mg/L, milligrams per liter; nm, nanometers; °C, degrees Celsius; µS/cm, microsiemens per centimeter; µg/L, micrograms per liter; <, less than; M, presence verified but not quantified]

Date	Sample start time	1,2-Dibromoethane, water, unfiltered, recoverable, µg/L (77651)	1,2-Dichloroethane, water, unfiltered, recoverable, µg/L (32103)	1,2-Dichloropropane, water, unfiltered, recoverable, µg/L (34541)	1,3-Dichloropropane, water, unfiltered, recoverable, µg/L (77173)	1,4-Dichlorobenzene, water, unfiltered, recoverable, µg/L (34571)	1-Naphthol, water, filtered (0.7 micron glass fiber filter), recoverable, µg/L (49295)	2,4,6-Trichlorophenol, water, unfiltered, recoverable, µg/L (34621)	2,4-Dichlorophenol, water, unfiltered, recoverable, µg/L (34601)	2,4-Dimethylphenol, water, unfiltered, recoverable, µg/L (34606)
05-31-2011	1230	< .028	< .08	< .0260	< .06	< .026	< .0360	< .34	< .36	< .8

404138073535101 Local number Q 3649. 1—Continued

WATER-QUALITY DATA
WATER YEAR OCTOBER 2010 TO SEPTEMBER 2011

Part 6 of 28

[ANC, acid neutralizing capacity; CaCO₃, calcium carbonate; N, nitrogen; NTRU, nephelometric turbidity ratio unit; P, phosphorus; PCBs, polychlorinated biphenyls; SiO₂, silicon dioxide; mg/L, milligrams per liter; nm, nanometers; °C, degrees Celsius; µS/cm, microsiemens per centimeter; µg/L, micrograms per liter; <, less than; M, presence verified but not quantified]

Date	Sample start time	2,6-Diethyl-aniline, water, filtered (0.7 micron glass fiber filter), recoverable, µg/L (82660)	2-Chloro-2',6'-diethyl-acetanilide, water, filtered, recoverable, µg/L (61618)	2-Chloro-4-isopropyl-amino-6-triazine, water, filtered, recoverable, µg/L (04040)	2-Ethyl-6-methyl-aniline, water, filtered, recoverable, µg/L (61620)	2-Methyl-4,6-dinitro-phenol, water, unfiltered, recoverable, µg/L (34657)	3,4-Dichloro-aniline, water, filtered, recoverable, µg/L (61625)	3-Chloro-propene, water, unfiltered, recoverable, µg/L (78109)	4-Chloro-2-methyl-phenol, water, filtered, recoverable, µg/L (61633)	4-Chloro-3-methyl-phenol, water, filtered, recoverable, µg/L (34452)
05-31-2011	1230	< .0060	< .010	< .006	< .010	< 2	< .0042	< .08	< .0046	< .54

WATER-QUALITY DATA
WATER YEAR OCTOBER 2010 TO SEPTEMBER 2011

Part 7 of 28

[ANC, acid neutralizing capacity; CaCO₃, calcium carbonate; N, nitrogen; NTRU, nephelometric turbidity ratio unit; P, phosphorus; PCBs, polychlorinated biphenyls; SiO₂, silicon dioxide; mg/L, milligrams per liter; nm, nanometers; °C, degrees Celsius; µS/cm, microsiemens per centimeter; µg/L, micrograms per liter; <, less than; M, presence verified but not quantified]

Date	Sample start time	4-Nitro-phenol, water, unfiltered, recoverable, µg/L (34646)	Aceto-chlor, water, filtered, recoverable, µg/L (49260)	Acrylo-nitrile, water, unfiltered, recoverable, µg/L (34215)	Alachlor, water, filtered, recoverable, µg/L (46342)	Aldrin, water, unfiltered, recoverable, µg/L (39330)	alpha-Endo-sulfan, water, unfiltered, recoverable, µg/L (39388)	Atrazine, water, filtered, recoverable, µg/L (39632)	Azinphos-methyl oxygen analog, water, filtered, recoverable, µg/L (61635)	Azinphos-methyl, water, filtered (0.7 micron glass fiber filter), recoverable, µg/L (82686)
05-31-2011	1230	< .52	< .010	< .80	< .008	< .013	< .012	< .008	< .042	< .120

404138073535101 Local number Q 3649. 1—Continued

WATER-QUALITY DATA
WATER YEAR OCTOBER 2010 TO SEPTEMBER 2011

Part 8 of 28

[ANC, acid neutralizing capacity; CaCO₃, calcium carbonate; N, nitrogen; NTRU, nephelometric turbidity ratio unit; P, phosphorus; PCBs, polychlorinated biphenyls; SiO₂, silicon dioxide; mg/L, milligrams per liter; nm, nanometers; °C, degrees Celsius; µS/cm, microsiemens per centimeter; µg/L, micrograms per liter; <, less than; M, presence verified but not quantified]

Date	Sample start time	Benfluralin,	Bromo-	Carbaryl,	Carbon	Chlordane	Chlorpyrifos	Chlor-	cis-1,3-Di-
		water, filtered (0.7 micron glass fiber filter), recoverable, µg/L (82673)	methane, water, unfiltered, recoverable, µg/L (34413)	water, filtered (0.7 micron glass fiber filter), recoverable, µg/L (82680)	disulfide, water, unfiltered, µg/L (77041)	(techni- cal), water, unfiltered, recoverable, µg/L (39350)	oxygen analog, water, filtered, recoverable, µg/L (61636)	pyrifos, water, filtered, recoverable, µg/L (38933)	chloro- propene, water, unfiltered, recoverable, µg/L (34704)
05-31-2011	1230	< .014	< .2	< .060	< .1	< .1	< .06	< .0036	< .10

WATER-QUALITY DATA
WATER YEAR OCTOBER 2010 TO SEPTEMBER 2011

Part 9 of 28

[ANC, acid neutralizing capacity; CaCO₃, calcium carbonate; N, nitrogen; NTRU, nephelometric turbidity ratio unit; P, phosphorus; PCBs, polychlorinated biphenyls; SiO₂, silicon dioxide; mg/L, milligrams per liter; nm, nanometers; °C, degrees Celsius; µS/cm, microsiemens per centimeter; µg/L, micrograms per liter; <, less than; M, presence verified but not quantified]

Date	Sample start time	cis-		DCPA,	Desulfinyl-	Desulfinyl-	Diazinon,	Dichlor-	Dicroto-	
		Permeth- rin, water, filtered (0.7 micron glass fiber filter), recoverable, µg/L (82687)	Cyfluthrin, water, filtered, recoverable, µg/L (61585)	water, filtered, recoverable, µg/L (61586)	filtered water, glass fiber filter), recoverable, µg/L (82682)	fipronil amide, water, filtered, recoverable, µg/L (62169)	fipronil, water, filtered, recoverable, µg/L (62170)	water, filtered, recoverable, µg/L (39572)	vos, water, filtered, recoverable, µg/L (38775)	phos, water, filtered, recoverable, µg/L (38454)
05-31-2011	1230	< .010	< .016	< .020	< .0076	< .029	< .012	< .0060	< .04	< .08

WATER-QUALITY DATA
WATER YEAR OCTOBER 2010 TO SEPTEMBER 2011

Part 10 of 28

[ANC, acid neutralizing capacity; CaCO₃, calcium carbonate; N, nitrogen; NTRU, nephelometric turbidity ratio unit; P, phosphorus; PCBs, polychlorinated biphenyls; SiO₂, silicon dioxide; mg/L, milligrams per liter; nm, nanometers; °C, degrees Celsius; µS/cm, microsiemens per centimeter; µg/L, micrograms per liter; <, less than; M, presence verified but not quantified]

Date	Sample start time	Dieldrin,	Dieldrin,	Dimetho-	Endrin,	Ethion	Ethion,	Fenami-	Fenami-	Fenami-
		water, filtered, recoverable, µg/L (39381)	water, unfiltered, recoverable, µg/L (39380)	ate, water, filtered (0.7 micron glass fiber filter), recoverable, µg/L (82662)	water, unfiltered, recoverable, µg/L (39390)	monoxon, water, filtered, recoverable, µg/L (61644)	water, filtered, recoverable, µg/L (82346)	sulfone, water, filtered, recoverable, µg/L (61645)	sulfoxide, water, filtered, recoverable, µg/L (61646)	phos, water, filtered, recoverable, µg/L (61591)
05-31-2011	1230	< .008	< .008	< .0060	< .012	< .021	< .008	< .054	< .08	< .030

404138073535101 Local number Q 3649. 1—Continued

WATER-QUALITY DATA
WATER YEAR OCTOBER 2010 TO SEPTEMBER 2011

Part 11 of 28

[ANC, acid neutralizing capacity; CaCO₃, calcium carbonate; N, nitrogen; NTRU, nephelometric turbidity ratio unit; P, phosphorus; PCBs, polychlorinated biphenyls; SiO₂, silicon dioxide; mg/L, milligrams per liter; nm, nanometers; °C, degrees Celsius; µS/cm, microsiemens per centimeter; µg/L, micrograms per liter; <, less than; M, presence verified but not quantified]

Date	Sample start time	Fipronil sulfide, water, filtered, recoverable, µg/L (62167)	Fipronil sulfone, water, filtered, recoverable, µg/L (62168)	Fipronil, water, filtered, recoverable, µg/L (62166)	Fonofos, water, filtered, recoverable, µg/L (04095)	Heptachlor epoxide, water, unfiltered, recoverable, µg/L (39420)	Heptachlor, water, unfiltered, recoverable, µg/L (39410)	Hexachlorobenzene, water, unfiltered, recoverable, µg/L (39700)	Hexazinone, water, filtered, recoverable, µg/L (04025)	Iodomethane, water, unfiltered, recoverable, µg/L (77424)
05-31-2011	1230	< .012	< .024	< .018	< .0048	< .009	< .008	< .30	< .008	< .26

WATER-QUALITY DATA
WATER YEAR OCTOBER 2010 TO SEPTEMBER 2011

Part 12 of 28

[ANC, acid neutralizing capacity; CaCO₃, calcium carbonate; N, nitrogen; NTRU, nephelometric turbidity ratio unit; P, phosphorus; PCBs, polychlorinated biphenyls; SiO₂, silicon dioxide; mg/L, milligrams per liter; nm, nanometers; °C, degrees Celsius; µS/cm, microsiemens per centimeter; µg/L, micrograms per liter; <, less than; M, presence verified but not quantified]

Date	Sample start time	Iprodione, water, filtered, recoverable, µg/L (61593)	Isofenphos, water, filtered, recoverable, µg/L (61594)	Lindane, water, unfiltered, recoverable, µg/L (39340)	Malaoxon, water, filtered, recoverable, µg/L (61652)	Malathion, water, filtered, recoverable, µg/L (39532)	Metalaxyl, water, filtered, recoverable, µg/L (61596)	Methidathion, water, filtered, recoverable, µg/L (61598)	Methyl parathion, water, filtered, recoverable, µg/L (61664)	Methyl parathion, water, filtered (0.7 micron glass fiber filter), recoverable, µg/L (82667)
05-31-2011	1230	< .014	< .006	< .014	< .022	< .016	< .014	< .012	< .014	< .008

WATER-QUALITY DATA
WATER YEAR OCTOBER 2010 TO SEPTEMBER 2011

Part 13 of 28

[ANC, acid neutralizing capacity; CaCO₃, calcium carbonate; N, nitrogen; NTRU, nephelometric turbidity ratio unit; P, phosphorus; PCBs, polychlorinated biphenyls; SiO₂, silicon dioxide; mg/L, milligrams per liter; nm, nanometers; °C, degrees Celsius; µS/cm, microsiemens per centimeter; µg/L, micrograms per liter; <, less than; M, presence verified but not quantified]

Date	Sample start time	Metolachlor, water, filtered, recoverable, µg/L (39415)	Metribuzin, water, filtered, recoverable, µg/L (82630)	Mirex, water, unfiltered, recoverable, µg/L (39755)	Myclobutanil, water, filtered, recoverable, µg/L (61599)	p,p'-DDD, water, unfiltered, recoverable, µg/L (39360)	p,p'-DDE, water, unfiltered, recoverable, µg/L (39365)	p,p'-DDT, water, unfiltered, recoverable, µg/L (39370)	p,p'-Methoxychlor, water, unfiltered, recoverable, µg/L (39480)	Pendimethalin, water, filtered (0.7 micron glass fiber filter), recoverable, µg/L (82683)
05-31-2011	1230	< .020	< .012	< .0060	< .010	< .016	< .014	< .010	< .002	< .012

404138073535101 Local number Q 3649. 1—Continued

WATER-QUALITY DATA
WATER YEAR OCTOBER 2010 TO SEPTEMBER 2011

Part 14 of 28

[ANC, acid neutralizing capacity; CaCO₃, calcium carbonate; N, nitrogen; NTRU, nephelometric turbidity ratio unit; P, phosphorus; PCBs, polychlorinated biphenyls; SiO₂, silicon dioxide; mg/L, milligrams per liter; nm, nanometers; °C, degrees Celsius; µS/cm, microsiemens per centimeter; µg/L, micrograms per liter; <, less than; M, presence verified but not quantified]

Date	Sample start time	Penta-chloro-phenol, water, unfiltered, recoverable, µg/L (39032)	Phorate oxygen analog, water, filtered, recoverable, µg/L (61666)	Phorate, water, filtered (0.7 micron glass fiber filter), recoverable, µg/L (82664)	Phosmet oxygen analog, water, filtered, recoverable, µg/L (61668)	Phosmet, water, filtered, recoverable, µg/L (61601)	Prometon, water, filtered, recoverable, µg/L (04037)	Prometryn, water, filtered, recoverable, µg/L (04036)	Propyz-amide, water, filtered (0.7 micron glass fiber filter), recoverable, µg/L (82676)	Simazine, water, filtered, recoverable, µg/L (04035)
05-31-2011	1230	< .6	< .027	< .020	< .0511	< .140	< .012	< .006	< .0036	< .006

WATER-QUALITY DATA
WATER YEAR OCTOBER 2010 TO SEPTEMBER 2011

Part 15 of 28

[ANC, acid neutralizing capacity; CaCO₃, calcium carbonate; N, nitrogen; NTRU, nephelometric turbidity ratio unit; P, phosphorus; PCBs, polychlorinated biphenyls; SiO₂, silicon dioxide; mg/L, milligrams per liter; nm, nanometers; °C, degrees Celsius; µS/cm, microsiemens per centimeter; µg/L, micrograms per liter; <, less than; M, presence verified but not quantified]

Date	Sample start time	Tebu-thiuron, water, filtered (0.7 micron glass fiber filter), recoverable, µg/L (82670)	Terbufos oxygen sulfone, water, filtered, recoverable, µg/L (61674)	Terbufos, water, filtered (0.7 micron glass fiber filter), recoverable, µg/L (82675)	Terbuthyl-azine, water, filtered, recoverable, µg/L (04022)	Toxa-phene, water, unfiltered, recoverable, µg/L (39400)	trans-1,3-Dichloro-propene, water, unfiltered, recoverable, µg/L (34699)	Tribuphos, water, filtered, recoverable, µg/L (61610)	Trifluralin, water, filtered (0.7 micron glass fiber filter), recoverable, µg/L (82661)	PCBs, water, unfiltered, recoverable, µg/L (39516)
05-31-2011	1230	< .028	< .045	< .018	< .006	< 1	< .14	< .018	< .018	< .1

404138073535101 Local number Q 3649. 1—Continued

WATER-QUALITY DATA
WATER YEAR OCTOBER 2010 TO SEPTEMBER 2011

Part 16 of 28

[ANC, acid neutralizing capacity; CaCO₃, calcium carbonate; N, nitrogen; NTRU, nephelometric turbidity ratio unit; P, phosphorus; PCBs, polychlorinated biphenyls; SiO₂, silicon dioxide; mg/L, milligrams per liter; nm, nanometers; °C, degrees Celsius; µS/cm, microsiemens per centimeter; µg/L, micrograms per liter; <, less than; M, presence verified but not quantified]

Date	Sample start time	1,1,1,2-Tetra-chloro-ethane, water, unfiltered, recoverable, µg/L (77562)	1,1,1-Tri-chloro-ethane, water, unfiltered, recoverable, µg/L (34506)	1,1,2,2-Tetra-chloro-ethane, water, unfiltered, recoverable, µg/L (34516)	1,1,2-Tri-chloro-2,2-trifluoro-ethane, water, unfiltered, recoverable, µg/L (77652)	1,1,2-Tri-chloro-ethane, water, unfiltered, recoverable, µg/L (34511)	1,1-Di-chloro-ethane, water, unfiltered, recoverable, µg/L (34496)	1,1-Di-chloro-ethene, water, unfiltered, recoverable, µg/L (34501)	1,1-Di-chloro-propene, water, unfiltered, recoverable, µg/L (77168)	1,2,3,4-Tetra-methyl-benzene, water, unfiltered, recoverable, µg/L (49999)
05-31-2011	1230	< .040	0.052	< .14	< .034	< .028	0.019	< .022	< .040	< .10

WATER-QUALITY DATA
WATER YEAR OCTOBER 2010 TO SEPTEMBER 2011

Part 17 of 28

[ANC, acid neutralizing capacity; CaCO₃, calcium carbonate; N, nitrogen; NTRU, nephelometric turbidity ratio unit; P, phosphorus; PCBs, polychlorinated biphenyls; SiO₂, silicon dioxide; mg/L, milligrams per liter; nm, nanometers; °C, degrees Celsius; µS/cm, microsiemens per centimeter; µg/L, micrograms per liter; <, less than; M, presence verified but not quantified]

Date	Sample start time	1,2,3,5-Tetra-methyl-benzene, water, unfiltered, recoverable, µg/L (50000)	1,2,3-Tri-chloro-benzene, water, unfiltered, recoverable, µg/L (77613)	1,2,3-Tri-methyl-benzene, water, unfiltered, recoverable, µg/L (77221)	1,2,4-Tri-chloro-benzene, water, unfiltered, recoverable, µg/L (34551)	1,2,4-Tri-methyl-benzene, water, unfiltered, recoverable, µg/L (77222)	1,2-Dichloro-benzene, water, unfiltered, recoverable, µg/L (34536)	1,2-Diphenyl-hydrazine, water, unfiltered, recoverable, µg/L (82626)	1,3,5-Tri-methyl-benzene, water, unfiltered, recoverable, µg/L (77226)	1,3-Dichloro-benzene, water, unfiltered, recoverable, µg/L (34566)
05-31-2011	1230	< .080	< .06	< .060	< .08	< .032	< .028	< .30	< .032	< .024

WATER-QUALITY DATA
WATER YEAR OCTOBER 2010 TO SEPTEMBER 2011

Part 18 of 28

[ANC, acid neutralizing capacity; CaCO₃, calcium carbonate; N, nitrogen; NTRU, nephelometric turbidity ratio unit; P, phosphorus; PCBs, polychlorinated biphenyls; SiO₂, silicon dioxide; mg/L, milligrams per liter; nm, nanometers; °C, degrees Celsius; µS/cm, microsiemens per centimeter; µg/L, micrograms per liter; <, less than; M, presence verified but not quantified]

Date	Sample start time	2,2-Di-chloro-propane, water, unfiltered, recoverable, µg/L (77170)	2,4-Dinitro-phenol, water, unfiltered, recoverable, µg/L (34616)	2,4-Dinitro-toluene, water, unfiltered, recoverable, µg/L (34611)	2,6-Dinitro-toluene, water, unfiltered, recoverable, µg/L (34626)	2-Chloro-naph-thalene, water, unfiltered, recoverable, µg/L (34581)	2-Chloro-phenol, water, unfiltered, recoverable, µg/L (34586)	2-Chloro-toluene, water, unfiltered, recoverable, µg/L (77275)	2-Ethyl-toluene, water, unfiltered, recoverable, µg/L (77220)	2-Nitro-phenol, water, unfiltered, recoverable, µg/L (34591)
05-31-2011	1230	< .06	< 2	< .56	< .4	< .16	< .26	< .028	< .032	< .4

404138073535101 Local number Q 3649. 1—Continued

WATER-QUALITY DATA
WATER YEAR OCTOBER 2010 TO SEPTEMBER 2011

Part 19 of 28

[ANC, acid neutralizing capacity; CaCO₃, calcium carbonate; N, nitrogen; NTRU, nephelometric turbidity ratio unit; P, phosphorus; PCBs, polychlorinated biphenyls; SiO₂, silicon dioxide; mg/L, milligrams per liter; nm, nanometers; °C, degrees Celsius; µS/cm, microsiemens per centimeter; µg/L, micrograms per liter; <, less than; M, presence verified but not quantified]

Date	Sample start time	3,3'-Dichlorobenzidine, water, unfiltered, recoverable, µg/L (34631)	4-Bromophenyl ether, water, unfiltered, recoverable, µg/L (34636)	4-Chlorophenyl ether, water, unfiltered, recoverable, µg/L (34641)	4-Chlorotoluene, water, unfiltered, recoverable, µg/L (77277)	4-Iso-propyltoluene, water, unfiltered, recoverable, µg/L (77356)	9H-Fluorene, water, unfiltered, recoverable, µg/L (34381)	Acenaphthene, water, unfiltered, recoverable, µg/L (34205)	Acenaphthylene, water, unfiltered, recoverable, µg/L (34200)	Acetone, water, unfiltered, recoverable, µg/L (81552)
05-31-2011	1230	< .42	< .24	< .34	< .042	< .06	< .34	< .28	< .30	< 3.4

WATER-QUALITY DATA
WATER YEAR OCTOBER 2010 TO SEPTEMBER 2011

Part 20 of 28

[ANC, acid neutralizing capacity; CaCO₃, calcium carbonate; N, nitrogen; NTRU, nephelometric turbidity ratio unit; P, phosphorus; PCBs, polychlorinated biphenyls; SiO₂, silicon dioxide; mg/L, milligrams per liter; nm, nanometers; °C, degrees Celsius; µS/cm, microsiemens per centimeter; µg/L, micrograms per liter; <, less than; M, presence verified but not quantified]

Date	Sample start time	Anthracene, water, unfiltered, recoverable, µg/L (34220)	Benzene, water, unfiltered, recoverable, µg/L (34030)	Benzo[a]anthracene, water, unfiltered, recoverable, µg/L (34526)	Benzo[a]pyrene, water, unfiltered, recoverable, µg/L (34247)	Benzo[a]fluoranthene, water, unfiltered, recoverable, µg/L (34230)	Benzo[ghi]perylene, water, unfiltered, recoverable, µg/L (34521)	Benzo[k]fluoranthene, water, unfiltered, recoverable, µg/L (34242)	Benzyl n-butyl phthalate, water, unfiltered, recoverable, µg/L (34292)	Bis(2-chloroethoxy)methane, water, unfiltered, recoverable, µg/L (34278)
05-31-2011	1230	M	< .026	< .26	< .32	< .30	< .38	< .30	< 1.8	< .24

WATER-QUALITY DATA
WATER YEAR OCTOBER 2010 TO SEPTEMBER 2011

Part 21 of 28

[ANC, acid neutralizing capacity; CaCO₃, calcium carbonate; N, nitrogen; NTRU, nephelometric turbidity ratio unit; P, phosphorus; PCBs, polychlorinated biphenyls; SiO₂, silicon dioxide; mg/L, milligrams per liter; nm, nanometers; °C, degrees Celsius; µS/cm, microsiemens per centimeter; µg/L, micrograms per liter; <, less than; M, presence verified but not quantified]

Date	Sample start time	Bis(2-chloroethyl) ether, water, unfiltered, recoverable, µg/L (34273)	Bis(2-chloroisopropyl) ether, water, unfiltered, recoverable, µg/L (34283)	Bis(2-ethylhexyl) phthalate, water, unfiltered, recoverable, µg/L (39100)	Bromobenzene, water, unfiltered, recoverable, µg/L (81555)	Bromo-chloromethane, water, unfiltered, recoverable, µg/L (77297)	Bromo-dichloromethane, water, unfiltered, recoverable, µg/L (32101)	Bromoethene, water, unfiltered, recoverable, µg/L (50002)	Chlorobenzene, water, unfiltered, recoverable, µg/L (34301)	Chloroethane, water, unfiltered, recoverable, µg/L (34311)
05-31-2011	1230	< .30	< .14	< 2.6	< .022	< .06	0.271	< .12	< .026	< .06

404138073535101 Local number Q 3649. 1—Continued

WATER-QUALITY DATA
WATER YEAR OCTOBER 2010 TO SEPTEMBER 2011

Part 22 of 28

[ANC, acid neutralizing capacity; CaCO₃, calcium carbonate; N, nitrogen; NTRU, nephelometric turbidity ratio unit; P, phosphorus; PCBs, polychlorinated biphenyls; SiO₂, silicon dioxide; mg/L, milligrams per liter; nm, nanometers; °C, degrees Celsius; µS/cm, microsiemens per centimeter; µg/L, micrograms per liter; <, less than; M, presence verified but not quantified]

Date	Sample start time	Chloro-	Chrysene,	Dibenzo-	Dibromo-	Dibromo-	Dichloro-	Dichloro-	Diethyl	
		methane,	water,	cis-1,2-Di-	chloro-	chloro-	methane,	methane,	methane,	ether,
		water,	water,	chloro-	methane,	methane,	methane,	methane,	water,	
		unfiltered,	unfiltered,	ethene,	water,	water,	water,	water,	unfiltered,	
		recover-	recover-	water,	unfiltered,	unfiltered,	unfiltered,	unfiltered,	recover-	
		able,	able,	recover-	recover-	recover-	recover-	recover-	able,	
		µg/L	µg/L	able,	able,	able,	able,	able,	µg/L	
		(34418)	(34320)	µg/L	µg/L	µg/L	µg/L	µg/L	(81576)	
				(77093)	(34556)	(32105)	(30217)	(34668)		
				(34423)				(34423)		
				(81576)					(81576)	
05-31-2011	1230	< .1	< .32	< .022	< .42	< .12	< .050	< .10	< .04	< .1

WATER-QUALITY DATA
WATER YEAR OCTOBER 2010 TO SEPTEMBER 2011

Part 23 of 28

[ANC, acid neutralizing capacity; CaCO₃, calcium carbonate; N, nitrogen; NTRU, nephelometric turbidity ratio unit; P, phosphorus; PCBs, polychlorinated biphenyls; SiO₂, silicon dioxide; mg/L, milligrams per liter; nm, nanometers; °C, degrees Celsius; µS/cm, microsiemens per centimeter; µg/L, micrograms per liter; <, less than; M, presence verified but not quantified]

Date	Sample start time	Diethyl	Diiso-	Dimethyl	Di-n-butyl	Di-n-octyl	Ethyl	Ethyl	Ethyl-	Fluoran-
		phthalate,	propyl	phthalate,	phthalate,	phthalate,	metha-	methyl	benzene,	thene,
		water,	ether,	water,	water,	water,	crylate,	ketone,	water,	water,
		unfiltered,	water,	unfiltered,	unfiltered,	unfiltered,	water,	water,	unfiltered,	unfiltered,
		recover-	unfiltered,	recover-	recover-	recover-	unfiltered,	unfiltered,	recover-	recover-
		able,	recover-	able,	able,	able,	recover-	recover-	able,	able,
		µg/L	able,	µg/L	µg/L	µg/L	able,	able,	µg/L	µg/L
		(34336)	(81577)	(34341)	(39110)	(34596)	(73570)	(81595)	(34371)	(34376)
05-31-2011	1230	< .62	< .06	< .36	< 2.00	< .6	< .20	< 1.6	< .036	0.01

WATER-QUALITY DATA
WATER YEAR OCTOBER 2010 TO SEPTEMBER 2011

Part 24 of 28

[ANC, acid neutralizing capacity; CaCO₃, calcium carbonate; N, nitrogen; NTRU, nephelometric turbidity ratio unit; P, phosphorus; PCBs, polychlorinated biphenyls; SiO₂, silicon dioxide; mg/L, milligrams per liter; nm, nanometers; °C, degrees Celsius; µS/cm, microsiemens per centimeter; µg/L, micrograms per liter; <, less than; M, presence verified but not quantified]

Date	Sample start time	Hexa-	Hexa-	Hexa-	Indeno-	Isobutyl	Iso-	Isopropyl-	Methyl	Methyl
		chloro-	chloro-	chloro-	[1,2,3-cd]-	methyl	phorone,	benzene,	acetate,	acrylate,
		butadiene,	cyclo-	ethane,	pyrene,	ketone,	water,	water,	water,	water,
		unfiltered,	penta-	unfiltered,	water,	unfiltered,	unfiltered,	unfiltered,	unfiltered,	unfiltered,
		recover-	diene,	recover-	unfiltered,	recover-	recover-	recover-	recover-	recover-
		able,	water,	able,	recover-	able,	able,	able,	able,	able,
		µg/L	unfiltered,	µg/L	able,	µg/L	µg/L	µg/L	µg/L	µg/L
		(39702)	recover-	(34396)	(34403)	(78133)	(34408)	(77223)	(77032)	(49991)
			able,							
			(34386)							
05-31-2011	1230	< .08	< .50	< .22	< .38	< .32	< .26	< .042	< .46	< .8

404138073535101 Local number Q 3649. 1—Continued

WATER-QUALITY DATA

WATER YEAR OCTOBER 2010 TO SEPTEMBER 2011

Part 25 of 28

[ANC, acid neutralizing capacity; CaCO₃, calcium carbonate; N, nitrogen; NTRU, nephelometric turbidity ratio unit; P, phosphorus; PCBs, polychlorinated biphenyls; SiO₂, silicon dioxide; mg/L, milligrams per liter; nm, nanometers; °C, degrees Celsius; µS/cm, microsiemens per centimeter; µg/L, micrograms per liter; <, less than; M, presence verified but not quantified]

Date	Sample start time	Methyl acrylonitrile, water, unfiltered, recoverable,	Methyl methacrylate, water, unfiltered, recoverable,	Methyl tert-butyl ether, water, unfiltered, recoverable,	Methyl tert-pentyl ether, water, unfiltered, recoverable,	Methylene blue active substances, water, unfiltered, recoverable,	m-Xylene plus p-xylene, water, unfiltered, recoverable,	Naphthalene, water, unfiltered, recoverable,	n-Butyl methyl ketone, water, unfiltered, recoverable,	n-Butylbenzene, water, unfiltered, recoverable,
		µg/L (81593)	µg/L (81597)	µg/L (78032)	µg/L (50005)	mg/L (38260)	µg/L (85795)	µg/L (34696)	µg/L (77103)	µg/L (77342)
05-31-2011	1230	< .26	< .22	0.14	< .06	< .050	< .08	< .18	< .4	< .08

WATER-QUALITY DATA

WATER YEAR OCTOBER 2010 TO SEPTEMBER 2011

Part 26 of 28

[ANC, acid neutralizing capacity; CaCO₃, calcium carbonate; N, nitrogen; NTRU, nephelometric turbidity ratio unit; P, phosphorus; PCBs, polychlorinated biphenyls; SiO₂, silicon dioxide; mg/L, milligrams per liter; nm, nanometers; °C, degrees Celsius; µS/cm, microsiemens per centimeter; µg/L, micrograms per liter; <, less than; M, presence verified but not quantified]

Date	Sample start time	Nitrobenzene, water, unfiltered, recoverable,	N-Nitrosodimethylamine, water, unfiltered, recoverable,	N-Nitrosodipropylamine, water, unfiltered, recoverable,	N-Nitrosodiphenylamine, water, unfiltered, recoverable,	n-Propylbenzene, water, unfiltered, recoverable,	o-Xylene, water, unfiltered, recoverable,	Phenanthrene, water, unfiltered, recoverable,	Phenol, water, unfiltered, recoverable,	Pyrene, water, unfiltered, recoverable,
		µg/L (34447)	µg/L (34438)	µg/L (34428)	µg/L (34433)	µg/L (77224)	µg/L (77135)	µg/L (34461)	µg/L (34694)	µg/L (34469)
05-31-2011	1230	< 0.26	< .24	< .4	< .28	< .036	< .032	< .32	< .28	0.01

WATER-QUALITY DATA

WATER YEAR OCTOBER 2010 TO SEPTEMBER 2011

Part 27 of 28

[ANC, acid neutralizing capacity; CaCO₃, calcium carbonate; N, nitrogen; NTRU, nephelometric turbidity ratio unit; P, phosphorus; PCBs, polychlorinated biphenyls; SiO₂, silicon dioxide; mg/L, milligrams per liter; nm, nanometers; °C, degrees Celsius; µS/cm, microsiemens per centimeter; µg/L, micrograms per liter; <, less than; M, presence verified but not quantified]

Date	Sample start time	sec-Butylbenzene, water, unfiltered, recoverable,	Styrene, water, unfiltered, recoverable,	tert-Amyl alcohol, water, unfiltered, recoverable,	tert-Butyl alcohol, water, unfiltered, recoverable,	tert-Butyl ethyl ether, water, unfiltered, recoverable,	tert-Butylbenzene, water, unfiltered, recoverable,	Tetra-chloroethene, water, unfiltered, recoverable,	Tetra-chloromethane, water, unfiltered, recoverable,	Tetrahydrofuran, water, unfiltered, recoverable,
		µg/L (77350)	µg/L (77128)	µg/L (77073)	µg/L (77035)	µg/L (50004)	µg/L (77353)	µg/L (34475)	µg/L (32102)	µg/L (81607)
05-31-2011	1230	< .034	< .042	< .6	< .80	< .032	< .060	< .026	0.30	< 1.4

404138073535101 Local number Q 3649. 1—Continued

WATER-QUALITY DATA
WATER YEAR OCTOBER 2010 TO SEPTEMBER 2011

Part 28 of 28

[ANC, acid neutralizing capacity; CaCO₃, calcium carbonate; N, nitrogen; NTRU, nephelometric turbidity ratio unit; P, phosphorus; PCBs, polychlorinated biphenyls; SiO₂, silicon dioxide; mg/L, milligrams per liter; nm, nanometers; °C, degrees Celsius; µS/cm, microsiemens per centimeter; µg/L, micrograms per liter; <, less than; M, presence verified but not quantified]

Date	Sample start time	Toluene, water, unfiltered, recoverable, µg/L (34010)	trans-1,2-Dichloro-ethene, water, unfiltered, recoverable, µg/L (34546)	trans-1,4-Dichloro-2-butene, water, unfiltered, recoverable, µg/L (73547)	Tribromo-methane, water, unfiltered, recoverable, µg/L (32104)	Trichloro-ethene, water, unfiltered, recoverable, µg/L (39180)	Trichloro-fluoro-methane, water, unfiltered, recoverable, µg/L (34488)	Trichloro-methane, water, unfiltered, recoverable, µg/L (32106)	Vinyl chloride, water, unfiltered, recoverable, µg/L (39175)
05-31-2011	1230	0.02	< .018	< .4	< .10	< .022	< .06	3.5	< .06