

Water-Data Report 2011

404510073560402 Local number Q 3122. 2

Northern Atlantic Coastal Plain aquifer system
Glacial Aquifer, Upper

Queens County, NY

LOCATION.--Lat 40°45'10.4", long 73°56'02.4" referenced to North American Datum of 1983, Queens County, NY, Hydrologic Unit 02030201, at west side of 30th Street, 25 ft south of 39th Avenue, Dutch Kills.

GROUNDWATER RECORDS

WELL CHARACTERISTICS.--Depth 55 ft. Upper casing diameter 2 in; top of first opening 45 ft, bottom of last opening 50 ft.

DATUM.--Land-surface datum is 43 ft above National Geodetic Vertical Datum of 1929. Measuring point: Top of casing, 0.88 ft below land-surface datum.

PERIOD OF RECORD.--July 2000 to current year.


GAGE.--Measurement with chalked steel tape by United States Geological Survey personnel.

REMARKS.--Replaced well Q3122.1 in June 2000 near same location.

EXTREMES FOR PERIOD OF RECORD.--Highest water level measured, 15.67 ft above sea level, December 17, 2007; lowest measured, 12.56 ft above sea level, July 24, 2000.

**WATER SURFACE ELEVATION IN FEET NGVD 1929
WATER YEAR OCTOBER 2010 TO SEPTEMBER 2011**

Date	Water level	Date	Water level
Oct 29	13.90	Jun 3	14.24
Nov 23	13.82	28	14.34
Dec 21	13.69	Jul 27	14.14
Feb 23	13.80	Aug 16	14.55
Apr 14	14.15	Sep 28	15.16
May 26	14.34		



404510073560402 Local number Q 3122. 2—Continued

WATER-QUALITY RECORDS

WATER-QUALITY DATA

WATER YEAR OCTOBER 2010 TO SEPTEMBER 2011

Part 1 of 28

[N, nitrogen; NTRU, nephelometric turbidity ratio unit; P, phosphorus; PCBs, polychlorinated biphenyls; SiO₂, silicon dioxide; mg/L, milligrams per liter; nm, nanometers; °C, degrees Celsius; µS/cm, microsiemens per centimeter; µg/L, micrograms per liter; <, less than; E, estimated; M, presence verified but not quantified]

Date	Sample start time	Dissolved oxygen, water, unfiltered, mg/L (00300)	pH, water, unfiltered, field, standard units (00400)	Specific conductance, water, unfiltered, µS/cm at 25°C (00095)	Temperature, water, °C (00010)	Turbidity, water, unfiltered, broad band light source (400-680 nm), detectors at multiple angles including 90 +/- 30 degrees, ratiometric correction, NTRU (63676)	Dissolved solids dried at 180°C, water, filtered, mg/L (70300)	Calcium, water, unfiltered, recoverable, mg/L (00916)	Magnesium, water, unfiltered, recoverable, mg/L (00927)
06-03-2011	1030	1.2	7.2	981	19.6	340	567	236	120

WATER-QUALITY DATA

WATER YEAR OCTOBER 2010 TO SEPTEMBER 2011

Part 2 of 28

[N, nitrogen; NTRU, nephelometric turbidity ratio unit; P, phosphorus; PCBs, polychlorinated biphenyls; SiO₂, silicon dioxide; mg/L, milligrams per liter; nm, nanometers; °C, degrees Celsius; µS/cm, microsiemens per centimeter; µg/L, micrograms per liter; <, less than; E, estimated; M, presence verified but not quantified]

Date	Sample start time	Potassium, water, unfiltered, recoverable, mg/L (00937)	Sodium, water, unfiltered, recoverable, mg/L (00929)	Chloride, water, filtered, mg/L (00940)	Fluoride, water, filtered, mg/L (00950)	Silica, water, filtered, mg/L as SiO ₂ (00955)	Sulfate, water, filtered, mg/L (00945)	Ammonia, water, filtered, mg/L as N (00608)	Nitrate plus nitrite, water, filtered, mg/L as N (00631)	Nitrite, water, filtered, mg/L as N (00613)
06-03-2011	1030	18.5	53.2	112	<.04	22.9	60.3	<.010	15.3	0.008

WATER-QUALITY DATA

WATER YEAR OCTOBER 2010 TO SEPTEMBER 2011

Part 3 of 28

[N, nitrogen; NTRU, nephelometric turbidity ratio unit; P, phosphorus; PCBs, polychlorinated biphenyls; SiO₂, silicon dioxide; mg/L, milligrams per liter; nm, nanometers; °C, degrees Celsius; µS/cm, microsiemens per centimeter; µg/L, micrograms per liter; <, less than; E, estimated; M, presence verified but not quantified]

Date	Sample start time	Orthophosphate, water, filtered, mg/L as P (00671)	Barium, water, unfiltered, recoverable, µg/L (01007)	Cadmium, water, unfiltered, µg/L (01027)	Chromium, water, unfiltered, recoverable, µg/L (01034)	Copper, water, unfiltered, recoverable, µg/L (01042)	Iron, water, filtered, µg/L (01046)	Iron, water, unfiltered, recoverable, µg/L (01045)	Lead, water, unfiltered, recoverable, µg/L (01051)	Manganese, water, filtered, µg/L (01056)
06-03-2011	1030	0.017	689	0.447	61.8	117	12.5	67,900	35.2	108

404510073560402 Local number Q 3122. 2—Continued

WATER-QUALITY DATA
WATER YEAR OCTOBER 2010 TO SEPTEMBER 2011

Part 4 of 28

[N, nitrogen; NTRU, nephelometric turbidity ratio unit; P, phosphorus; PCBs, polychlorinated biphenyls; SiO₂, silicon dioxide; mg/L, milligrams per liter; nm, nanometers; °C, degrees Celsius; µS/cm, microsiemens per centimeter; µg/L, micrograms per liter; <, less than; E, estimated; M, presence verified but not quantified]

Date	Sample start time	Manga-	Mercury,	Silver,	Zinc,	Arsenic,	Selenium,	1,2,3-Tri-	1,2-	1,2-
		nese,	water,	water,	water,		water,	chloro-	chloro-	Dibromo-
		water,	water,	water,	water,	water,	water,	propane,	propane,	ethane,
		unfiltered,								
		recover-								
		able,								
		µg/L								
		(01055)	(71900)	(01077)	(01092)	(01002)	(01147)	(77443)	(82625)	(77651)
06-03-2011	1030	1,830	0.010	0.402	215	4.9	2.78	< .120	< .400	< .028

WATER-QUALITY DATA
WATER YEAR OCTOBER 2010 TO SEPTEMBER 2011

Part 5 of 28

[N, nitrogen; NTRU, nephelometric turbidity ratio unit; P, phosphorus; PCBs, polychlorinated biphenyls; SiO₂, silicon dioxide; mg/L, milligrams per liter; nm, nanometers; °C, degrees Celsius; µS/cm, microsiemens per centimeter; µg/L, micrograms per liter; <, less than; E, estimated; M, presence verified but not quantified]

Date	Sample start time	1,2-	1,2-	1,3-Di-	1,4-	1-	2,4,6-	2,4-	2,4-	2,6-
		Dichloro-	Dichloro-	chloro-	Dichloro-	Naphthol,	Trichloro-	Dichloro-	Dimethyl-	Diethyl-
		ethane,	propane,	propane,	benzene,	water,	phenol,	phenol,	phenol,	aniline,
		water,	water,	water,	water,	(0.7 micron	water,	water,	water,	water,
		unfiltered,	unfiltered,	unfiltered,	unfiltered,	glass fiber	unfiltered,	unfiltered,	unfiltered,	filtered
		recover-	recover-	recover-	recover-	filter),	recover-	recover-	recover-	(0.7 micron
		able,	able,	able,	able,	recover-	able,	able,	able,	glass fiber
		µg/L	µg/L	µg/L	µg/L	able,	µg/L	µg/L	µg/L	filter),
		(32103)	(34541)	(77173)	(34571)	µg/L	(34621)	(34601)	(34606)	recover-
						(49295)				able,
										µg/L
										(82660)
06-03-2011	1030	< .08	< .0260	< .06	< .026	< .0360	< .34	< .36	< .8	< .0060

404510073560402 Local number Q 3122. 2—Continued

WATER-QUALITY DATA
WATER YEAR OCTOBER 2010 TO SEPTEMBER 2011

Part 6 of 28

[N, nitrogen; NTRU, nephelometric turbidity ratio unit; P, phosphorus; PCBs, polychlorinated biphenyls; SiO₂, silicon dioxide; mg/L, milligrams per liter; nm, nanometers; °C, degrees Celsius; µS/cm, microsiemens per centimeter; µg/L, micrograms per liter; <, less than; E, estimated; M, presence verified but not quantified]

Date	Sample start time	2-Chloro-2',6'-diethylacetanilide, water, filtered, recoverable,	2-Chloro-4-amino-6-isopropylamino-s-triazine, water, filtered, recoverable,	2-Ethyl-6-methyl-aniline, water, filtered, recoverable,	2-Methyl-4,6-dinitro-phenol, water, unfiltered, recoverable,	3,4-Dichloro-aniline, water, filtered, recoverable,	3-Chloro-propene, water, unfiltered, recoverable,	4-Chloro-2-methyl-phenol, water, filtered, recoverable,	4-Chloro-3-methyl-phenol, water, filtered, recoverable,	4-Nitro-phenol, water, unfiltered, recoverable,
		µg/L (61618)	µg/L (04040)	µg/L (61620)	µg/L (34657)	µg/L (61625)	µg/L (78109)	µg/L (61633)	µg/L (34452)	µg/L (34646)
06-03-2011	1030	< .010	< .006	< .010	< 2	< .0042	< .08	< .0046	< .54	< .52

WATER-QUALITY DATA
WATER YEAR OCTOBER 2010 TO SEPTEMBER 2011

Part 7 of 28

[N, nitrogen; NTRU, nephelometric turbidity ratio unit; P, phosphorus; PCBs, polychlorinated biphenyls; SiO₂, silicon dioxide; mg/L, milligrams per liter; nm, nanometers; °C, degrees Celsius; µS/cm, microsiemens per centimeter; µg/L, micrograms per liter; <, less than; E, estimated; M, presence verified but not quantified]

Date	Sample start time	Aceto-chlor, water, filtered, recoverable,	Acrylo-nitrile, water, unfiltered, recoverable,	Alachlor, water, filtered, recoverable,	Aldrin, water, unfiltered, recoverable,	alpha-Endo-sulfan, water, unfiltered, recoverable,	Atrazine, water, filtered, recoverable,	Azinphos-methyl oxygen analog, water, filtered, recoverable,	Azinphos-methyl, water, filtered (0.7 micron glass fiber filter), recoverable,	Benfluralin, water, filtered (0.7 micron glass fiber filter), recoverable,
		µg/L (49260)	µg/L (34215)	µg/L (46342)	µg/L (39330)	µg/L (39388)	µg/L (39632)	µg/L (61635)	µg/L (82686)	µg/L (82673)
06-03-2011	1030	< .010	< .80	< .008	< .013	< .012	< .008	< .042	< .120	< .014

404510073560402 Local number Q 3122. 2—Continued

WATER-QUALITY DATA
WATER YEAR OCTOBER 2010 TO SEPTEMBER 2011

Part 8 of 28

[N, nitrogen; NTRU, nephelometric turbidity ratio unit; P, phosphorus; PCBs, polychlorinated biphenyls; SiO₂, silicon dioxide; mg/L, milligrams per liter; nm, nanometers; °C, degrees Celsius; µS/cm, microsiemens per centimeter; µg/L, micrograms per liter; <, less than; E, estimated; M, presence verified but not quantified]

Date	Sample start time	Bromo-methane, water, unfiltered, recoverable, µg/L (34413)	Carbaryl, water, filtered (0.7 micron glass fiber filter), recoverable, µg/L (82680)	Carbon disulfide, water, unfiltered, µg/L (77041)	Chlordane (technical), water, unfiltered, recoverable, µg/L (39350)	Chlorpyrifos oxygen analog, water, filtered, recoverable, µg/L (61636)	Chlorpyrifos, water, filtered, recoverable, µg/L (38933)	cis-1,3-Dichloro-propene, water, unfiltered, recoverable, µg/L (34704)	cis-Permethrin, water, filtered (0.7 micron glass fiber filter), recoverable, µg/L (82687)	Cyfluthrin, water, filtered, recoverable, µg/L (61585)
06-03-2011	1030	< .2	< .060	< .1	< .1	< .06	< .0036	< .10	< .010	< .016

WATER-QUALITY DATA
WATER YEAR OCTOBER 2010 TO SEPTEMBER 2011

Part 9 of 28

[N, nitrogen; NTRU, nephelometric turbidity ratio unit; P, phosphorus; PCBs, polychlorinated biphenyls; SiO₂, silicon dioxide; mg/L, milligrams per liter; nm, nanometers; °C, degrees Celsius; µS/cm, microsiemens per centimeter; µg/L, micrograms per liter; <, less than; E, estimated; M, presence verified but not quantified]

Date	Sample start time	Cypermethrin, water, filtered, recoverable, µg/L (61586)	DCPA, water, filtered (0.7 micron glass fiber filter), recoverable, µg/L (82682)	Desulfinyl-fipronil amide, water, filtered, recoverable, µg/L (62169)	Desulfinyl-fipronil, water, filtered, recoverable, µg/L (62170)	Diazinon, water, filtered, recoverable, µg/L (39572)	Dichlorvos, water, filtered, recoverable, µg/L (38775)	Dicrotophos, water, filtered, recoverable, µg/L (38454)	Dieldrin, water, filtered, recoverable, µg/L (39381)	Dieldrin, water, unfiltered, recoverable, µg/L (39380)
06-03-2011	1030	< .020	< .0076	< .029	< .012	< .0060	< .04	< .08	< .008	< .008

WATER-QUALITY DATA
WATER YEAR OCTOBER 2010 TO SEPTEMBER 2011

Part 10 of 28

[N, nitrogen; NTRU, nephelometric turbidity ratio unit; P, phosphorus; PCBs, polychlorinated biphenyls; SiO₂, silicon dioxide; mg/L, milligrams per liter; nm, nanometers; °C, degrees Celsius; µS/cm, microsiemens per centimeter; µg/L, micrograms per liter; <, less than; E, estimated; M, presence verified but not quantified]

Date	Sample start time	Dimethoate, water, filtered (0.7 micron glass fiber filter), recoverable, µg/L (82662)	Endrin, water, unfiltered, recoverable, µg/L (39390)	Ethion monoxon, water, filtered, recoverable, µg/L (61644)	Ethion, water, filtered, recoverable, µg/L (82346)	Fenami-phos sulfone, water, filtered, recoverable, µg/L (61645)	Fenami-phos sulfoxide, water, filtered, recoverable, µg/L (61646)	Fenami-phos, water, filtered, recoverable, µg/L (61591)	Fipronil sulfide, water, filtered, recoverable, µg/L (62167)	Fipronil sulfone, water, filtered, recoverable, µg/L (62168)
06-03-2011	1030	< .0060	< .012	< .021	< .008	< .054	< .08	< .030	< .012	< .024

404510073560402 Local number Q 3122. 2—Continued

WATER-QUALITY DATA
WATER YEAR OCTOBER 2010 TO SEPTEMBER 2011

Part 11 of 28

[N, nitrogen; NTRU, nephelometric turbidity ratio unit; P, phosphorus; PCBs, polychlorinated biphenyls; SiO₂, silicon dioxide; mg/L, milligrams per liter; nm, nanometers; °C, degrees Celsius; µS/cm, microsiemens per centimeter; µg/L, micrograms per liter; <, less than; E, estimated; M, presence verified but not quantified]

Date	Sample start time	Fipronil, water, filtered, recoverable, µg/L (62166)	Fonofos, water, filtered, recoverable, µg/L (04095)	Heptachlor epoxide, water, unfiltered, recoverable, µg/L (39420)	Heptachlor, water, unfiltered, recoverable, µg/L (39410)	Hexachlorobenzene, water, unfiltered, recoverable, µg/L (39700)	Hexazinone, water, filtered, recoverable, µg/L (04025)	Iodomethane, water, unfiltered, recoverable, µg/L (77424)	Iprodione, water, filtered, recoverable, µg/L (61593)	Isofenphos, water, filtered, recoverable, µg/L (61594)
06-03-2011	1030	< .018	< .0048	< .009	< .008	< .30	< .008	< .26	< .014	< .006

WATER-QUALITY DATA
WATER YEAR OCTOBER 2010 TO SEPTEMBER 2011

Part 12 of 28

[N, nitrogen; NTRU, nephelometric turbidity ratio unit; P, phosphorus; PCBs, polychlorinated biphenyls; SiO₂, silicon dioxide; mg/L, milligrams per liter; nm, nanometers; °C, degrees Celsius; µS/cm, microsiemens per centimeter; µg/L, micrograms per liter; <, less than; E, estimated; M, presence verified but not quantified]

Date	Sample start time	Lindane, water, unfiltered, recoverable, µg/L (39340)	Malaoxon, water, filtered, recoverable, µg/L (61652)	Malathion, water, filtered, recoverable, µg/L (39532)	Metalaxyl, water, filtered, recoverable, µg/L (61596)	Methidathion, water, filtered, recoverable, µg/L (61598)	Methyl paraoxon, water, filtered, recoverable, µg/L (61664)	Methyl parathion, water, filtered (0.7 micron glass fiber filter), recoverable, µg/L (82667)	Metolachlor, water, filtered, recoverable, µg/L (39415)	Metribuzin, water, filtered, recoverable, µg/L (82630)
06-03-2011	1030	< .014	< .022	< .016	< .014	< .012	< .014	< .008	< .020	< .012

WATER-QUALITY DATA
WATER YEAR OCTOBER 2010 TO SEPTEMBER 2011

Part 13 of 28

[N, nitrogen; NTRU, nephelometric turbidity ratio unit; P, phosphorus; PCBs, polychlorinated biphenyls; SiO₂, silicon dioxide; mg/L, milligrams per liter; nm, nanometers; °C, degrees Celsius; µS/cm, microsiemens per centimeter; µg/L, micrograms per liter; <, less than; E, estimated; M, presence verified but not quantified]

Date	Sample start time	Mirex, water, unfiltered, recoverable, µg/L (39755)	Myclobutanil, water, filtered, recoverable, µg/L (61599)	p,p'-DDD, water, unfiltered, recoverable, µg/L (39360)	p,p'-DDE, water, unfiltered, recoverable, µg/L (39365)	p,p'-DDT, water, unfiltered, recoverable, µg/L (39370)	p,p'-Methoxychlor, water, unfiltered, recoverable, µg/L (39480)	Pendimethalin, water, filtered (0.7 micron glass fiber filter), recoverable, µg/L (82683)	Pentachlorophenol, water, unfiltered, recoverable, µg/L (39032)	Phorate oxygen analog, water, filtered, recoverable, µg/L (61666)
06-03-2011	1030	< .0060	< .010	< .016	< .014	< .010	< .002	< .012	< .6	< .027

404510073560402 Local number Q 3122. 2—Continued

WATER-QUALITY DATA
WATER YEAR OCTOBER 2010 TO SEPTEMBER 2011

Part 14 of 28

[N, nitrogen; NTRU, nephelometric turbidity ratio unit; P, phosphorus; PCBs, polychlorinated biphenyls; SiO₂, silicon dioxide; mg/L, milligrams per liter; nm, nanometers; °C, degrees Celsius; µS/cm, microsiemens per centimeter; µg/L, micrograms per liter; <, less than; E, estimated; M, presence verified but not quantified]

Date	Sample start time	Phorate, water, filtered (0.7 micron glass fiber filter), recoverable, µg/L (82664)	Phosmet oxygen analog, water, filtered, recoverable, µg/L (61668)	Phosmet, water, filtered, recoverable, µg/L (61601)	Prometon, water, filtered, recoverable, µg/L (04037)	Prometryn, water, filtered, recoverable, µg/L (04036)	Propyzamide, water, filtered (0.7 micron glass fiber filter), recoverable, µg/L (82676)	Simazine, water, filtered, recoverable, µg/L (04035)	Tebu-thiuron, water, filtered (0.7 micron glass fiber filter), recoverable, µg/L (82670)	Terbufos oxygen analog sulfone, water, filtered, recoverable, µg/L (61674)
06-03-2011	1030	< .020	< .0511	< .140	< .012	< .006	< .0036	< .006	< .028	< .045

WATER-QUALITY DATA
WATER YEAR OCTOBER 2010 TO SEPTEMBER 2011

Part 15 of 28

[N, nitrogen; NTRU, nephelometric turbidity ratio unit; P, phosphorus; PCBs, polychlorinated biphenyls; SiO₂, silicon dioxide; mg/L, milligrams per liter; nm, nanometers; °C, degrees Celsius; µS/cm, microsiemens per centimeter; µg/L, micrograms per liter; <, less than; E, estimated; M, presence verified but not quantified]

Date	Sample start time	Terbufos, water, filtered (0.7 micron glass fiber filter), recoverable, µg/L (82675)	Terbutyl-azine, water, filtered, recoverable, µg/L (04022)	Toxa-phene, water, unfiltered, recoverable, µg/L (39400)	trans-1,3-Dichloro-propene, water, unfiltered, recoverable, µg/L (34699)	Tribuphos, water, filtered, recoverable, µg/L (61610)	Trifluralin, water, filtered (0.7 micron glass fiber filter), recoverable, µg/L (82661)	PCBs, water, unfiltered, recoverable, µg/L (39516)	1,1,1,2-Tetra-chloro-ethane, water, unfiltered, recoverable, µg/L (77562)	1,1,1-Tri-chloro-ethane, water, unfiltered, recoverable, µg/L (34506)
06-03-2011	1030	< .018	< .006	< 1	< .14	< .018	< .018	< .1	< .040	0.016

404510073560402 Local number Q 3122. 2—Continued

WATER-QUALITY DATA
WATER YEAR OCTOBER 2010 TO SEPTEMBER 2011

Part 16 of 28

[N, nitrogen; NTRU, nephelometric turbidity ratio unit; P, phosphorus; PCBs, polychlorinated biphenyls; SiO₂, silicon dioxide; mg/L, milligrams per liter; nm, nanometers; °C, degrees Celsius; µS/cm, microsiemens per centimeter; µg/L, micrograms per liter; <, less than; E, estimated; M, presence verified but not quantified]

Date	Sample start time	1,1,2,2-Tetra-chloro-ethane, water, unfiltered, recoverable, µg/L (34516)	1,1,2-Tri-chloro-ethane, water, unfiltered, recoverable, µg/L (77652)	1,1,2-Tri-chloro-ethane, water, unfiltered, recoverable, µg/L (34511)	1,1-Di-chloro-ethane, water, unfiltered, recoverable, µg/L (34496)	1,1-Di-chloro-ethene, water, unfiltered, recoverable, µg/L (34501)	1,1-Di-chloro-propene, water, unfiltered, recoverable, µg/L (77168)	1,2,3,4-Tetra-methyl-benzene, water, unfiltered, recoverable, µg/L (49999)	1,2,3,5-Tetra-methyl-benzene, water, unfiltered, recoverable, µg/L (50000)	1,2,3-Tri-chloro-benzene, water, unfiltered, recoverable, µg/L (77613)
06-03-2011	1030	< .14	< .034	< .028	< .044	< .022	< .040	< .10	< .080	< .06

WATER-QUALITY DATA
WATER YEAR OCTOBER 2010 TO SEPTEMBER 2011

Part 17 of 28

[N, nitrogen; NTRU, nephelometric turbidity ratio unit; P, phosphorus; PCBs, polychlorinated biphenyls; SiO₂, silicon dioxide; mg/L, milligrams per liter; nm, nanometers; °C, degrees Celsius; µS/cm, microsiemens per centimeter; µg/L, micrograms per liter; <, less than; E, estimated; M, presence verified but not quantified]

Date	Sample start time	1,2,3-Tri-methyl-benzene, water, unfiltered, recoverable, µg/L (77221)	1,2,4-Tri-chloro-benzene, water, unfiltered, recoverable, µg/L (34551)	1,2,4-Tri-methyl-benzene, water, unfiltered, recoverable, µg/L (77222)	1,2-Dichloro-benzene, water, unfiltered, recoverable, µg/L (34536)	1,2-Diphenyl-hydrazine, water, unfiltered, recoverable, µg/L (82626)	1,3,5-Tri-methyl-benzene, water, unfiltered, recoverable, µg/L (77226)	1,3-Dichloro-benzene, water, unfiltered, recoverable, µg/L (34566)	2,2-Di-chloro-propane, water, unfiltered, recoverable, µg/L (77170)	2,4-Dinitro-phenol, water, unfiltered, recoverable, µg/L (34616)
06-03-2011	1030	< .060	< .08	< .032	< .028	< .30	< .032	< .024	< .06	< 2

WATER-QUALITY DATA
WATER YEAR OCTOBER 2010 TO SEPTEMBER 2011

Part 18 of 28

[N, nitrogen; NTRU, nephelometric turbidity ratio unit; P, phosphorus; PCBs, polychlorinated biphenyls; SiO₂, silicon dioxide; mg/L, milligrams per liter; nm, nanometers; °C, degrees Celsius; µS/cm, microsiemens per centimeter; µg/L, micrograms per liter; <, less than; E, estimated; M, presence verified but not quantified]

Date	Sample start time	2,4-Dinitro-toluene, water, unfiltered, recoverable, µg/L (34611)	2,6-Dinitro-toluene, water, unfiltered, recoverable, µg/L (34626)	2-Chloro-naphthalene, water, unfiltered, recoverable, µg/L (34581)	2-Chloro-phenol, water, unfiltered, recoverable, µg/L (34586)	2-Chloro-toluene, water, unfiltered, recoverable, µg/L (77275)	2-Ethyl-toluene, water, unfiltered, recoverable, µg/L (77220)	2-Nitro-phenol, water, unfiltered, recoverable, µg/L (34591)	3,3'-Dichloro-benzidine, water, unfiltered, recoverable, µg/L (34631)	4-Bromo-phenyl phenyl ether, water, unfiltered, recoverable, µg/L (34636)
06-03-2011	1030	< .56	< .4	< .16	< .26	< .028	< .032	< .4	< .42	< .24

404510073560402 Local number Q 3122. 2—Continued

WATER-QUALITY DATA
WATER YEAR OCTOBER 2010 TO SEPTEMBER 2011

Part 19 of 28

[N, nitrogen; NTRU, nephelometric turbidity ratio unit; P, phosphorus; PCBs, polychlorinated biphenyls; SiO₂, silicon dioxide; mg/L, milligrams per liter; nm, nanometers; °C, degrees Celsius; µS/cm, microsiemens per centimeter; µg/L, micrograms per liter; <, less than; E, estimated; M, presence verified but not quantified]

Date	Sample start time	4-Chloro-phenyl ether, water, unfiltered, recoverable, µg/L (34641)	4-Chloro-toluene, water, unfiltered, recoverable, µg/L (77277)	4-Iso-propyl-toluene, water, unfiltered, recoverable, µg/L (77356)	9H-Fluorene, water, unfiltered, recoverable, µg/L (34381)	Acenaph-thene, water, unfiltered, recoverable, µg/L (34205)	Acenaph-thylene, water, unfiltered, recoverable, µg/L (34200)	Acetone, water, unfiltered, recoverable, µg/L (81552)	Anthra-cene, water, unfiltered, recoverable, µg/L (34220)	Benzene, water, unfiltered, recoverable, µg/L (34030)
06-03-2011	1030	< .34	< .042	< .06	< .34	< .28	< .30	< 3.4	0.01	< .026

WATER-QUALITY DATA
WATER YEAR OCTOBER 2010 TO SEPTEMBER 2011

Part 20 of 28

[N, nitrogen; NTRU, nephelometric turbidity ratio unit; P, phosphorus; PCBs, polychlorinated biphenyls; SiO₂, silicon dioxide; mg/L, milligrams per liter; nm, nanometers; °C, degrees Celsius; µS/cm, microsiemens per centimeter; µg/L, micrograms per liter; <, less than; E, estimated; M, presence verified but not quantified]

Date	Sample start time	Benzo[a]-anthra-cene, water, unfiltered, recoverable, µg/L (34526)	Benzo[a]-pyrene, water, unfiltered, recoverable, µg/L (34247)	Benzo[a]-fluor-anthene, water, unfiltered, recoverable, µg/L (34230)	Benzo-[ghi]-perylene, water, unfiltered, recoverable, µg/L (34521)	Benzo[k]-fluoran-thene, water, unfiltered, recoverable, µg/L (34242)	Benzyl n-butyl phthalate, water, unfiltered, recoverable, µg/L (34292)	Bis(2-chloro-ethoxy)-methane, water, unfiltered, recoverable, µg/L (34278)	Bis(2-chloro-ethyl) ether, water, unfiltered, recoverable, µg/L (34273)	Bis(2-chloro-isopropyl) ether, water, unfiltered, recoverable, µg/L (34283)
06-03-2011	1030	< .26	< .32	< .30	M	< .30	< 1.8	< .24	< .30	< .14

WATER-QUALITY DATA
WATER YEAR OCTOBER 2010 TO SEPTEMBER 2011

Part 21 of 28

[N, nitrogen; NTRU, nephelometric turbidity ratio unit; P, phosphorus; PCBs, polychlorinated biphenyls; SiO₂, silicon dioxide; mg/L, milligrams per liter; nm, nanometers; °C, degrees Celsius; µS/cm, microsiemens per centimeter; µg/L, micrograms per liter; <, less than; E, estimated; M, presence verified but not quantified]

Date	Sample start time	Bis(2-ethylhexyl) phthalate, water, unfiltered, recoverable, µg/L (39100)	Bromo-benzene, water, unfiltered, recoverable, µg/L (81555)	Bromo-chloro-methane, water, unfiltered, recoverable, µg/L (77297)	Bromo-dichloro-methane, water, unfiltered, recoverable, µg/L (32101)	Bromo-ethene, water, unfiltered, recoverable, µg/L (50002)	Chloro-benzene, water, unfiltered, recoverable, µg/L (34301)	Chloro-ethane, water, unfiltered, recoverable, µg/L (34311)	Chloro-methane, water, unfiltered, recoverable, µg/L (34418)	Chrysene, water, unfiltered, recoverable, µg/L (34320)
06-03-2011	1030	< 2.6	< .022	< .06	0.083	< .12	< .026	< .06	< .1	< .32

404510073560402 Local number Q 3122. 2—Continued

WATER-QUALITY DATA
WATER YEAR OCTOBER 2010 TO SEPTEMBER 2011

Part 22 of 28

[N, nitrogen; NTRU, nephelometric turbidity ratio unit; P, phosphorus; PCBs, polychlorinated biphenyls; SiO₂, silicon dioxide; mg/L, milligrams per liter; nm, nanometers; °C, degrees Celsius; µS/cm, microsiemens per centimeter; µg/L, micrograms per liter; <, less than; E, estimated; M, presence verified but not quantified]

Date	Sample start time	cis-1,2-Dichloroethene, water, unfiltered, recoverable, µg/L (77093)	Dibenzo-[a,h]-anthracene, water, unfiltered, recoverable, µg/L (34556)	Dibromochloromethane, water, unfiltered, recoverable, µg/L (32105)	Dibromomethane, water, unfiltered, recoverable, µg/L (30217)	Dichlorodifluoromethane, water, unfiltered, recoverable, µg/L (34668)	Dichloromethane, water, unfiltered, recoverable, µg/L (34423)	Diethyl ether, water, unfiltered, recoverable, µg/L (81576)	Diethyl phthalate, water, unfiltered, recoverable, µg/L (34336)	Diisopropyl ether, water, unfiltered, recoverable, µg/L (81577)
06-03-2011	1030	0.017	< .42	< .12	< .050	E .03	< .04	< .1	< .62	< .06

WATER-QUALITY DATA
WATER YEAR OCTOBER 2010 TO SEPTEMBER 2011

Part 23 of 28

[N, nitrogen; NTRU, nephelometric turbidity ratio unit; P, phosphorus; PCBs, polychlorinated biphenyls; SiO₂, silicon dioxide; mg/L, milligrams per liter; nm, nanometers; °C, degrees Celsius; µS/cm, microsiemens per centimeter; µg/L, micrograms per liter; <, less than; E, estimated; M, presence verified but not quantified]

Date	Sample start time	Dimethyl phthalate, water, unfiltered, recoverable, µg/L (34341)	Di-n-butyl phthalate, water, unfiltered, recoverable, µg/L (39110)	Di-n-octyl phthalate, water, unfiltered, recoverable, µg/L (34596)	Ethyl methacrylate, water, unfiltered, recoverable, µg/L (73570)	Ethyl methyl ketone, water, unfiltered, recoverable, µg/L (81595)	Ethylbenzene, water, unfiltered, recoverable, µg/L (34371)	Fluoranthene, water, unfiltered, recoverable, µg/L (34376)	Hexachlorobutadiene, water, unfiltered, recoverable, µg/L (39702)	Hexachlorocyclopentadiene, water, unfiltered, recoverable, µg/L (34386)
06-03-2011	1030	< .36	< 2.00	< .6	< .20	< 1.6	< .036	0.01	< .08	< .50

WATER-QUALITY DATA
WATER YEAR OCTOBER 2010 TO SEPTEMBER 2011

Part 24 of 28

[N, nitrogen; NTRU, nephelometric turbidity ratio unit; P, phosphorus; PCBs, polychlorinated biphenyls; SiO₂, silicon dioxide; mg/L, milligrams per liter; nm, nanometers; °C, degrees Celsius; µS/cm, microsiemens per centimeter; µg/L, micrograms per liter; <, less than; E, estimated; M, presence verified but not quantified]

Date	Sample start time	Hexachloroethane, water, unfiltered, recoverable, µg/L (34396)	Indeno[1,2,3-cd]pyrene, water, unfiltered, recoverable, µg/L (34403)	Isobutyl methyl ketone, water, unfiltered, recoverable, µg/L (78133)	Iso-phorone, water, unfiltered, recoverable, µg/L (34408)	Isopropylbenzene, water, unfiltered, recoverable, µg/L (77223)	Methyl acetate, water, unfiltered, recoverable, µg/L (77032)	Methyl acrylate, water, unfiltered, recoverable, µg/L (49991)	Methyl acrylonitrile, water, unfiltered, recoverable, µg/L (81593)	Methyl methacrylate, water, unfiltered, recoverable, µg/L (81597)
06-03-2011	1030	< .22	M	< .32	< .26	< .042	< .46	< .8	< .26	< .22

404510073560402 Local number Q 3122. 2—Continued

WATER-QUALITY DATA
WATER YEAR OCTOBER 2010 TO SEPTEMBER 2011

Part 25 of 28

[N, nitrogen; NTRU, nephelometric turbidity ratio unit; P, phosphorus; PCBs, polychlorinated biphenyls; SiO₂, silicon dioxide; mg/L, milligrams per liter; nm, nanometers; °C, degrees Celsius; µS/cm, microsiemens per centimeter; µg/L, micrograms per liter; <, less than; E, estimated; M, presence verified but not quantified]

Date	Sample start time	Methyl tert-butyl ether, water, unfiltered, recoverable,	Methyl tert-pentyl ether, water, unfiltered, recoverable,	Methylene blue active substances, water, unfiltered, recoverable,	m-Xylene plus p-xylene, water, unfiltered, recoverable,	Naphthalene, water, unfiltered, recoverable,	n-Butyl methyl ketone, water, unfiltered, recoverable,	n-Butyl benzene, water, unfiltered, recoverable,	Nitrobenzene, water, unfiltered, recoverable,	N-Nitrosodimethylamine, water, unfiltered, recoverable,
		(78032) µg/L	(50005) µg/L	(38260) mg/L	(85795) µg/L	(34696) µg/L	(77103) µg/L	(77342) µg/L	(34447) µg/L	(34438) µg/L
06-03-2011	1030	1.15	< .06	< .050	< .08	< .18	< .4	< .08	< 0.26	< .24

WATER-QUALITY DATA
WATER YEAR OCTOBER 2010 TO SEPTEMBER 2011

Part 26 of 28

[N, nitrogen; NTRU, nephelometric turbidity ratio unit; P, phosphorus; PCBs, polychlorinated biphenyls; SiO₂, silicon dioxide; mg/L, milligrams per liter; nm, nanometers; °C, degrees Celsius; µS/cm, microsiemens per centimeter; µg/L, micrograms per liter; <, less than; E, estimated; M, presence verified but not quantified]

Date	Sample start time	N-Nitrosodipropylamine, water, unfiltered, recoverable,	N-Nitrosodiphenylamine, water, unfiltered, recoverable,	n-Propylbenzene, water, unfiltered, recoverable,	o-Xylene, water, unfiltered, recoverable,	Phenanthrene, water, unfiltered, recoverable,	Phenol, water, unfiltered, recoverable,	Pyrene, water, unfiltered, recoverable,	sec-Butylbenzene, water, unfiltered, recoverable,	Styrene, water, unfiltered, recoverable,
		(34428) µg/L	(34433) µg/L	(77224) µg/L	(77135) µg/L	(34461) µg/L	(34694) µg/L	(34469) µg/L	(77350) µg/L	(77128) µg/L
06-03-2011	1030	< .4	< .28	< .036	< .032	E .01	< .28	0.01	< .034	< .042

WATER-QUALITY DATA
WATER YEAR OCTOBER 2010 TO SEPTEMBER 2011

Part 27 of 28

[N, nitrogen; NTRU, nephelometric turbidity ratio unit; P, phosphorus; PCBs, polychlorinated biphenyls; SiO₂, silicon dioxide; mg/L, milligrams per liter; nm, nanometers; °C, degrees Celsius; µS/cm, microsiemens per centimeter; µg/L, micrograms per liter; <, less than; E, estimated; M, presence verified but not quantified]

Date	Sample start time	tert-Amyl alcohol, water, unfiltered, recoverable,	tert-Butyl alcohol, water, unfiltered, recoverable,	tert-Butyl ethyl ether, water, unfiltered, recoverable,	tert-Butylbenzene, water, unfiltered, recoverable,	Tetra-chloroethene, water, unfiltered, recoverable,	Tetra-chloromethane, water, unfiltered, recoverable,	Tetrahydrofuran, water, unfiltered, recoverable,	Toluene, water, unfiltered, recoverable,	trans-1,2-Dichloroethene, water, unfiltered, recoverable,
		(77073) µg/L	(77035) µg/L	(50004) µg/L	(77353) µg/L	(34475) µg/L	(32102) µg/L	(81607) µg/L	(34010) µg/L	(34546) µg/L
06-03-2011	1030	< .6	< .80	< .032	< .060	3.01	< .06	< 1.4	< .02	< .018

404510073560402 Local number Q 3122. 2—Continued

WATER-QUALITY DATA
WATER YEAR OCTOBER 2010 TO SEPTEMBER 2011

Part 28 of 28

[N, nitrogen; NTRU, nephelometric turbidity ratio unit; P, phosphorus; PCBs, polychlorinated biphenyls; SiO₂, silicon dioxide; mg/L, milligrams per liter; nm, nanometers; °C, degrees Celsius; μS/cm, microsiemens per centimeter; μg/L, micrograms per liter; <, less than; E, estimated; M, presence verified but not quantified]

Date	Sample start time	trans-1,4- Dichloro- 2-butene, water, unfiltered, recover- able, μg/L (73547)	Tribromo- methane, water, unfiltered, recover- able, μg/L (32104)	Trichloro- ethene, water, unfiltered, recover- able, μg/L (39180)	Trichloro- fluoro- methane, water, unfiltered, recover- able, μg/L (34488)	Trichloro- methane, water, unfiltered, recover- able, μg/L (32106)	Vinyl chloride, water, unfiltered, recover- able, μg/L (39175)
06-03-2011	1030	< .4	< .10	0.241	0.02	3.7	< .06