

Water-Data Report 2011

**431008082580700 Local number SUS151-42**

Sand and gravel aquifers (glaciated regions)  
Sand and Gravel

Sanilac County, MI

LOCATION.--Lat 43°10'08.4", long 82°58'07.1" referenced to North American Datum of 1983, Sanilac County, MI, Hydrologic Unit 04090001.

**GROUNDWATER RECORDS**

WELL CHARACTERISTICS.--Depth 205 ft. Upper casing diameter 5 in; top of first opening 201 ft, bottom of last opening 205 ft.

DATUM.--Land-surface datum is 812 ft above National Geodetic Vertical Datum of 1929. Measuring point: Undefined, 0.75 ft above land-surface datum, Aug. 17, 2005, to present.

PERIOD OF RECORD.--October 1992 to current year (occasional measurements).

**WATER LEVELS IN FEET BELOW LAND-SURFACE DATUM  
WATER YEAR OCTOBER 2010 TO SEPTEMBER 2011**

[Measurement method: V, calibrated electric tape--accuracy of instrument has been checked. Water-level status: R, site had been pumped recently.]

<b>Date</b>	<b>Water level</b>	<b>Measurement method</b>	<b>Water- level status</b>
Aug 10	17.32	V	R

## 431008082580700 Local number SUS151-42—Continued

## WATER-QUALITY RECORDS

PERIOD OF RECORD.--Water years 1998, 2002, 2005, 2007, 2009, 2011.

## WATER-QUALITY DATA

## WATER YEAR OCTOBER 2010 TO SEPTEMBER 2011

Part 1 of 25

[CaCO<sub>3</sub>, calcium carbonate; N, nitrogen; NTRU, nephelometric turbidity ratio unit; P, phosphorus; SiO<sub>2</sub>, silicon dioxide; mg/L, milligrams per liter; mm Hg, millimeters of mercury; nm, nanometers; °C, degrees Celsius; µS/cm, microsiemens per centimeter; µg/L, micrograms per liter; <, less than; U, analyzed for but not detected]

Date	Sample start time	Barometric pressure, mm Hg (00025)	Dissolved oxygen, water, unfiltered, mg/L (00300)	pH, water, unfiltered, field, standard units (00400)	pH, water, unfiltered, laboratory, standard units (00403)	Specific conductance, water, unfiltered, laboratory, µS/cm at 25 °C (90095)	Specific conductance, water, unfiltered, µS/cm at 25 °C (00095)	Temperature, water, °C (00010)	Turbidity, water, unfiltered, broad band light source (400-680 nm), detectors at multiple angles including 90 +/- 30 degrees, ratiometric correction, NTRU (63676)
08-10-2011	1000	738	.2	7.7	8.1	1,040	1,050	13.5	.1

## WATER-QUALITY DATA

## WATER YEAR OCTOBER 2010 TO SEPTEMBER 2011

Part 2 of 25

[CaCO<sub>3</sub>, calcium carbonate; N, nitrogen; NTRU, nephelometric turbidity ratio unit; P, phosphorus; SiO<sub>2</sub>, silicon dioxide; mg/L, milligrams per liter; mm Hg, millimeters of mercury; nm, nanometers; °C, degrees Celsius; µS/cm, microsiemens per centimeter; µg/L, micrograms per liter; <, less than; U, analyzed for but not detected]

Date	Sample start time	Dissolved solids dried at 180 °C, water, filtered, mg/L (70300)	Calcium, water, filtered, mg/L (00915)	Magnesium, water, filtered, mg/L (00925)	Potassium, water, filtered, mg/L (00935)	Sodium, water, filtered, mg/L (00930)	Alkalinity, water, filtered, inflection-point, incremental titration method, field, mg/L as CaCO <sub>3</sub> (39086)	Bicarbonate, water, filtered, inflection-point, incremental titration method, field, mg/L (00453)	Bromide, water, filtered, mg/L (71870)
08-10-2011	1000	617	28.1	11.2	1.98	173	195	236	.11

## 431008082580700 Local number SUS151-42—Continued

**WATER-QUALITY DATA**  
**WATER YEAR OCTOBER 2010 TO SEPTEMBER 2011**

Part 3 of 25

[CaCO<sub>3</sub>, calcium carbonate; N, nitrogen; NTRU, nephelometric turbidity ratio unit; P, phosphorus; SiO<sub>2</sub>, silicon dioxide; mg/L, milligrams per liter; mm Hg, millimeters of mercury; nm, nanometers; °C, degrees Celsius; µS/cm, microsiemens per centimeter; µg/L, micrograms per liter; <, less than; U, analyzed for but not detected]

Date	Sample start time	Carbonate, water, filtered, inflection-point incremental titration method, field, mg/L (00452)	Chloride, water, filtered, mg/L (00940)	Fluoride, water, filtered, mg/L (00950)	Hydrogen sulfide, water, unfiltered, mg/L (71875)	Silica, water, filtered, mg/L as SiO <sub>2</sub> (00955)	Sulfate, water, filtered, mg/L (00945)	Ammonia, water, filtered, mg/L as N (00608)	Nitrate plus nitrite, water, filtered, mg/L as N (00631)	Nitrite, water, filtered, mg/L as N (00613)
		08-10-2011	1000	1.0	127	1.90	U	11.3	142	.202

**WATER-QUALITY DATA**  
**WATER YEAR OCTOBER 2010 TO SEPTEMBER 2011**

Part 4 of 25

[CaCO<sub>3</sub>, calcium carbonate; N, nitrogen; NTRU, nephelometric turbidity ratio unit; P, phosphorus; SiO<sub>2</sub>, silicon dioxide; mg/L, milligrams per liter; mm Hg, millimeters of mercury; nm, nanometers; °C, degrees Celsius; µS/cm, microsiemens per centimeter; µg/L, micrograms per liter; <, less than; U, analyzed for but not detected]

Date	Sample start time	Orthophosphate, water, filtered, mg/L as P (00671)	Total nitrogen, water, filtered, analytically determined, mg/L (62854)	Aluminum, water, filtered, µg/L (01106)	Barium, water, filtered, µg/L (01005)	Beryllium, water, filtered, µg/L (01010)	Cadmium, water, filtered, µg/L (01025)	Chromium, water, filtered, µg/L (01030)	Cobalt, water, filtered, µg/L (01035)
		08-10-2011	1000	.006	.15	< 1.7	17	.01	.06

**WATER-QUALITY DATA**  
**WATER YEAR OCTOBER 2010 TO SEPTEMBER 2011**

Part 5 of 25

[CaCO<sub>3</sub>, calcium carbonate; N, nitrogen; NTRU, nephelometric turbidity ratio unit; P, phosphorus; SiO<sub>2</sub>, silicon dioxide; mg/L, milligrams per liter; mm Hg, millimeters of mercury; nm, nanometers; °C, degrees Celsius; µS/cm, microsiemens per centimeter; µg/L, micrograms per liter; <, less than; U, analyzed for but not detected]

Date	Sample start time	Copper, water, filtered, µg/L (01040)	Iron, water, filtered, µg/L (01046)	Lead, water, filtered, µg/L (01049)	Lithium, water, filtered, µg/L (01130)	Manganese, water, filtered, µg/L (01056)	Molybdenum, water, filtered, µg/L (01060)	Nickel, water, filtered, µg/L (01065)	Silver, water, filtered, µg/L (01075)	Strontium, water, filtered, µg/L (01080)
		08-10-2011	1000	< .50	112	< .01	12.3	33.7	31.2	.11

## 431008082580700 Local number SUS151-42—Continued

## WATER-QUALITY DATA

## WATER YEAR OCTOBER 2010 TO SEPTEMBER 2011

Part 6 of 25

[CaCO<sub>3</sub>, calcium carbonate; N, nitrogen; NTRU, nephelometric turbidity ratio unit; P, phosphorus; SiO<sub>2</sub>, silicon dioxide; mg/L, milligrams per liter; mm Hg, millimeters of mercury; nm, nanometers; °C, degrees Celsius; µS/cm, microsiemens per centimeter; µg/L, micrograms per liter; <, less than; U, analyzed for but not detected]

Date	Sample start time	Thallium, water, filtered, µg/L (01057)	Vanadium, water, filtered, µg/L (01085)	Zinc, water, filtered, µg/L (01090)	Antimony, water, filtered, µg/L (01095)	Arsenic, water, filtered, µg/L (01000)	Boron, water, filtered, µg/L (01020)	Selenium, water, filtered, µg/L (01145)	1,2,3-Trichloropropane, water, unfiltered, recoverable, µg/L (77443)	1,2-Dibromo-3-chloropropane, water, unfiltered, recoverable, µg/L (82625)
08-10-2011	1000	< .01	< .08	9.4	< .03	29.0	738	< .03	< .12	< .4

## WATER-QUALITY DATA

## WATER YEAR OCTOBER 2010 TO SEPTEMBER 2011

Part 7 of 25

[CaCO<sub>3</sub>, calcium carbonate; N, nitrogen; NTRU, nephelometric turbidity ratio unit; P, phosphorus; SiO<sub>2</sub>, silicon dioxide; mg/L, milligrams per liter; mm Hg, millimeters of mercury; nm, nanometers; °C, degrees Celsius; µS/cm, microsiemens per centimeter; µg/L, micrograms per liter; <, less than; U, analyzed for but not detected]

Date	Sample start time	1,2-Dibromoethane, water, unfiltered, recoverable, µg/L (77651)	1,2-Dichloroethane, water, unfiltered, recoverable, µg/L (32103)	1,2-Dichloropropane, water, unfiltered, recoverable, µg/L (34541)	1,3-Dichloropropane, water, unfiltered, recoverable, µg/L (77173)	1,4-Dichlorobenzene, water, unfiltered, recoverable, µg/L (34571)	1-Naphthol, water, filtered (0.7 micron glass fiber filter), recoverable, µg/L (49295)	2,6-Diethylaniline, water, filtered (0.7 micron glass fiber filter), recoverable, µg/L (82660)	2-Chloro-2',6'-diethylacetanilide, water, filtered, recoverable, µg/L (61618)	2-Chloro-4-isopropylamino-6-amino-s-triazine, water, filtered, recoverable, µg/L (04040)
08-10-2011	1000	< .03	< .1	< .03	< .1	< .03	< .036	< .006	< .010	< .006

## WATER-QUALITY DATA

## WATER YEAR OCTOBER 2010 TO SEPTEMBER 2011

Part 8 of 25

[CaCO<sub>3</sub>, calcium carbonate; N, nitrogen; NTRU, nephelometric turbidity ratio unit; P, phosphorus; SiO<sub>2</sub>, silicon dioxide; mg/L, milligrams per liter; mm Hg, millimeters of mercury; nm, nanometers; °C, degrees Celsius; µS/cm, microsiemens per centimeter; µg/L, micrograms per liter; <, less than; U, analyzed for but not detected]

Date	Sample start time	2-Ethyl-6-methylaniline, water, filtered, recoverable, µg/L (61620)	3,4-Dichloroaniline, water, filtered, recoverable, µg/L (61625)	3,5-Dichloroaniline, water, filtered, recoverable, µg/L (61627)	3-Chloropropene, water, unfiltered, recoverable, µg/L (78109)	4-Chloro-2-methylphenol, water, filtered, recoverable, µg/L (61633)	Acetochlor, water, filtered, recoverable, µg/L (49260)	Acrylonitrile, water, unfiltered, recoverable, µg/L (34215)	Alachlor, water, filtered, recoverable, µg/L (46342)	alpha-Endosulfan, water, filtered, recoverable, µg/L (34362)
08-10-2011	1000	< .010	< .004	< .004	< .08	< .005	< .010	< 0.8	< .008	< .006

431008082580700 Local number SUS151-42—Continued

**WATER-QUALITY DATA**  
**WATER YEAR OCTOBER 2010 TO SEPTEMBER 2011**

Part 9 of 25

[CaCO<sub>3</sub>, calcium carbonate; N, nitrogen; NTRU, nephelometric turbidity ratio unit; P, phosphorus; SiO<sub>2</sub>, silicon dioxide; mg/L, milligrams per liter; mm Hg, millimeters of mercury; nm, nanometers; °C, degrees Celsius; µS/cm, microsiemens per centimeter; µg/L, micrograms per liter; <, less than; U, analyzed for but not detected]

Date	Sample start time	Azinphos-	Azinphos-	Azinphos-	Benfluralin,	Bromo-	Carbaryl,	Carbofuran,	Carbon disulfide, water, unfiltered, µg/L (77041)
		methyl, water, filtered, recoverable, µg/L (39632)	methyl oxygen analog, water, filtered, recoverable, µg/L (61635)	methyl, water, filtered, recoverable, µg/L (82686)	water, filtered, recoverable, µg/L (82673)	methane, water, unfiltered, recoverable, µg/L (34413)	water, filtered, recoverable, µg/L (82680)	water, filtered, recoverable, µg/L (82674)	
08-10-2011	1000	<.008	<.04	<.120	<.014	<.2	<.060	<.060	.04

**WATER-QUALITY DATA**  
**WATER YEAR OCTOBER 2010 TO SEPTEMBER 2011**

Part 10 of 25

[CaCO<sub>3</sub>, calcium carbonate; N, nitrogen; NTRU, nephelometric turbidity ratio unit; P, phosphorus; SiO<sub>2</sub>, silicon dioxide; mg/L, milligrams per liter; mm Hg, millimeters of mercury; nm, nanometers; °C, degrees Celsius; µS/cm, microsiemens per centimeter; µg/L, micrograms per liter; <, less than; U, analyzed for but not detected]

Date	Sample start time	Chlorpyrifos	Chlor-	cis-	cis-	Cyanazine,	Cyfluthrin,	Cyper-	DCPA,	
		oxygen analog, water, filtered, recoverable, µg/L (61636)	pyrifos, water, filtered, recoverable, µg/L (38933)	1,3-Di-chloro-propene, water, unfiltered, recoverable, µg/L (34704)	Permeth-rin, water, filtered, recoverable, µg/L (82687)	Propicon-azole, water, filtered, recoverable, µg/L (79846)	water, filtered, recoverable, µg/L (04041)	water, filtered, recoverable, µg/L (61585)	methrin, water, filtered, recoverable, µg/L (61586)	water, filtered, recoverable, µg/L (82682)
08-10-2011	1000	<.06	<.004	<.10	<.010	<.008	<.022	<.016	<.020	<.008

## 431008082580700 Local number SUS151-42—Continued

**WATER-QUALITY DATA**  
**WATER YEAR OCTOBER 2010 TO SEPTEMBER 2011**

Part 11 of 25

[CaCO<sub>3</sub>, calcium carbonate; N, nitrogen; NTRU, nephelometric turbidity ratio unit; P, phosphorus; SiO<sub>2</sub>, silicon dioxide; mg/L, milligrams per liter; mm Hg, millimeters of mercury; nm, nanometers; °C, degrees Celsius; µS/cm, microsiemens per centimeter; µg/L, micrograms per liter; <, less than; U, analyzed for but not detected]

Date	Sample start time	Desulfinyl-fipronil amide, water, filtered, recoverable, µg/L (62169)	Desulfinyl-fipronil, water, filtered, recoverable, µg/L (62170)	Diazinon, water, filtered, recoverable, µg/L (39572)	Dichlorvos, water, filtered, recoverable, µg/L (38775)	Dicrotophos, water, filtered, recoverable, µg/L (38454)	Dieldrin, water, filtered, recoverable, µg/L (39381)	Dimethoate, water, filtered (0.7 micron glass fiber filter), recoverable, µg/L (82662)	Disulfoton sulfone, water, filtered, recoverable, µg/L (61640)	Disulfoton, water, filtered (0.7 micron glass fiber filter), recoverable, µg/L (82677)
08-10-2011	1000	< .029	< .012	< .006	< .04	< .08	< .008	< .006	< .01	< .04

**WATER-QUALITY DATA**  
**WATER YEAR OCTOBER 2010 TO SEPTEMBER 2011**

Part 12 of 25

[CaCO<sub>3</sub>, calcium carbonate; N, nitrogen; NTRU, nephelometric turbidity ratio unit; P, phosphorus; SiO<sub>2</sub>, silicon dioxide; mg/L, milligrams per liter; mm Hg, millimeters of mercury; nm, nanometers; °C, degrees Celsius; µS/cm, microsiemens per centimeter; µg/L, micrograms per liter; <, less than; U, analyzed for but not detected]

Date	Sample start time	Endosulfan sulfate, water, filtered, recoverable, µg/L (61590)	EPTC, water, filtered (0.7 micron glass fiber filter), recoverable, µg/L (82668)	Ethion monoxon, water, filtered, recoverable, µg/L (61644)	Ethion, water, filtered, recoverable, µg/L (82346)	Ethoprop, water, filtered (0.7 micron glass fiber filter), recoverable, µg/L (82672)	Fenamiphos sulfone, water, filtered, recoverable, µg/L (61645)	Fenamiphos sulfoxide, water, filtered, recoverable, µg/L (61646)	Fenamiphos, water, filtered, recoverable, µg/L (61591)	Fipronil sulfide, water, filtered, recoverable, µg/L (62167)
08-10-2011	1000	< .016	< .006	< .02	< .008	< .016	< .054	< .08	< .03	< .012

**WATER-QUALITY DATA**  
**WATER YEAR OCTOBER 2010 TO SEPTEMBER 2011**

Part 13 of 25

[CaCO<sub>3</sub>, calcium carbonate; N, nitrogen; NTRU, nephelometric turbidity ratio unit; P, phosphorus; SiO<sub>2</sub>, silicon dioxide; mg/L, milligrams per liter; mm Hg, millimeters of mercury; nm, nanometers; °C, degrees Celsius; µS/cm, microsiemens per centimeter; µg/L, micrograms per liter; <, less than; U, analyzed for but not detected]

Date	Sample start time	Fipronil sulfone, water, filtered, recoverable, µg/L (62168)	Fipronil, water, filtered, recoverable, µg/L (62166)	Fonofos, water, filtered, recoverable, µg/L (04095)	Hexazinone, water, filtered, recoverable, µg/L (04025)	Iodomethane, water, unfiltered, recoverable, µg/L (77424)	Iprodione, water, filtered, recoverable, µg/L (61593)	Isofenphos, water, filtered, recoverable, µg/L (61594)	lambda-Cyhalothrin, water, filtered, recoverable, µg/L (61595)	Malaoxon, water, filtered, recoverable, µg/L (61652)
08-10-2011	1000	< .024	< .018	< .005	< .008	< .26	< .014	< .006	< .010	< .022

## 431008082580700 Local number SUS151-42—Continued

**WATER-QUALITY DATA**  
**WATER YEAR OCTOBER 2010 TO SEPTEMBER 2011**

Part 14 of 25

[CaCO<sub>3</sub>, calcium carbonate; N, nitrogen; NTRU, nephelometric turbidity ratio unit; P, phosphorus; SiO<sub>2</sub>, silicon dioxide; mg/L, milligrams per liter; mm Hg, millimeters of mercury; nm, nanometers; °C, degrees Celsius; µS/cm, microsiemens per centimeter; µg/L, micrograms per liter; <, less than; U, analyzed for but not detected]

Date	Sample start time	Malathion,	Metalaxyl,	Methida-	Methyl	Methyl	Metola-	Metri-	Molinate,	Myclo-
		water, filtered, recover- able, µg/L (39532)	water, filtered, recover- able, µg/L (61596)	thion, water, filtered, recover- able, µg/L (61598)	paraoxon, water, filtered, recover- able, µg/L (61664)	parathion, water, filtered (0.7 micron glass fiber filter), recover- able, µg/L (82667)	chlor, water, filtered, recover- able, µg/L (39415)	buzin, water, filtered, recover- able, µg/L (82630)	water, filtered (0.7 micron glass fiber filter), recover- able, µg/L (82671)	butanil, water, filtered, recover- able, µg/L (61599)
08-10-2011	1000	< .016	< .014	< .012	< .01	< .008	< .020	< .012	< .004	< .010

**WATER-QUALITY DATA**  
**WATER YEAR OCTOBER 2010 TO SEPTEMBER 2011**

Part 15 of 25

[CaCO<sub>3</sub>, calcium carbonate; N, nitrogen; NTRU, nephelometric turbidity ratio unit; P, phosphorus; SiO<sub>2</sub>, silicon dioxide; mg/L, milligrams per liter; mm Hg, millimeters of mercury; nm, nanometers; °C, degrees Celsius; µS/cm, microsiemens per centimeter; µg/L, micrograms per liter; <, less than; U, analyzed for but not detected]

Date	Sample start time	Oxy-	Pendi-	Phorate,	Phosmet	Phosmet,	Prometon,	Prometryn,	Propanil,	
		fluorfen, water, filtered, recover- able, µg/L (61600)	methalin, water, filtered (0.7 micron glass fiber filter), recover- able, µg/L (82683)	oxygen analog, water, filtered, recover- able, µg/L (61666)	water, filtered (0.7 micron glass fiber filter), recover- able, µg/L (82664)	oxygen analog, water, filtered, recover- able, µg/L (61668)	water, filtered, recover- able, µg/L (61601)	water, filtered, recover- able, µg/L (04037)	water, filtered, recover- able, µg/L (04036)	water, filtered (0.7 micron glass fiber filter), recover- able, µg/L (82679)
08-10-2011	1000	< .006	< .012	< .03	< .020	< .05	< .140	< .012	< .006	< .010

## 431008082580700 Local number SUS151-42—Continued

**WATER-QUALITY DATA**  
**WATER YEAR OCTOBER 2010 TO SEPTEMBER 2011**

Part 16 of 25

[CaCO<sub>3</sub>, calcium carbonate; N, nitrogen; NTRU, nephelometric turbidity ratio unit; P, phosphorus; SiO<sub>2</sub>, silicon dioxide; mg/L, milligrams per liter; mm Hg, millimeters of mercury; nm, nanometers; °C, degrees Celsius; µS/cm, microsiemens per centimeter; µg/L, micrograms per liter; <, less than; U, analyzed for but not detected]

Date	Sample start time	Propargite, water, filtered (0.7 micron glass fiber filter), recoverable, µg/L (82685)	Propyz-amide, water, filtered (0.7 micron glass fiber filter), recoverable, µg/L (82676)	Simazine, water, filtered, recoverable, µg/L (04035)	Tebu-thiuron, water, filtered (0.7 micron glass fiber filter), recoverable, µg/L (82670)	Tefluthrin, water, filtered, recoverable, µg/L (61606)	Terbufos oxygen analog sulfone, water, filtered, recoverable, µg/L (61674)	Terbufos, water, filtered (0.7 micron glass fiber filter), recoverable, µg/L (82675)	Terbuthyl-azine, water, filtered, recoverable, µg/L (04022)	Thioben-carb, water, filtered (0.7 micron glass fiber filter), recoverable, µg/L (82681)
08-10-2011	1000	< .02	< .004	< .006	< .03	< .010	< .04	< .02	< .01	< .016

**WATER-QUALITY DATA**  
**WATER YEAR OCTOBER 2010 TO SEPTEMBER 2011**

Part 17 of 25

[CaCO<sub>3</sub>, calcium carbonate; N, nitrogen; NTRU, nephelometric turbidity ratio unit; P, phosphorus; SiO<sub>2</sub>, silicon dioxide; mg/L, milligrams per liter; mm Hg, millimeters of mercury; nm, nanometers; °C, degrees Celsius; µS/cm, microsiemens per centimeter; µg/L, micrograms per liter; <, less than; U, analyzed for but not detected]

Date	Sample start time	trans-1,3-Dichloro-propene, water, unfiltered, recoverable, µg/L (34699)	trans-Propicon-azole, water, filtered, recoverable, µg/L (79847)	Tribuphos, water, filtered, recoverable, µg/L (61610)	Trifluralin, water, filtered (0.7 micron glass fiber filter), recoverable, µg/L (82661)	1,1,1,2-Tetra-chloro-ethane, water, unfiltered, recoverable, µg/L (77562)	1,1,1-Tri-chloro-ethane, water, unfiltered, recoverable, µg/L (34506)	1,1,2,2-Tetra-chloro-ethane, water, unfiltered, recoverable, µg/L (34516)	1,1,2-Tri-chloro-1,2,2-trifluoro-ethane, water, unfiltered, recoverable, µg/L (77652)	1,1,2-Tri-chloro-ethane, water, unfiltered, recoverable, µg/L (34511)
08-10-2011	1000	< .14	< .01	< .018	< .018	< .04	< .03	< .14	< .03	< .03

## 431008082580700 Local number SUS151-42—Continued

**WATER-QUALITY DATA**  
**WATER YEAR OCTOBER 2010 TO SEPTEMBER 2011**

Part 18 of 25

[CaCO<sub>3</sub>, calcium carbonate; N, nitrogen; NTRU, nephelometric turbidity ratio unit; P, phosphorus; SiO<sub>2</sub>, silicon dioxide; mg/L, milligrams per liter; mm Hg, millimeters of mercury; nm, nanometers; °C, degrees Celsius; µS/cm, microsiemens per centimeter; µg/L, micrograms per liter; <, less than; U, analyzed for but not detected]

Date	Sample start time	1,1-Di-chloro-ethane, water, unfiltered, recoverable, µg/L (34496)	1,1-Di-chloro-ethene, water, unfiltered, recoverable, µg/L (34501)	1,1-Di-chloro-propene, water, unfiltered, recoverable, µg/L (77168)	1,2,3,4-Tetra-methyl-benzene, water, unfiltered, recoverable, µg/L (49999)	1,2,3,5-Tetra-methyl-benzene, water, unfiltered, recoverable, µg/L (50000)	1,2,3-Tri-chloro-benzene, water, unfiltered, recoverable, µg/L (77613)	1,2,3-Tri-methyl-benzene, water, unfiltered, recoverable, µg/L (77221)	1,2,4-Tri-chloro-benzene, water, unfiltered, recoverable, µg/L (34551)	1,2,4-Tri-methyl-benzene, water, unfiltered, recoverable, µg/L (77222)
08-10-2011	1000	< .04	< .02	< .04	< .1	< .080	< .1	< .060	< .1	< .03

**WATER-QUALITY DATA**  
**WATER YEAR OCTOBER 2010 TO SEPTEMBER 2011**

Part 19 of 25

[CaCO<sub>3</sub>, calcium carbonate; N, nitrogen; NTRU, nephelometric turbidity ratio unit; P, phosphorus; SiO<sub>2</sub>, silicon dioxide; mg/L, milligrams per liter; mm Hg, millimeters of mercury; nm, nanometers; °C, degrees Celsius; µS/cm, microsiemens per centimeter; µg/L, micrograms per liter; <, less than; U, analyzed for but not detected]

Date	Sample start time	1,2-Dichloro-benzene, water, unfiltered, recoverable, µg/L (34536)	1,3,5-Tri-methyl-benzene, water, unfiltered, recoverable, µg/L (77226)	1,3-Dichloro-benzene, water, unfiltered, recoverable, µg/L (34566)	2,2-Di-chloro-propane, water, unfiltered, recoverable, µg/L (77170)	2-Chloro-toluene, water, unfiltered, recoverable, µg/L (77275)	2-Ethyl-toluene, water, unfiltered, recoverable, µg/L (77220)	4-Chloro-toluene, water, unfiltered, recoverable, µg/L (77277)	4-Iso-propyl-toluene, water, unfiltered, recoverable, µg/L (77356)	Acetone, water, unfiltered, recoverable, µg/L (81552)
08-10-2011	1000	< .03	< .03	< .02	< .06	< .03	< .03	< .04	< .06	< 3

**WATER-QUALITY DATA**  
**WATER YEAR OCTOBER 2010 TO SEPTEMBER 2011**

Part 20 of 25

[CaCO<sub>3</sub>, calcium carbonate; N, nitrogen; NTRU, nephelometric turbidity ratio unit; P, phosphorus; SiO<sub>2</sub>, silicon dioxide; mg/L, milligrams per liter; mm Hg, millimeters of mercury; nm, nanometers; °C, degrees Celsius; µS/cm, microsiemens per centimeter; µg/L, micrograms per liter; <, less than; U, analyzed for but not detected]

Date	Sample start time	Benzene, water, unfiltered, recoverable, µg/L (34030)	Bromo-benzene, water, unfiltered, recoverable, µg/L (81555)	Bromo-chloro-methane, water, unfiltered, recoverable, µg/L (77297)	Bromo-dichloro-methane, water, unfiltered, recoverable, µg/L (32101)	Bromo-ethene, water, unfiltered, recoverable, µg/L (50002)	Chloro-benzene, water, unfiltered, recoverable, µg/L (34301)	Chloro-ethane, water, unfiltered, recoverable, µg/L (34311)	Chloro-methane, water, unfiltered, recoverable, µg/L (34418)	cis-1,2-Di-chloro-ethene, water, unfiltered, recoverable, µg/L (77093)
08-10-2011	1000	< .03	< .02	< .06	< .03	< .1	< .03	< .1	< .140	< .02

## 431008082580700 Local number SUS151-42—Continued

**WATER-QUALITY DATA**  
**WATER YEAR OCTOBER 2010 TO SEPTEMBER 2011**

Part 21 of 25

[CaCO<sub>3</sub>, calcium carbonate; N, nitrogen; NTRU, nephelometric turbidity ratio unit; P, phosphorus; SiO<sub>2</sub>, silicon dioxide; mg/L, milligrams per liter; mm Hg, millimeters of mercury; nm, nanometers; °C, degrees Celsius; µS/cm, microsiemens per centimeter; µg/L, micrograms per liter; <, less than; U, analyzed for but not detected]

Date	Sample start time	Dibromo-chloro-methane, water, unfiltered, recoverable, µg/L (32105)	Dibromo-methane, water, unfiltered, recoverable, µg/L (30217)	Dichloro-difluoro-methane, water, unfiltered, recoverable, µg/L (34668)	Dichloro-methane, water, unfiltered, recoverable, µg/L (34423)	Diethyl ether, water, unfiltered, recoverable, µg/L (81576)	Diiso-propyl ether, water, unfiltered, recoverable, µg/L (81577)	Ethyl methacrylate, water, unfiltered, recoverable, µg/L (73570)	Ethyl methyl ketone, water, unfiltered, recoverable, µg/L (81595)	Ethyl-benzene, water, unfiltered, recoverable, µg/L (34371)
08-10-2011	1000	< .1	< .05	< .10	< .04	< .1	< .06	< .2	< 1.6	< .04

**WATER-QUALITY DATA**  
**WATER YEAR OCTOBER 2010 TO SEPTEMBER 2011**

Part 22 of 25

[CaCO<sub>3</sub>, calcium carbonate; N, nitrogen; NTRU, nephelometric turbidity ratio unit; P, phosphorus; SiO<sub>2</sub>, silicon dioxide; mg/L, milligrams per liter; mm Hg, millimeters of mercury; nm, nanometers; °C, degrees Celsius; µS/cm, microsiemens per centimeter; µg/L, micrograms per liter; <, less than; U, analyzed for but not detected]

Date	Sample start time	Hexa-chloro-butadiene, water, unfiltered, recoverable, µg/L (39702)	Hexa-chloro-ethane, water, unfiltered, recoverable, µg/L (34396)	Isobutyl methyl ketone, water, unfiltered, recoverable, µg/L (78133)	Isopropyl-benzene, water, unfiltered, recoverable, µg/L (77223)	Methyl acrylate, water, unfiltered, recoverable, µg/L (49991)	Methyl acrylonitrile, water, unfiltered, recoverable, µg/L (81593)	Methyl methacrylate, water, unfiltered, recoverable, µg/L (81597)	Methyl tert-butyl ether, water, unfiltered, recoverable, µg/L (78032)	Methyl tert-pentyl ether, water, unfiltered, recoverable, µg/L (50005)
08-10-2011	1000	< .1	< .2	< .3	< .04	< .8	< .3	< .2	< .10	< .06

**WATER-QUALITY DATA**  
**WATER YEAR OCTOBER 2010 TO SEPTEMBER 2011**

Part 23 of 25

[CaCO<sub>3</sub>, calcium carbonate; N, nitrogen; NTRU, nephelometric turbidity ratio unit; P, phosphorus; SiO<sub>2</sub>, silicon dioxide; mg/L, milligrams per liter; mm Hg, millimeters of mercury; nm, nanometers; °C, degrees Celsius; µS/cm, microsiemens per centimeter; µg/L, micrograms per liter; <, less than; U, analyzed for but not detected]

Date	Sample start time	m-Xylene plus p-xylene, water, unfiltered, recoverable, µg/L (85795)	Naphthalene, water, unfiltered, recoverable, µg/L (34696)	n-Butyl methyl ketone, water, unfiltered, recoverable, µg/L (77103)	n-Butyl-benzene, water, unfiltered, recoverable, µg/L (77342)	n-Propyl-benzene, water, unfiltered, recoverable, µg/L (77224)	o-Xylene, water, unfiltered, recoverable, µg/L (77135)	sec-Butyl-benzene, water, unfiltered, recoverable, µg/L (77350)	Styrene, water, unfiltered, recoverable, µg/L (77128)	tert-Butyl ethyl ether, water, unfiltered, recoverable, µg/L (50004)
08-10-2011	1000	< .08	< .2	< .4	< .1	< .04	< .03	< .03	< .04	< .03

## 431008082580700 Local number SUS151-42—Continued

**WATER-QUALITY DATA**  
**WATER YEAR OCTOBER 2010 TO SEPTEMBER 2011**

Part 24 of 25

[CaCO<sub>3</sub>, calcium carbonate; N, nitrogen; NTRU, nephelometric turbidity ratio unit; P, phosphorus; SiO<sub>2</sub>, silicon dioxide; mg/L, milligrams per liter; mm Hg, millimeters of mercury; nm, nanometers; °C, degrees Celsius; µS/cm, microsiemens per centimeter; µg/L, micrograms per liter; <, less than; U, analyzed for but not detected]

Date	Sample start time	tert-Butylbenzene, water, unfiltered, recoverable, µg/L (77353)	Tetra-chloroethene, water, unfiltered, recoverable, µg/L (34475)	Tetra-chloromethane, water, unfiltered, recoverable, µg/L (32102)	Tetra-hydrofuran, water, unfiltered, recoverable, µg/L (81607)	Toluene, water, unfiltered, recoverable, µg/L (34010)	trans-1,2-Dichloroethene, water, unfiltered, recoverable, µg/L (34546)	trans-1,4-Dichloro-2-butene, water, unfiltered, recoverable, µg/L (73547)	Tribromo-methane, water, unfiltered, recoverable, µg/L (32104)	Trichloro-ethene, water, unfiltered, recoverable, µg/L (39180)
08-10-2011	1000	< .06	< .03	< .06	< 1	< .02	< .02	< .4	< .10	< .02

**WATER-QUALITY DATA**  
**WATER YEAR OCTOBER 2010 TO SEPTEMBER 2011**

Part 25 of 25

[CaCO<sub>3</sub>, calcium carbonate; N, nitrogen; NTRU, nephelometric turbidity ratio unit; P, phosphorus; SiO<sub>2</sub>, silicon dioxide; mg/L, milligrams per liter; mm Hg, millimeters of mercury; nm, nanometers; °C, degrees Celsius; µS/cm, microsiemens per centimeter; µg/L, micrograms per liter; <, less than; U, analyzed for but not detected]

Date	Sample start time	Trichloro-fluoro-methane, water, unfiltered, recoverable, µg/L (34488)	Trichloro-methane, water, unfiltered, recoverable, µg/L (32106)	Vinyl chloride, water, unfiltered, recoverable, µg/L (39175)	Uranium (natural), water, filtered, µg/L (22703)
08-10-2011	1000	< .06	.02	< .1	1.21