

Water-Data Report 2012

255936080091702 Local number G 2478. USGS Observation Well near Hallandale, FL.

Biscayne aquifer
Biscayne Limestone Aquifer

Broward County, FL

LOCATION.--Lat 25°59'37.38", long 80°09'17.97" referenced to North American Datum of 1983, in SE ¼ NW ¼ SE ¼ sec.21, T.51 S., R.42 E., Broward County, FL, Hydrologic Unit 03090202, at northwest corner of intersection of NW 6th Avenue and NW 8th Street, 60 ft west of NW 6th Avenue and 11 ft north of NW 8th Street.

WATER-QUALITY RECORDS

WELL CHARACTERISTICS.--Depth 200 ft. Upper casing diameter 2; top of first opening 195 ft, bottom of last opening 200 ft.

DATUM.--Land-surface datum is 12.8 ft above National Geodetic Vertical Datum of 1929. Measuring point: From Aug. 27, 1991, to present, measuring point has been top of casing, 12.48 ft above National Geodetic Vertical Datum of 1929.

PERIOD OF RECORD.--August 1991 to current year. See REMARKS.

INSTRUMENTATION.--Monthly measurement with chalked steel tape or electric tape. Annual profile with electromagnetic induction logger. See REMARKS.

REMARKS.--Monthly salinity monitoring began in March 1988, and water-level measurements began in August 1991. Annual induction logging began in 2010, after an initial series of quarterly logs collected in 2008 and 2009. Electromagnetic induction logs are used to assess the movement of the fresh-water/salt-water interface on ground water. See [RECORDS OF BULK CONDUCTIVITY](#).

In order to display changes in bulk conductivity between induction logs collected over the period of record, each log has been adjusted to a median conductivity value at a depth that corresponds to a stable lithologic feature which produces a consistent conductivity profile, based on data collected in 2008, 2009 and 2011. These adjustments compensate for small variations in equipment response resulting from variations in environmental conditions and/or probe calibrations. For this station, induction logs are adjusted to a median response of 4.4 mS/m at a depth of 41.8 ft below land surface. The resulting plot of logs collected from 2008 to the current year is provided in this report. The original and corrected records of bulk conductivity, in millisiemens per meter, are available in files of the U.S. Geological Survey.

EXTREMES FOR PERIOD OF RECORD.--

WATER-LEVEL ELEVATION: Highest water level measured, 5.14 ft NGVD, Oct. 21, 1999; lowest, 0.26 ft NGVD, June 18, 1998.

CHLORIDE CONCENTRATION: Highest measured chloride concentration, 1,702 mg/L, Sept. 17, 2012; lowest, 32 mg/L, Mar. 19, 1991.

255936080091702 Local number G 2478. USGS Observation Well near Hallandale, FL.—Continued


WATER-QUALITY DATA**WATER YEAR OCTOBER 2011 TO SEPTEMBER 2012**[NGVD, National Geodetic Vertical Datum; ft, feet; mg/L, milligrams per liter;
°C, degrees Celsius; $\mu\text{S}/\text{cm}$, microsiemens per centimeter]

Date	Sample start time	Specific conduc- tance, water, unfiltered, $\mu\text{S}/\text{cm}$ at 25°C (00095)	Elevation above NGVD 1929, ft (72020)	Chloride, water, unfiltered, mg/L (99220)
October 3, 2011	1203	3,870	2.18	1,100
November 21, 2011	1055	3,770	2.43	1,100
December 13, 2011	1043	4,020	2.08	1,200
January 20, 2012	1143	4,170	1.17	1,300
February 21, 2012	1120	4,450	1.79	1,300
March 12, 2012	1228	4,440	1.41	1,300
April 2, 2012	1325	4,520	1.28	1,400
May 4, 2012	1050	4,560	2.44	1,400
June 18, 2012	1056	5,000	1.98	1,500
July 13, 2012	1303	4,970	2.11	1,600
August 16, 2012	1037	5,210	1.55	1,600
September 17, 2012	1128	5,580	2.53	1,700

255936080091702 Local number G 2478. USGS Observation Well near Hallandale, FL.—Continued



WY 2012 Induction log results
 Station: USGS 255936080091702
 Local name: G -2478



**INDUCTION LOG DATES,
 ASSOCIATED CHLORIDE SAMPLE DATES**

Induction log date	Chloride sample date	Dissolved chloride concentration, in mg/L
May 4, 2012	May 4, 2012	1,380
Apr. 1, 2011	Apr. 1, 2011	1,060
Apr. 27, 2010	Apr. 27, 2010	820
July 8, 2009	July 8, 2009	760
May 4, 2009	May 4, 2009	820
Jan. 26, 2009	Feb. 2, 2009	800
Nov. 4, 2008	Nov. 14, 2008	740
Sept. 8, 2008	Sept. 4, 2008	740