305638097321401 AX-58-04-613

Little Basin
Lampasas Subbasin

LOCATION.--Lat 30°56'37.41", long 97°32'12.68" referenced to North American Datum of 1983, Bell County, TX, Hydrologic Unit 12070203.

WATER-QUALITY RECORDS

PERIOD OF DAILY RECORD.--
CHEMICAL DATA: May 2012.
BIOCHEMICAL DATA: May 2012.
RADIOCHEMICAL DATA: May 2012.
STABLE ISOTOPES DATA: May 2012.
PESTICIDE DATA: May 2012.

WATER-QUALITY DATA
WATER YEAR OCTOBER 2011 TO SEPTEMBER 2012

Part 1 of 18

[%, percent; $CaCO_3$, calcium carbonate; N, nitrogen; P, phosphorus; SiO_2, silicon dioxide; mg/L, milligrams per liter; mm Hg, millimeters of mercury; per mil, parts per thousand; °C, degrees Celsius; µS/cm, microsiemens per centimeter; µg/L, micrograms per liter; <, less than; E, estimated; U, analyzed for but not detected]

Date	Sample start time	Medium name	Sample type	Barometric pressure, mm Hg (00025)	Dissolved oxygen, water, unfiltered, mg/L (00300)	Dissolved oxygen, water, unfiltered, % saturation (00301)	pH, water, unfiltered, field, standard units (00400)	pH, water, unfiltered, laboratory, standard units (00403)	Specific conduc-tance, water, unfiltered, laboratory, µS/cm at 25°C (90095)	Specific conduc-tance, water, unfiltered, µS/cm at 25°C (00095)
05-14-2012	**1030**	Groundwater	Regular	750	6.6	75	7.2	7.5	568	578

WATER-QUALITY DATA
WATER YEAR OCTOBER 2011 TO SEPTEMBER 2012

Part 2 of 18

[%, percent; $CaCO_3$, calcium carbonate; N, nitrogen; P, phosphorus; SiO_2, silicon dioxide; mg/L, milligrams per liter; mm Hg, millimeters of mercury; per mil, parts per thousand; °C, degrees Celsius; µS/cm, microsiemens per centimeter; µg/L, micrograms per liter; <, less than; E, estimated; U, analyzed for but not detected]

Date	Sample start time	Tempera-ture, water, °C (00010)	Dissolved solids, water, filtered, sum of constit-uents, mg/L (70301)	Dissolved solids, water, filtered, tons per acre-foot (70303)	Hardness, water, mg/L as $CaCO_3$ (00900)	Non-carbonate hardness, water, filtered, field, mg/L as $CaCO_3$ (00904)	Calcium, water, filtered, mg/L (00915)	Magne-sium, water, filtered, mg/L (00925)	Potassium, water, filtered, mg/L (00935)	Sodium adsorption ratio, water, number (00931)
05-14-2012	**1030**	20.9	333	0.45	288	35	91.1	14.7	1.07	0.30

Suggested citation: U.S. Geological Survey, 2013, Water-resources data for the United States, Water Year 2012: U.S. Geological Survey Water-Data Report WDR-US-2012, site 305638097321401, accessed at http://wdr.water.usgs.gov/wy2012/pdfs/305638097321401.2012.pdf

305638097321401 AX-58-04-613—Continued

WATER-QUALITY DATA
WATER YEAR OCTOBER 2011 TO SEPTEMBER 2012
Part 3 of 18

[%, percent; $CaCO_3$, calcium carbonate; N, nitrogen; P, phosphorus; SiO_2, silicon dioxide; mg/L, milligrams per liter; mm Hg, millimeters of mercury; per mil, parts per thousand; °C, degrees Celsius; µS/cm, microsiemens per centimeter; µg/L, micrograms per liter; <, less than; E, estimated; U, analyzed for but not detected]

Date	Sample start time	Sodium fraction of cations, water, percent in equivalents of major cations (00932)	Sodium, water, filtered, mg/L (00930)	Alkalinity, water, filtered, inflection-point, incremental titration method, field, mg/L as $CaCO_3$ (39086)	Bicarbonate, water, filtered, inflection-point, incremental titration method, field, mg/L (00453)	Bromide, water, filtered, mg/L (71870)	Carbon dioxide, water, unfiltered, mg/L (00405)	Carbonate, water, filtered, inflection-point incremental titration method, field, mg/L (00452)	Chloride, water, filtered, mg/L (00940)
05-14-2012	**1030**	8	11.6	253	308	0.092	35	< 1.0	14.2

WATER-QUALITY DATA
WATER YEAR OCTOBER 2011 TO SEPTEMBER 2012
Part 4 of 18

[%, percent; $CaCO_3$, calcium carbonate; N, nitrogen; P, phosphorus; SiO_2, silicon dioxide; mg/L, milligrams per liter; mm Hg, millimeters of mercury; per mil, parts per thousand; °C, degrees Celsius; µS/cm, microsiemens per centimeter; µg/L, micrograms per liter; <, less than; E, estimated; U, analyzed for but not detected]

Date	Sample start time	Fluoride, water, filtered, mg/L (00950)	Hydrogen sulfide, water, unfiltered, mg/L (71875)	Silica, water, filtered, mg/L as SiO_2 (00955)	Sulfate, water, filtered, mg/L (00945)	Ammonia plus organic nitrogen, water, unfiltered, mg/L as N (00625)	Ammonia, water, filtered, mg/L as NH4 (71846)	Ammonia, water, filtered, mg/L as N (00608)	Nitrate plus nitrite, water, filtered, mg/L as N (00631)	Nitrate, water, filtered, mg/L (71851)
05-14-2012	**1030**	0.29	U	10.1	17.6	0.22	< .013	< .010	4.55	20.1

WATER-QUALITY DATA
WATER YEAR OCTOBER 2011 TO SEPTEMBER 2012
Part 5 of 18

[%, percent; $CaCO_3$, calcium carbonate; N, nitrogen; P, phosphorus; SiO_2, silicon dioxide; mg/L, milligrams per liter; mm Hg, millimeters of mercury; per mil, parts per thousand; °C, degrees Celsius; µS/cm, microsiemens per centimeter; µg/L, micrograms per liter; <, less than; E, estimated; U, analyzed for but not detected]

Date	Sample start time	Nitrate, water, filtered, mg/L as N (00618)	Nitrite, water, filtered, mg/L (71856)	Nitrite, water, filtered, mg/L as N (00613)	Organic nitrogen, water, unfiltered, mg/L (00605)	Orthophosphate, water, filtered, mg/L (00660)	Orthophosphate, water, filtered, mg/L as P (00671)	Phosphorus, water, filtered, mg/L as P (00666)	Phosphorus, water, unfiltered, mg/L as P (00665)
05-14-2012	**1030**	4.55	< .003	< .001	< .22	0.029	0.009	< .01	0.04

305638097321401 AX-58-04-613—Continued

WATER-QUALITY DATA
WATER YEAR OCTOBER 2011 TO SEPTEMBER 2012
Part 6 of 18
[%, percent; $CaCO_3$, calcium carbonate; N, nitrogen; P, phosphorus; SiO_2, silicon dioxide; mg/L, milligrams per liter; mm Hg, millimeters of mercury; per mil, parts per thousand; °C, degrees Celsius; µS/cm, microsiemens per centimeter; µg/L, micrograms per liter; <, less than; E, estimated; U, analyzed for but not detected]

Date	Sample start time	Total nitrogen, water, unfiltered, mg/L (00600)	Aluminum, water, filtered, µg/L (01106)	Barium, water, filtered, µg/L (01005)	Beryllium, water, filtered, µg/L (01010)	Cadmium, water, filtered, µg/L (01025)	Chromium, water, filtered, µg/L (01030)	Cobalt, water, filtered, µg/L (01035)	Copper, water, filtered, µg/L (01040)	Lead, water, filtered, µg/L (01049)
05-14-2012	**1030**	4.8	< 2.2	46.6	< .006	< .016	0.12	0.068	< .80	< .025

WATER-QUALITY DATA
WATER YEAR OCTOBER 2011 TO SEPTEMBER 2012
Part 7 of 18
[%, percent; $CaCO_3$, calcium carbonate; N, nitrogen; P, phosphorus; SiO_2, silicon dioxide; mg/L, milligrams per liter; mm Hg, millimeters of mercury; per mil, parts per thousand; °C, degrees Celsius; µS/cm, microsiemens per centimeter; µg/L, micrograms per liter; <, less than; E, estimated; U, analyzed for but not detected]

Date	Sample start time	Lithium, water, filtered, µg/L (01130)	Manga-nese, water, filtered, µg/L (01056)	Molyb-denum, water, filtered, µg/L (01060)	Nickel, water, filtered, µg/L (01065)	Silver, water, filtered, µg/L (01075)	Strontium, water, filtered, µg/L (01080)	Thallium, water, filtered, µg/L (01057)	Vanadium, water, filtered, µg/L (01085)	Zinc, water, filtered, µg/L (01090)
05-14-2012	**1030**	4.44	0.57	0.665	0.86	< .005	215	0.013	2.3	1.4

WATER-QUALITY DATA
WATER YEAR OCTOBER 2011 TO SEPTEMBER 2012
Part 8 of 18
[%, percent; $CaCO_3$, calcium carbonate; N, nitrogen; P, phosphorus; SiO_2, silicon dioxide; mg/L, milligrams per liter; mm Hg, millimeters of mercury; per mil, parts per thousand; °C, degrees Celsius; µS/cm, microsiemens per centimeter; µg/L, micrograms per liter; <, less than; E, estimated; U, analyzed for but not detected]

Date	Sample start time	Antimony, water, filtered, µg/L (01095)	Arsenic, water, filtered, µg/L (01000)	Boron, water, filtered, µg/L (01020)	Selenium, water, filtered, µg/L (01145)	1-Naphthol, water, filtered (0.7 micron glass fiber filter), recover-able, µg/L (49295)	2,6-Diethyl-aniline, water, filtered (0.7 micron glass fiber filter), recover-able, µg/L (82660)	2-Chloro-2',6'-diethyl-acetanil-ide, water, filtered, recover-able, µg/L (61618)	2-Chloro-4-isopropyl-amino-6-amino-s-triazine, water, filtered, recover-able, µg/L (04040)	2-Ethyl-6-methyl-aniline, water, filtered, recover-able, µg/L (61620)
05-14-2012	**1030**	< .027	0.38	62	0.61	< .0360	< .0060	< .010	E .012	< .010

305638097321401 AX-58-04-613—Continued

WATER-QUALITY DATA
WATER YEAR OCTOBER 2011 TO SEPTEMBER 2012
Part 9 of 18

[%, percent; $CaCO_3$, calcium carbonate; N, nitrogen; P, phosphorus; SiO_2, silicon dioxide; mg/L, milligrams per liter; mm Hg, millimeters of mercury; per mil, parts per thousand; °C, degrees Celsius; µS/cm, microsiemens per centimeter; µg/L, micrograms per liter; <, less than; E, estimated; U, analyzed for but not detected]

Date	Sample start time	3,4-Dichloroaniline, water, filtered, recoverable, µg/L (61625)	3,5-Dichloroaniline, water, filtered, recoverable, µg/L (61627)	4-Chloro-2-methylphenol, water, filtered, recoverable, µg/L (61633)	Acetochlor, water, filtered, recoverable, µg/L (49260)	Alachlor, water, filtered, recoverable, µg/L (46342)	alpha-Endosulfan, water, filtered, recoverable, µg/L (34362)	Atrazine, water, filtered, recoverable, µg/L (39632)	Azinphos-methyl oxygen analog, water, filtered, recoverable, µg/L (61635)	Azinphos-methyl, water, filtered (0.7 micron glass fiber filter), recoverable, µg/L (82686)
05-14-2012	**1030**	< .0060	< .006	< .0080	< .010	< .008	< .006	0.005	< .042	< .120

WATER-QUALITY DATA
WATER YEAR OCTOBER 2011 TO SEPTEMBER 2012
Part 10 of 18

[%, percent; $CaCO_3$, calcium carbonate; N, nitrogen; P, phosphorus; SiO_2, silicon dioxide; mg/L, milligrams per liter; mm Hg, millimeters of mercury; per mil, parts per thousand; °C, degrees Celsius; µS/cm, microsiemens per centimeter; µg/L, micrograms per liter; <, less than; E, estimated; U, analyzed for but not detected]

Date	Sample start time	Benfluralin, water, filtered (0.7 micron glass fiber filter), recoverable, µg/L (82673)	Carbaryl, water, filtered (0.7 micron glass fiber filter), recoverable, µg/L (82680)	Carbofuran, water, filtered (0.7 micron glass fiber filter), recoverable, µg/L (82674)	Chlorpyrifos oxygen analog, water, filtered, recoverable, µg/L (61636)	Chlorpyrifos, water, filtered, recoverable, µg/L (38933)	cis-Permethrin, water, filtered (0.7 micron glass fiber filter), recoverable, µg/L (82687)	cis-Propiconazole, water, filtered, recoverable, µg/L (79846)	Cyanazine, water, filtered, recoverable, µg/L (04041)
05-14-2012	**1030**	< .014	< .060	< .060	< .08	< .0036	< .010	< .008	< .022

305638097321401 AX-58-04-613—Continued

WATER-QUALITY DATA
WATER YEAR OCTOBER 2011 TO SEPTEMBER 2012
Part 11 of 18
[%, percent; $CaCO_3$, calcium carbonate; N, nitrogen; P, phosphorus; SiO_2, silicon dioxide; mg/L, milligrams per liter; mm Hg, millimeters of mercury; per mil, parts per thousand; °C, degrees Celsius; µS/cm, microsiemens per centimeter; µg/L, micrograms per liter; <, less than; E, estimated; U, analyzed for but not detected]

Date	Sample start time	Cyfluthrin, water, filtered, recoverable, µg/L (61585)	Cypermethrin, water, filtered, recoverable, µg/L (61586)	DCPA, water, filtered (0.7 micron glass fiber filter), recoverable, µg/L (82682)	Desulfinylfipronil amide, water, filtered, recoverable, µg/L (62169)	Desulfinylfipronil, water, filtered, recoverable, µg/L (62170)	Diazinon, water, filtered, recoverable, µg/L (39572)	Dichlorvos, water, filtered, recoverable, µg/L (38775)	Dicrotophos, water, filtered, recoverable, µg/L (38454)	Dieldrin, water, filtered, recoverable, µg/L (39381)
05-14-2012	1030	< .016	< .020	< .0076	< .029	< .012	< .0060	< .04	< .08	< .008

WATER-QUALITY DATA
WATER YEAR OCTOBER 2011 TO SEPTEMBER 2012
Part 12 of 18
[%, percent; $CaCO_3$, calcium carbonate; N, nitrogen; P, phosphorus; SiO_2, silicon dioxide; mg/L, milligrams per liter; mm Hg, millimeters of mercury; per mil, parts per thousand; °C, degrees Celsius; µS/cm, microsiemens per centimeter; µg/L, micrograms per liter; <, less than; E, estimated; U, analyzed for but not detected]

Date	Sample start time	Dimethoate, water, filtered (0.7 micron glass fiber filter), recoverable, µg/L (82662)	Disulfoton sulfone, water, filtered, recoverable, µg/L (61640)	Disulfoton, water, filtered (0.7 micron glass fiber filter), recoverable, µg/L (82677)	Endosulfan sulfate, water, filtered, recoverable, µg/L (61590)	EPTC, water, filtered (0.7 micron glass fiber filter), recoverable, µg/L (82668)	Ethion monoxon, water, filtered, recoverable, µg/L (61644)	Ethion, water, filtered, recoverable, µg/L (82346)	Ethoprop, water, filtered (0.7 micron glass fiber filter), recoverable, µg/L (82672)	Fenamiphos sulfone, water, filtered, recoverable, µg/L (61645)
05-14-2012	1030	< .0100	< .014	< .040	< .016	< .0056	< .021	< .010	< .016	< .054

WATER-QUALITY DATA
WATER YEAR OCTOBER 2011 TO SEPTEMBER 2012
Part 13 of 18
[%, percent; $CaCO_3$, calcium carbonate; N, nitrogen; P, phosphorus; SiO_2, silicon dioxide; mg/L, milligrams per liter; mm Hg, millimeters of mercury; per mil, parts per thousand; °C, degrees Celsius; µS/cm, microsiemens per centimeter; µg/L, micrograms per liter; <, less than; E, estimated; U, analyzed for but not detected]

Date	Sample start time	Fenamiphos sulfoxide, water, filtered, recoverable, µg/L (61646)	Fenamiphos, water, filtered, recoverable, µg/L (61591)	Fipronil sulfide, water, filtered, recoverable, µg/L (62167)	Fipronil sulfone, water, filtered, recoverable, µg/L (62168)	Fipronil, water, filtered, recoverable, µg/L (62166)	Fonofos, water, filtered, recoverable, µg/L (04095)	Hexazinone, water, filtered, recoverable, µg/L (04025)	Iprodione, water, filtered, recoverable, µg/L (61593)	Isofenphos, water, filtered, recoverable, µg/L (61594)
05-14-2012	1030	< .08	< .030	< .012	< .024	< .018	< .0048	< .012	< .014	< .008

305638097321401 AX-58-04-613—Continued

WATER-QUALITY DATA
WATER YEAR OCTOBER 2011 TO SEPTEMBER 2012
Part 14 of 18

[%, percent; $CaCO_3$, calcium carbonate; N, nitrogen; P, phosphorus; SiO_2, silicon dioxide; mg/L, milligrams per liter; mm Hg, millimeters of mercury; per mil, parts per thousand; °C, degrees Celsius; µS/cm, microsiemens per centimeter; µg/L, micrograms per liter; <, less than; E, estimated; U, analyzed for but not detected]

Date	Sample start time	lambda-Cyhalothrin, water, filtered, recoverable, µg/L (61595)	Malaoxon, water, filtered, recoverable, µg/L (61652)	Malathion, water, filtered, recoverable, µg/L (39532)	Metalaxyl, water, filtered, recoverable, µg/L (61596)	Methidathion, water, filtered, recoverable, µg/L (61598)	Methyl paraoxon, water, filtered, recoverable, µg/L (61664)	Methyl parathion, water, filtered (0.7 micron glass fiber filter), recoverable, µg/L (82667)	Metolachlor, water, filtered, recoverable, µg/L (39415)	Metribuzin, water, filtered, recoverable, µg/L (82630)
05-14-2012	**1030**	< .010	< .022	< .016	< .014	< .012	< .014	< .008	< .020	< .012

WATER-QUALITY DATA
WATER YEAR OCTOBER 2011 TO SEPTEMBER 2012
Part 15 of 18

[%, percent; $CaCO_3$, calcium carbonate; N, nitrogen; P, phosphorus; SiO_2, silicon dioxide; mg/L, milligrams per liter; mm Hg, millimeters of mercury; per mil, parts per thousand; °C, degrees Celsius; µS/cm, microsiemens per centimeter; µg/L, micrograms per liter; <, less than; E, estimated; U, analyzed for but not detected]

Date	Sample start time	Molinate, water, filtered (0.7 micron glass fiber filter), recoverable, µg/L (82671)	Myclobutanil, water, filtered, recoverable, µg/L (61599)	Oxyfluorfen, water, filtered, recoverable, µg/L (61600)	Pendimethalin, water, filtered (0.7 micron glass fiber filter), recoverable, µg/L (82683)	Phorate oxygen analog, water, filtered, recoverable, µg/L (61666)	Phorate, water, filtered (0.7 micron glass fiber filter), recoverable, µg/L (82664)	Phosmet oxygen analog, water, filtered, recoverable, µg/L (61668)	Phosmet, water, filtered, recoverable, µg/L (61601)	Prometon, water, filtered, recoverable, µg/L (04037)
05-14-2012	**1030**	< .0040	< .010	< .010	< .012	< .027	< .020	< .0511	< .080	< .012

305638097321401 AX-58-04-613—Continued

WATER-QUALITY DATA
WATER YEAR OCTOBER 2011 TO SEPTEMBER 2012
Part 16 of 18

[%, percent; $CaCO_3$, calcium carbonate; N, nitrogen; P, phosphorus; SiO_2, silicon dioxide; mg/L, milligrams per liter; mm Hg, millimeters of mercury; per mil, parts per thousand; °C, degrees Celsius; µS/cm, microsiemens per centimeter; µg/L, micrograms per liter; <, less than; E, estimated; U, analyzed for but not detected]

Date	Sample start time	Prometryn, water, filtered, recoverable, µg/L (04036)	Propanil, water, filtered (0.7 micron glass fiber filter), recoverable, µg/L (82679)	Propargite, water, filtered (0.7 micron glass fiber filter), recoverable, µg/L (82685)	Propyzamide, water, filtered (0.7 micron glass fiber filter), recoverable, µg/L (82676)	Simazine, water, filtered, recoverable, µg/L (04035)	Tebuthiuron, water, filtered (0.7 micron glass fiber filter), recoverable, µg/L (82670)	Tefluthrin, water, filtered, recoverable, µg/L (61606)	Terbufos oxygen analog sulfone, water, filtered, recoverable, µg/L (61674)	Terbufos, water, filtered (0.7 micron glass fiber filter), recoverable, µg/L (82675)
05-14-2012	**1030**	< .010	< .010	< .020	< .0036	< .006	< .028	< .014	< .045	< .018

WATER-QUALITY DATA
WATER YEAR OCTOBER 2011 TO SEPTEMBER 2012
Part 17 of 18

[%, percent; $CaCO_3$, calcium carbonate; N, nitrogen; P, phosphorus; SiO_2, silicon dioxide; mg/L, milligrams per liter; mm Hg, millimeters of mercury; per mil, parts per thousand; °C, degrees Celsius; µS/cm, microsiemens per centimeter; µg/L, micrograms per liter; <, less than; E, estimated; U, analyzed for but not detected]

Date	Sample start time	Terbuthylazine, water, filtered, recoverable, µg/L (04022)	Thiobencarb, water, filtered (0.7 micron glass fiber filter), recoverable, µg/L (82681)	trans-Propiconazole, water, filtered, recoverable, µg/L (79847)	Tribuphos, water, filtered, recoverable, µg/L (61610)	Trifluralin, water, filtered (0.7 micron glass fiber filter), recoverable, µg/L (82661)	Uranium (natural), water, filtered, µg/L (22703)	Nitrogen-15/-Nitrogen-14 ratio in nitrate fraction, water, filtered, per mil (82690)	Oxygen-18/Oxygen-16 ratio in nitrate fraction, water, filtered, per mil (63041)	Oxygen-18/Oxygen-16 ratio, water, unfiltered, per mil (82085)
05-14-2012	**1030**	< .008	< .016	< .018	< .018	< .018	0.863	6.04	5.66	-4.35

305638097321401 AX-58-04-613—Continued

WATER-QUALITY DATA
WATER YEAR OCTOBER 2011 TO SEPTEMBER 2012

Part 18 of 18

[%, percent; $CaCO_3$, calcium carbonate; N, nitrogen; P, phosphorus; SiO_2, silicon dioxide; mg/L, milligrams per liter; mm Hg, millimeters of mercury; per mil, parts per thousand; °C, degrees Celsius; µS/cm, microsiemens per centimeter; µg/L, micrograms per liter; <, less than; E, estimated; U, analyzed for but not detected]

Date	Sample start time	Deuterium/ Protium ratio, water, unfiltered, per mil (82082)	Strontium-87/Strontium-86 ratio, water, filtered, per mil (75978)
05-14-2012	**1030**	-24.40	0.70868