

Water-Data Report 2012

**325024093375001 Local number Bo-7787Z**

Mississippi embayment aquifer system  
Sparta Aquifer

Bossier Parish, LA

LOCATION.--Lat 32°50'24", long 93°37'50" referenced to North American Datum of 1983, in sec.5, T.21 N., R.12 W., Bossier Parish, LA, Hydrologic Unit 11140204.

**WATER-QUALITY RECORDS**

WELL CHARACTERISTICS.--Depth 107 ft. Upper casing diameter 4 in; top of first opening 87 ft, bottom of last opening 107 ft.

DATUM.--Land-surface datum is 287 ft above North American Vertical Datum of 1988.

**WATER-QUALITY DATA**

**WATER YEAR OCTOBER 2011 TO SEPTEMBER 2012**

[ANC, acid neutralizing capacity; CaCO<sub>3</sub>, calcium carbonate; MF, membrane filter; N, nitrogen; P, phosphorus; SiO<sub>2</sub>, silicon dioxide; col/100 mL, colonies per 100 milliliters; mg/L, milligrams per liter; per mil, parts per thousand; °C, degrees Celsius; µS/cm, microsiemens per centimeter; µg/L, micrograms per liter; <, less than; E, estimated]

Date	Sample start time	Dissolved oxygen, water, unfiltered, mg/L (00300)	pH, water, unfiltered, field, standard units (00400)	Specific conductance, water, unfiltered, µS/cm at 25°C (00095)	Temperature, water, °C (00010)	Dissolved solids dried at 180°C, water, filtered, mg/L (70300)	Calcium, water, filtered, mg/L (00915)	Magnesium, water, filtered, mg/L (00925)	Potassium, water, filtered, mg/L (00935)	Sodium, water, filtered, mg/L (00930)
06-19-2012	1300	3.2	4.6	39	20.8	45	1.40	0.927	0.67	3.00

Date	Sample start time	ANC, water, unfiltered, inflection-point, incremental titration method, field, mg/L as CaCO <sub>3</sub> (00419)	Alkalinity, water, filtered, inflection-point, incremental titration method, field, mg/L as CaCO <sub>3</sub> (39086)	Bicarbonate, water, filtered, inflection-point, incremental titration method, field, mg/L (00453)	Bromide, water, filtered, mg/L (71870)	Carbon dioxide, water, unfiltered, mg/L (00405)	Carbonate, water, filtered, inflection-point, incremental titration method, field, mg/L (00452)	Chloride, water, filtered, mg/L (00940)	Fluoride, water, filtered, mg/L (00950)
06-19-2012	1300	3	2	3.9	0.035	148	<.1	4.17	<.04

325024093375001 Local number Bo-7787Z—Continued

**WATER-QUALITY DATA**  
**WATER YEAR OCTOBER 2011 TO SEPTEMBER 2012**

[ANC, acid neutralizing capacity; CaCO<sub>3</sub>, calcium carbonate; MF, membrane filter; N, nitrogen; P, phosphorus; SiO<sub>2</sub>, silicon dioxide; col/100 mL, colonies per 100 milliliters; mg/L, milligrams per liter; per mil, parts per thousand; °C, degrees Celsius; µS/cm, microsiemens per centimeter; µg/L, micrograms per liter; <, less than; E, estimated]

Date	Sample start time	Hydroxide, water, unfiltered, inflection-point titration method (incremental titration method), field, milligrams per liter (71832)	Silica, water, filtered, mg/L as SiO <sub>2</sub> (00955)	Sulfate, water, filtered, mg/L (00945)	Ammonia, water, filtered, mg/L as NH <sub>4</sub> (71846)	Ammonia, water, filtered, mg/L as N (00608)	Nitrate plus nitrite, water, filtered, mg/L as N (00631)	Nitrate, water, filtered, mg/L as N (00618)	Nitrite, water, filtered, mg/L (71856)	Nitrite, water, filtered, mg/L as N (00613)
06-19-2012	1300	< .1	17.0	0.88	0.026	0.021	0.806	0.806	< .003	< .001

Date	Sample start time	Organic nitrogen, water, filtered, mg/L (00607)	Orthophosphate, water, filtered, mg/L (00660)	Orthophosphate, water, filtered, mg/L as P (00671)	Total nitrogen, water, filtered, analytically determined, mg/L (62854)	Escherichia coli, MI MF method, water, col/100 mL (90901)	Total coliform, MI MF method, water, col/100 mL (90900)	Aluminum, water, filtered, µg/L (01106)	Barium, water, filtered, µg/L (01005)
06-19-2012	1300	0.04	0.018	0.006	0.86	< 1	E 16	11.2	36.5

Date	Sample start time	Beryllium, water, filtered, µg/L (01010)	Cadmium, water, filtered, µg/L (01025)	Chromium, water, filtered, µg/L (01030)	Cobalt, water, filtered, µg/L (01035)	Copper, water, filtered, µg/L (01040)	Iron, water, filtered, µg/L (01046)	Lead, water, filtered, µg/L (01049)	Lithium, water, filtered, µg/L (01130)	Manganese, water, filtered, µg/L (01056)
06-19-2012	1300	0.084	< .016	0.61	0.584	14.8	4.7	3.34	3.57	5.07

## 325024093375001 Local number Bo-7787Z—Continued

**WATER-QUALITY DATA**  
**WATER YEAR OCTOBER 2011 TO SEPTEMBER 2012**

[ANC, acid neutralizing capacity; CaCO<sub>3</sub>, calcium carbonate; MF, membrane filter; N, nitrogen; P, phosphorus; SiO<sub>2</sub>, silicon dioxide; col/100 mL, colonies per 100 milliliters; mg/L, milligrams per liter; per mil, parts per thousand; °C, degrees Celsius; µS/cm, microsiemens per centimeter; µg/L, micrograms per liter; <, less than; E, estimated]

Date	Sample start time	Molybdenum, water, filtered, µg/L (01060)	Nickel, water, filtered, µg/L (01065)	Silver, water, filtered, µg/L (01075)	Strontium, water, filtered, µg/L (01080)	Thallium, water, filtered, µg/L (01057)	Vanadium, water, filtered, µg/L (01085)	Zinc, water, filtered, µg/L (01090)	Antimony, water, filtered, µg/L (01095)	Arsenic, water, filtered, µg/L (01000)
06-19-2012	1300	<.014	0.89	<.005	12.2	0.013	<.08	21.4	<.027	<.03

Date	Sample start time	Boron, water, filtered, µg/L (01020)	Selenium, water, filtered, µg/L (01145)	1,2,3-Trichloro-propane, water, unfiltered, recoverable, µg/L (77443)	1,2-Dibromo-3-chloro-propane, water, unfiltered, recoverable, µg/L (82625)	1,2-Dibromo-ethane, water, unfiltered, recoverable, µg/L (77651)	1,2-Dichloro-ethane, water, unfiltered, recoverable, µg/L (32103)	1,2-Dichloro-propane, water, unfiltered, recoverable, µg/L (34541)	1,3-Dichloro-propane, water, unfiltered, recoverable, µg/L (77173)	1,4-Dichloro-benzene, water, unfiltered, recoverable, µg/L (34571)
06-19-2012	1300	9	<.03	<.120	<.400	<.028	<.08	<.0260	<.06	<.026

Date	Sample start time	1-Naphthol, water, filtered (0.7 micron glass fiber filter), recoverable, µg/L (49295)	2,6-Diethyl-aniline, water, filtered (0.7 micron glass fiber filter), recoverable, µg/L (82660)	2-Chloro-2',6'-diethyl-acetanilide, water, filtered, recoverable, µg/L (61618)	2-Chloro-4-isopropyl-amino-6-amino-s-triazine, water, filtered, recoverable, µg/L (04040)	2-Ethyl-6-methyl-aniline, water, filtered, recoverable, µg/L (61620)	3,4-Dichloro-aniline, water, filtered, recoverable, µg/L (61625)	3,5-Dichloro-aniline, water, filtered, recoverable, µg/L (61627)	3-Chloro-propene, water, unfiltered, recoverable, µg/L (78109)	4-Chloro-2-methyl-phenol, water, filtered, recoverable, µg/L (61633)
06-19-2012	1300	<.0360	<.0060	<.010	<.006	<.010	<.0060	<.006	<.08	<.0080

325024093375001 Local number Bo-7787Z—Continued

**WATER-QUALITY DATA**  
**WATER YEAR OCTOBER 2011 TO SEPTEMBER 2012**

[ANC, acid neutralizing capacity; CaCO<sub>3</sub>, calcium carbonate; MF, membrane filter; N, nitrogen; P, phosphorus; SiO<sub>2</sub>, silicon dioxide; col/100 mL, colonies per 100 milliliters; mg/L, milligrams per liter; per mil, parts per thousand; °C, degrees Celsius; µS/cm, microsiemens per centimeter; µg/L, micrograms per liter; <, less than; E, estimated]

Date	Sample start time	Aceto-chlor, water, filtered, recoverable, µg/L (49260)	Acrylo-nitrile, water, unfiltered, recoverable, µg/L (34215)	Alachlor, water, filtered, recoverable, µg/L (46342)	alpha-Endo-sulfan, water, filtered, recoverable, µg/L (34362)	Atrazine, water, filtered, recoverable, µg/L (39632)	Azinphos-methyl oxygen analog, water, filtered, recoverable, µg/L (61635)	Azinphos-methyl, water, filtered (0.7 micron glass fiber filter), recoverable, µg/L (82686)	Benfluralin, water, filtered (0.7 micron glass fiber filter), recoverable, µg/L (82673)	Bromo-methane, water, unfiltered, recoverable, µg/L (34413)
06-19-2012	1300	<.010	<.48	<.008	<.006	<.008	<.042	<.120	<.014	<.2

Date	Sample start time	Carbaryl, water, filtered (0.7 micron glass fiber filter), recoverable, µg/L (82680)	Carbofuran, water, filtered (0.7 micron glass fiber filter), recoverable, µg/L (82674)	Carbon disulfide, water, unfiltered, recoverable, µg/L (77041)	Chlorpyrifos oxygen analog, water, filtered, recoverable, µg/L (61636)	Chlorpyrifos, water, filtered, recoverable, µg/L (38933)	cis-1,3-Di-chloro-propene, water, unfiltered, recoverable, µg/L (34704)	cis-Permeth-rin, water, filtered (0.7 micron glass fiber filter), recoverable, µg/L (82687)	cis-Propicon-azole, water, filtered, recoverable, µg/L (79846)
06-19-2012	1300	<.060	<.060	<.1	<.08	<.0036	<.10	<.010	<.008

Date	Sample start time	Cyanazine, water, filtered, recoverable, µg/L (04041)	Cyfluthrin, water, filtered, recoverable, µg/L (61585)	Cyper-methrin, water, filtered, recoverable, µg/L (61586)	DCPA, water, filtered (0.7 micron glass fiber filter), recoverable, µg/L (82682)	Desulfinyl-fipronil amide, water, filtered, recoverable, µg/L (62169)	Desulfinyl-fipronil, water, filtered, recoverable, µg/L (62170)	Diazinon, water, filtered, recoverable, µg/L (39572)	Dichlor-vos, water, filtered, recoverable, µg/L (38775)	Dicroto-phos, water, filtered, recoverable, µg/L (38454)
06-19-2012	1300	<.022	<.016	<.020	<.0076	<.029	<.012	<.0060	<.04	<.08

325024093375001 Local number Bo-7787Z—Continued

**WATER-QUALITY DATA**  
**WATER YEAR OCTOBER 2011 TO SEPTEMBER 2012**

[ANC, acid neutralizing capacity; CaCO<sub>3</sub>, calcium carbonate; MF, membrane filter; N, nitrogen; P, phosphorus; SiO<sub>2</sub>, silicon dioxide; col/100 mL, colonies per 100 milliliters; mg/L, milligrams per liter; per mil, parts per thousand; °C, degrees Celsius; µS/cm, microsiemens per centimeter; µg/L, micrograms per liter; <, less than; E, estimated]

Date	Sample start time	Dieldrin, water, filtered, recoverable, µg/L (39381)	Dimethoate, water, filtered (0.7 micron glass fiber filter), recoverable, µg/L (82662)	Disulfoton sulfone, water, filtered, recoverable, µg/L (61640)	Disulfoton, water, filtered (0.7 micron glass fiber filter), recoverable, µg/L (82677)	Endosulfan sulfate, water, filtered, recoverable, µg/L (61590)	EPTC, water, filtered (0.7 micron glass fiber filter), recoverable, µg/L (82668)	Ethion monoxon, water, filtered, recoverable, µg/L (61644)	Ethion, water, filtered, recoverable, µg/L (82346)	Ethoprop, water, filtered (0.7 micron glass fiber filter), recoverable, µg/L (82672)
06-19-2012	1300	< .008	< .0100	< .014	< .040	< .016	< .0056	< .021	< .010	< .016

Date	Sample start time	Fenami-phos sulfone, water, filtered, recoverable, µg/L (61645)	Fenami-phos sulfoxide, water, filtered, recoverable, µg/L (61646)	Fenami-phos, water, filtered, recoverable, µg/L (61591)	Fipronil sulfide, water, filtered, recoverable, µg/L (62167)	Fipronil sulfone, water, filtered, recoverable, µg/L (62168)	Fipronil, water, filtered, recoverable, µg/L (62166)	Fonofos, water, filtered, recoverable, µg/L (04095)	Hexa-zinone, water, filtered, recoverable, µg/L (04025)	Iodo-methane, water, unfiltered, recoverable, µg/L (77424)
06-19-2012	1300	< .054	< .08	< .030	< .012	< .024	< .018	< .0048	< .012	< .26

Date	Sample start time	Iprodione, water, filtered, recoverable, µg/L (61593)	Isofen-phos, water, filtered, recoverable, µg/L (61594)	lambda-Cyhalothrin, water, filtered, recoverable, µg/L (61595)	Malaoxon, water, filtered, recoverable, µg/L (61652)	Malathion, water, filtered, recoverable, µg/L (39532)	Metalaxyl, water, filtered, recoverable, µg/L (61596)	Methidathion, water, filtered, recoverable, µg/L (61598)	Methyl paraoxon, water, filtered, recoverable, µg/L (61664)	Methyl parathion, water, filtered (0.7 micron glass fiber filter), recoverable, µg/L (82667)
06-19-2012	1300	< .014	< .008	< .010	< .022	< .016	< .014	< .012	< .014	< .008

325024093375001 Local number Bo-7787Z—Continued

**WATER-QUALITY DATA**  
**WATER YEAR OCTOBER 2011 TO SEPTEMBER 2012**

[ANC, acid neutralizing capacity; CaCO<sub>3</sub>, calcium carbonate; MF, membrane filter; N, nitrogen; P, phosphorus; SiO<sub>2</sub>, silicon dioxide; col/100 mL, colonies per 100 milliliters; mg/L, milligrams per liter; per mil, parts per thousand; °C, degrees Celsius; µS/cm, microsiemens per centimeter; µg/L, micrograms per liter; <, less than; E, estimated]

Date	Sample start time	Metolachlor, water, filtered, recoverable, µg/L (39415)	Metribuzin, water, filtered, recoverable, µg/L (82630)	Molinate, water, filtered (0.7 micron glass fiber filter), recoverable, µg/L (82671)	Myclobutanil, water, filtered, recoverable, µg/L (61599)	Oxyfluorfen, water, filtered, recoverable, µg/L (61600)	Pendimethalin, water, filtered (0.7 micron glass fiber filter), recoverable, µg/L (82683)	Phorate oxygen analog, water, filtered, recoverable, µg/L (61666)	Phorate, water, filtered (0.7 micron glass fiber filter), recoverable, µg/L (82664)	Phosmet oxygen analog, water, filtered, recoverable, µg/L (61668)
06-19-2012	1300	< .020	< .012	< .0040	< .010	< .010	< .012	< .027	< .020	< .0511

Date	Sample start time	Phosmet, water, filtered, recoverable, µg/L (61601)	Prometon, water, filtered, recoverable, µg/L (04037)	Prometryn, water, filtered, recoverable, µg/L (04036)	Propanil, water, filtered (0.7 micron glass fiber filter), recoverable, µg/L (82679)	Propargite, water, filtered (0.7 micron glass fiber filter), recoverable, µg/L (82685)	Propyzamide, water, filtered (0.7 micron glass fiber filter), recoverable, µg/L (82676)	Simazine, water, filtered, recoverable, µg/L (04035)	Tebu-thiuron, water, filtered (0.7 micron glass fiber filter), recoverable, µg/L (82670)	Tefluthrin, water, filtered, recoverable, µg/L (61606)
06-19-2012	1300	< .080	< .012	< .010	< .010	< .020	< .0036	< .006	< .028	< .014

Date	Sample start time	Terbufos oxygen analog sulfone, water, filtered, recoverable, µg/L (61674)	Terbufos, water, filtered (0.7 micron glass fiber filter), recoverable, µg/L (82675)	Terbutylazine, water, filtered, recoverable, µg/L (04022)	Thiobencarb, water, filtered (0.7 micron glass fiber filter), recoverable, µg/L (82681)	trans-1,3-Dichloropropene, water, unfiltered, recoverable, µg/L (34699)	trans-Propiconazole, water, filtered, recoverable, µg/L (79847)	Tribuphos, water, filtered, recoverable, µg/L (61610)	Trifluralin, water, filtered (0.7 micron glass fiber filter), recoverable, µg/L (82661)	1,1,1,2-Tetrachloroethane, water, unfiltered, recoverable, µg/L (77562)
06-19-2012	1300	< .045	< .018	< .008	< .016	< .14	< .018	< .018	< .018	< .040

## 325024093375001 Local number Bo-7787Z—Continued

**WATER-QUALITY DATA**  
**WATER YEAR OCTOBER 2011 TO SEPTEMBER 2012**

[ANC, acid neutralizing capacity; CaCO<sub>3</sub>, calcium carbonate; MF, membrane filter; N, nitrogen; P, phosphorus; SiO<sub>2</sub>, silicon dioxide; col/100 mL, colonies per 100 milliliters; mg/L, milligrams per liter; per mil, parts per thousand; °C, degrees Celsius; µS/cm, microsiemens per centimeter; µg/L, micrograms per liter; <, less than; E, estimated]

Date	Sample start time	1,1,1-Trichloroethane, water, unfiltered, recoverable, µg/L (34506)	1,1,2,2-Tetrachloroethane, water, unfiltered, recoverable, µg/L (34516)	1,1,2-Trichloro-1,2,2-trifluoroethane, water, unfiltered, recoverable, µg/L (77652)	1,1,2-Trichloroethane, water, unfiltered, recoverable, µg/L (34511)	1,1-Dichloroethane, water, unfiltered, recoverable, µg/L (34496)	1,1-Dichloroethene, water, unfiltered, recoverable, µg/L (34501)	1,1-Dichloropropene, water, unfiltered, recoverable, µg/L (77168)	1,2,3,4-Tetramethylbenzene, water, unfiltered, recoverable, µg/L (49999)	1,2,3,5-Tetramethylbenzene, water, unfiltered, recoverable, µg/L (50000)
06-19-2012	1300	< .030	< .14	< .022	< .046	< .044	< .022	< .040	< .10	< .080

Date	Sample start time	1,2,3-Trichlorobenzene, water, unfiltered, recoverable, µg/L (77613)	1,2,3-Trimethylbenzene, water, unfiltered, recoverable, µg/L (77221)	1,2,4-Trichlorobenzene, water, unfiltered, recoverable, µg/L (34551)	1,2,4-Dimethylbenzene, water, unfiltered, recoverable, µg/L (77222)	1,2-Dichlorobenzene, water, unfiltered, recoverable, µg/L (34536)	1,3,5-Trimethylbenzene, water, unfiltered, recoverable, µg/L (77226)	1,3-Dichlorobenzene, water, unfiltered, recoverable, µg/L (34566)	2,2-Dichloropropane, water, unfiltered, recoverable, µg/L (77170)	2-Chlorotoluene, water, unfiltered, recoverable, µg/L (77275)
06-19-2012	1300	< .06	< .060	< .08	< .032	< .028	< .032	< .024	< .06	< .028

Date	Sample start time	2-Ethyltoluene, water, unfiltered, recoverable, µg/L (77220)	4-Chlorotoluene, water, unfiltered, recoverable, µg/L (77277)	4-Iso-propyltoluene, water, unfiltered, recoverable, µg/L (77356)	Acetone, water, unfiltered, recoverable, µg/L (81552)	Benzene, water, unfiltered, recoverable, µg/L (34030)	Bromobenzene, water, unfiltered, recoverable, µg/L (81555)	Bromochloromethane, water, unfiltered, recoverable, µg/L (77297)	Bromodichloromethane, water, unfiltered, recoverable, µg/L (32101)	Bromoethene, water, unfiltered, recoverable, µg/L (50002)
06-19-2012	1300	< .032	< .042	< .06	< 3.4	< .026	< .022	< .06	< .034	< .12

## 325024093375001 Local number Bo-7787Z—Continued

**WATER-QUALITY DATA**  
**WATER YEAR OCTOBER 2011 TO SEPTEMBER 2012**

[ANC, acid neutralizing capacity; CaCO<sub>3</sub>, calcium carbonate; MF, membrane filter; N, nitrogen; P, phosphorus; SiO<sub>2</sub>, silicon dioxide; col/100 mL, colonies per 100 milliliters; mg/L, milligrams per liter; per mil, parts per thousand; °C, degrees Celsius; µS/cm, microsiemens per centimeter; µg/L, micrograms per liter; <, less than; E, estimated]

Date	Sample start time	Chlorobenzene, water, unfiltered, recoverable, µg/L (34301)	Chloroethane, water, unfiltered, recoverable, µg/L (34311)	Chloromethane, water, unfiltered, recoverable, µg/L (34418)	cis-1,2-Dichloroethene, water, unfiltered, recoverable, µg/L (77093)	Dibromochloromethane, water, unfiltered, recoverable, µg/L (32105)	Dibromomethane, water, unfiltered, recoverable, µg/L (30217)	Dichlorodifluoromethane, water, unfiltered, recoverable, µg/L (34668)	Dichloromethane, water, unfiltered, recoverable, µg/L (34423)	Diethyl ether, water, unfiltered, recoverable, µg/L (81576)
06-19-2012	1300	< .026	< .06	< .1	< .022	< .12	< .050	< .10	< .04	< .1

Date	Sample start time	Diisopropyl ether, water, unfiltered, recoverable, µg/L (81577)	Ethyl methacrylate, water, unfiltered, recoverable, µg/L (73570)	Ethyl methyl ketone, water, unfiltered, recoverable, µg/L (81595)	Ethylbenzene, water, unfiltered, recoverable, µg/L (34371)	Hexachlorobutadiene, water, unfiltered, recoverable, µg/L (39702)	Hexachloroethane, water, unfiltered, recoverable, µg/L (34396)	Isobutyl methyl ketone, water, unfiltered, recoverable, µg/L (78133)	Isopropylbenzene, water, unfiltered, recoverable, µg/L (77223)	Methyl acrylate, water, unfiltered, recoverable, µg/L (49991)
06-19-2012	1300	< .06	< .20	< 1.6	< .036	< .08	< .10	< .32	< .042	< .8

Date	Sample start time	Methyl acrylonitrile, water, unfiltered, recoverable, µg/L (81593)	Methyl methacrylate, water, unfiltered, recoverable, µg/L (81597)	Methyl tert-butyl ether, water, unfiltered, recoverable, µg/L (78032)	Methyl tert-pentyl ether, water, unfiltered, recoverable, µg/L (50005)	m-Xylene plus p-xylene, water, unfiltered, recoverable, µg/L (85795)	Naphthalene, water, unfiltered, recoverable, µg/L (34696)	n-Butyl methyl ketone, water, unfiltered, recoverable, µg/L (77103)	n-Butylbenzene, water, unfiltered, recoverable, µg/L (77342)	n-Propylbenzene, water, unfiltered, recoverable, µg/L (77224)
06-19-2012	1300	< .26	< .22	< .10	< .06	< .08	< .18	< .4	< .08	< .036

## 325024093375001 Local number Bo-7787Z—Continued

**WATER-QUALITY DATA**  
**WATER YEAR OCTOBER 2011 TO SEPTEMBER 2012**

[ANC, acid neutralizing capacity; CaCO<sub>3</sub>, calcium carbonate; MF, membrane filter; N, nitrogen; P, phosphorus; SiO<sub>2</sub>, silicon dioxide; col/100 mL, colonies per 100 milliliters; mg/L, milligrams per liter; per mil, parts per thousand; °C, degrees Celsius; µS/cm, microsiemens per centimeter; µg/L, micrograms per liter; <, less than; E, estimated]

Date	Sample start time	Organic carbon, water, unfiltered, recoverable, mg/L (00681)	o-Xylene, water, unfiltered, recoverable, µg/L (77135)	sec-Butylbenzene, water, unfiltered, recoverable, µg/L (77350)	Styrene, water, unfiltered, recoverable, µg/L (77128)	tert-Butyl ethyl ether, water, unfiltered, recoverable, µg/L (50004)	tert-Butylbenzene, water, unfiltered, recoverable, µg/L (77353)	Tetra-chloro-ethene, water, unfiltered, recoverable, µg/L (34475)	Tetra-chloro-methane, water, unfiltered, recoverable, µg/L (32102)	Tetra-hydro-furan, water, unfiltered, recoverable, µg/L (81607)
06-19-2012	1300	< .23	< .032	< .034	< .042	< .032	< .060	< .026	< .06	< 1.4

Date	Sample start time	Toluene, water, unfiltered, recoverable, µg/L (34010)	trans-1,2-Dichloro-ethene, water, unfiltered, recoverable, µg/L (34546)	trans-1,4-Dichloro-2-butene, water, unfiltered, recoverable, µg/L (73547)	Tribromo-methane, water, unfiltered, recoverable, µg/L (32104)	Trichloro-ethene, water, unfiltered, recoverable, µg/L (39180)	Trichloro-fluoro-methane, water, unfiltered, recoverable, µg/L (34488)	Trichloro-methane, water, unfiltered, recoverable, µg/L (32106)	Trihalo-methanes, water, unfiltered, maximum summation, µg/L (90867)	Trihalomet hanes, water, unfiltered, minimum summation, microgram s per liter (90851)
06-19-2012	1300	< .02	< .018	< 2.0	< .10	< .022	< .06	0.13	< .4	0.1

Date	Sample start time	Vinyl chloride, water, unfiltered, recoverable, µg/L (39175)	Radon-222, water, unfiltered, picocuries per liter (82303)	Uranium (natural), water, filtered, µg/L (22703)	Carbon-13/Carbon-12 ratio, water, unfiltered, per mil (82081)	Oxygen-18/Oxygen-16 ratio, water, unfiltered, per mil (82085)
06-19-2012	1300	< .06	550	0.038	-23.96	-4.73