



Water-Data Report 2012

390708119450301 Local number 104 N15 E20 32DADA1

Basin and Range basin-fill aquifers
Valley Fill

Carson City, NV

LOCATION.--Lat 39°07'08.2", long 119°45'03.0" referenced to North American Datum of 1927, in SE ¼ NE ¼ SE ¼ sec.32, T.15 N., R.20 E., Carson City, NV, Hydrologic Unit 16050201.

WATER-QUALITY RECORDS

WELL CHARACTERISTICS.--Depth 140 ft. Upper casing diameter 2. in; top of first opening 130 ft, bottom of last opening 140 ft.

DATUM.--Land-surface datum is 4,734 ft above National Geodetic Vertical Datum of 1929. Measuring point: Top of casing south side below land surface datum, 0.5 ft below land-surface datum, Feb. 22, 2002, to present.

REMARKS.--Water-quality measurements in the following tables were made as part of the National Water-Quality Program (NAWQA) groundwater status and trends investigation. Samples were collected in Reno, Sparks, Spanish Springs, and Carson City, Nevada from shallow monitoring wells as part of the land use characterization study and from municipal supply wells as part of the major aquifer study.

**WATER-QUALITY DATA
WATER YEAR OCTOBER 2011 TO SEPTEMBER 2012**

Part 1 of 25

[CaCO₃, calcium carbonate; N, nitrogen; P, phosphorus; SiO₂, silicon dioxide; mg/L, milligrams per liter; mm Hg, millimeters of mercury; °C, degrees Celsius; µS/cm, microsiemens per centimeter; µg/L, micrograms per liter; <, less than]

Date	Sample start time	Medium name	Sample type	Barometric pressure, mm Hg (00025)	Temperature, air, °C (00020)	Dissolved oxygen, unfiltered, mg/L (00300)	pH, water, unfiltered, field, standard units (00400)	Specific conductance, water, unfiltered, µS/cm at 25°C (00095)	Temperature, water, °C (00010)	1,2-Dichloroethane-d4, surrogate, Schedule 2090, water, unfiltered, percent recovery (99832)
06-06-2012	1045	Groundwater	Regular	649	22.0	2.5	7.2	369	14.6	117

390708119450301 Local number 104 N15 E20 32DADA1—Continued

WATER-QUALITY DATA
WATER YEAR OCTOBER 2011 TO SEPTEMBER 2012

Part 2 of 25

[CaCO₃, calcium carbonate; N, nitrogen; P, phosphorus; SiO₂, silicon dioxide; mg/L, milligrams per liter; mm Hg, millimeters of mercury; °C, degrees Celsius; µS/cm, microsiemens per centimeter; µg/L, micrograms per liter; <, less than]

Date	Sample start time	1-Bromo-4-fluoro-benzene, surrogate, VOC schedules, water, unfiltered, percent recovery (99834)	alpha-HCH-d6, surrogate, Schedule 2003, water, filtered, percent recovery (99995)	Diazinon-d10, surrogate, Schedule 2003, water, filtered, percent recovery (99994)	Toluene-d8, surrogate, Schedule 2090, water, unfiltered, percent recovery; (99833)	Dissolved solids dried at 180°C, water, filtered, mg/L (70300)	Calcium, water, filtered, mg/L (00915)	Magnesium, water, filtered, mg/L (00925)	Potassium, water, filtered, mg/L (00935)	Sodium, water, filtered, mg/L (00930)
06-06-2012	1045	96.4	94.0	88.6	90.5	246	33.2	10.2	1.97	32.0

WATER-QUALITY DATA
WATER YEAR OCTOBER 2011 TO SEPTEMBER 2012

Part 3 of 25

[CaCO₃, calcium carbonate; N, nitrogen; P, phosphorus; SiO₂, silicon dioxide; mg/L, milligrams per liter; mm Hg, millimeters of mercury; °C, degrees Celsius; µS/cm, microsiemens per centimeter; µg/L, micrograms per liter; <, less than]

Date	Sample start time	Alkalinity, water, filtered, inflection-point, incremental titration method, field, mg/L as CaCO ₃ (39086)	Bicarbonate, water, filtered, inflection-point, incremental titration method, field, mg/L (00453)	Bromide, water, filtered, mg/L (71870)	Carbon dioxide, water, unfiltered, mg/L (00405)	Carbonate, water, filtered, inflection-point, incremental titration method, field, mg/L (00452)	Chloride, water, filtered, mg/L (00940)	Fluoride, water, filtered, mg/L (00950)	Silica, water, filtered, mg/L as SiO ₂ (00955)
06-06-2012	1045	140	170	0.158	17	0.5	17.0	0.23	48.5

WATER-QUALITY DATA
WATER YEAR OCTOBER 2011 TO SEPTEMBER 2012

Part 4 of 25

[CaCO₃, calcium carbonate; N, nitrogen; P, phosphorus; SiO₂, silicon dioxide; mg/L, milligrams per liter; mm Hg, millimeters of mercury; °C, degrees Celsius; µS/cm, microsiemens per centimeter; µg/L, micrograms per liter; <, less than]

Date	Sample start time	Sulfate, water, filtered, mg/L (00945)	Ammonia, water, filtered, mg/L as N (00608)	Nitrate plus nitrite, water, filtered, mg/L as N (00631)	Nitrite, water, filtered, mg/L as N (00613)	Orthophosphate, water, filtered, mg/L as P (00671)	Total nitrogen, water, filtered, analytically determined, mg/L (62854)	Aluminum, water, filtered, µg/L (01106)	Barium, water, filtered, µg/L (01005)
06-06-2012	1045	15.9	0.023	4.16	0.002	0.225	4.27	28.0	186

390708119450301 Local number 104 N15 E20 32DADA1—Continued

WATER-QUALITY DATA
WATER YEAR OCTOBER 2011 TO SEPTEMBER 2012

Part 5 of 25

[CaCO₃, calcium carbonate; N, nitrogen; P, phosphorus; SiO₂, silicon dioxide; mg/L, milligrams per liter; mm Hg, millimeters of mercury; °C, degrees Celsius; µS/cm, microsiemens per centimeter; µg/L, micrograms per liter; <, less than]

Date	Sample start time	Beryllium, water, filtered, µg/L (01010)	Cadmium, water, filtered, µg/L (01025)	Chromium, water, filtered, µg/L (01030)	Cobalt, water, filtered, µg/L (01035)	Copper, water, filtered, µg/L (01040)	Iron, water, filtered, µg/L (01046)	Lead, water, filtered, µg/L (01049)	Lithium, water, filtered, µg/L (01130)	Manganese, water, filtered, µg/L (01056)
06-06-2012	1045	< .006	0.053	0.41	0.087	< .80	21.6	0.050	7.70	1.44

WATER-QUALITY DATA
WATER YEAR OCTOBER 2011 TO SEPTEMBER 2012

Part 6 of 25

[CaCO₃, calcium carbonate; N, nitrogen; P, phosphorus; SiO₂, silicon dioxide; mg/L, milligrams per liter; mm Hg, millimeters of mercury; °C, degrees Celsius; µS/cm, microsiemens per centimeter; µg/L, micrograms per liter; <, less than]

Date	Sample start time	Molybdenum, water, filtered, µg/L (01060)	Nickel, water, filtered, µg/L (01065)	Silver, water, filtered, µg/L (01075)	Strontium, water, filtered, µg/L (01080)	Thallium, water, filtered, µg/L (01057)	Vanadium, water, filtered, µg/L (01085)	Zinc, water, filtered, µg/L (01090)	Antimony, water, filtered, µg/L (01095)	Arsenic, water, filtered, µg/L (01000)
06-06-2012	1045	1.97	0.82	< .005	424	< .010	5.4	< 1.4	0.479	1.6

WATER-QUALITY DATA
WATER YEAR OCTOBER 2011 TO SEPTEMBER 2012

Part 7 of 25

[CaCO₃, calcium carbonate; N, nitrogen; P, phosphorus; SiO₂, silicon dioxide; mg/L, milligrams per liter; mm Hg, millimeters of mercury; °C, degrees Celsius; µS/cm, microsiemens per centimeter; µg/L, micrograms per liter; <, less than]

Date	Sample start time	Boron, water, filtered, µg/L (01020)	Selenium, water, filtered, µg/L (01145)	1,2,3-Trichloropropane, water, unfiltered, recoverable, µg/L (77443)	1,2-Dibromo-3-chloropropane, water, unfiltered, recoverable, µg/L (82625)	1,2-Dibromoethane, water, unfiltered, recoverable, µg/L (77651)	1,2-Dichloroethane, water, unfiltered, recoverable, µg/L (32103)	1,2-Dichloropropane, water, unfiltered, recoverable, µg/L (34541)	1,3-Dichloropropane, water, unfiltered, recoverable, µg/L (77173)	1,4-Dichlorobenzene, water, unfiltered, recoverable, µg/L (34571)
06-06-2012	1045	48	0.53	< .120	< .400	< .028	< .08	< .0260	< .06	< .026

390708119450301 Local number 104 N15 E20 32DADA1—Continued

WATER-QUALITY DATA

WATER YEAR OCTOBER 2011 TO SEPTEMBER 2012

Part 8 of 25

[CaCO₃, calcium carbonate; N, nitrogen; P, phosphorus; SiO₂, silicon dioxide; mg/L, milligrams per liter; mm Hg, millimeters of mercury; °C, degrees Celsius; µS/cm, microsiemens per centimeter; µg/L, micrograms per liter; <, less than]

Date	Sample start time	1-Naphthol, water, filtered (0.7 micron glass fiber filter), recoverable, µg/L (49295)	2,6-Diethyl-aniline, water, filtered (0.7 micron glass fiber filter), recoverable, µg/L (82660)	2-Chloro-2',6'-diethyl-acetanilide, water, filtered, recoverable, µg/L (61618)	2-Chloro-4-isopropyl-amino-6-triazine, water, filtered, recoverable, µg/L (04040)	2-Ethyl-6-methyl-aniline, water, filtered, recoverable, µg/L (61620)	3,4-Dichloro-aniline, water, filtered, recoverable, µg/L (61625)	3,5-Di-chloro-aniline, water, filtered, recoverable, µg/L (61627)	3-Chloro-propene, water, unfiltered, recoverable, µg/L (78109)	4-Chloro-2-methyl-phenol, water, filtered, recoverable, µg/L (61633)
06-06-2012	1045	< .0360	< .0060	< .010	< .006	< .010	< .0060	< .006	< .08	< .0080

WATER-QUALITY DATA

WATER YEAR OCTOBER 2011 TO SEPTEMBER 2012

Part 9 of 25

[CaCO₃, calcium carbonate; N, nitrogen; P, phosphorus; SiO₂, silicon dioxide; mg/L, milligrams per liter; mm Hg, millimeters of mercury; °C, degrees Celsius; µS/cm, microsiemens per centimeter; µg/L, micrograms per liter; <, less than]

Date	Sample start time	Aceto-chlor, water, filtered, recoverable, µg/L (49260)	Acrylo-nitrile, water, unfiltered, recoverable, µg/L (34215)	Alachlor, water, filtered, recoverable, µg/L (46342)	alpha-Endo-sulfan, water, filtered, recoverable, µg/L (34362)	Atrazine, water, filtered, recoverable, µg/L (39632)	Azinphos-methyl oxygen analog, water, filtered, recoverable, µg/L (61635)	Azinphos-methyl, water, filtered (0.7 micron glass fiber filter), recoverable, µg/L (82686)	Benfluralin, water, filtered (0.7 micron glass fiber filter), recoverable, µg/L (82673)	Bromo-methane, water, unfiltered, recoverable, µg/L (34413)
06-06-2012	1045	< .010	< .48	< .008	< .006	< .008	< .042	< .120	< .014	< .2

WATER-QUALITY DATA

WATER YEAR OCTOBER 2011 TO SEPTEMBER 2012

Part 10 of 25

[CaCO₃, calcium carbonate; N, nitrogen; P, phosphorus; SiO₂, silicon dioxide; mg/L, milligrams per liter; mm Hg, millimeters of mercury; °C, degrees Celsius; µS/cm, microsiemens per centimeter; µg/L, micrograms per liter; <, less than]

Date	Sample start time	Carbaryl, water, filtered (0.7 micron glass fiber filter), recoverable, µg/L (82680)	Carbofuran, water, filtered (0.7 micron glass fiber filter), recoverable, µg/L (82674)	Carbon disulfide, water, unfiltered, recoverable, µg/L (77041)	Chlorpyrifos oxygen analog, water, filtered, recoverable, µg/L (61636)	Chlor-pyrifos, water, filtered, recoverable, µg/L (38933)	cis-1,3-Di-chloro-propene, water, unfiltered, recoverable, µg/L (34704)	cis-Permeth-rin, water, filtered (0.7 micron glass fiber filter), recoverable, µg/L (82687)	cis-Propicon-azole, water, filtered, recoverable, µg/L (79846)
06-06-2012	1045	< .060	< .060	< .1	< .08	< .0036	< .10	< .010	< .008

390708119450301 Local number 104 N15 E20 32DADA1—Continued

WATER-QUALITY DATA

WATER YEAR OCTOBER 2011 TO SEPTEMBER 2012

Part 11 of 25

[CaCO₃, calcium carbonate; N, nitrogen; P, phosphorus; SiO₂, silicon dioxide; mg/L, milligrams per liter; mm Hg, millimeters of mercury; °C, degrees Celsius; µS/cm, microsiemens per centimeter; µg/L, micrograms per liter; <, less than]

Date	Sample start time	DCPA, water, filtered, recoverable, µg/L								
		Cyanazine, water, filtered, recoverable, µg/L (04041)	Cyfluthrin, water, filtered, recoverable, µg/L (61585)	Cypermethrin, water, filtered, recoverable, µg/L (61586)	(0.7 micron glass fiber filter), recoverable, µg/L (82682)	Desulfinyl-fipronil amide, water, filtered, recoverable, µg/L (62169)	Desulfinyl-fipronil, water, filtered, recoverable, µg/L (62170)	Diazinon, water, filtered, recoverable, µg/L (39572)	Dichlorvos, water, filtered, recoverable, µg/L (38775)	Dicrotophos, water, filtered, recoverable, µg/L (38454)
06-06-2012	1045	< .022	< .016	< .020	< .0076	< .029	< .012	< .0060	< .04	< .08

WATER-QUALITY DATA

WATER YEAR OCTOBER 2011 TO SEPTEMBER 2012

Part 12 of 25

[CaCO₃, calcium carbonate; N, nitrogen; P, phosphorus; SiO₂, silicon dioxide; mg/L, milligrams per liter; mm Hg, millimeters of mercury; °C, degrees Celsius; µS/cm, microsiemens per centimeter; µg/L, micrograms per liter; <, less than]

Date	Sample start time	Various pesticides, water, filtered, recoverable, µg/L								
		Dieldrin, water, filtered, recoverable, µg/L (39381)	Dimethoate, water, filtered, (0.7 micron glass fiber filter), recoverable, µg/L (82662)	Disulfoton sulfone, water, filtered, recoverable, µg/L (61640)	Disulfoton, water, filtered, (0.7 micron glass fiber filter), recoverable, µg/L (82677)	Endosulfan sulfate, water, filtered, recoverable, µg/L (61590)	EPTC, water, filtered, (0.7 micron glass fiber filter), recoverable, µg/L (82668)	Ethion monoxon, water, filtered, recoverable, µg/L (61644)	Ethion, water, filtered, recoverable, µg/L (82346)	Ethoprop, water, filtered, (0.7 micron glass fiber filter), recoverable, µg/L (82672)
06-06-2012	1045	< .008	< .0100	< .014	< .040	< .016	< .0056	< .021	< .010	< .016

WATER-QUALITY DATA

WATER YEAR OCTOBER 2011 TO SEPTEMBER 2012

Part 13 of 25

[CaCO₃, calcium carbonate; N, nitrogen; P, phosphorus; SiO₂, silicon dioxide; mg/L, milligrams per liter; mm Hg, millimeters of mercury; °C, degrees Celsius; µS/cm, microsiemens per centimeter; µg/L, micrograms per liter; <, less than]

Date	Sample start time	Various pesticides, water, filtered, recoverable, µg/L								
		Fenamiphos sulfone, water, filtered, recoverable, µg/L (61645)	Fenamiphos sulfoxide, water, filtered, recoverable, µg/L (61646)	Fenamiphos, water, filtered, recoverable, µg/L (61591)	Fipronil sulfide, water, filtered, recoverable, µg/L (62167)	Fipronil sulfone, water, filtered, recoverable, µg/L (62168)	Fipronil, water, filtered, recoverable, µg/L (62166)	Fonofos, water, filtered, recoverable, µg/L (04095)	Hexazinone, water, filtered, recoverable, µg/L (04025)	Iodomethane, water, unfiltered, recoverable, µg/L (77424)
06-06-2012	1045	< .054	< .08	< .030	< .012	< .024	< .018	< .0048	< .012	< .26

390708119450301 Local number 104 N15 E20 32DADA1—Continued

WATER-QUALITY DATA
WATER YEAR OCTOBER 2011 TO SEPTEMBER 2012

Part 14 of 25

[CaCO₃, calcium carbonate; N, nitrogen; P, phosphorus; SiO₂, silicon dioxide; mg/L, milligrams per liter; mm Hg, millimeters of mercury; °C, degrees Celsius; µS/cm, microsiemens per centimeter; µg/L, micrograms per liter; <, less than]

Date	Sample start time	Iprodione, water, filtered, recoverable, µg/L (61593)	Isofenphos, water, filtered, recoverable, µg/L (61594)	lambda-Cyhalothrin, water, filtered, recoverable, µg/L (61595)	Malaoxon, water, filtered, recoverable, µg/L (61652)	Malathion, water, filtered, recoverable, µg/L (39532)	Metalaxyl, water, filtered, recoverable, µg/L (61596)	Methidathion, water, filtered, recoverable, µg/L (61598)	Methyl parathion, water, filtered, recoverable, µg/L (61664)	Methyl parathion, water, filtered (0.7 micron glass fiber filter), recoverable, µg/L (82667)
06-06-2012	1045	< .014	< .008	< .010	< .022	< .016	< .014	< .012	< .014	< .008

WATER-QUALITY DATA
WATER YEAR OCTOBER 2011 TO SEPTEMBER 2012

Part 15 of 25

[CaCO₃, calcium carbonate; N, nitrogen; P, phosphorus; SiO₂, silicon dioxide; mg/L, milligrams per liter; mm Hg, millimeters of mercury; °C, degrees Celsius; µS/cm, microsiemens per centimeter; µg/L, micrograms per liter; <, less than]

Date	Sample start time	Metolachlor, water, filtered, recoverable, µg/L (39415)	Metribuzin, water, filtered, recoverable, µg/L (82630)	Molinate, water, filtered (0.7 micron glass fiber filter), recoverable, µg/L (82671)	Myclobutanil, water, filtered, recoverable, µg/L (61599)	Oxyfluorfen, water, filtered, recoverable, µg/L (61600)	Pendimethalin, water, filtered (0.7 micron glass fiber filter), recoverable, µg/L (82683)	Phorate oxygen analog, water, filtered, recoverable, µg/L (61666)	Phorate, water, filtered (0.7 micron glass fiber filter), recoverable, µg/L (82664)	Phosmet oxygen analog, water, filtered, recoverable, µg/L (61668)
06-06-2012	1045	< .020	< .012	< .0040	< .010	< .010	< .012	< .027	< .020	< .0511

WATER-QUALITY DATA
WATER YEAR OCTOBER 2011 TO SEPTEMBER 2012

Part 16 of 25

[CaCO₃, calcium carbonate; N, nitrogen; P, phosphorus; SiO₂, silicon dioxide; mg/L, milligrams per liter; mm Hg, millimeters of mercury; °C, degrees Celsius; µS/cm, microsiemens per centimeter; µg/L, micrograms per liter; <, less than]

Date	Sample start time	Phosmet, water, filtered, recoverable, µg/L (61601)	Prometon, water, filtered, recoverable, µg/L (04037)	Prometryn, water, filtered, recoverable, µg/L (04036)	Propanil, water, filtered (0.7 micron glass fiber filter), recoverable, µg/L (82679)	Propargite, water, filtered (0.7 micron glass fiber filter), recoverable, µg/L (82685)	Propyzamide, water, filtered (0.7 micron glass fiber filter), recoverable, µg/L (82676)	Simazine, water, filtered, recoverable, µg/L (04035)	Tebu-thiuron, water, filtered (0.7 micron glass fiber filter), recoverable, µg/L (82670)	Tefluthrin, water, filtered, recoverable, µg/L (61606)
06-06-2012	1045	< .080	< .012	< .010	< .010	< .020	< .0036	< .006	< .028	< .014

390708119450301 Local number 104 N15 E20 32DADA1—Continued

WATER-QUALITY DATA

WATER YEAR OCTOBER 2011 TO SEPTEMBER 2012

Part 17 of 25

[CaCO₃, calcium carbonate; N, nitrogen; P, phosphorus; SiO₂, silicon dioxide; mg/L, milligrams per liter; mm Hg, millimeters of mercury; °C, degrees Celsius; µS/cm, microsiemens per centimeter; µg/L, micrograms per liter; <, less than]

Date	Sample start time	Terbufos oxygen analog sulfone, water, filtered, recoverable, µg/L (61674)	Terbufos, water, filtered, (0.7 micron glass fiber filter), recoverable, µg/L (82675)	Terbuthyl-azine, water, filtered, recoverable, µg/L (04022)	Thioben-carb, water, filtered, (0.7 micron glass fiber filter), recoverable, µg/L (82681)	trans-1,3-Dichloro-propene, water, unfiltered, recoverable, µg/L (34699)	trans-Propicon-azole, water, filtered, recoverable, µg/L (79847)	Tribuphos, water, filtered, recoverable, µg/L (61610)	Trifluralin, water, filtered, (0.7 micron glass fiber filter), recoverable, µg/L (82661)	1,1,1,2-Tetra-chloro-ethane, water, unfiltered, recoverable, µg/L (77562)
06-06-2012	1045	< .045	< .018	< .008	< .016	< .14	< .018	< .018	< .018	< .040

WATER-QUALITY DATA

WATER YEAR OCTOBER 2011 TO SEPTEMBER 2012

Part 18 of 25

[CaCO₃, calcium carbonate; N, nitrogen; P, phosphorus; SiO₂, silicon dioxide; mg/L, milligrams per liter; mm Hg, millimeters of mercury; °C, degrees Celsius; µS/cm, microsiemens per centimeter; µg/L, micrograms per liter; <, less than]

Date	Sample start time	1,1,1-Tri-chloro-ethane, water, unfiltered, recoverable, µg/L (34506)	1,1,2,2-Tetra-chloro-ethane, water, unfiltered, recoverable, µg/L (34516)	1,1,2-Tri-chloro-1,2,2-trifluoro-ethane, water, unfiltered, recoverable, µg/L (77652)	1,1,2-Tri-chloro-ethane, water, unfiltered, recoverable, µg/L (34511)	1,1-Di-chloro-ethane, water, unfiltered, recoverable, µg/L (34496)	1,1-Di-chloro-ethene, water, unfiltered, recoverable, µg/L (34501)	1,1-Di-chloro-propene, water, unfiltered, recoverable, µg/L (77168)	1,2,3,4-Tetra-methyl-benzene, water, unfiltered, recoverable, µg/L (49999)	1,2,3,5-Tetra-methyl-benzene, water, unfiltered, recoverable, µg/L (50000)
06-06-2012	1045	< .030	< .14	< .022	< .046	< .044	< .022	< .040	< .10	< .080

WATER-QUALITY DATA

WATER YEAR OCTOBER 2011 TO SEPTEMBER 2012

Part 19 of 25

[CaCO₃, calcium carbonate; N, nitrogen; P, phosphorus; SiO₂, silicon dioxide; mg/L, milligrams per liter; mm Hg, millimeters of mercury; °C, degrees Celsius; µS/cm, microsiemens per centimeter; µg/L, micrograms per liter; <, less than]

Date	Sample start time	1,2,3-Tri-chloro-benzene, water, unfiltered, recoverable, µg/L (77613)	1,2,3-Tri-methyl-benzene, water, unfiltered, recoverable, µg/L (77221)	1,2,4-Tri-chloro-benzene, water, unfiltered, recoverable, µg/L (34551)	1,2,4-Tri-methyl-benzene, water, unfiltered, recoverable, µg/L (77222)	1,2-Dichloro-benzene, water, unfiltered, recoverable, µg/L (34536)	1,3,5-Tri-methyl-benzene, water, unfiltered, recoverable, µg/L (77226)	1,3-Dichloro-benzene, water, unfiltered, recoverable, µg/L (34566)	2,2-Di-chloro-propane, water, unfiltered, recoverable, µg/L (77170)	2-Chloro-toluene, water, unfiltered, recoverable, µg/L (77275)
06-06-2012	1045	< .06	< .060	< .08	< .032	< .028	< .032	< .024	< .06	< .028

390708119450301 Local number 104 N15 E20 32DADA1—Continued

WATER-QUALITY DATA
WATER YEAR OCTOBER 2011 TO SEPTEMBER 2012

Part 20 of 25

[CaCO₃, calcium carbonate; N, nitrogen; P, phosphorus; SiO₂, silicon dioxide; mg/L, milligrams per liter; mm Hg, millimeters of mercury; °C, degrees Celsius; µS/cm, microsiemens per centimeter; µg/L, micrograms per liter; <, less than]

Date	Sample start time	2-Ethyl-toluene, water, unfiltered, recoverable, µg/L (77220)	4-Chloro-toluene, water, unfiltered, recoverable, µg/L (77277)	4-Iso-propyl-toluene, water, unfiltered, recoverable, µg/L (77356)	Acetone, water, unfiltered, recoverable, µg/L (81552)	Benzene, water, unfiltered, recoverable, µg/L (34030)	Bromo-benzene, water, unfiltered, recoverable, µg/L (81555)	Bromo-chloro-methane, water, unfiltered, recoverable, µg/L (77297)	Bromo-dichloro-methane, water, unfiltered, recoverable, µg/L (32101)	Bromo-ethene, water, unfiltered, recoverable, µg/L (50002)
06-06-2012	1045	< .032	< .042	< .06	< 3.4	< .026	< .022	< .06	< .034	< .12

WATER-QUALITY DATA
WATER YEAR OCTOBER 2011 TO SEPTEMBER 2012

Part 21 of 25

[CaCO₃, calcium carbonate; N, nitrogen; P, phosphorus; SiO₂, silicon dioxide; mg/L, milligrams per liter; mm Hg, millimeters of mercury; °C, degrees Celsius; µS/cm, microsiemens per centimeter; µg/L, micrograms per liter; <, less than]

Date	Sample start time	Chloro-benzene, water, unfiltered, recoverable, µg/L (34301)	Chloro-ethane, water, unfiltered, recoverable, µg/L (34311)	Chloro-methane, water, unfiltered, recoverable, µg/L (34418)	cis-1,2-Di-chloro-ethene, water, unfiltered, recoverable, µg/L (77093)	Dibromo-chloro-methane, water, unfiltered, recoverable, µg/L (32105)	Dibromo-methane, water, unfiltered, recoverable, µg/L (30217)	Dichloro-difluoro-methane, water, unfiltered, recoverable, µg/L (34668)	Dichloro-methane, water, unfiltered, recoverable, µg/L (34423)	Diethyl ether, water, unfiltered, recoverable, µg/L (81576)
06-06-2012	1045	< .026	< .06	< .1	< .022	< .12	< .050	< .10	< .04	< .1

WATER-QUALITY DATA
WATER YEAR OCTOBER 2011 TO SEPTEMBER 2012

Part 22 of 25

[CaCO₃, calcium carbonate; N, nitrogen; P, phosphorus; SiO₂, silicon dioxide; mg/L, milligrams per liter; mm Hg, millimeters of mercury; °C, degrees Celsius; µS/cm, microsiemens per centimeter; µg/L, micrograms per liter; <, less than]

Date	Sample start time	Diiso-propyl ether, water, unfiltered, recoverable, µg/L (81577)	Ethyl methacrylate, water, unfiltered, recoverable, µg/L (73570)	Ethyl methyl ketone, water, unfiltered, recoverable, µg/L (81595)	Ethyl-benzene, water, unfiltered, recoverable, µg/L (34371)	Hexa-chloro-butadiene, water, unfiltered, recoverable, µg/L (39702)	Hexa-chloro-ethane, water, unfiltered, recoverable, µg/L (34396)	Isobutyl methyl ketone, water, unfiltered, recoverable, µg/L (78133)	Isopropyl-benzene, water, unfiltered, recoverable, µg/L (77223)	Methyl acrylate, water, unfiltered, recoverable, µg/L (49991)
06-06-2012	1045	< .06	< .20	< 1.6	< .036	< .08	< .10	< .32	< .042	< .8

390708119450301 Local number 104 N15 E20 32DADA1—Continued

WATER-QUALITY DATA
WATER YEAR OCTOBER 2011 TO SEPTEMBER 2012

Part 23 of 25

[CaCO₃, calcium carbonate; N, nitrogen; P, phosphorus; SiO₂, silicon dioxide; mg/L, milligrams per liter; mm Hg, millimeters of mercury; °C, degrees Celsius; µS/cm, microsiemens per centimeter; µg/L, micrograms per liter; <, less than]

Date	Sample start time	Methyl acrylonitrile, water, unfiltered, recoverable, µg/L (81593)	Methyl methacrylate, water, unfiltered, recoverable, µg/L (81597)	Methyl tert-butyl ether, water, unfiltered, recoverable, µg/L (78032)	Methyl tert-pentyl ether, water, unfiltered, recoverable, µg/L (50005)	m-Xylene plus p-xylene, water, unfiltered, recoverable, µg/L (85795)	Naphthalene, water, unfiltered, recoverable, µg/L (34696)	n-Butyl methyl ketone, water, unfiltered, recoverable, µg/L (77103)	n-Butylbenzene, water, unfiltered, recoverable, µg/L (77342)	n-Propylbenzene, water, unfiltered, recoverable, µg/L (77224)
06-06-2012	1045	< .26	< .22	< .10	< .06	< .08	< .18	< .4	< .08	< .036

WATER-QUALITY DATA
WATER YEAR OCTOBER 2011 TO SEPTEMBER 2012

Part 24 of 25

[CaCO₃, calcium carbonate; N, nitrogen; P, phosphorus; SiO₂, silicon dioxide; mg/L, milligrams per liter; mm Hg, millimeters of mercury; °C, degrees Celsius; µS/cm, microsiemens per centimeter; µg/L, micrograms per liter; <, less than]

Date	Sample start time	o-Xylene, water, unfiltered, recoverable, µg/L (77135)	sec-Butylbenzene, water, unfiltered, recoverable, µg/L (77350)	Styrene, water, unfiltered, recoverable, µg/L (77128)	tert-Butyl ethyl ether, water, unfiltered, recoverable, µg/L (50004)	tert-Butylbenzene, water, unfiltered, recoverable, µg/L (77353)	Tetrachloroethene, water, unfiltered, recoverable, µg/L (34475)	Tetrachloromethane, water, unfiltered, recoverable, µg/L (32102)	Tetrahydrofuran, water, unfiltered, recoverable, µg/L (81607)	Toluene, water, unfiltered, recoverable, µg/L (34010)
06-06-2012	1045	< .032	< .034	< .042	< .032	< .060	< .026	< .06	< 1.4	< .02

WATER-QUALITY DATA
WATER YEAR OCTOBER 2011 TO SEPTEMBER 2012

Part 25 of 25

[CaCO₃, calcium carbonate; N, nitrogen; P, phosphorus; SiO₂, silicon dioxide; mg/L, milligrams per liter; mm Hg, millimeters of mercury; °C, degrees Celsius; µS/cm, microsiemens per centimeter; µg/L, micrograms per liter; <, less than]

Date	Sample start time	trans-1,2-Dichloroethene, water, unfiltered, recoverable, µg/L (34546)	trans-1,4-Dichloro-2-butene, water, unfiltered, recoverable, µg/L (73547)	Tribromomethane, water, unfiltered, recoverable, µg/L (32104)	Trichloroethene, water, unfiltered, recoverable, µg/L (39180)	Trichlorofluoromethane, water, unfiltered, recoverable, µg/L (34488)	Trichloromethane, water, unfiltered, recoverable, µg/L (32106)	Vinyl chloride, water, unfiltered, recoverable, µg/L (39175)	Uranium (natural), water, filtered, µg/L (22703)
06-06-2012	1045	< .018	< 2.0	< .10	< .022	< .06	0.02	< .06	11.8