



Water-Data Report 2012

405003074495001 Local number 410305- Pz-MW-1

Sand and gravel aquifers (glaciated regions)
Stratified Drift

Warren County, NJ

LOCATION.--Lat 40°50'03", long 74°49'50" referenced to North American Datum of 1927, Hackettstown Town, Warren County, NJ, Hydrologic Unit 02040105.

WATER-QUALITY RECORDS

WELL CHARACTERISTICS.--Depth 27 ft. Upper casing diameter 2 in; top of first opening 7 ft, bottom of last opening 27 ft.

DATUM.--Land-surface datum is 510 ft above National Geodetic Vertical Datum of 1929. Measuring point: Undefined.

PERIOD OF RECORD.--Water years 2007, 2012.

REMARKS.--New Jersey Department of Environmental Protection Watershed Management Area 1. Urban Land Use Indicator.

COOPERATION.--Physical measurements and samples for laboratory analyses were provided by personnel of the New Jersey Geological and Water Survey.

**WATER-QUALITY DATA
WATER YEAR OCTOBER 2011 TO SEPTEMBER 2012**

Part 1 of 19

[%, percent; CaCO₃, calcium carbonate; N, nitrogen; NTRU, nephelometric turbidity ratio unit; P, phosphorus; SiO₂, silicon dioxide; ft, feet; mg/L, milligrams per liter; mm Hg, millimeters of mercury; nm, nanometers; °C, degrees Celsius; µS/cm, microsiemens per centimeter; µg/L, micrograms per liter; <, less than; E, estimated; R, radchem non-detect, below ssLc]

Date	Sample start time	Barometric pressure, mm Hg (00025)	Depth to water level, ft below land surface (72019)	Dissolved oxygen, water, unfiltered, mg/L (00300)	Dissolved oxygen, water, unfiltered, % saturation (00301)	Flow rate, instantaneous, gallons per minute (00059)	pH, water, unfiltered, field, standard units (00400)	Specific conductance, water, unfiltered, µS/cm at 25°C (00095)	Temperature, water, °C (00010)
06-04-2012	1140	762	4.13	0.1	1	0.17	7.5	618	11.3

405003074495001 Local number 410305- Pz-MW-1—Continued

WATER-QUALITY DATA
WATER YEAR OCTOBER 2011 TO SEPTEMBER 2012

Part 2 of 19

[%, percent; CaCO₃, calcium carbonate; N, nitrogen; NTRU, nephelometric turbidity ratio unit; P, phosphorus; SiO₂, silicon dioxide; ft, feet; mg/L, milligrams per liter; mm Hg, millimeters of mercury; nm, nanometers; °C, degrees Celsius; µS/cm, microsiemens per centimeter; µg/L, micrograms per liter; <, less than; E, estimated; R, radchem non-detect, below ssLc]

Date	Sample start time	Turbidity, water, unfiltered, broad band light source (400-680 nm), detectors at multiple angles including 90 +/- 30 degrees, ratiometric correction, NTRU (63676)	Pump or flow period prior to sampling, minutes (72004)	Dissolved solids dried at 180°C, water, filtered, mg/L (70300)	Dissolved solids, water, filtered, sum of constituents, mg/L (70301)	Hardness, water, mg/L as CaCO ₃ (00900)	Calcium, water, filtered, mg/L (00915)	Magnesium, water, filtered, mg/L (00925)	Potassium, water, filtered, mg/L (00935)
06-04-2012	1140	2.4	70	334	335	263	58.3	28.5	1.06

WATER-QUALITY DATA
WATER YEAR OCTOBER 2011 TO SEPTEMBER 2012

Part 3 of 19

[%, percent; CaCO₃, calcium carbonate; N, nitrogen; NTRU, nephelometric turbidity ratio unit; P, phosphorus; SiO₂, silicon dioxide; ft, feet; mg/L, milligrams per liter; mm Hg, millimeters of mercury; nm, nanometers; °C, degrees Celsius; µS/cm, microsiemens per centimeter; µg/L, micrograms per liter; <, less than; E, estimated; R, radchem non-detect, below ssLc]

Date	Sample start time	Alkalinity, water, filtered, inflection-point, incremental titration method, field, mg/L as CaCO ₃ (39086)	Bicarbonate, water, filtered, inflection-point, incremental titration method, field, mg/L (00453)	Chloride, water, filtered, mg/L (00940)	Fluoride, water, filtered, mg/L (00950)	Silica, water, filtered, mg/L as SiO ₂ (00955)	Sulfate, water, filtered, mg/L (00945)	Ammonia plus organic nitrogen, water, filtered, mg/L as N (00623)	
06-04-2012	1140	29.6	203	247	63.4	0.09	14.4	16.9	0.21

WATER-QUALITY DATA
WATER YEAR OCTOBER 2011 TO SEPTEMBER 2012

Part 4 of 19

[%, percent; CaCO₃, calcium carbonate; N, nitrogen; NTRU, nephelometric turbidity ratio unit; P, phosphorus; SiO₂, silicon dioxide; ft, feet; mg/L, milligrams per liter; mm Hg, millimeters of mercury; nm, nanometers; °C, degrees Celsius; µS/cm, microsiemens per centimeter; µg/L, micrograms per liter; <, less than; E, estimated; R, radchem non-detect, below ssLc]

Date	Sample start time	Ammonia, water, filtered, mg/L as N (00608)	Nitrate plus nitrite, water, filtered, mg/L as N (00631)	Nitrite, water, filtered, mg/L as N (00613)	Orthophosphate, water, filtered, mg/L as P (00671)	Aluminum, water, filtered, µg/L (01106)	Barium, water, filtered, µg/L (01005)	Beryllium, water, filtered, µg/L (01010)	Cadmium, water, filtered, µg/L (01025)	Chromium, water, filtered, µg/L (01030)
06-04-2012	1140	0.149	< .040	< .001	0.006	< 2.2	41.5	< .006	0.029	0.08

405003074495001 Local number 410305- Pz-MW-1—Continued

WATER-QUALITY DATA
WATER YEAR OCTOBER 2011 TO SEPTEMBER 2012

Part 5 of 19

[%, percent; CaCO₃, calcium carbonate; N, nitrogen; NTRU, nephelometric turbidity ratio unit; P, phosphorus; SiO₂, silicon dioxide; ft, feet; mg/L, milligrams per liter; mm Hg, millimeters of mercury; nm, nanometers; °C, degrees Celsius; µS/cm, microsiemens per centimeter; µg/L, micrograms per liter; <, less than; E, estimated; R, radchem non-detect, below sslc]

Date	Sample start time	Copper, water, filtered, µg/L (01040)	Iron, water, filtered, µg/L (01046)	Lead, water, filtered, µg/L (01049)	Manganese, water, filtered, µg/L (01056)	Mercury, water, filtered, µg/L (71890)	Nickel, water, filtered, µg/L (01065)	Zinc, water, filtered, µg/L (01090)	Antimony, water, filtered, µg/L (01095)	Arsenic, water, filtered, µg/L (01000)
06-04-2012	1140	< .80	< 3.2	< .025	1,000	< .005	1.2	< 1.4	0.045	0.16

WATER-QUALITY DATA
WATER YEAR OCTOBER 2011 TO SEPTEMBER 2012

Part 6 of 19

[%, percent; CaCO₃, calcium carbonate; N, nitrogen; NTRU, nephelometric turbidity ratio unit; P, phosphorus; SiO₂, silicon dioxide; ft, feet; mg/L, milligrams per liter; mm Hg, millimeters of mercury; nm, nanometers; °C, degrees Celsius; µS/cm, microsiemens per centimeter; µg/L, micrograms per liter; <, less than; E, estimated; R, radchem non-detect, below sslc]

Date	Sample start time	Boron, water, filtered, µg/L (01020)	Selenium, water, filtered, µg/L (01145)	1,2-Dichloroethane, water, unfiltered, recoverable, µg/L (32103)	1,2-Dichloropropane, water, unfiltered, recoverable, µg/L (34541)	1,4-Dichlorobenzene, water, unfiltered, recoverable, µg/L (34571)	1-Naphthol, water, filtered (0.7 micron glass fiber filter), recoverable, µg/L (49295)	2,6-Diethylaniline, water, filtered (0.7 micron glass fiber filter), recoverable, µg/L (82660)	2-Chloro-2',6'-diethylacetanilide, water, filtered, recoverable, µg/L (61618)	2-Chloro-4-isopropylamino-6-amino-s-triazine, water, filtered, recoverable, µg/L (04040)
06-04-2012	1140	7	0.04	< .2	< .1	< .1	< .0360	< .0060	< .010	E .037

WATER-QUALITY DATA
WATER YEAR OCTOBER 2011 TO SEPTEMBER 2012

Part 7 of 19

[%, percent; CaCO₃, calcium carbonate; N, nitrogen; NTRU, nephelometric turbidity ratio unit; P, phosphorus; SiO₂, silicon dioxide; ft, feet; mg/L, milligrams per liter; mm Hg, millimeters of mercury; nm, nanometers; °C, degrees Celsius; µS/cm, microsiemens per centimeter; µg/L, micrograms per liter; <, less than; E, estimated; R, radchem non-detect, below sslc]

Date	Sample start time	2-Ethyl-6-methylaniline, water, filtered, recoverable, µg/L (61620)	3,4-Dichloroaniline, water, filtered, recoverable, µg/L (61625)	3,5-Dichloroaniline, water, filtered, recoverable, µg/L (61627)	4-Chloro-2-methylphenol, water, filtered, recoverable, µg/L (61633)	Acetochlor, water, filtered, recoverable, µg/L (49260)	Alachlor, water, filtered, recoverable, µg/L (46342)	alpha-Endosulfan, water, filtered, recoverable, µg/L (34362)	Atrazine, water, filtered, recoverable, µg/L (39632)	Azinphos-methyl oxygen analog, water, filtered, recoverable, µg/L (61635)
06-04-2012	1140	< .010	< .0060	< .006	< .0080	< .010	< .008	< .006	0.016	< .042

405003074495001 Local number 410305- Pz-MW-1—Continued

WATER-QUALITY DATA
WATER YEAR OCTOBER 2011 TO SEPTEMBER 2012

Part 8 of 19

[%, percent; CaCO₃, calcium carbonate; N, nitrogen; NTRU, nephelometric turbidity ratio unit; P, phosphorus; SiO₂, silicon dioxide; ft, feet; mg/L, milligrams per liter; mm Hg, millimeters of mercury; nm, nanometers; °C, degrees Celsius; µS/cm, microsiemens per centimeter; µg/L, micrograms per liter; <, less than; E, estimated; R, radchem non-detect, below ssLc]

Date	Sample start time	Azinphos-	Benfluralin,	Carbaryl,	Carbofuran,	Chlorpyrifos	Chlor-	cis-	
		methyl, water, filtered (0.7 micron glass fiber filter), recover- able, µg/L (82686)	water, filtered (0.7 micron glass fiber filter), recoverable, µg/L (82673)	water, filtered (0.7 micron glass fiber filter), recover- able, µg/L (82680)	water, filtered (0.7 micron glass fiber filter), recoverable, µg/L (82674)	oxygen analog, water, filtered, recoverable, µg/L (61636)	pyrifos, water, filtered, recover- able, µg/L (38933)	Permeth- rin, water, filtered (0.7 micron glass fiber filter), recover- able, µg/L (82687)	cis- Propicon- azole, water, filtered, recover- able, µg/L (79846)
06-04-2012	1140	< .120	< .014	< .060	< .060	< .08	< .0036	< .010	< .008

WATER-QUALITY DATA
WATER YEAR OCTOBER 2011 TO SEPTEMBER 2012

Part 9 of 19

[%, percent; CaCO₃, calcium carbonate; N, nitrogen; NTRU, nephelometric turbidity ratio unit; P, phosphorus; SiO₂, silicon dioxide; ft, feet; mg/L, milligrams per liter; mm Hg, millimeters of mercury; nm, nanometers; °C, degrees Celsius; µS/cm, microsiemens per centimeter; µg/L, micrograms per liter; <, less than; E, estimated; R, radchem non-detect, below ssLc]

Date	Sample start time	Cyanazine,	Cyfluthrin,	Cyper-	DCPA,	Desulfinyl-	Desulfinyl-	Diazinon,	Dichlor-	Dicroto-
		water, filtered, recover- able, µg/L (04041)	water, filtered, recover- able, µg/L (61585)	methrin, water, filtered, recover- able, µg/L (61586)	water, filtered (0.7 micron glass fiber filter), recover- able, µg/L (82682)	filtered water, amide, filtered, recover- able, µg/L (62169)	fipronil water, filtered, recover- able, µg/L (62170)	fipronil, water, filtered, recover- able, µg/L (39572)	water, filtered, recover- able, µg/L (38775)	phos, water, filtered, recover- able, µg/L (38454)
06-04-2012	1140	< .022	< .016	< .020	< .0076	< .029	< .012	< .0060	< .04	< .08

WATER-QUALITY DATA
WATER YEAR OCTOBER 2011 TO SEPTEMBER 2012

Part 10 of 19

[%, percent; CaCO₃, calcium carbonate; N, nitrogen; NTRU, nephelometric turbidity ratio unit; P, phosphorus; SiO₂, silicon dioxide; ft, feet; mg/L, milligrams per liter; mm Hg, millimeters of mercury; nm, nanometers; °C, degrees Celsius; µS/cm, microsiemens per centimeter; µg/L, micrograms per liter; <, less than; E, estimated; R, radchem non-detect, below ssLc]

Date	Sample start time	Dimetho-	Disulfoton	Disulfoton,	Endosulfan	EPTC,	Ethion	Ethion,	Ethprop,	
		ate, water, filtered (0.7 micron glass fiber filter), recover- able, µg/L (39381)	sulfone water, filtered, recover- able, µg/L (61640)	water, filtered (0.7 micron glass fiber filter), recover- able, µg/L (82677)	sulfate, water, filtered, recover- able, µg/L (61590)	water, filtered (0.7 micron glass fiber filter), recover- able, µg/L (82668)	monoxon, water, filtered, recover- able, µg/L (61644)	water, filtered, recover- able, µg/L (82346)	water, filtered (0.7 micron glass fiber filter), recover- able, µg/L (82672)	
06-04-2012	1140	< .008	< .0100	< .014	< .040	< .016	< .0056	< .021	< .010	< .016

405003074495001 Local number 410305- Pz-MW-1—Continued

WATER-QUALITY DATA
WATER YEAR OCTOBER 2011 TO SEPTEMBER 2012

Part 11 of 19

[%, percent; CaCO₃, calcium carbonate; N, nitrogen; NTRU, nephelometric turbidity ratio unit; P, phosphorus; SiO₂, silicon dioxide; ft, feet; mg/L, milligrams per liter; mm Hg, millimeters of mercury; nm, nanometers; °C, degrees Celsius; µS/cm, microsiemens per centimeter; µg/L, micrograms per liter; <, less than; E, estimated; R, radchem non-detect, below sslc]

Date	Sample start time	Fenami-phos sulfone, water, filtered, recoverable, µg/L (61645)	Fenami-phos sulfoxide, water, filtered, recoverable, µg/L (61646)	Fenami-phos, water, filtered, recoverable, µg/L (61591)	Fipronil sulfide, water, filtered, recoverable, µg/L (62167)	Fipronil sulfone, water, filtered, recoverable, µg/L (62168)	Fipronil, water, filtered, recoverable, µg/L (62166)	Fonofos, water, filtered, recoverable, µg/L (04095)	Hexa-zinone, water, filtered, recoverable, µg/L (04025)	Iprodione, water, filtered, recoverable, µg/L (61593)
06-04-2012	1140	< .054	< .08	< .030	< .012	< .024	< .018	< .0048	< .012	< .014

WATER-QUALITY DATA
WATER YEAR OCTOBER 2011 TO SEPTEMBER 2012

Part 12 of 19

[%, percent; CaCO₃, calcium carbonate; N, nitrogen; NTRU, nephelometric turbidity ratio unit; P, phosphorus; SiO₂, silicon dioxide; ft, feet; mg/L, milligrams per liter; mm Hg, millimeters of mercury; nm, nanometers; °C, degrees Celsius; µS/cm, microsiemens per centimeter; µg/L, micrograms per liter; <, less than; E, estimated; R, radchem non-detect, below sslc]

Date	Sample start time	Isofen-phos, water, filtered, recoverable, µg/L (61594)	lambda-Cyhalothrin, water, filtered, recoverable, µg/L (61595)	Malaoxon, water, filtered, recoverable, µg/L (61652)	Malathion, water, filtered, recoverable, µg/L (39532)	Metalaxyl, water, filtered, recoverable, µg/L (61596)	Methidathion, water, filtered, recoverable, µg/L (61598)	Methyl paraoxon, water, filtered, recoverable, µg/L (61664)	Methyl parathion, water, filtered, (0.7 micron glass fiber filter), recoverable, µg/L (82667)	Metolachlor, water, filtered, recoverable, µg/L (39415)
06-04-2012	1140	< .008	< .010	< .022	< .016	< .014	< .012	< .014	< .008	0.015

WATER-QUALITY DATA
WATER YEAR OCTOBER 2011 TO SEPTEMBER 2012

Part 13 of 19

[%, percent; CaCO₃, calcium carbonate; N, nitrogen; NTRU, nephelometric turbidity ratio unit; P, phosphorus; SiO₂, silicon dioxide; ft, feet; mg/L, milligrams per liter; mm Hg, millimeters of mercury; nm, nanometers; °C, degrees Celsius; µS/cm, microsiemens per centimeter; µg/L, micrograms per liter; <, less than; E, estimated; R, radchem non-detect, below sslc]

Date	Sample start time	Metribuzin, water, filtered, recoverable, µg/L (82630)	Molinate, water, filtered, (0.7 micron glass fiber filter), recoverable, µg/L (82671)	Myclobutanil, water, filtered, recoverable, µg/L (61599)	Oxyfluorfen, water, filtered, recoverable, µg/L (61600)	Pendimethalin, water, filtered, (0.7 micron glass fiber filter), recoverable, µg/L (82683)	Phorate oxygen analog, water, filtered, recoverable, µg/L (61666)	Phorate, water, filtered, (0.7 micron glass fiber filter), recoverable, µg/L (82664)	Phosmet oxygen analog, water, filtered, recoverable, µg/L (61668)	Phosmet, water, filtered, recoverable, µg/L (61601)
06-04-2012	1140	< .012	< .0040	< .010	< .010	< .012	< .027	< .020	< .0511	< .080

405003074495001 Local number 410305- Pz-MW-1—Continued

WATER-QUALITY DATA
WATER YEAR OCTOBER 2011 TO SEPTEMBER 2012

Part 14 of 19

[% , percent; CaCO₃, calcium carbonate; N, nitrogen; NTRU, nephelometric turbidity ratio unit; P, phosphorus; SiO₂, silicon dioxide; ft, feet; mg/L, milligrams per liter; mm Hg, millimeters of mercury; nm, nanometers; °C, degrees Celsius; µS/cm, microsiemens per centimeter; µg/L, micrograms per liter; <, less than; E, estimated; R, radchem non-detect, below sslc]

Date	Sample start time	Prometon, water, filtered, recoverable, µg/L (04037)	Prometryn, water, filtered, recoverable, µg/L (04036)	Propanil, water, filtered (0.7 micron glass fiber filter), recoverable, µg/L (82679)	Propargite, water, filtered (0.7 micron glass fiber filter), recoverable, µg/L (82685)	Propyz-amide, water, filtered (0.7 micron glass fiber filter), recoverable, µg/L (82676)	Simazine, water, filtered, recoverable, µg/L (04035)	Tebu-thiuron, water, filtered (0.7 micron glass fiber filter), recoverable, µg/L (82670)	Tefluthrin, water, filtered, recoverable, µg/L (61606)	Terbufos oxygen analog sulfone, water, filtered, recoverable, µg/L (61674)
06-04-2012	1140	0.010	< .010	< .010	< .020	< .0036	< .006	0.008	< .014	< .045

WATER-QUALITY DATA
WATER YEAR OCTOBER 2011 TO SEPTEMBER 2012

Part 15 of 19

[% , percent; CaCO₃, calcium carbonate; N, nitrogen; NTRU, nephelometric turbidity ratio unit; P, phosphorus; SiO₂, silicon dioxide; ft, feet; mg/L, milligrams per liter; mm Hg, millimeters of mercury; nm, nanometers; °C, degrees Celsius; µS/cm, microsiemens per centimeter; µg/L, micrograms per liter; <, less than; E, estimated; R, radchem non-detect, below sslc]

Date	Sample start time	Terbufos, water, filtered (0.7 micron glass fiber filter), recoverable, µg/L (82675)	Terbuthyl-azine, water, filtered, recoverable, µg/L (04022)	Thioben-carb, water, filtered (0.7 micron glass fiber filter), recoverable, µg/L (82681)	trans-Propicon-azole, water, filtered, recoverable, µg/L (79847)	Tribuphos, water, filtered, recoverable, µg/L (61610)	Trifluralin, water, filtered (0.7 micron glass fiber filter), recoverable, µg/L (82661)	1,1,1-Tri-chloro-ethane, water, unfiltered, recoverable, µg/L (34506)	1,1,2-Tri-chloro-ethane, water, unfiltered, recoverable, µg/L (77652)	1,1-Di-chloro-ethane, water, unfiltered, recoverable, µg/L (34496)
06-04-2012	1140	< .018	< .008	< .016	< .018	< .018	< .018	< .1	< .1	< .1

WATER-QUALITY DATA
WATER YEAR OCTOBER 2011 TO SEPTEMBER 2012

Part 16 of 19

[% , percent; CaCO₃, calcium carbonate; N, nitrogen; NTRU, nephelometric turbidity ratio unit; P, phosphorus; SiO₂, silicon dioxide; ft, feet; mg/L, milligrams per liter; mm Hg, millimeters of mercury; nm, nanometers; °C, degrees Celsius; µS/cm, microsiemens per centimeter; µg/L, micrograms per liter; <, less than; E, estimated; R, radchem non-detect, below sslc]

Date	Sample start time	1,1-Di-chloro-ethene, water, unfiltered, recoverable, µg/L (34501)	1,2-Dichloro-benzene, water, unfiltered, recoverable, µg/L (34536)	1,3-Dichloro-benzene, water, unfiltered, recoverable, µg/L (34566)	Benzene, water, unfiltered, recoverable, µg/L (34030)	Bromo-dichloro-methane, water, unfiltered, recoverable, µg/L (32101)	Chloro-benzene, water, unfiltered, recoverable, µg/L (34301)	cis-1,2-Di-chloro-ethene, water, unfiltered, recoverable, µg/L (77093)	Dibromo-chloro-methane, water, unfiltered, recoverable, µg/L (32105)	Dichloro-difluoro-methane, water, unfiltered, recoverable, µg/L (34668)
06-04-2012	1140	< .1	< .1	< .1	< .1	< .1	< .1	< .1	< .2	< .2

405003074495001 Local number 410305- Pz-MW-1—Continued

WATER-QUALITY DATA
WATER YEAR OCTOBER 2011 TO SEPTEMBER 2012

Part 17 of 19

[%, percent; CaCO₃, calcium carbonate; N, nitrogen; NTRU, nephelometric turbidity ratio unit; P, phosphorus; SiO₂, silicon dioxide; ft, feet; mg/L, milligrams per liter; mm Hg, millimeters of mercury; nm, nanometers; °C, degrees Celsius; µS/cm, microsiemens per centimeter; µg/L, micrograms per liter; <, less than; E, estimated; R, radchem non-detect, below ssLc]

Date	Sample start time	Dichloro-methane, water, unfiltered, recoverable, µg/L (34423)	Diethyl ether, water, unfiltered, recoverable, µg/L (81576)	Diiso-propyl ether, water, unfiltered, recoverable, µg/L (81577)	Ethyl-benzene, water, unfiltered, recoverable, µg/L (34371)	Methyl tert-butyl ether, water, unfiltered, recoverable, µg/L (78032)	Methyl tert-pentyl ether, water, unfiltered, recoverable, µg/L (50005)	m-Xylene plus p-xylene, water, unfiltered, recoverable, µg/L (85795)	Organic carbon, water, filtered, mg/L (00681)	o-Xylene, water, unfiltered, recoverable, µg/L (77135)
06-04-2012	1140	< .2	< .2	< .2	< .1	< .2	< .2	< .2	1.05	< .1

WATER-QUALITY DATA
WATER YEAR OCTOBER 2011 TO SEPTEMBER 2012

Part 18 of 19

[%, percent; CaCO₃, calcium carbonate; N, nitrogen; NTRU, nephelometric turbidity ratio unit; P, phosphorus; SiO₂, silicon dioxide; ft, feet; mg/L, milligrams per liter; mm Hg, millimeters of mercury; nm, nanometers; °C, degrees Celsius; µS/cm, microsiemens per centimeter; µg/L, micrograms per liter; <, less than; E, estimated; R, radchem non-detect, below ssLc]

Date	Sample start time	Styrene, water, unfiltered, recoverable, µg/L (77128)	tert-Butyl ethyl ether, water, unfiltered, recoverable, µg/L (50004)	Tetra-chloro-ethene, water, unfiltered, recoverable, µg/L (34475)	Tetra-chloro-methane, water, unfiltered, recoverable, µg/L (32102)	Toluene, water, unfiltered, recoverable, µg/L (34010)	trans-1,2-Dichloro-ethene, water, unfiltered, recoverable, µg/L (34546)	Tribromo-methane, water, unfiltered, recoverable, µg/L (32104)	Trichloro-ethene, water, unfiltered, recoverable, µg/L (39180)	Trichloro-fluoro-methane, water, unfiltered, recoverable, µg/L (34488)
06-04-2012	1140	< .1	< .1	0.1	< .2	< .1	< .1	< .2	0.2	< .2

WATER-QUALITY DATA
WATER YEAR OCTOBER 2011 TO SEPTEMBER 2012

Part 19 of 19

[%, percent; CaCO₃, calcium carbonate; N, nitrogen; NTRU, nephelometric turbidity ratio unit; P, phosphorus; SiO₂, silicon dioxide; ft, feet; mg/L, milligrams per liter; mm Hg, millimeters of mercury; nm, nanometers; °C, degrees Celsius; µS/cm, microsiemens per centimeter; µg/L, micrograms per liter; <, less than; E, estimated; R, radchem non-detect, below ssLc]

Date	Sample start time	Trichloro-methane, water, unfiltered, recoverable, µg/L (32106)	Trihalo-methanes, water, unfiltered, maximum sum-mation, µg/L (90867)	Vinyl chloride, water, unfiltered, recoverable, µg/L (39175)	Gross alpha radioactivity, 30-day count, water, filtered, Th-230 curve, picocuries per liter (62639)	Gross alpha radioactivity, 72-hour count, water, filtered, Th-230 curve, picocuries per liter (62636)	Gross beta radioactivity, 30-day count, water, filtered, Cs-137 curve, picocuries per liter (62645)	Gross beta radioactivity, 72-hour count, water, filtered, Cs-137 curve, picocuries per liter (62642)
06-04-2012	1140	< .1	< .6	< .2	R -.4	R .4	R .7	R .5