

Water-Data Report 2012

**463745119164601 Local number 13N/28E-11E02 PN17**

Columbia Plateau basin-fill aquifers  
Undifferentiated Ringold Formation

Franklin County, WA

LOCATION.--Lat 46°37'44.68", long 119°16'43.92" referenced to North American Datum of 1983, in SW ¼ NW ¼ sec.11, T.13 N., R.28 E., Franklin County, WA, Hydrologic Unit 17020016, near Othello.

**GROUNDWATER RECORDS**

WELL CHARACTERISTICS.--Depth 19 ft. Upper casing diameter 2 in; top of first opening 14 ft, bottom of last opening 19 ft.

DATUM.--Land-surface datum is 970 ft above National Geodetic Vertical Datum of 1929. Measuring point: Top of PVC casing, 2.0 ft above land-surface datum, May 11, 1993, to present.

PERIOD OF RECORD.--May and June 1993, May 1994, July 1999 to July 2002, July and August 2004, July 2006 to current year.

**WATER LEVELS IN FEET BELOW LAND-SURFACE DATUM  
WATER YEAR OCTOBER 2011 TO SEPTEMBER 2012**

<b>Date</b>	<b>Water level</b>
Jul 18	10.90

463745119164601 Local number 13N/28E-11E02 PN17—Continued

**WATER-QUALITY RECORDS**

PERIOD OF RECORD.--June 1993 to May 1994, July 1999 to July 2002, August 2004, July 2006, July 2008, July 2010, July 2012.

**WATER-QUALITY DATA  
WATER YEAR OCTOBER 2011 TO SEPTEMBER 2012**

Part 1 of 16

[CaCO<sub>3</sub>, calcium carbonate; N, nitrogen; NTRU, nephelometric turbidity ratio unit; P, phosphorus; SiO<sub>2</sub>, silicon dioxide; ft, feet; mg/L, milligrams per liter; mm Hg, millimeters of mercury; nm, nanometers; °C, degrees Celsius; µS/cm, microsiemens per centimeter; µg/L, micrograms per liter; <, less than; E, estimated; U, analyzed for but not detected; b, value extrapolated at low end; m, value is highly variable by this method; n, below the LRL and above the LT-MDL; t, below the long-term MDL]

Station number	Local identifier	Date	Sample start time	Barometric pressure, mm Hg (00025)	Temperature, air, °C (00020)	Depth to water level, ft below land surface (72019)	Dissolved oxygen, water, unfiltered, mg/L (00300)	pH, water, unfiltered, field, standard units (00400)
463745119164601	13N/28E-11E02 PN17	07-18-2012	1430	731	30.2	10.90	4.2	7.2

**WATER-QUALITY DATA  
WATER YEAR OCTOBER 2011 TO SEPTEMBER 2012**

Part 2 of 16

[CaCO<sub>3</sub>, calcium carbonate; N, nitrogen; NTRU, nephelometric turbidity ratio unit; P, phosphorus; SiO<sub>2</sub>, silicon dioxide; ft, feet; mg/L, milligrams per liter; mm Hg, millimeters of mercury; nm, nanometers; °C, degrees Celsius; µS/cm, microsiemens per centimeter; µg/L, micrograms per liter; <, less than; E, estimated; U, analyzed for but not detected; b, value extrapolated at low end; m, value is highly variable by this method; n, below the LRL and above the LT-MDL; t, below the long-term MDL]

Station number	Specific conductance, water, unfiltered, µS/cm at 25°C (00095)	Temperature, water, °C (00010)	Turbidity, water, unfiltered, broad band light source (400-680 nm), detectors at multiple angles including 90 +/- 30 degrees, ratiometric correction, NTRU (63676)	Pump or flow period prior to sampling, minutes (72004)	Sampling depth, ft (00003)	alpha-HCH-d6, surrogate, Schedule 2003, filtered, percent recovery (99995)	Diazinon-d10, surrogate, Schedule 2003, filtered, percent recovery (99994)	Dissolved solids dried at 180°C, water, filtered, mg/L (70300)
463745119164601	937	12.7	0.4	27	12.5	104	86.9	607

## 463745119164601 Local number 13N/28E-11E02 PN17—Continued

**WATER-QUALITY DATA**  
**WATER YEAR OCTOBER 2011 TO SEPTEMBER 2012**

Part 3 of 16

[CaCO<sub>3</sub>, calcium carbonate; N, nitrogen; NTRU, nephelometric turbidity ratio unit; P, phosphorus; SiO<sub>2</sub>, silicon dioxide; ft, feet; mg/L, milligrams per liter; mm Hg, millimeters of mercury; nm, nanometers; °C, degrees Celsius; µS/cm, microsiemens per centimeter; µg/L, micrograms per liter; <, less than; E, estimated; U, analyzed for but not detected; b, value extrapolated at low end; m, value is highly variable by this method; n, below the LRL and above the LT-MDL; t, below the long-term MDL]

Station number	Calcium, water, filtered, mg/L (00915)	Magnesium, water, filtered, mg/L (00925)	Potassium, water, filtered, mg/L (00935)	Sodium, water, filtered, mg/L (00930)	Alkalinity, water, filtered, inflection- point, incremental titration method, field, mg/L as CaCO <sub>3</sub> (39086)	Bicarbonate, water, filtered, inflection- point, incremental titration method, field, mg/L (00453)	Bromide, water, filtered, mg/L (71870)	Carbonate, water, filtered, inflection- point titration method, field, mg/L (00452)	Chloride, water, filtered, mg/L (00940)
					mg/L as CaCO <sub>3</sub> (39086)	mg/L (00453)		mg/L (00452)	
463745119164601	82.4	45.5	5.17	60.0	321	390	0.101	0.5	26.8

**WATER-QUALITY DATA**  
**WATER YEAR OCTOBER 2011 TO SEPTEMBER 2012**

Part 4 of 16

[CaCO<sub>3</sub>, calcium carbonate; N, nitrogen; NTRU, nephelometric turbidity ratio unit; P, phosphorus; SiO<sub>2</sub>, silicon dioxide; ft, feet; mg/L, milligrams per liter; mm Hg, millimeters of mercury; nm, nanometers; °C, degrees Celsius; µS/cm, microsiemens per centimeter; µg/L, micrograms per liter; <, less than; E, estimated; U, analyzed for but not detected; b, value extrapolated at low end; m, value is highly variable by this method; n, below the LRL and above the LT-MDL; t, below the long-term MDL]

Station number	Fluoride, water, filtered, mg/L (00950)	Hydrogen sulfide, water, unfiltered, mg/L (71875)	Silica, water, filtered, mg/L as SiO <sub>2</sub> (00955)	Sulfate, water, filtered, mg/L (00945)	Ammonia, water, filtered, mg/L as N (00608)	Nitrate plus nitrite, water, filtered, mg/L as N (00631)	Nitrite, water, filtered, mg/L as N (00613)	Orthophos- phate, water, filtered, mg/L as P (00671)	Total nitrogen, water, filtered, analytically determined, mg/L (62854)
						mg/L as N (00631)			
463745119164601	0.63	U	33.6	79.1	< .010	19.3	< .001	0.022	20.3

**WATER-QUALITY DATA**  
**WATER YEAR OCTOBER 2011 TO SEPTEMBER 2012**

Part 5 of 16

[CaCO<sub>3</sub>, calcium carbonate; N, nitrogen; NTRU, nephelometric turbidity ratio unit; P, phosphorus; SiO<sub>2</sub>, silicon dioxide; ft, feet; mg/L, milligrams per liter; mm Hg, millimeters of mercury; nm, nanometers; °C, degrees Celsius; µS/cm, microsiemens per centimeter; µg/L, micrograms per liter; <, less than; E, estimated; U, analyzed for but not detected; b, value extrapolated at low end; m, value is highly variable by this method; n, below the LRL and above the LT-MDL; t, below the long-term MDL]

Station number	Aluminum, water, filtered, µg/L (01106)	Barium, water, filtered, µg/L (01005)	Beryllium, water, filtered, µg/L (01010)	Cadmium, water, filtered, µg/L (01025)	Chromium, water, filtered, µg/L (01030)	Cobalt, water, filtered, µg/L (01035)	Copper, water, filtered, µg/L (01040)	Iron, water, filtered, µg/L (01046)	Lead, water, filtered, µg/L (01049)
	µg/L (01106)	µg/L (01005)	µg/L (01010)	µg/L (01025)	µg/L (01030)	µg/L (01035)	µg/L (01040)	µg/L (01046)	µg/L (01049)
463745119164601	< 2.2	62.7	< .006	< .016	0.86	0.350	1.6	4.5 n	0.076

## 463745119164601 Local number 13N/28E-11E02 PN17—Continued

**WATER-QUALITY DATA**  
**WATER YEAR OCTOBER 2011 TO SEPTEMBER 2012**

Part 6 of 16

[CaCO<sub>3</sub>, calcium carbonate; N, nitrogen; NTRU, nephelometric turbidity ratio unit; P, phosphorus; SiO<sub>2</sub>, silicon dioxide; ft, feet; mg/L, milligrams per liter; mm Hg, millimeters of mercury; nm, nanometers; °C, degrees Celsius; µS/cm, microsiemens per centimeter; µg/L, micrograms per liter; <, less than; E, estimated; U, analyzed for but not detected; b, value extrapolated at low end; m, value is highly variable by this method; n, below the LRL and above the LT-MDL; t, below the long-term MDL]

Station number	Lithium, water, filtered, µg/L (01130)	Manga- nese, water, filtered, µg/L (01056)	Molyb- denum, water, filtered, µg/L (01060)	Nickel, water, filtered, µg/L (01065)	Silver, water, filtered, µg/L (01075)	Strontium, water, filtered, µg/L (01080)	Thallium, water, filtered, µg/L (01057)	Vanadium, water, filtered, µg/L (01085)	Zinc, water, filtered, µg/L (01090)
463745119164601	6.06	0.18 n	4.86	1.4	< .005	533	< .010	5.9	< 1.4

**WATER-QUALITY DATA**  
**WATER YEAR OCTOBER 2011 TO SEPTEMBER 2012**

Part 7 of 16

[CaCO<sub>3</sub>, calcium carbonate; N, nitrogen; NTRU, nephelometric turbidity ratio unit; P, phosphorus; SiO<sub>2</sub>, silicon dioxide; ft, feet; mg/L, milligrams per liter; mm Hg, millimeters of mercury; nm, nanometers; °C, degrees Celsius; µS/cm, microsiemens per centimeter; µg/L, micrograms per liter; <, less than; E, estimated; U, analyzed for but not detected; b, value extrapolated at low end; m, value is highly variable by this method; n, below the LRL and above the LT-MDL; t, below the long-term MDL]

Station number	Antimony, water, filtered, µg/L (01095)	Arsenic, water, filtered, µg/L (01000)	Boron, water, filtered, µg/L (01020)	Selenium, water, filtered, µg/L (01145)	1-Naphthol, water, filtered (0.7 micron glass fiber filter), recoverable, µg/L (49295)	2,6- Diethyl- aniline, water, filtered (0.7 micron glass fiber filter), recover- able, µg/L (82660)	2-Chloro- 2',6'- diethyl- acetanil- ide, water, filtered, recover- able, µg/L (61618)	2-Chloro-4- isopropyl- amino-6- amino-s- triazine, water, filtered, recover- able, µg/L (04040)	2-Ethyl-6- methyl- aniline, water, filtered, recover- able, µg/L (61620)
463745119164601	0.230	3.2	120	0.90	< .0360 m	< .0060	< .010	E .010 m	< .010 m

## 463745119164601 Local number 13N/28E-11E02 PN17—Continued

**WATER-QUALITY DATA**  
**WATER YEAR OCTOBER 2011 TO SEPTEMBER 2012**

Part 8 of 16

[CaCO<sub>3</sub>, calcium carbonate; N, nitrogen; NTRU, nephelometric turbidity ratio unit; P, phosphorus; SiO<sub>2</sub>, silicon dioxide; ft, feet; mg/L, milligrams per liter; mm Hg, millimeters of mercury; nm, nanometers; °C, degrees Celsius; µS/cm, microsiemens per centimeter; µg/L, micrograms per liter; <, less than; E, estimated; U, analyzed for but not detected; b, value extrapolated at low end; m, value is highly variable by this method; n, below the LRL and above the LT-MDL; t, below the long-term MDL]

Station number	3,4-Dichloro-aniline, water, filtered, recoverable, µg/L (61625)	3,5-Di-chloro-aniline, water, filtered, recoverable, µg/L (61627)	4-Chloro-2-methyl-phenol, water, filtered, recoverable, µg/L (61633)	Aceto-chlor, water, filtered, recoverable, µg/L (49260)	Alachlor, water, filtered, recoverable, µg/L (46342)	alpha-Endo-sulfan, water, filtered, recoverable, µg/L (34362)	Atrazine, water, filtered, recoverable, µg/L (39632)	Azinphos-methyl oxygen analog, water, filtered, recoverable, µg/L (61635)	Azinphos-methyl, water, filtered (0.7 micron glass fiber filter), recoverable, µg/L (82686)
463745119164601	< .0060 m	< .006	< .0080 m	< .010	< .008	< .006	0.011	< .042 m	< .120 m

**WATER-QUALITY DATA**  
**WATER YEAR OCTOBER 2011 TO SEPTEMBER 2012**

Part 9 of 16

[CaCO<sub>3</sub>, calcium carbonate; N, nitrogen; NTRU, nephelometric turbidity ratio unit; P, phosphorus; SiO<sub>2</sub>, silicon dioxide; ft, feet; mg/L, milligrams per liter; mm Hg, millimeters of mercury; nm, nanometers; °C, degrees Celsius; µS/cm, microsiemens per centimeter; µg/L, micrograms per liter; <, less than; E, estimated; U, analyzed for but not detected; b, value extrapolated at low end; m, value is highly variable by this method; n, below the LRL and above the LT-MDL; t, below the long-term MDL]

Station number	Benfluralin, water, filtered (0.7 micron glass fiber filter), recoverable, µg/L (82673)	Carbaryl, water, filtered (0.7 micron glass fiber filter), recoverable, µg/L (82680)	Carbofuran, water, filtered (0.7 micron glass fiber filter), recoverable, µg/L (82674)	Chlorpyrifos oxygen analog, water, filtered, recoverable, µg/L (61636)	Chlorpyrifos, water, filtered, recoverable, µg/L (38933)	cis-Permethrin, water, filtered (0.7 micron glass fiber filter), recoverable, µg/L (82687)	cis-Propicon-azole, water, filtered, recoverable, µg/L (79846)	Cyanazine, water, filtered, recoverable, µg/L (04041)	Cyfluthrin, water, filtered, recoverable, µg/L (61585)
463745119164601	< .014	< .060 m	< .060 m	< .08 m	< .0036	< .010	< .008 m	< .022	< .016 m

## 463745119164601 Local number 13N/28E-11E02 PN17—Continued

**WATER-QUALITY DATA**  
**WATER YEAR OCTOBER 2011 TO SEPTEMBER 2012**

Part 10 of 16

[CaCO<sub>3</sub>, calcium carbonate; N, nitrogen; NTRU, nephelometric turbidity ratio unit; P, phosphorus; SiO<sub>2</sub>, silicon dioxide; ft, feet; mg/L, milligrams per liter; mm Hg, millimeters of mercury; nm, nanometers; °C, degrees Celsius; µS/cm, microsiemens per centimeter; µg/L, micrograms per liter; <, less than; E, estimated; U, analyzed for but not detected; b, value extrapolated at low end; m, value is highly variable by this method; n, below the LRL and above the LT-MDL; t, below the long-term MDL]

Station number	Cypermethrin, water, filtered, recoverable, µg/L (61586)	DCPA, water, filtered (0.7 micron glass fiber filter), recoverable, µg/L (82682)	Desulfinyl-fipronil amide, water, filtered, recoverable, µg/L (62169)	Desulfinyl-fipronil, water, filtered, recoverable, µg/L (62170)	Diazinon, water, filtered, recoverable, µg/L (39572)	Dichlorvos, water, filtered, recoverable, µg/L (38775)	Dicrotophos, water, filtered, recoverable, µg/L (38454)	Dieldrin, water, filtered, recoverable, µg/L (39381)	Dimethoate, water, filtered (0.7 micron glass fiber filter), recoverable, µg/L (82662)
463745119164601	< .020 m	< .0076	< .029 m	< .012	< .0060	< .04 m	< .08 m	< .008	< .0100 m

**WATER-QUALITY DATA**  
**WATER YEAR OCTOBER 2011 TO SEPTEMBER 2012**

Part 11 of 16

[CaCO<sub>3</sub>, calcium carbonate; N, nitrogen; NTRU, nephelometric turbidity ratio unit; P, phosphorus; SiO<sub>2</sub>, silicon dioxide; ft, feet; mg/L, milligrams per liter; mm Hg, millimeters of mercury; nm, nanometers; °C, degrees Celsius; µS/cm, microsiemens per centimeter; µg/L, micrograms per liter; <, less than; E, estimated; U, analyzed for but not detected; b, value extrapolated at low end; m, value is highly variable by this method; n, below the LRL and above the LT-MDL; t, below the long-term MDL]

Station number	Disulfoton sulfone, water, filtered, recoverable, µg/L (61640)	Disulfoton, water, filtered (0.7 micron glass fiber filter), recoverable, µg/L (82677)	Endosulfan sulfate, water, filtered, recoverable, µg/L (61590)	EPTC, water, filtered (0.7 micron glass fiber filter), recoverable, µg/L (82668)	Ethion monoxon, water, filtered, recoverable, µg/L (61644)	Ethion, water, filtered, recoverable, µg/L (82346)	Ethoprop, water, filtered (0.7 micron glass fiber filter), recoverable, µg/L (82672)	Fenamiphos sulfone, water, filtered, recoverable, µg/L (61645)	Fenamiphos sulfoxide, water, filtered, recoverable, µg/L (61646)
463745119164601	< .014	< .040 m	< .016	< .0056	< .021 m	< .010	< .016	< .054	< .08 m

## 463745119164601 Local number 13N/28E-11E02 PN17—Continued

**WATER-QUALITY DATA**  
**WATER YEAR OCTOBER 2011 TO SEPTEMBER 2012**

Part 12 of 16

[CaCO<sub>3</sub>, calcium carbonate; N, nitrogen; NTRU, nephelometric turbidity ratio unit; P, phosphorus; SiO<sub>2</sub>, silicon dioxide; ft, feet; mg/L, milligrams per liter; mm Hg, millimeters of mercury; nm, nanometers; °C, degrees Celsius; µS/cm, microsiemens per centimeter; µg/L, micrograms per liter; <, less than; E, estimated; U, analyzed for but not detected; b, value extrapolated at low end; m, value is highly variable by this method; n, below the LRL and above the LT-MDL; t, below the long-term MDL]

Station number	Fenami-phos, water, filtered, recoverable, µg/L (61591)	Fipronil sulfide, water, filtered, recoverable, µg/L (62167)	Fipronil sulfone, water, filtered, recoverable, µg/L (62168)	Fipronil, water, filtered, recoverable, µg/L (62166)	Fonofos, water, filtered, recoverable, µg/L (04095)	Hexa-zinone, water, filtered, recoverable, µg/L (04025)	Iprodione, water, filtered, recoverable, µg/L (61593)	Isofen-phos, water, filtered, recoverable, µg/L (61594)	lambda-Cyhalo-thrin, water, filtered, recoverable, µg/L (61595)
463745119164601	< .030	< .012	< .024	< .018 m	< .0048	0.063	< .014 m	< .008	< .010 m

**WATER-QUALITY DATA**  
**WATER YEAR OCTOBER 2011 TO SEPTEMBER 2012**

Part 13 of 16

[CaCO<sub>3</sub>, calcium carbonate; N, nitrogen; NTRU, nephelometric turbidity ratio unit; P, phosphorus; SiO<sub>2</sub>, silicon dioxide; ft, feet; mg/L, milligrams per liter; mm Hg, millimeters of mercury; nm, nanometers; °C, degrees Celsius; µS/cm, microsiemens per centimeter; µg/L, micrograms per liter; <, less than; E, estimated; U, analyzed for but not detected; b, value extrapolated at low end; m, value is highly variable by this method; n, below the LRL and above the LT-MDL; t, below the long-term MDL]

Station number	Malaoxon, water, filtered, recoverable, µg/L (61652)	Malathion, water, filtered, recoverable, µg/L (39532)	Metalaxyl, water, filtered, recoverable, µg/L (61596)	Methidathion, water, filtered, recoverable, µg/L (61598)	Methyl paraoxon, water, filtered, recoverable, µg/L (61664)	Methyl parathion, water, filtered (0.7 micron glass fiber filter), recoverable, µg/L (82667)	Metolachlor, water, filtered, recoverable, µg/L (39415)	Metribuzin, water, filtered, recoverable, µg/L (82630)	Molinate, water, filtered (0.7 micron glass fiber filter), recoverable, µg/L (82671)
463745119164601	< .022	< .016	0.003 bt	< .012	< .014 m	< .008	< .020	0.026	< .0040

## 463745119164601 Local number 13N/28E-11E02 PN17—Continued

**WATER-QUALITY DATA**  
**WATER YEAR OCTOBER 2011 TO SEPTEMBER 2012**

Part 14 of 16

[CaCO<sub>3</sub>, calcium carbonate; N, nitrogen; NTRU, nephelometric turbidity ratio unit; P, phosphorus; SiO<sub>2</sub>, silicon dioxide; ft, feet; mg/L, milligrams per liter; mm Hg, millimeters of mercury; nm, nanometers; °C, degrees Celsius; µS/cm, microsiemens per centimeter; µg/L, micrograms per liter; <, less than; E, estimated; U, analyzed for but not detected; b, value extrapolated at low end; m, value is highly variable by this method; n, below the LRL and above the LT-MDL; t, below the long-term MDL]

Station number	Myclobutanil, water, filtered, recoverable, µg/L (61599)	Oxyfluorfen, water, filtered, recoverable, µg/L (61600)	Pendimethalin, water, filtered (0.7 micron glass fiber filter), recoverable, µg/L (82683)	Phorate oxygen analog, water, filtered, recoverable, µg/L (61666)	Phorate, water, filtered (0.7 micron glass fiber filter), recoverable, µg/L (82664)	Phosmet oxygen analog, water, filtered, recoverable, µg/L (61668)	Phosmet, water, filtered, recoverable, µg/L (61601)	Prometon, water, filtered, recoverable, µg/L (04037)	Prometryn, water, filtered, recoverable, µg/L (04036)
463745119164601	< .010	< .010	< .012	< .027 m	< .020	< .0511 m	< .080 m	0.004 bt	< .010

**WATER-QUALITY DATA**  
**WATER YEAR OCTOBER 2011 TO SEPTEMBER 2012**

Part 15 of 16

[CaCO<sub>3</sub>, calcium carbonate; N, nitrogen; NTRU, nephelometric turbidity ratio unit; P, phosphorus; SiO<sub>2</sub>, silicon dioxide; ft, feet; mg/L, milligrams per liter; mm Hg, millimeters of mercury; nm, nanometers; °C, degrees Celsius; µS/cm, microsiemens per centimeter; µg/L, micrograms per liter; <, less than; E, estimated; U, analyzed for but not detected; b, value extrapolated at low end; m, value is highly variable by this method; n, below the LRL and above the LT-MDL; t, below the long-term MDL]

Station number	Propanil, water, filtered (0.7 micron glass fiber filter), recoverable, µg/L (82679)	Propargite, water, filtered (0.7 micron glass fiber filter), recoverable, µg/L (82685)	Propyzamide, water, filtered (0.7 micron glass fiber filter), recoverable, µg/L (82676)	Simazine, water, filtered, recoverable, µg/L (04035)	Tebu-thiuron, water, filtered (0.7 micron glass fiber filter), recoverable, µg/L (82670)	Tefluthrin, water, filtered, recoverable, µg/L (61606)	Terbufos oxygen analog sulfone, water, filtered, recoverable, µg/L (61674)	Terbufos, water, filtered (0.7 micron glass fiber filter), recoverable, µg/L (82675)	Terbuthylazine, water, filtered, recoverable, µg/L (04022)
463745119164601	< .010	< .020	< .0036	0.011	< .028	< .014 m	< .045	< .018	< .008

463745119164601 Local number 13N/28E-11E02 PN17—Continued

**WATER-QUALITY DATA**  
**WATER YEAR OCTOBER 2011 TO SEPTEMBER 2012**

Part 16 of 16

[CaCO<sub>3</sub>, calcium carbonate; N, nitrogen; NTRU, nephelometric turbidity ratio unit; P, phosphorus; SiO<sub>2</sub>, silicon dioxide; ft, feet; mg/L, milligrams per liter; mm Hg, millimeters of mercury; nm, nanometers; °C, degrees Celsius; µS/cm, microsiemens per centimeter; µg/L, micrograms per liter; <, less than; E, estimated; U, analyzed for but not detected; b, value extrapolated at low end; m, value is highly variable by this method; n, below the LRL and above the LT-MDL; t, below the long-term MDL]

Station number	Thioben- carb, water, filtered (0.7 micron glass fiber filter), recover- able, µg/L (82681)	trans- Propicon- azole, water, filtered, recover- able, µg/L (79847)	Tribuphos, water, filtered, recover- able, µg/L (61610)	Trifluralin, water, filtered (0.7 micron glass fiber filter), recover- able, µg/L (82661)	Uranium (natural), water, filtered, µg/L (22703)
463745119164601	<.016	<.018 m	<.018 m	<.018	11.0