

Water-Data Report 2012

463843119095201 Local number 13N/29E-03G01 ON59

Columbia Plateau basin-fill aquifers
Unclassified Overburden

Franklin County, WA

LOCATION.--Lat 46°38'43.10", long 119°09'52.43" referenced to North American Datum of 1983, in SW ¼ NE ¼ sec.3, T.13 N., R.29 E., Franklin County, WA, Hydrologic Unit 17020016.

GROUNDWATER RECORDS

WELL CHARACTERISTICS.--Depth 33.5 ft. Upper casing diameter 2 in; top of first opening 28.5 ft, bottom of last opening 33.5 ft.

DATUM.--Land-surface datum is 930 ft above National Geodetic Vertical Datum of 1929. Measuring point: Top of casing, 1.9 ft above land-surface datum, April 17, 1995, to present.

PERIOD OF RECORD.--April and June 1995, February and July 2002, July and August 2004, and July 2006 to current year.

WATER LEVELS IN FEET BELOW LAND-SURFACE DATUM WATER YEAR OCTOBER 2011 TO SEPTEMBER 2012

Date	Water level
Jul 19	18.61

463843119095201 Local number 13N/29E-03G01 ON59—Continued

WATER-QUALITY RECORDS

PERIOD OF RECORD.--June 1995, July 2002, August 2004, July 2006, July 2008, July 2010, July 2012.

**WATER-QUALITY DATA
WATER YEAR OCTOBER 2011 TO SEPTEMBER 2012**

Part 1 of 26

[CaCO₃, calcium carbonate; N, nitrogen; NTRU, nephelometric turbidity ratio unit; P, phosphorus; SiO₂, silicon dioxide; ft, feet; mg/L, milligrams per liter; mm Hg, millimeters of mercury; nm, nanometers; °C, degrees Celsius; µS/cm, microsiemens per centimeter; µg/L, micrograms per liter; <, less than; E, estimated; U, analyzed for but not detected; b, value extrapolated at low end; m, value is highly variable by this method; n, below the LRL and above the LT-MDL; t, below the long-term MDL]

Station number	Local identifier	Date	Sample start time	Barometric pressure, mm Hg (00025)	Temperature, air, °C (00020)	Depth to water level, ft below land surface (72019)	Dissolved oxygen, water, unfiltered, mg/L (00300)	Flow rate, instantaneous, gallons per minute (00059)
463843119095201	13N/29E-03G01 ON59	07-19-2012	1200	735	29.9	18.61	3.1	0.13

**WATER-QUALITY DATA
WATER YEAR OCTOBER 2011 TO SEPTEMBER 2012**

Part 2 of 26

[CaCO₃, calcium carbonate; N, nitrogen; NTRU, nephelometric turbidity ratio unit; P, phosphorus; SiO₂, silicon dioxide; ft, feet; mg/L, milligrams per liter; mm Hg, millimeters of mercury; nm, nanometers; °C, degrees Celsius; µS/cm, microsiemens per centimeter; µg/L, micrograms per liter; <, less than; E, estimated; U, analyzed for but not detected; b, value extrapolated at low end; m, value is highly variable by this method; n, below the LRL and above the LT-MDL; t, below the long-term MDL]

Station number	pH, water, unfiltered, field, standard units (00400)	Specific conductance, water, unfiltered, µS/cm at 25°C (00095)	Temperature, water, °C (00010)	Turbidity, water, unfiltered, broad band light source (400-680 nm), detectors at multiple angles including 90 +/- 30 degrees, ratiometric correction, NTRU (63676)	Pump or flow period prior to sampling, minutes (72004)	Sampling depth, ft (00003)	1,2-Dichloro-ethane-d4, surrogate, Schedule 2090, unfiltered, percent recovery (99832)	1-Bromo-4-fluoro-benzene, surrogate, VOC schedules, unfiltered, percent recovery (99834)
463843119095201	7.0	1,200	12.8	1.2	35	27.0	122	86.0

463843119095201 Local number 13N/29E-03G01 ON59—Continued

WATER-QUALITY DATA
WATER YEAR OCTOBER 2011 TO SEPTEMBER 2012

Part 3 of 26

[CaCO₃, calcium carbonate; N, nitrogen; NTRU, nephelometric turbidity ratio unit; P, phosphorus; SiO₂, silicon dioxide; ft, feet; mg/L, milligrams per liter; mm Hg, millimeters of mercury; nm, nanometers; °C, degrees Celsius; µS/cm, microsiemens per centimeter; µg/L, micrograms per liter; <, less than; E, estimated; U, analyzed for but not detected; b, value extrapolated at low end; m, value is highly variable by this method; n, below the LRL and above the LT-MDL; t, below the long-term MDL]

Station number	alpha- HCH-d6, surrogate, Schedule 2003, water, filtered, percent recovery (99995)	Diazinon- d10, surrogate, Schedule 2003, water, filtered, percent recovery (99994)	Toluene- d8, surrogate, Schedule 2090, water, unfiltered, percent recovery; (99833)	Dissolved solids dried at 180°C, water, filtered, mg/L (70300)	Calcium, water, filtered, mg/L (00915)	Magne- sium, water, filtered, mg/L (00925)	Potassium, water, filtered, mg/L (00935)	Sodium, water, filtered, mg/L (00930)	Alkalinity, water, filtered, inflection- point, incremental titration method, field, mg/L as CaCO ₃ (39086)
	463843119095201	104	85.4	94.7	788	101	32.3	3.33	133

WATER-QUALITY DATA
WATER YEAR OCTOBER 2011 TO SEPTEMBER 2012

Part 4 of 26

[CaCO₃, calcium carbonate; N, nitrogen; NTRU, nephelometric turbidity ratio unit; P, phosphorus; SiO₂, silicon dioxide; ft, feet; mg/L, milligrams per liter; mm Hg, millimeters of mercury; nm, nanometers; °C, degrees Celsius; µS/cm, microsiemens per centimeter; µg/L, micrograms per liter; <, less than; E, estimated; U, analyzed for but not detected; b, value extrapolated at low end; m, value is highly variable by this method; n, below the LRL and above the LT-MDL; t, below the long-term MDL]

Station number	Bicarbonate, water, filtered, inflection- point, incremental titration method, field, mg/L (00453)	Carbonate, water, filtered, inflection- point incremental titration method, field, mg/L (00452)	Chloride, water, filtered, mg/L (00940)	Fluoride, water, filtered, mg/L (00950)	Hydrogen sulfide, water, unfiltered, mg/L (71875)	Silica, water, filtered, mg/L as SiO ₂ (00955)	Sulfate, water, filtered, mg/L (00945)	Ammonia, water, filtered, mg/L as N (00608)	
	463843119095201	556	0.137	0.3	19.1	0.12	U	27.2	140

463843119095201 Local number 13N/29E-03G01 ON59—Continued

WATER-QUALITY DATA
WATER YEAR OCTOBER 2011 TO SEPTEMBER 2012

Part 5 of 26

[CaCO₃, calcium carbonate; N, nitrogen; NTRU, nephelometric turbidity ratio unit; P, phosphorus; SiO₂, silicon dioxide; ft, feet; mg/L, milligrams per liter; mm Hg, millimeters of mercury; nm, nanometers; °C, degrees Celsius; µS/cm, microsiemens per centimeter; µg/L, micrograms per liter; <, less than; E, estimated; U, analyzed for but not detected; b, value extrapolated at low end; m, value is highly variable by this method; n, below the LRL and above the LT-MDL; t, below the long-term MDL]

Station number	Nitrate plus nitrite, water, filtered, mg/L as N (00631)	Nitrite, water, filtered, mg/L as N (00613)	Orthophosphate, water, filtered, mg/L as P (00671)	Total nitrogen, water, filtered, analytically determined, mg/L (62854)	Aluminum, water, filtered, µg/L (01106)	Barium, water, filtered, µg/L (01005)	Beryllium, water, filtered, µg/L (01010)	Cadmium, water, filtered, µg/L (01025)	Chromium, water, filtered, µg/L (01030)
463843119095201	10.3	< .001	0.015	11.7	< 2.2	38.6	0.009 n	< .016	0.84

WATER-QUALITY DATA
WATER YEAR OCTOBER 2011 TO SEPTEMBER 2012

Part 6 of 26

[CaCO₃, calcium carbonate; N, nitrogen; NTRU, nephelometric turbidity ratio unit; P, phosphorus; SiO₂, silicon dioxide; ft, feet; mg/L, milligrams per liter; mm Hg, millimeters of mercury; nm, nanometers; °C, degrees Celsius; µS/cm, microsiemens per centimeter; µg/L, micrograms per liter; <, less than; E, estimated; U, analyzed for but not detected; b, value extrapolated at low end; m, value is highly variable by this method; n, below the LRL and above the LT-MDL; t, below the long-term MDL]

Station number	Cobalt, water, filtered, µg/L (01035)	Copper, water, filtered, µg/L (01040)	Iron, water, filtered, µg/L (01046)	Lead, water, filtered, µg/L (01049)	Lithium, water, filtered, µg/L (01130)	Manganese, water, filtered, µg/L (01056)	Molybdenum, water, filtered, µg/L (01060)	Nickel, water, filtered, µg/L (01065)	Silver, water, filtered, µg/L (01075)
463843119095201	0.263	< .80	5.6 n	0.039 n	6.08	0.17 n	0.351	1.8	< .005

WATER-QUALITY DATA
WATER YEAR OCTOBER 2011 TO SEPTEMBER 2012

Part 7 of 26

[CaCO₃, calcium carbonate; N, nitrogen; NTRU, nephelometric turbidity ratio unit; P, phosphorus; SiO₂, silicon dioxide; ft, feet; mg/L, milligrams per liter; mm Hg, millimeters of mercury; nm, nanometers; °C, degrees Celsius; µS/cm, microsiemens per centimeter; µg/L, micrograms per liter; <, less than; E, estimated; U, analyzed for but not detected; b, value extrapolated at low end; m, value is highly variable by this method; n, below the LRL and above the LT-MDL; t, below the long-term MDL]

Station number	Strontium, water, filtered, µg/L (01080)	Thallium, water, filtered, µg/L (01057)	Vanadium, water, filtered, µg/L (01085)	Zinc, water, filtered, µg/L (01090)	Antimony, water, filtered, µg/L (01095)	Arsenic, water, filtered, µg/L (01000)	Boron, water, filtered, µg/L (01020)	Selenium, water, filtered, µg/L (01145)	1,2,3-Trichloropropane, water, unfiltered, recoverable, µg/L (77443)
463843119095201	524	< .010	7.0	< 1.4	0.052 n	1.3	102	0.19	< .120

463843119095201 Local number 13N/29E-03G01 ON59—Continued

WATER-QUALITY DATA
WATER YEAR OCTOBER 2011 TO SEPTEMBER 2012

Part 8 of 26

[CaCO₃, calcium carbonate; N, nitrogen; NTRU, nephelometric turbidity ratio unit; P, phosphorus; SiO₂, silicon dioxide; ft, feet; mg/L, milligrams per liter; mm Hg, millimeters of mercury; nm, nanometers; °C, degrees Celsius; µS/cm, microsiemens per centimeter; µg/L, micrograms per liter; <, less than; E, estimated; U, analyzed for but not detected; b, value extrapolated at low end; m, value is highly variable by this method; n, below the LRL and above the LT-MDL; t, below the long-term MDL]

Station number	1,2-Dibromo-3-chloro-propane, water, unfiltered, recoverable, µg/L (82625)	1,2-Dibromo-ethane, water, unfiltered, recoverable, µg/L (77651)	1,2-Dichloro-ethane, water, unfiltered, recoverable, µg/L (32103)	1,2-Dichloro-propane, water, unfiltered, recoverable, µg/L (34541)	1,3-Dichloro-propane, water, unfiltered, recoverable, µg/L (77173)	1,4-Dichloro-benzene, water, unfiltered, recoverable, µg/L (34571)	1-Naphthol, water, filtered (0.7 micron glass fiber filter), recoverable, µg/L (49295)	2,6-Diethyl-aniline, water, filtered (0.7 micron glass fiber filter), recoverable, µg/L (82660)	2-Chloro-2',6'-diethyl-acetanilide, water, filtered, recoverable, µg/L (61618)
463843119095201	< .03	< .018	< .08	< .0260	< .06	< .026	< .0360 m	< .0060	< .010

WATER-QUALITY DATA
WATER YEAR OCTOBER 2011 TO SEPTEMBER 2012

Part 9 of 26

[CaCO₃, calcium carbonate; N, nitrogen; NTRU, nephelometric turbidity ratio unit; P, phosphorus; SiO₂, silicon dioxide; ft, feet; mg/L, milligrams per liter; mm Hg, millimeters of mercury; nm, nanometers; °C, degrees Celsius; µS/cm, microsiemens per centimeter; µg/L, micrograms per liter; <, less than; E, estimated; U, analyzed for but not detected; b, value extrapolated at low end; m, value is highly variable by this method; n, below the LRL and above the LT-MDL; t, below the long-term MDL]

Station number	2-Chloro-4-isopropyl-amino-6-amino-s-triazine, water, filtered, recoverable, µg/L (04040)	2-Ethyl-6-methyl-aniline, water, filtered, recoverable, µg/L (61620)	3,4-Dichloro-aniline, water, filtered, recoverable, µg/L (61625)	3,5-Dichloro-aniline, water, filtered, recoverable, µg/L (61627)	3-Chloro-propene, water, unfiltered, recoverable, µg/L (78109)	4-Chloro-2-methyl-phenol, water, filtered, recoverable, µg/L (61633)	Aceto-chlor, water, filtered, recoverable, µg/L (49260)	Acrylo-nitrile, water, unfiltered, recoverable, µg/L (34215)	Alachlor, water, filtered, recoverable, µg/L (46342)
463843119095201	E .010 m	< .010 m	E .0026 bmt	< .006	< .08 m	< .0080 m	< .010	< .48	< .008

463843119095201 Local number 13N/29E-03G01 ON59—Continued

WATER-QUALITY DATA
WATER YEAR OCTOBER 2011 TO SEPTEMBER 2012

Part 10 of 26

[CaCO₃, calcium carbonate; N, nitrogen; NTRU, nephelometric turbidity ratio unit; P, phosphorus; SiO₂, silicon dioxide; ft, feet; mg/L, milligrams per liter; mm Hg, millimeters of mercury; nm, nanometers; °C, degrees Celsius; µS/cm, microsiemens per centimeter; µg/L, micrograms per liter; <, less than; E, estimated; U, analyzed for but not detected; b, value extrapolated at low end; m, value is highly variable by this method; n, below the LRL and above the LT-MDL; t, below the long-term MDL]

Station number	alpha-Endo-sulfan, water, filtered, recoverable, µg/L (34362)	Atrazine, water, filtered, recoverable, µg/L (39632)	Azinphos-methyl oxygen analog, water, filtered, recoverable, µg/L (61635)	Azinphos-methyl, water, filtered (0.7 micron glass fiber filter), recoverable, µg/L (82686)	Benfluralin, water, filtered (0.7 micron glass fiber filter), recoverable, µg/L (82673)	Bromo-methane, water, unfiltered, recoverable, µg/L (34413)	Carbaryl, water, filtered (0.7 micron glass fiber filter), recoverable, µg/L (82680)	Carbofuran, water, filtered (0.7 micron glass fiber filter), recoverable, µg/L (82674)	Carbon disulfide, water, unfiltered, µg/L (77041)
463843119095201	< .006	0.006 bn	< .042 m	< .120 m	< .014	< .2 m	< .060 m	< .060 m	< .1 m

WATER-QUALITY DATA
WATER YEAR OCTOBER 2011 TO SEPTEMBER 2012

Part 11 of 26

[CaCO₃, calcium carbonate; N, nitrogen; NTRU, nephelometric turbidity ratio unit; P, phosphorus; SiO₂, silicon dioxide; ft, feet; mg/L, milligrams per liter; mm Hg, millimeters of mercury; nm, nanometers; °C, degrees Celsius; µS/cm, microsiemens per centimeter; µg/L, micrograms per liter; <, less than; E, estimated; U, analyzed for but not detected; b, value extrapolated at low end; m, value is highly variable by this method; n, below the LRL and above the LT-MDL; t, below the long-term MDL]

Station number	Chlorpyrifos oxygen analog, water, filtered, recoverable, µg/L (61636)	Chlorpyrifos, water, filtered, recoverable, µg/L (38933)	cis-1,3-Dichloro-propene, water, unfiltered, recoverable, µg/L (34704)	cis-Permethrin, water, filtered (0.7 micron glass fiber filter), recoverable, µg/L (82687)	cis-Propiconazole, water, filtered, recoverable, µg/L (79846)	Cyanazine, water, filtered, recoverable, µg/L (04041)	Cyfluthrin, water, filtered, recoverable, µg/L (61585)	Cypermethrin, water, filtered, recoverable, µg/L (61586)	DCPA, water, filtered (0.7 micron glass fiber filter), recoverable, µg/L (82682)
463843119095201	< .08 m	< .0036	< .10	< .010	< .008 m	< .022	< .016 m	< .020 m	< .0076

463843119095201 Local number 13N/29E-03G01 ON59—Continued

WATER-QUALITY DATA
WATER YEAR OCTOBER 2011 TO SEPTEMBER 2012

Part 12 of 26

[CaCO₃, calcium carbonate; N, nitrogen; NTRU, nephelometric turbidity ratio unit; P, phosphorus; SiO₂, silicon dioxide; ft, feet; mg/L, milligrams per liter; mm Hg, millimeters of mercury; nm, nanometers; °C, degrees Celsius; µS/cm, microsiemens per centimeter; µg/L, micrograms per liter; <, less than; E, estimated; U, analyzed for but not detected; b, value extrapolated at low end; m, value is highly variable by this method; n, below the LRL and above the LT-MDL; t, below the long-term MDL]

Station number	Desulfinyl- fipronil amide, water, filtered, recover- able, µg/L (62169)	Desulfinyl- fipronil, water, filtered, recover- able, µg/L (62170)	Diazinon, water, filtered, recover- able, µg/L (39572)	Dichlor- vos, water, filtered, recover- able, µg/L (38775)	Dicroto- phos, water, filtered, recover- able, µg/L (38454)	Dieldrin, water, filtered, recover- able, µg/L (39381)	Dimethoate, water, filtered (0.7 micron glass fiber filter), recoverable, µg/L (82662)	Disulfoton sulfone, water, filtered, recover- able, µg/L (61640)	Disulfoton, water, filtered (0.7 micron glass fiber filter), recover- able, µg/L (82677)
463843119095201	< .029 m	< .012	< .0060	< .04 m	< .08 m	< .008	< .0100 m	< .014	< .040 m

WATER-QUALITY DATA
WATER YEAR OCTOBER 2011 TO SEPTEMBER 2012

Part 13 of 26

[CaCO₃, calcium carbonate; N, nitrogen; NTRU, nephelometric turbidity ratio unit; P, phosphorus; SiO₂, silicon dioxide; ft, feet; mg/L, milligrams per liter; mm Hg, millimeters of mercury; nm, nanometers; °C, degrees Celsius; µS/cm, microsiemens per centimeter; µg/L, micrograms per liter; <, less than; E, estimated; U, analyzed for but not detected; b, value extrapolated at low end; m, value is highly variable by this method; n, below the LRL and above the LT-MDL; t, below the long-term MDL]

Station number	Endosulfan sulfate, water, filtered, recover- able, µg/L (61590)	EPTC, water, filtered (0.7 micron glass fiber filter), recover- able, µg/L (82668)	Ethion monoxon, water, filtered, recover- able, µg/L (61644)	Ethion, water, filtered, recover- able, µg/L (82346)	Ethoprop, water, filtered (0.7 micron glass fiber filter), recover- able, µg/L (82672)	Fenami- phos sulfone, water, filtered, recover- able, µg/L (61645)	Fenami- phos sulfoxide, water, filtered, recover- able, µg/L (61646)	Fenami- phos, water, filtered, recover- able, µg/L (61591)	Fipronil sulfide, water, filtered, recover- able, µg/L (62167)
463843119095201	< .016	< .0056	< .021 m	< .010	< .016	< .054	< .08 m	< .030	< .012

463843119095201 Local number 13N/29E-03G01 ON59—Continued

WATER-QUALITY DATA
WATER YEAR OCTOBER 2011 TO SEPTEMBER 2012

Part 14 of 26

[CaCO₃, calcium carbonate; N, nitrogen; NTRU, nephelometric turbidity ratio unit; P, phosphorus; SiO₂, silicon dioxide; ft, feet; mg/L, milligrams per liter; mm Hg, millimeters of mercury; nm, nanometers; °C, degrees Celsius; µS/cm, microsiemens per centimeter; µg/L, micrograms per liter; <, less than; E, estimated; U, analyzed for but not detected; b, value extrapolated at low end; m, value is highly variable by this method; n, below the LRL and above the LT-MDL; t, below the long-term MDL]

Station number	Fipronil sulfone, water, filtered, recoverable, µg/L (62168)	Fipronil, water, filtered, recoverable, µg/L (62166)	Fonofos, water, filtered, recoverable, µg/L (04095)	Hexazinone, water, filtered, recoverable, µg/L (04025)	Iodomethane, water, unfiltered, recoverable, µg/L (77424)	Iprodione, water, filtered, recoverable, µg/L (61593)	Isofenphos, water, filtered, recoverable, µg/L (61594)	lambda-Cyhalothrin, water, filtered, recoverable, µg/L (61595)	Malaoxon, water, filtered, recoverable, µg/L (61652)
463843119095201	< .024	< .018 m	< .0048	< .012	< .26 m	< .014 m	< .008	E .034 m	< .022

WATER-QUALITY DATA
WATER YEAR OCTOBER 2011 TO SEPTEMBER 2012

Part 15 of 26

[CaCO₃, calcium carbonate; N, nitrogen; NTRU, nephelometric turbidity ratio unit; P, phosphorus; SiO₂, silicon dioxide; ft, feet; mg/L, milligrams per liter; mm Hg, millimeters of mercury; nm, nanometers; °C, degrees Celsius; µS/cm, microsiemens per centimeter; µg/L, micrograms per liter; <, less than; E, estimated; U, analyzed for but not detected; b, value extrapolated at low end; m, value is highly variable by this method; n, below the LRL and above the LT-MDL; t, below the long-term MDL]

Station number	Malathion, water, filtered, recoverable, µg/L (39532)	Metalaxyl, water, filtered, recoverable, µg/L (61596)	Methidathion, water, filtered, recoverable, µg/L (61598)	Methyl paraoxon, water, filtered, recoverable, µg/L (61664)	Methyl parathion, water, filtered (0.7 micron glass fiber filter), recoverable, µg/L (82667)	Metolachlor, water, filtered, recoverable, µg/L (39415)	Metribuzin, water, filtered, recoverable, µg/L (82630)	Molinate, water, filtered (0.7 micron glass fiber filter), recoverable, µg/L (82671)	Myclobutanil, water, filtered, recoverable, µg/L (61599)
463843119095201	< .016	0.246	< .012	< .014 m	< .008	< .020	< .012	< .0040	0.013

463843119095201 Local number 13N/29E-03G01 ON59—Continued

WATER-QUALITY DATA
WATER YEAR OCTOBER 2011 TO SEPTEMBER 2012

Part 16 of 26

[CaCO₃, calcium carbonate; N, nitrogen; NTRU, nephelometric turbidity ratio unit; P, phosphorus; SiO₂, silicon dioxide; ft, feet; mg/L, milligrams per liter; mm Hg, millimeters of mercury; nm, nanometers; °C, degrees Celsius; µS/cm, microsiemens per centimeter; µg/L, micrograms per liter; <, less than; E, estimated; U, analyzed for but not detected; b, value extrapolated at low end; m, value is highly variable by this method; n, below the LRL and above the LT-MDL; t, below the long-term MDL]

Station number	Oxy-fluorfen, water, filtered, recoverable, µg/L (61600)	Pendi-methalin, water, filtered (0.7 micron glass fiber filter), recoverable, µg/L (82683)	Phorate oxygen analog, water, filtered, recoverable, µg/L (61666)	Phorate, water, filtered (0.7 micron glass fiber filter), recoverable, µg/L (82664)	Phosmet oxygen analog, water, filtered, recoverable, µg/L (61668)	Phosmet, water, filtered, recoverable, µg/L (61601)	Prometon, water, filtered, recoverable, µg/L (04037)	Prometryn, water, filtered, recoverable, µg/L (04036)	Propanil, water, filtered (0.7 micron glass fiber filter), recoverable, µg/L (82679)
463843119095201	< .010	< .012	< .027 m	< .020	< .0511 m	< .080 m	< .012	< .010	< .010

WATER-QUALITY DATA
WATER YEAR OCTOBER 2011 TO SEPTEMBER 2012

Part 17 of 26

[CaCO₃, calcium carbonate; N, nitrogen; NTRU, nephelometric turbidity ratio unit; P, phosphorus; SiO₂, silicon dioxide; ft, feet; mg/L, milligrams per liter; mm Hg, millimeters of mercury; nm, nanometers; °C, degrees Celsius; µS/cm, microsiemens per centimeter; µg/L, micrograms per liter; <, less than; E, estimated; U, analyzed for but not detected; b, value extrapolated at low end; m, value is highly variable by this method; n, below the LRL and above the LT-MDL; t, below the long-term MDL]

Station number	Propargite, water, filtered (0.7 micron glass fiber filter), recoverable, µg/L (82685)	Propyz-amide, water, filtered (0.7 micron glass fiber filter), recoverable, µg/L (82676)	Simazine, water, filtered, recoverable, µg/L (04035)	Tebu-thiuron, water, filtered (0.7 micron glass fiber filter), recoverable, µg/L (82670)	Tefluthrin, water, filtered, recoverable, µg/L (61606)	Terbufos oxygen sulfone, water, filtered, recoverable, µg/L (61674)	Terbufos, water, filtered (0.7 micron glass fiber filter), recoverable, µg/L (82675)	Terbuthyl-azine, water, filtered, recoverable, µg/L (04022)	Thioben-carb, water, filtered (0.7 micron glass fiber filter), recoverable, µg/L (82681)
463843119095201	< .020	< .0036	0.011	< .028	< .014 m	< .045	< .018	< .008	< .016

463843119095201 Local number 13N/29E-03G01 ON59—Continued

WATER-QUALITY DATA
WATER YEAR OCTOBER 2011 TO SEPTEMBER 2012

Part 18 of 26

[CaCO₃, calcium carbonate; N, nitrogen; NTRU, nephelometric turbidity ratio unit; P, phosphorus; SiO₂, silicon dioxide; ft, feet; mg/L, milligrams per liter; mm Hg, millimeters of mercury; nm, nanometers; °C, degrees Celsius; µS/cm, microsiemens per centimeter; µg/L, micrograms per liter; <, less than; E, estimated; U, analyzed for but not detected; b, value extrapolated at low end; m, value is highly variable by this method; n, below the LRL and above the LT-MDL; t, below the long-term MDL]

Station number	trans-1,3-Dichloropropene, water, unfiltered, recoverable, µg/L (34699)	trans-Propiconazole, water, filtered, recoverable, µg/L (79847)	Tribuphos, water, filtered, recoverable, µg/L (61610)	Trifluralin, water, filtered, glass fiber filter), recoverable, µg/L (82661)	1,1,1,2-Tetra-chloro-ethane, water, unfiltered, recoverable, µg/L (77562)	1,1,1-Tri-chloro-ethane, water, unfiltered, recoverable, µg/L (34506)	1,1,2,2-Tetra-chloro-ethane, water, unfiltered, recoverable, µg/L (34516)	1,1,2-Tri-chloro-1,2,2-trifluoro-ethane, water, unfiltered, recoverable, µg/L (77652)	1,1,2-Tri-chloro-ethane, water, unfiltered, recoverable, µg/L (34511)
463843119095201	< .14	< .018 m	< .018 m	< .018	< .040	< .030	< .14	< .022	< .046

WATER-QUALITY DATA
WATER YEAR OCTOBER 2011 TO SEPTEMBER 2012

Part 19 of 26

[CaCO₃, calcium carbonate; N, nitrogen; NTRU, nephelometric turbidity ratio unit; P, phosphorus; SiO₂, silicon dioxide; ft, feet; mg/L, milligrams per liter; mm Hg, millimeters of mercury; nm, nanometers; °C, degrees Celsius; µS/cm, microsiemens per centimeter; µg/L, micrograms per liter; <, less than; E, estimated; U, analyzed for but not detected; b, value extrapolated at low end; m, value is highly variable by this method; n, below the LRL and above the LT-MDL; t, below the long-term MDL]

Station number	1,1-Di-chloro-ethane, water, unfiltered, recoverable, µg/L (34496)	1,1-Di-chloro-ethene, water, unfiltered, recoverable, µg/L (34501)	1,1-Di-chloro-propene, water, unfiltered, recoverable, µg/L (77168)	1,2,3,4-Tetra-methyl-benzene, water, unfiltered, recoverable, µg/L (49999)	1,2,3,5-Tetra-methyl-benzene, water, unfiltered, recoverable, µg/L (50000)	1,2,3-Tri-chloro-benzene, water, unfiltered, recoverable, µg/L (77613)	1,2,3-Tri-methyl-benzene, water, unfiltered, recoverable, µg/L (77221)	1,2,4-Tri-chloro-benzene, water, unfiltered, recoverable, µg/L (34551)	1,2,4-Tri-methyl-benzene, water, unfiltered, recoverable, µg/L (77222)
463843119095201	< .044	< .022	< .040	< .10	< .080	< .06	< .060	< .08	< .032

463843119095201 Local number 13N/29E-03G01 ON59—Continued

WATER-QUALITY DATA
WATER YEAR OCTOBER 2011 TO SEPTEMBER 2012

Part 20 of 26

[CaCO₃, calcium carbonate; N, nitrogen; NTRU, nephelometric turbidity ratio unit; P, phosphorus; SiO₂, silicon dioxide; ft, feet; mg/L, milligrams per liter; mm Hg, millimeters of mercury; nm, nanometers; °C, degrees Celsius; µS/cm, microsiemens per centimeter; µg/L, micrograms per liter; <, less than; E, estimated; U, analyzed for but not detected; b, value extrapolated at low end; m, value is highly variable by this method; n, below the LRL and above the LT-MDL; t, below the long-term MDL]

Station number	1,2-Dichloro-benzene, water, unfiltered, recoverable, µg/L (34536)	1,3,5-Tri-methyl-benzene, water, unfiltered, recoverable, µg/L (77226)	1,3-Dichloro-benzene, water, unfiltered, recoverable, µg/L (34566)	2,2-Di-chloro-propane, water, unfiltered, recoverable, µg/L (77170)	2-Chloro-toluene, water, unfiltered, recoverable, µg/L (77275)	2-Ethyl-toluene, water, unfiltered, recoverable, µg/L (77220)	4-Chloro-toluene, water, unfiltered, recoverable, µg/L (77277)	4-Iso-propyl-toluene, water, unfiltered, recoverable, µg/L (77356)	Acetone, water, unfiltered, recoverable, µg/L (81552)
463843119095201	< .028	< .032	< .024	< .06	< .028	< .032	< .042	< .06	< 3.4

WATER-QUALITY DATA
WATER YEAR OCTOBER 2011 TO SEPTEMBER 2012

Part 21 of 26

[CaCO₃, calcium carbonate; N, nitrogen; NTRU, nephelometric turbidity ratio unit; P, phosphorus; SiO₂, silicon dioxide; ft, feet; mg/L, milligrams per liter; mm Hg, millimeters of mercury; nm, nanometers; °C, degrees Celsius; µS/cm, microsiemens per centimeter; µg/L, micrograms per liter; <, less than; E, estimated; U, analyzed for but not detected; b, value extrapolated at low end; m, value is highly variable by this method; n, below the LRL and above the LT-MDL; t, below the long-term MDL]

Station number	Benzene, water, unfiltered, recoverable, µg/L (34030)	Bromo-benzene, water, unfiltered, recoverable, µg/L (81555)	Bromo-chloro-methane, water, unfiltered, recoverable, µg/L (77297)	Bromo-dichloro-methane, water, unfiltered, recoverable, µg/L (32101)	Bromo-ethene, water, unfiltered, recoverable, µg/L (50002)	Chloro-benzene, water, unfiltered, recoverable, µg/L (34301)	Chloro-ethane, water, unfiltered, recoverable, µg/L (34311)	Chloro-methane, water, unfiltered, recoverable, µg/L (34418)	cis-1,2-Di-chloro-ethene, water, unfiltered, recoverable, µg/L (77093)
463843119095201	< .026	< .022	< .06	< .034	< .12	< .026	< .06	< .1 m	< .022

WATER-QUALITY DATA
WATER YEAR OCTOBER 2011 TO SEPTEMBER 2012

Part 22 of 26

[CaCO₃, calcium carbonate; N, nitrogen; NTRU, nephelometric turbidity ratio unit; P, phosphorus; SiO₂, silicon dioxide; ft, feet; mg/L, milligrams per liter; mm Hg, millimeters of mercury; nm, nanometers; °C, degrees Celsius; µS/cm, microsiemens per centimeter; µg/L, micrograms per liter; <, less than; E, estimated; U, analyzed for but not detected; b, value extrapolated at low end; m, value is highly variable by this method; n, below the LRL and above the LT-MDL; t, below the long-term MDL]

Station number	Dibromo-chloro-methane, water, unfiltered, recoverable, µg/L (32105)	Dibromo-methane, water, unfiltered, recoverable, µg/L (30217)	Dichloro-difluoro-methane, water, unfiltered, recoverable, µg/L (34668)	Dichloro-methane, water, unfiltered, recoverable, µg/L (34423)	Diethyl ether, water, unfiltered, recoverable, µg/L (81576)	Diiso-propyl ether, water, unfiltered, recoverable, µg/L (81577)	Ethyl metha-crylate, water, unfiltered, recoverable, µg/L (73570)	Ethyl methyl ketone, water, unfiltered, recoverable, µg/L (81595)	Ethyl-benzene, water, unfiltered, recoverable, µg/L (34371)
463843119095201	< .12	< .050	< .10 m	< .04	< .1	< .06	< .20	< 1.6	< .036

463843119095201 Local number 13N/29E-03G01 ON59—Continued

WATER-QUALITY DATA

WATER YEAR OCTOBER 2011 TO SEPTEMBER 2012

Part 23 of 26

[CaCO₃, calcium carbonate; N, nitrogen; NTRU, nephelometric turbidity ratio unit; P, phosphorus; SiO₂, silicon dioxide; ft, feet; mg/L, milligrams per liter; mm Hg, millimeters of mercury; nm, nanometers; °C, degrees Celsius; µS/cm, microsiemens per centimeter; µg/L, micrograms per liter; <, less than; E, estimated; U, analyzed for but not detected; b, value extrapolated at low end; m, value is highly variable by this method; n, below the LRL and above the LT-MDL; t, below the long-term MDL]

Station number	Hexa-chloro-butadiene, water, unfiltered, recoverable, µg/L (39702)	Hexa-chloro-ethane, water, unfiltered, recoverable, µg/L (34396)	Isobutyl methyl ketone, water, unfiltered, recoverable, µg/L (78133)	Isopropyl-benzene, water, unfiltered, recoverable, µg/L (77223)	Methyl acrylate, water, unfiltered, recoverable, µg/L (49991)	Methyl acrylonitrile, water, unfiltered, recoverable, µg/L (81593)	Methyl methacrylate, water, unfiltered, recoverable, µg/L (81597)	Methyl tert-butyl ether, water, unfiltered, recoverable, µg/L (78032)	Methyl tert-pentyl ether, water, unfiltered, recoverable, µg/L (50005)
463843119095201	< .08	< .10	< .32	< .042	< .8	< .26	< .22	< .10	< .06

WATER-QUALITY DATA

WATER YEAR OCTOBER 2011 TO SEPTEMBER 2012

Part 24 of 26

[CaCO₃, calcium carbonate; N, nitrogen; NTRU, nephelometric turbidity ratio unit; P, phosphorus; SiO₂, silicon dioxide; ft, feet; mg/L, milligrams per liter; mm Hg, millimeters of mercury; nm, nanometers; °C, degrees Celsius; µS/cm, microsiemens per centimeter; µg/L, micrograms per liter; <, less than; E, estimated; U, analyzed for but not detected; b, value extrapolated at low end; m, value is highly variable by this method; n, below the LRL and above the LT-MDL; t, below the long-term MDL]

Station number	m-Xylene plus p-xylene, water, unfiltered, recoverable, µg/L (85795)	Naphthalene, water, unfiltered, recoverable, µg/L (34696)	n-Butyl methyl ketone, water, unfiltered, recoverable, µg/L (77103)	n-Butyl-benzene, water, unfiltered, recoverable, µg/L (77342)	n-Propyl-benzene, water, unfiltered, recoverable, µg/L (77224)	o-Xylene, water, unfiltered, recoverable, µg/L (77135)	sec-Butyl-benzene, water, unfiltered, recoverable, µg/L (77350)	Styrene, water, unfiltered, recoverable, µg/L (77128)	tert-Butyl ethyl ether, water, unfiltered, recoverable, µg/L (50004)
463843119095201	< .08	< .18	< .4	< .08	< .036	< .032	< .034	< .042	< .032

WATER-QUALITY DATA

WATER YEAR OCTOBER 2011 TO SEPTEMBER 2012

Part 25 of 26

[CaCO₃, calcium carbonate; N, nitrogen; NTRU, nephelometric turbidity ratio unit; P, phosphorus; SiO₂, silicon dioxide; ft, feet; mg/L, milligrams per liter; mm Hg, millimeters of mercury; nm, nanometers; °C, degrees Celsius; µS/cm, microsiemens per centimeter; µg/L, micrograms per liter; <, less than; E, estimated; U, analyzed for but not detected; b, value extrapolated at low end; m, value is highly variable by this method; n, below the LRL and above the LT-MDL; t, below the long-term MDL]

Station number	tert-Butyl-benzene, water, unfiltered, recoverable, µg/L (77353)	Tetra-chloro-ethene, water, unfiltered, recoverable, µg/L (34475)	Tetra-chloro-methane, water, unfiltered, recoverable, µg/L (32102)	Tetra-hydro-furan, water, unfiltered, recoverable, µg/L (81607)	Toluene, water, unfiltered, recoverable, µg/L (34010)	trans-1,2-Dichloro-ethene, water, unfiltered, recoverable, µg/L (34546)	trans-1,4-Dichloro-2-butene, water, unfiltered, recoverable, µg/L (73547)	Tribromo-methane, water, unfiltered, recoverable, µg/L (32104)	Trichloro-ethene, water, unfiltered, recoverable, µg/L (39180)
463843119095201	< .060	< .026	< .06	< 1.4	< .02	< .018	< 2.0 m	< .10	< .022

463843119095201 Local number 13N/29E-03G01 ON59—Continued

WATER-QUALITY DATA
WATER YEAR OCTOBER 2011 TO SEPTEMBER 2012

Part 26 of 26

[CaCO₃, calcium carbonate; N, nitrogen; NTRU, nephelometric turbidity ratio unit; P, phosphorus; SiO₂, silicon dioxide; ft, feet; mg/L, milligrams per liter; mm Hg, millimeters of mercury; nm, nanometers; °C, degrees Celsius; μS/cm, microsiemens per centimeter; μg/L, micrograms per liter; <, less than; E, estimated; U, analyzed for but not detected; b, value extrapolated at low end; m, value is highly variable by this method; n, below the LRL and above the LT-MDL; t, below the long-term MDL]

Station number	Trichloro- fluoro- methane, water, unfiltered, recover- able, μg/L (34488)	Trichloro- methane, water, unfiltered, recover- able, μg/L (32106)	Vinyl chloride, water, unfiltered, recover- able, μg/L (39175)	Uranium (natural), water, filtered, μg/L (22703)
463843119095201	< .06	0.04	< .06	23.4