



Water-Data Report 2012

470518118523601 Local number 19N/31E-35R02 SU28

Columbia Plateau basaltic-rock aquifers
Columbia River Basalt Group

Adams County, WA

LOCATION.--Lat 47°05'18.94", long 118°52'30.43" referenced to North American Datum of 1983, in SE ¼ SE ¼ sec.35, T.19 N., R.31 E., Adams County, WA, Hydrologic Unit 17020015, near Moses Lake.

WATER-QUALITY RECORDS

WELL CHARACTERISTICS.--Depth 430 ft. Upper casing diameter 12 in; top of first opening 47 ft, bottom of last opening 430 ft.

DATUM.--Land-surface datum is 1,240 ft above National Geodetic Vertical Datum of 1929. Measuring point: Undefined.

PERIOD OF RECORD.--August 1994, August and Septemeber 2002, September 2004, August 2006, July 2008, July 2010, July 2012.

**WATER-QUALITY DATA
WATER YEAR OCTOBER 2011 TO SEPTEMBER 2012**

Part 1 of 25

[CaCO₃, calcium carbonate; N, nitrogen; NTRU, nephelometric turbidity ratio unit; P, phosphorus; SiO₂, silicon dioxide; mg/L, milligrams per liter; mm Hg, millimeters of mercury; nm, nanometers; °C, degrees Celsius; µS/cm, microsiemens per centimeter; µg/L, micrograms per liter; <, less than; U, analyzed for but not detected; m, value is highly variable by this method; n, below the LRL and above the LT-MDL; t, below the long-term MDL]

Station number	Local identifier	Date	Sample start time	Barometric pressure, mm Hg (00025)	Temperature, air, °C (00020)	Dissolved oxygen, unfiltered, water, mg/L (00300)	Flow rate, instantaneous, gallons per minute (00059)	pH, water, unfiltered, field, standard units (00400)
470518118523601	19N/31E-35R02 SU28	07-26-2012	1030	725	31.5	9.3	0.13	7.3

**WATER-QUALITY DATA
WATER YEAR OCTOBER 2011 TO SEPTEMBER 2012**

Part 2 of 25

[CaCO₃, calcium carbonate; N, nitrogen; NTRU, nephelometric turbidity ratio unit; P, phosphorus; SiO₂, silicon dioxide; mg/L, milligrams per liter; mm Hg, millimeters of mercury; nm, nanometers; °C, degrees Celsius; µS/cm, microsiemens per centimeter; µg/L, micrograms per liter; <, less than; U, analyzed for but not detected; m, value is highly variable by this method; n, below the LRL and above the LT-MDL; t, below the long-term MDL]

Station number	Specific conductance, unfiltered, water, µS/cm at 25°C (00095)	Temperature, water, °C (00010)	Turbidity, water, unfiltered, broad band light source (400-680 nm), detectors at multiple angles including 90 +/- 30 degrees, correction, NTRU (63676)	Pump or flow period prior to sampling, minutes (72004)	1,2-Dichloro-ethane-d4, surrogate, Schedule 2090, water, unfiltered, percent recovery (99832)	1-Bromo-4-fluoro-benzene, surrogate, VOC schedules, water, unfiltered, percent recovery (99834)	alpha-HCH-d6, surrogate, Schedule 2003, water, filtered, percent recovery (99995)	Diazinon-d10, surrogate, Schedule 2003, water, filtered, percent recovery (99994)
470518118523601	1,590	15.4	0.1	50	132	92.6	102	90.8

470518118523601 Local number 19N/31E-35R02 SU28—Continued

WATER-QUALITY DATA
WATER YEAR OCTOBER 2011 TO SEPTEMBER 2012

Part 3 of 25

[CaCO₃, calcium carbonate; N, nitrogen; NTRU, nephelometric turbidity ratio unit; P, phosphorus; SiO₂, silicon dioxide; mg/L, milligrams per liter; mm Hg, millimeters of mercury; nm, nanometers; °C, degrees Celsius; µS/cm, microsiemens per centimeter; µg/L, micrograms per liter; <, less than; U, analyzed for but not detected; m, value is highly variable by this method; n, below the LRL and above the LT-MDL; t, below the long-term MDL]

Station number	Toluene-d8, surrogate, Schedule 2090, water, unfiltered, percent recovery; (99833)	Dissolved solids dried at 180°C, water, filtered, mg/L (70300)	Calcium, water, filtered, mg/L (00915)	Magnesium, water, filtered, mg/L (00925)	Potassium, water, filtered, mg/L (00935)	Sodium, water, filtered, mg/L (00930)	Alkalinity, water, filtered, inflection-point, incremental titration method, field, mg/L as CaCO ₃ (39086)	Bicarbonate, water, filtered, inflection-point, incremental titration method, field, mg/L (00453)	Bromide, water, filtered, mg/L (71870)
470518118523601	95.0	1,120	162	66.7	7.13	96.2	289	352	2.31

WATER-QUALITY DATA
WATER YEAR OCTOBER 2011 TO SEPTEMBER 2012

Part 4 of 25

[CaCO₃, calcium carbonate; N, nitrogen; NTRU, nephelometric turbidity ratio unit; P, phosphorus; SiO₂, silicon dioxide; mg/L, milligrams per liter; mm Hg, millimeters of mercury; nm, nanometers; °C, degrees Celsius; µS/cm, microsiemens per centimeter; µg/L, micrograms per liter; <, less than; U, analyzed for but not detected; m, value is highly variable by this method; n, below the LRL and above the LT-MDL; t, below the long-term MDL]

Station number	Carbonate, water, filtered, inflection-point, incremental titration method, field, mg/L (00452)	Chloride, water, filtered, mg/L (00940)	Fluoride, water, filtered, mg/L (00950)	Hydrogen sulfide, water, unfiltered, mg/L (71875)	Silica, water, filtered, mg/L as SiO ₂ (00955)	Sulfate, water, filtered, mg/L (00945)	Ammonia, water, filtered, mg/L as N (00608)	Nitrate plus nitrite, water, filtered, mg/L as N (00631)	Nitrite, water, filtered, mg/L as N (00613)
470518118523601	0.4	163	0.25	U	41.6	305	< .010	7.05	< .001

WATER-QUALITY DATA
WATER YEAR OCTOBER 2011 TO SEPTEMBER 2012

Part 5 of 25

[CaCO₃, calcium carbonate; N, nitrogen; NTRU, nephelometric turbidity ratio unit; P, phosphorus; SiO₂, silicon dioxide; mg/L, milligrams per liter; mm Hg, millimeters of mercury; nm, nanometers; °C, degrees Celsius; µS/cm, microsiemens per centimeter; µg/L, micrograms per liter; <, less than; U, analyzed for but not detected; m, value is highly variable by this method; n, below the LRL and above the LT-MDL; t, below the long-term MDL]

Station number	Orthophosphate, water, filtered, mg/L as P (00671)	Total nitrogen, water, filtered, analytically determined, mg/L (62854)	Aluminum, water, filtered, µg/L (01106)	Barium, water, filtered, µg/L (01005)	Beryllium, water, filtered, µg/L (01010)	Cadmium, water, filtered, µg/L (01025)	Chromium, water, filtered, µg/L (01030)	Cobalt, water, filtered, µg/L (01035)	Copper, water, filtered, µg/L (01040)
470518118523601	0.062	7.71	< 2.2	85.4	< .006	< .016	0.64	0.121	< .80

470518118523601 Local number 19N/31E-35R02 SU28—Continued

WATER-QUALITY DATA
WATER YEAR OCTOBER 2011 TO SEPTEMBER 2012

Part 6 of 25

[CaCO₃, calcium carbonate; N, nitrogen; NTRU, nephelometric turbidity ratio unit; P, phosphorus; SiO₂, silicon dioxide; mg/L, milligrams per liter; mm Hg, millimeters of mercury; nm, nanometers; °C, degrees Celsius; µS/cm, microsiemens per centimeter; µg/L, micrograms per liter; <, less than; U, analyzed for but not detected; m, value is highly variable by this method; n, below the LRL and above the LT-MDL; t, below the long-term MDL]

Station number	Iron, water, filtered, µg/L (01046)	Lead, water, filtered, µg/L (01049)	Lithium, water, filtered, µg/L (01130)	Manga- nese, water, filtered, µg/L (01056)	Molyb- denum, water, filtered, µg/L (01060)	Nickel, water, filtered, µg/L (01065)	Silver, water, filtered, µg/L (01075)	Strontium, water, filtered, µg/L (01080)	Thallium, water, filtered, µg/L (01057)
470518118523601	4.9 n	0.078	7.17	0.28	2.75	0.59	< .005	924	< .010

WATER-QUALITY DATA
WATER YEAR OCTOBER 2011 TO SEPTEMBER 2012

Part 7 of 25

[CaCO₃, calcium carbonate; N, nitrogen; NTRU, nephelometric turbidity ratio unit; P, phosphorus; SiO₂, silicon dioxide; mg/L, milligrams per liter; mm Hg, millimeters of mercury; nm, nanometers; °C, degrees Celsius; µS/cm, microsiemens per centimeter; µg/L, micrograms per liter; <, less than; U, analyzed for but not detected; m, value is highly variable by this method; n, below the LRL and above the LT-MDL; t, below the long-term MDL]

Station number	Vanadium, water, filtered, µg/L (01085)	Zinc, water, filtered, µg/L (01090)	Antimony, water, filtered, µg/L (01095)	Arsenic, water, filtered, µg/L (01000)	Boron, water, filtered, µg/L (01020)	Selenium, water, filtered, µg/L (01145)	1,2- 1,2,3-Tri- chloro- propane, water, unfiltered, recover- able, µg/L (77443)	1,2- Dibromo-3- chloro- propane, water, unfiltered, recover- able, µg/L (82625)	1,2- Dibromo- ethane, water, unfiltered, recover- able, µg/L (77651)
470518118523601	30.0	19.5	0.034 n	4.4	21	3.7	< .120	< .400	< .028

WATER-QUALITY DATA
WATER YEAR OCTOBER 2011 TO SEPTEMBER 2012

Part 8 of 25

[CaCO₃, calcium carbonate; N, nitrogen; NTRU, nephelometric turbidity ratio unit; P, phosphorus; SiO₂, silicon dioxide; mg/L, milligrams per liter; mm Hg, millimeters of mercury; nm, nanometers; °C, degrees Celsius; µS/cm, microsiemens per centimeter; µg/L, micrograms per liter; <, less than; U, analyzed for but not detected; m, value is highly variable by this method; n, below the LRL and above the LT-MDL; t, below the long-term MDL]

Station number	1,2- Dichloro- ethane, water, unfiltered, recover- able, µg/L (32103)	1,2- Dichloro- propane, water, unfiltered, recover- able, µg/L (34541)	1,3-Di- chloro- propane, water, unfiltered, recover- able, µg/L (77173)	1,4- Dichloro- benzene, water, unfiltered, recover- able, µg/L (34571)	1-Naphthol, water, filtered (0.7 micron glass fiber filter), recoverable, µg/L (49295)	2,6- Diethyl- aniline, water, filtered (0.7 micron glass fiber filter), recover- able, µg/L (82660)	2-Chloro- 2',6'- diethyl- acetanil- ide, water, filtered, recover- able, µg/L (61618)	2-Chloro-4- isopropyl- amino-6- amino-s- triazine, water, filtered, recover- able, µg/L (04040)	2-Ethyl-6- methyl- aniline, water, filtered, recover- able, µg/L (61620)
470518118523601	< .08	< .0260	< .06	< .026	< .0360 m	< .0060	< .010	< .006 m	< .010 m

470518118523601 Local number 19N/31E-35R02 SU28—Continued

WATER-QUALITY DATA
WATER YEAR OCTOBER 2011 TO SEPTEMBER 2012

Part 9 of 25

[CaCO₃, calcium carbonate; N, nitrogen; NTRU, nephelometric turbidity ratio unit; P, phosphorus; SiO₂, silicon dioxide; mg/L, milligrams per liter; mm Hg, millimeters of mercury; nm, nanometers; °C, degrees Celsius; µS/cm, microsiemens per centimeter; µg/L, micrograms per liter; <, less than; U, analyzed for but not detected; m, value is highly variable by this method; n, below the LRL and above the LT-MDL; t, below the long-term MDL]

Station number	3,4-Dichloro-aniline, water, filtered, recoverable, µg/L (61625)	3,5-Di-chloro-aniline, water, filtered, recoverable, µg/L (61627)	3-Chloro-propene, water, unfiltered, recoverable, µg/L (78109)	4-Chloro-2-methyl-phenol, water, filtered, recoverable, µg/L (61633)	Aceto-chlor, water, filtered, recoverable, µg/L (49260)	Acrylo-nitrile, water, unfiltered, recoverable, µg/L (34215)	Alachlor, water, filtered, recoverable, µg/L (46342)	alpha-Endo-sulfan, water, filtered, recoverable, µg/L (34362)	Atrazine, water, filtered, recoverable, µg/L (39632)
470518118523601	< .0060 m	< .006	< .08 m	< .0080 m	< .010	< .48	< .008	< .006	< .008

WATER-QUALITY DATA
WATER YEAR OCTOBER 2011 TO SEPTEMBER 2012

Part 10 of 25

[CaCO₃, calcium carbonate; N, nitrogen; NTRU, nephelometric turbidity ratio unit; P, phosphorus; SiO₂, silicon dioxide; mg/L, milligrams per liter; mm Hg, millimeters of mercury; nm, nanometers; °C, degrees Celsius; µS/cm, microsiemens per centimeter; µg/L, micrograms per liter; <, less than; U, analyzed for but not detected; m, value is highly variable by this method; n, below the LRL and above the LT-MDL; t, below the long-term MDL]

Station number	Azinphos-methyl oxygen analog, water, filtered, recoverable, µg/L (61635)	Azinphos-methyl, water, filtered (0.7 micron glass fiber filter), recoverable, µg/L (82686)	Benfluralin, water, filtered (0.7 micron glass fiber filter), recoverable, µg/L (82673)	Bromo-methane, water, unfiltered, recoverable, µg/L (34413)	Carbaryl, water, filtered (0.7 micron glass fiber filter), recoverable, µg/L (82680)	Carbofuran, water, filtered (0.7 micron glass fiber filter), recoverable, µg/L (82674)	Carbon disulfide, water, unfiltered, recoverable, µg/L (77041)	Chlorpyrifos oxygen analog, water, filtered, recoverable, µg/L (61636)	Chlor-pyrifos, water, filtered, recoverable, µg/L (38933)
470518118523601	< .042 m	< .120 m	< .014	< .2 m	< .060 m	< .060 m	< .1 mt	< .08 m	< .0036

470518118523601 Local number 19N/31E-35R02 SU28—Continued

WATER-QUALITY DATA
WATER YEAR OCTOBER 2011 TO SEPTEMBER 2012

Part 11 of 25

[CaCO₃, calcium carbonate; N, nitrogen; NTRU, nephelometric turbidity ratio unit; P, phosphorus; SiO₂, silicon dioxide; mg/L, milligrams per liter; mm Hg, millimeters of mercury; nm, nanometers; °C, degrees Celsius; µS/cm, microsiemens per centimeter; µg/L, micrograms per liter; <, less than; U, analyzed for but not detected; m, value is highly variable by this method; n, below the LRL and above the LT-MDL; t, below the long-term MDL]

Station number	cis-1,3-Dichloropropene, water, unfiltered, recoverable, µg/L (34704)	cis-Permethrin, water, filtered (0.7 micron glass fiber filter), recoverable, µg/L (82687)	cis-Propiconazole, water, filtered, recoverable, µg/L (79846)	Cyanazine, water, filtered, recoverable, µg/L (04041)	Cyfluthrin, water, filtered, recoverable, µg/L (61585)	Cypermethrin, water, filtered, recoverable, µg/L (61586)	DCPA, water, filtered (0.7 micron glass fiber filter), recoverable, µg/L (82682)	Desulfinylfipronil, water, filtered, recoverable, µg/L (62169)	Desulfinylfipronil, water, filtered, recoverable, µg/L (62170)
470518118523601	< .10	< .010	< .008 m	< .022	< .016 m	< .020 m	< .0076	< .029 m	< .012

WATER-QUALITY DATA
WATER YEAR OCTOBER 2011 TO SEPTEMBER 2012

Part 12 of 25

[CaCO₃, calcium carbonate; N, nitrogen; NTRU, nephelometric turbidity ratio unit; P, phosphorus; SiO₂, silicon dioxide; mg/L, milligrams per liter; mm Hg, millimeters of mercury; nm, nanometers; °C, degrees Celsius; µS/cm, microsiemens per centimeter; µg/L, micrograms per liter; <, less than; U, analyzed for but not detected; m, value is highly variable by this method; n, below the LRL and above the LT-MDL]

Station number	Diazinon, water, filtered, recoverable, µg/L (39572)	Dichlorvos, water, filtered, recoverable, µg/L (38775)	Dicrotophos, water, filtered, recoverable, µg/L (38454)	Dieldrin, water, filtered, recoverable, µg/L (39381)	Dimethoate, water, filtered (0.7 micron glass fiber filter), recoverable, µg/L (82662)	Disulfoton sulfone, water, filtered, recoverable, µg/L (61640)	Disulfoton, water, filtered (0.7 micron glass fiber filter), recoverable, µg/L (82677)	Endosulfan sulfate, water, filtered, recoverable, µg/L (61590)	EPTC, water, filtered (0.7 micron glass fiber filter), recoverable, µg/L (82668)
470518118523601	< .0060	< .04 m	< .08 m	< .008	< .0100 m	< .014	< .040 m	< .016	< .0056

470518118523601 Local number 19N/31E-35R02 SU28—Continued

WATER-QUALITY DATA
WATER YEAR OCTOBER 2011 TO SEPTEMBER 2012

Part 13 of 25

[CaCO₃, calcium carbonate; N, nitrogen; NTRU, nephelometric turbidity ratio unit; P, phosphorus; SiO₂, silicon dioxide; mg/L, milligrams per liter; mm Hg, millimeters of mercury; nm, nanometers; °C, degrees Celsius; µS/cm, microsiemens per centimeter; µg/L, micrograms per liter; <, less than; U, analyzed for but not detected; m, value is highly variable by this method; n, below the LRL and above the LT-MDL; t, below the long-term MDL]

Station number	Ethion monoxon, water, filtered, recoverable, µg/L (61644)	Ethion, water, filtered, recoverable, µg/L (82346)	Ethoprop, water, filtered (0.7 micron glass fiber filter), recoverable, µg/L (82672)	Fenami-phos sulfone, water, filtered, recoverable, µg/L (61645)	Fenami-phos sulfoxide, water, filtered, recoverable, µg/L (61646)	Fenami-phos, water, filtered, recoverable, µg/L (61591)	Fipronil sulfide, water, filtered, recoverable, µg/L (62167)	Fipronil sulfone, water, filtered, recoverable, µg/L (62168)	Fipronil, water, filtered, recoverable, µg/L (62166)
470518118523601	< .021 m	< .010	< .016	< .054	< .08 m	< .030	< .012	< .024	< .018 m

WATER-QUALITY DATA
WATER YEAR OCTOBER 2011 TO SEPTEMBER 2012

Part 14 of 25

[CaCO₃, calcium carbonate; N, nitrogen; NTRU, nephelometric turbidity ratio unit; P, phosphorus; SiO₂, silicon dioxide; mg/L, milligrams per liter; mm Hg, millimeters of mercury; nm, nanometers; °C, degrees Celsius; µS/cm, microsiemens per centimeter; µg/L, micrograms per liter; <, less than; U, analyzed for but not detected; m, value is highly variable by this method; n, below the LRL and above the LT-MDL; t, below the long-term MDL]

Station number	Fonofos, water, filtered, recoverable, µg/L (04095)	Hexazinone, water, filtered, recoverable, µg/L (04025)	Iodomethane, water, unfiltered, recoverable, µg/L (77424)	Iprodione, water, filtered, recoverable, µg/L (61593)	Isofenphos, water, filtered, recoverable, µg/L (61594)	lambda-Cyhalothrin, water, filtered, recoverable, µg/L (61595)	Malaoxon, water, filtered, recoverable, µg/L (61652)	Malathion, water, filtered, recoverable, µg/L (39532)	Metalaxyl, water, filtered, recoverable, µg/L (61596)
470518118523601	< .0048	< .012	< .26 m	< .014 m	< .008	< .010 m	< .022	< .016	< .014

470518118523601 Local number 19N/31E-35R02 SU28—Continued

WATER-QUALITY DATA
WATER YEAR OCTOBER 2011 TO SEPTEMBER 2012

Part 15 of 25

[CaCO₃, calcium carbonate; N, nitrogen; NTRU, nephelometric turbidity ratio unit; P, phosphorus; SiO₂, silicon dioxide; mg/L, milligrams per liter; mm Hg, millimeters of mercury; nm, nanometers; °C, degrees Celsius; µS/cm, microsiemens per centimeter; µg/L, micrograms per liter; <, less than; U, analyzed for but not detected; m, value is highly variable by this method; n, below the LRL and above the LT-MDL; t, below the long-term MDL]

Station number	Methidathion, water, filtered, recoverable, µg/L (61598)	Methyl parathion, water, filtered, recoverable, µg/L (61664)	Methyl parathion, water, filtered (0.7 micron glass fiber filter), recoverable, µg/L (82667)	Metolachlor, water, filtered, recoverable, µg/L (39415)	Metribuzin, water, filtered, recoverable, µg/L (82630)	Molinate, water, filtered (0.7 micron glass fiber filter), recoverable, µg/L (82671)	Myclobutanol, water, filtered, recoverable, µg/L (61599)	Oxyfluorfen, water, filtered, recoverable, µg/L (61600)	Pendimethalin, water, filtered (0.7 micron glass fiber filter), recoverable, µg/L (82683)
470518118523601	< .012	< .014 m	< .008	< .020	< .012	< .0040	< .010	< .010	< .012

WATER-QUALITY DATA
WATER YEAR OCTOBER 2011 TO SEPTEMBER 2012

Part 16 of 25

[CaCO₃, calcium carbonate; N, nitrogen; NTRU, nephelometric turbidity ratio unit; P, phosphorus; SiO₂, silicon dioxide; mg/L, milligrams per liter; mm Hg, millimeters of mercury; nm, nanometers; °C, degrees Celsius; µS/cm, microsiemens per centimeter; µg/L, micrograms per liter; <, less than; U, analyzed for but not detected; m, value is highly variable by this method; n, below the LRL and above the LT-MDL; t, below the long-term MDL]

Station number	Phorate oxygen analog, water, filtered, recoverable, µg/L (61666)	Phorate, water, filtered (0.7 micron glass fiber filter), recoverable, µg/L (82664)	Phosmet oxygen analog, water, filtered, recoverable, µg/L (61668)	Phosmet, water, filtered, recoverable, µg/L (61601)	Prometon, water, filtered, recoverable, µg/L (04037)	Prometryn, water, filtered, recoverable, µg/L (04036)	Propanil, water, filtered (0.7 micron glass fiber filter), recoverable, µg/L (82679)	Propargite, water, filtered (0.7 micron glass fiber filter), recoverable, µg/L (82685)	Propyzamide, water, filtered (0.7 micron glass fiber filter), recoverable, µg/L (82676)
470518118523601	< .027 m	< .020	< .0511 m	< .080 m	< .012	< .010	< .010	< .020	< .0036

470518118523601 Local number 19N/31E-35R02 SU28—Continued

WATER-QUALITY DATA
WATER YEAR OCTOBER 2011 TO SEPTEMBER 2012

Part 17 of 25

[CaCO₃, calcium carbonate; N, nitrogen; NTRU, nephelometric turbidity ratio unit; P, phosphorus; SiO₂, silicon dioxide; mg/L, milligrams per liter; mm Hg, millimeters of mercury; nm, nanometers; °C, degrees Celsius; µS/cm, microsiemens per centimeter; µg/L, micrograms per liter; <, less than; U, analyzed for but not detected; m, value is highly variable by this method; n, below the LRL and above the LT-MDL; t, below the long-term MDL]

Station number	Simazine, water, filtered, recover- able, µg/L (04035)	Tebu- thiuron, water, filtered (0.7 micron glass fiber filter), recover- able, µg/L (82670)	Tefluthrin, water, filtered, recover- able, µg/L (61606)	Terbufos oxygen analog sulfone, water, filtered, recover- able, µg/L (61674)	Terbufos, water, filtered (0.7 micron glass fiber filter), recover- able, µg/L (82675)	Terbuthyl- azine, water, filtered, recover- able, µg/L (04022)	Thioben- carb, water, filtered (0.7 micron glass fiber filter), recover- able, µg/L (82681)	trans-1,3- Dichloro- propene, water, unfiltered, recover- able, µg/L (34699)	trans- Propicon- azole, water, filtered, recover- able, µg/L (79847)
470518118523601	< .006	< .028	< .014 m	< .045	< .018	< .008	< .016	< .14	< .018 m

WATER-QUALITY DATA
WATER YEAR OCTOBER 2011 TO SEPTEMBER 2012

Part 18 of 25

[CaCO₃, calcium carbonate; N, nitrogen; NTRU, nephelometric turbidity ratio unit; P, phosphorus; SiO₂, silicon dioxide; mg/L, milligrams per liter; mm Hg, millimeters of mercury; nm, nanometers; °C, degrees Celsius; µS/cm, microsiemens per centimeter; µg/L, micrograms per liter; <, less than; U, analyzed for but not detected; m, value is highly variable by this method; n, below the LRL and above the LT-MDL; t, below the long-term MDL]

Station number	Tribuphos, water, filtered, recover- able, µg/L (61610)	Trifluralin, water, filtered (0.7 micron glass fiber filter), recover- able, µg/L (82661)	1,1,1,2- Tetra- chloro- ethane, water, unfiltered, recover- able, µg/L (77562)	1,1,1-Tri- chloro- ethane, water, unfiltered, recover- able, µg/L (34506)	1,1,2,2- Tetra- chloro- ethane, water, unfiltered, recover- able, µg/L (34516)	1,1,2-Tri- chloro- 1,2,2- trifluoro- ethane, water, unfiltered, recover- able, µg/L (77652)	1,1,2-Tri- chloro- ethane, water, unfiltered, recover- able, µg/L (34511)	1,1-Di- chloro- ethane, water, unfiltered, recover- able, µg/L (34496)	1,1-Di- chloro- ethene, water, unfiltered, recover- able, µg/L (34501)
470518118523601	< .018 m	< .018	< .040	< .030	< .14	< .022	< .046	< .044	< .022

470518118523601 Local number 19N/31E-35R02 SU28—Continued

WATER-QUALITY DATA
WATER YEAR OCTOBER 2011 TO SEPTEMBER 2012

Part 19 of 25

[CaCO₃, calcium carbonate; N, nitrogen; NTRU, nephelometric turbidity ratio unit; P, phosphorus; SiO₂, silicon dioxide; mg/L, milligrams per liter; mm Hg, millimeters of mercury; nm, nanometers; °C, degrees Celsius; µS/cm, microsiemens per centimeter; µg/L, micrograms per liter; <, less than; U, analyzed for but not detected; m, value is highly variable by this method; n, below the LRL and above the LT-MDL; t, below the long-term MDL]

Station number	1,1-Di-chloro-propene, water, unfiltered, recoverable, µg/L (77168)	1,2,3,4-Tetra-methyl-benzene, water, unfiltered, recoverable, µg/L (49999)	1,2,3,5-Tetra-methyl-benzene, water, unfiltered, recoverable, µg/L (50000)	1,2,3-Tri-chloro-benzene, water, unfiltered, recoverable, µg/L (77613)	1,2,3-Tri-methyl-benzene, water, unfiltered, recoverable, µg/L (77221)	1,2,4-Tri-chloro-benzene, water, unfiltered, recoverable, µg/L (34551)	1,2,4-Tri-methyl-benzene, water, unfiltered, recoverable, µg/L (77222)	1,2-Dichloro-benzene, water, unfiltered, recoverable, µg/L (34536)	1,3,5-Tri-methyl-benzene, water, unfiltered, recoverable, µg/L (77226)
470518118523601	< .040	< .10	< .080	< .06	< .060	< .08	< .032	< .028	< .032

WATER-QUALITY DATA
WATER YEAR OCTOBER 2011 TO SEPTEMBER 2012

Part 20 of 25

[CaCO₃, calcium carbonate; N, nitrogen; NTRU, nephelometric turbidity ratio unit; P, phosphorus; SiO₂, silicon dioxide; mg/L, milligrams per liter; mm Hg, millimeters of mercury; nm, nanometers; °C, degrees Celsius; µS/cm, microsiemens per centimeter; µg/L, micrograms per liter; <, less than; U, analyzed for but not detected; m, value is highly variable by this method; n, below the LRL and above the LT-MDL; t, below the long-term MDL]

Station number	1,3-Dichloro-benzene, water, unfiltered, recoverable, µg/L (34566)	2,2-Di-chloro-propane, water, unfiltered, recoverable, µg/L (77170)	2-Chloro-toluene, water, unfiltered, recoverable, µg/L (77275)	2-Ethyl-toluene, water, unfiltered, recoverable, µg/L (77220)	4-Chloro-toluene, water, unfiltered, recoverable, µg/L (77277)	4-Iso-propyl-toluene, water, unfiltered, recoverable, µg/L (77356)	Acetone, water, unfiltered, recoverable, µg/L (81552)	Benzene, water, unfiltered, recoverable, µg/L (34030)	Bromo-benzene, water, unfiltered, recoverable, µg/L (81555)
470518118523601	< .024	< .06	< .028	< .032	< .042	< .06	< 3.4	< .026	< .022

WATER-QUALITY DATA
WATER YEAR OCTOBER 2011 TO SEPTEMBER 2012

Part 21 of 25

[CaCO₃, calcium carbonate; N, nitrogen; NTRU, nephelometric turbidity ratio unit; P, phosphorus; SiO₂, silicon dioxide; mg/L, milligrams per liter; mm Hg, millimeters of mercury; nm, nanometers; °C, degrees Celsius; µS/cm, microsiemens per centimeter; µg/L, micrograms per liter; <, less than; U, analyzed for but not detected; m, value is highly variable by this method; n, below the LRL and above the LT-MDL; t, below the long-term MDL]

Station number	Bromo-chloro-methane, water, unfiltered, recoverable, µg/L (77297)	Bromo-dichloro-methane, water, unfiltered, recoverable, µg/L (32101)	Bromo-ethene, water, unfiltered, recoverable, µg/L (50002)	Chloro-benzene, water, unfiltered, recoverable, µg/L (34301)	Chloro-ethane, water, unfiltered, recoverable, µg/L (34311)	Chloro-methane, water, unfiltered, recoverable, µg/L (34418)	cis-1,2-Di-chloro-ethene, water, unfiltered, recoverable, µg/L (77093)	Dibromo-chloro-methane, water, unfiltered, recoverable, µg/L (32105)	Dibromo-methane, water, unfiltered, recoverable, µg/L (30217)
470518118523601	< .06	< .034	< .12	< .026	< .06	< .1 m	< .022	< .12	< .050

470518118523601 Local number 19N/31E-35R02 SU28—Continued

WATER-QUALITY DATA
WATER YEAR OCTOBER 2011 TO SEPTEMBER 2012

Part 22 of 25

[CaCO₃, calcium carbonate; N, nitrogen; NTRU, nephelometric turbidity ratio unit; P, phosphorus; SiO₂, silicon dioxide; mg/L, milligrams per liter; mm Hg, millimeters of mercury; nm, nanometers; °C, degrees Celsius; µS/cm, microsiemens per centimeter; µg/L, micrograms per liter; <, less than; U, analyzed for but not detected; m, value is highly variable by this method; n, below the LRL and above the LT-MDL; t, below the long-term MDL]

Station number	Dichloro-difluoromethane, water, unfiltered, recoverable, µg/L (34668)	Dichloromethane, water, unfiltered, recoverable, µg/L (34423)	Diethyl ether, water, unfiltered, recoverable, µg/L (81576)	Diisopropyl ether, water, unfiltered, recoverable, µg/L (81577)	Ethyl methacrylate, water, unfiltered, recoverable, µg/L (73570)	Ethyl methyl ketone, water, unfiltered, recoverable, µg/L (81595)	Ethylbenzene, water, unfiltered, recoverable, µg/L (34371)	Hexachlorobutadiene, water, unfiltered, recoverable, µg/L (39702)	Hexachloroethane, water, unfiltered, recoverable, µg/L (34396)
470518118523601	< .10 m	< .04	< .1	< .06	< .20	< 1.6	< .036	< .08	< .10

WATER-QUALITY DATA
WATER YEAR OCTOBER 2011 TO SEPTEMBER 2012

Part 23 of 25

[CaCO₃, calcium carbonate; N, nitrogen; NTRU, nephelometric turbidity ratio unit; P, phosphorus; SiO₂, silicon dioxide; mg/L, milligrams per liter; mm Hg, millimeters of mercury; nm, nanometers; °C, degrees Celsius; µS/cm, microsiemens per centimeter; µg/L, micrograms per liter; <, less than; U, analyzed for but not detected; m, value is highly variable by this method; n, below the LRL and above the LT-MDL; t, below the long-term MDL]

Station number	Isobutyl methyl ketone, water, unfiltered, recoverable, µg/L (78133)	Isopropylbenzene, water, unfiltered, recoverable, µg/L (77223)	Methyl acrylate, water, unfiltered, recoverable, µg/L (49991)	Methyl acrylonitrile, water, unfiltered, recoverable, µg/L (81593)	Methyl methacrylate, water, unfiltered, recoverable, µg/L (81597)	Methyl tert-butyl ether, water, unfiltered, recoverable, µg/L (78032)	Methyl tert-pentyl ether, water, unfiltered, recoverable, µg/L (50005)	Naphthalene, water, unfiltered, recoverable, µg/L (34696)	n-Butyl methyl ketone, water, unfiltered, recoverable, µg/L (77103)
470518118523601	< .32	< .042	< .8	< .26	< .22	< .10	< .06	< .18	< .4

WATER-QUALITY DATA
WATER YEAR OCTOBER 2011 TO SEPTEMBER 2012

Part 24 of 25

[CaCO₃, calcium carbonate; N, nitrogen; NTRU, nephelometric turbidity ratio unit; P, phosphorus; SiO₂, silicon dioxide; mg/L, milligrams per liter; mm Hg, millimeters of mercury; nm, nanometers; °C, degrees Celsius; µS/cm, microsiemens per centimeter; µg/L, micrograms per liter; <, less than; U, analyzed for but not detected; m, value is highly variable by this method; n, below the LRL and above the LT-MDL; t, below the long-term MDL]

Station number	n-Butylbenzene, water, unfiltered, recoverable, µg/L (77342)	n-Propylbenzene, water, unfiltered, recoverable, µg/L (77224)	o-Xylene, water, unfiltered, recoverable, µg/L (77135)	sec-Butylbenzene, water, unfiltered, recoverable, µg/L (77350)	Styrene, water, unfiltered, recoverable, µg/L (77128)	tert-Butyl ethyl ether, water, unfiltered, recoverable, µg/L (50004)	tert-Butylbenzene, water, unfiltered, recoverable, µg/L (77353)	Tetrachloroethene, water, unfiltered, recoverable, µg/L (34475)	Tetrachloromethane, water, unfiltered, recoverable, µg/L (32102)
470518118523601	< .08	< .036	< .032	< .034	< .042	< .032	< .060	< .026	< .06

470518118523601 Local number 19N/31E-35R02 SU28—Continued

WATER-QUALITY DATA
WATER YEAR OCTOBER 2011 TO SEPTEMBER 2012

Part 25 of 25

[CaCO₃, calcium carbonate; N, nitrogen; NTRU, nephelometric turbidity ratio unit; P, phosphorus; SiO₂, silicon dioxide; mg/L, milligrams per liter; mm Hg, millimeters of mercury; nm, nanometers; °C, degrees Celsius; µS/cm, microsiemens per centimeter; µg/L, micrograms per liter; <, less than; U, analyzed for but not detected; m, value is highly variable by this method; n, below the LRL and above the LT-MDL; t, below the long-term MDL]

Station number	Tetra- hydro- furan, water, unfiltered, recover- able, µg/L (81607)	trans-1,2- Dichloro- ethene, water, unfiltered, recover- able, µg/L (34546)	trans-1,4- Dichloro- 2-butene, water, unfiltered, recover- able, µg/L (73547)	Tribromo- methane, water, unfiltered, recover- able, µg/L (32104)	Trichloro- ethene, water, unfiltered, recover- able, µg/L (39180)	Trichloro- fluoro- methane, water, unfiltered, recover- able, µg/L (34488)	Trichloro- methane, water, unfiltered, recover- able, µg/L (32106)	Vinyl chloride, water, unfiltered, recover- able, µg/L (39175)	Uranium (natural), water, filtered, µg/L (22703)
470518118523601	< 1.4	< .018	< 2.0 m	< .10	< .022	< .06	0.07	< .06	13.2