

Water-Data Report 2012

**490042122241001 Local number 092G.008.2.2.2-99 ABB1**

Undefined Aquifer  
Sumas Drift of Fraser Glaciation

UNSPECIFIED

LOCATION.--Lat 49°00'29.86", long 122°24'15.05" referenced to North American Datum of 1983, Hydrologic Unit is unknown, near Abbotsford.

**GROUNDWATER RECORDS**

WELL CHARACTERISTICS.--Depth 26 ft. Upper casing diameter 2 in; top of first opening 22.7 ft, bottom of last opening 26 ft. Drilled observation well.

DATUM.--Land-surface datum is 150 ft above National Geodetic Vertical Datum of 1929. Measuring point: Top of PVC casing., 0 ft above land-surface datum, June 18, 1990, to present.

PERIOD OF RECORD.--June 1990, September 1997, July and September 1998, September 2002, August 2004 to current year.

**WATER LEVELS IN FEET BELOW LAND-SURFACE DATUM  
WATER YEAR OCTOBER 2011 TO SEPTEMBER 2012**

<b>Date</b>	<b>Water level</b>
Aug 29	10.85

## 490042122241001 Local number 092G.008.2.2.2-99 ABB1—Continued

## WATER-QUALITY RECORDS

PERIOD OF RECORD.--June 1990, September 1997 to November 1998, September 2002, August and September 2004, and August 2006 to August 2008, August 2010, August 2012.

**WATER-QUALITY DATA**  
**WATER YEAR OCTOBER 2011 TO SEPTEMBER 2012**

Part 1 of 26

[CaCO<sub>3</sub>, calcium carbonate; N, nitrogen; NTRU, nephelometric turbidity ratio unit; P, phosphorus; SiO<sub>2</sub>, silicon dioxide; ft, feet; mg/L, milligrams per liter; mm Hg, millimeters of mercury; nm, nanometers; °C, degrees Celsius; µS/cm, microsiemens per centimeter; µg/L, micrograms per liter; <, less than; U, analyzed for but not detected; m, value is highly variable by this method; n, below the LRL and above the LT-MDL]

Station number	Local identifier	Date	Sample start time	Record number	Barometric pressure, mm Hg (00025)	Temperature, air, °C (00020)	Depth to water level, ft below land surface (72019)	Dissolved oxygen, water, unfiltered, mg/L (00300)
490042122241001	092G.008.2.2.2-99 ABB1	08-29-2012	1150	01202783	761	19.6	10.85	0.3

**WATER-QUALITY DATA**  
**WATER YEAR OCTOBER 2011 TO SEPTEMBER 2012**

Part 2 of 26

[CaCO<sub>3</sub>, calcium carbonate; N, nitrogen; NTRU, nephelometric turbidity ratio unit; P, phosphorus; SiO<sub>2</sub>, silicon dioxide; ft, feet; mg/L, milligrams per liter; mm Hg, millimeters of mercury; nm, nanometers; °C, degrees Celsius; µS/cm, microsiemens per centimeter; µg/L, micrograms per liter; <, less than; U, analyzed for but not detected; m, value is highly variable by this method; n, below the LRL and above the LT-MDL]

Station number	Flow rate, instantaneous, gallons per minute (00059)	pH, water, unfiltered, field, standard units (00400)	Specific conductance, water, unfiltered, µS/cm at 25°C (00095)	Temperature, water, °C (00010)	Turbidity, water, unfiltered, broadband light source (400-680 nm), detectors at multiple angles including 90 +/- 30 degrees, ratiometric correction, NTRU (63676)	Pump or flow period prior to sampling, minutes (72004)	Sampling depth, ft (00003)	1,2-Dichloroethane-d4, surrogate, Schedule 2090, water, unfiltered, percent recovery (99832)
490042122241001	0.32	5.4	321	11.0	0.7	27	21.5	115

## 490042122241001 Local number 092G.008.2.2.2-99 ABB1—Continued

**WATER-QUALITY DATA**  
**WATER YEAR OCTOBER 2011 TO SEPTEMBER 2012**

Part 3 of 26

[CaCO<sub>3</sub>, calcium carbonate; N, nitrogen; NTRU, nephelometric turbidity ratio unit; P, phosphorus; SiO<sub>2</sub>, silicon dioxide; ft, feet; mg/L, milligrams per liter; mm Hg, millimeters of mercury; nm, nanometers; °C, degrees Celsius; µS/cm, microsiemens per centimeter; µg/L, micrograms per liter; <, less than; U, analyzed for but not detected; m, value is highly variable by this method; n, below the LRL and above the LT-MDL]

Station number	1-Bromo-4-fluoro-benzene, surrogate, VOC schedules, water, unfiltered, percent recovery (99834)	alpha-HCH-d6, surrogate, Schedule 2003, water, filtered, percent recovery (99995)	Diazinon-d10, surrogate, Schedule 2003, water, filtered, percent recovery (99994)	Toluene-d8, surrogate, Schedule 2090, water, unfiltered, percent recovery; (99833)	Sampler type (84164)	Sampling condition (72006)	Sampling method (82398)	Dissolved solids dried at 180°C, water, filtered, mg/L (70300)
490042122241001	89.1	89.3	78.4	86.6	Sbmrsbl gear pump	Pumping	Sbmrsbl gear pump	218

**WATER-QUALITY DATA**  
**WATER YEAR OCTOBER 2011 TO SEPTEMBER 2012**

Part 4 of 26

[CaCO<sub>3</sub>, calcium carbonate; N, nitrogen; NTRU, nephelometric turbidity ratio unit; P, phosphorus; SiO<sub>2</sub>, silicon dioxide; ft, feet; mg/L, milligrams per liter; mm Hg, millimeters of mercury; nm, nanometers; °C, degrees Celsius; µS/cm, microsiemens per centimeter; µg/L, micrograms per liter; <, less than; U, analyzed for but not detected; m, value is highly variable by this method; n, below the LRL and above the LT-MDL]

Station number	Calcium, water, filtered, mg/L (00915)	Magnesium, water, filtered, mg/L (00925)	Potassium, water, filtered, mg/L (00935)	Sodium, water, filtered, mg/L (00930)	Alkalinity, water, filtered, inflection-point, incremental titration method, field, mg/L as CaCO <sub>3</sub> (39086)	Bicarbonate, water, filtered, inflection-point, incremental titration method, field, mg/L (00453)	Bromide, water, filtered, mg/L (71870)	Carbonate, water, filtered, inflection-point, incremental titration method, field, mg/L (00452)	Chloride, water, filtered, mg/L (00940)
490042122241001	37.4	7.01	9.28	5.20	10.9	13.5	< .010	0.0	4.76

**WATER-QUALITY DATA**  
**WATER YEAR OCTOBER 2011 TO SEPTEMBER 2012**

Part 5 of 26

[CaCO<sub>3</sub>, calcium carbonate; N, nitrogen; NTRU, nephelometric turbidity ratio unit; P, phosphorus; SiO<sub>2</sub>, silicon dioxide; ft, feet; mg/L, milligrams per liter; mm Hg, millimeters of mercury; nm, nanometers; °C, degrees Celsius; µS/cm, microsiemens per centimeter; µg/L, micrograms per liter; <, less than; U, analyzed for but not detected; m, value is highly variable by this method; n, below the LRL and above the LT-MDL]

Station number	Fluoride, water, filtered, mg/L (00950)	Hydrogen sulfide, water, unfiltered, mg/L (71875)	Silica, water, filtered, mg/L as SiO <sub>2</sub> (00955)	Sulfate, water, filtered, mg/L (00945)	Ammonia, water, filtered, mg/L as N (00608)	Nitrate plus nitrite, water, filtered, mg/L as N (00631)	Nitrite, water, filtered, mg/L as N (00613)	Orthophosphate, water, filtered, mg/L as P (00671)	Total nitrogen, water, filtered, analytically determined, mg/L (62854)
490042122241001	< .04	U	14.8	109	< .010	3.40	0.006	< .004	3.46

## 490042122241001 Local number 092G.008.2.2.2-99 ABB1—Continued

**WATER-QUALITY DATA**  
**WATER YEAR OCTOBER 2011 TO SEPTEMBER 2012**

Part 6 of 26

[CaCO<sub>3</sub>, calcium carbonate; N, nitrogen; NTRU, nephelometric turbidity ratio unit; P, phosphorus; SiO<sub>2</sub>, silicon dioxide; ft, feet; mg/L, milligrams per liter; mm Hg, millimeters of mercury; nm, nanometers; °C, degrees Celsius; µS/cm, microsiemens per centimeter; µg/L, micrograms per liter; <, less than; U, analyzed for but not detected; m, value is highly variable by this method; n, below the LRL and above the LT-MDL]

Station number	Aluminum, water, filtered, µg/L (01106)	Barium, water, filtered, µg/L (01005)	Beryllium, water, filtered, µg/L (01010)	Cadmium, water, filtered, µg/L (01025)	Chromium, water, filtered, µg/L (01030)	Cobalt, water, filtered, µg/L (01035)	Copper, water, filtered, µg/L (01040)	Iron, water, filtered, µg/L (01046)	Lead, water, filtered, µg/L (01049)
490042122241001	28.7	80.2	0.018	0.155	0.13 n	0.594	< .80	153	0.030 n

**WATER-QUALITY DATA**  
**WATER YEAR OCTOBER 2011 TO SEPTEMBER 2012**

Part 7 of 26

[CaCO<sub>3</sub>, calcium carbonate; N, nitrogen; NTRU, nephelometric turbidity ratio unit; P, phosphorus; SiO<sub>2</sub>, silicon dioxide; ft, feet; mg/L, milligrams per liter; mm Hg, millimeters of mercury; nm, nanometers; °C, degrees Celsius; µS/cm, microsiemens per centimeter; µg/L, micrograms per liter; <, less than; U, analyzed for but not detected; m, value is highly variable by this method; n, below the LRL and above the LT-MDL]

Station number	Lithium, water, filtered, µg/L (01130)	Manga- nese, water, filtered, µg/L (01056)	Molyb- denum, water, filtered, µg/L (01060)	Nickel, water, filtered, µg/L (01065)	Silver, water, filtered, µg/L (01075)	Strontium, water, filtered, µg/L (01080)	Thallium, water, filtered, µg/L (01057)	Vanadium, water, filtered, µg/L (01085)	Zinc, water, filtered, µg/L (01090)
490042122241001	< .22	60.1	0.075	1.2	< .005	234	0.083	0.10 n	< 1.4

**WATER-QUALITY DATA**  
**WATER YEAR OCTOBER 2011 TO SEPTEMBER 2012**

Part 8 of 26

[CaCO<sub>3</sub>, calcium carbonate; N, nitrogen; NTRU, nephelometric turbidity ratio unit; P, phosphorus; SiO<sub>2</sub>, silicon dioxide; ft, feet; mg/L, milligrams per liter; mm Hg, millimeters of mercury; nm, nanometers; °C, degrees Celsius; µS/cm, microsiemens per centimeter; µg/L, micrograms per liter; <, less than; U, analyzed for but not detected; m, value is highly variable by this method; n, below the LRL and above the LT-MDL]

Station number	Antimony, water, filtered, µg/L (01095)	Arsenic, water, filtered, µg/L (01000)	Boron, water, filtered, µg/L (01020)	Selenium, water, filtered, µg/L (01145)	1,2,3-Tri- chloro- propane, water, unfiltered, recover- able, µg/L (77443)	1,2- Dibromo-3- chloro- propane, water, unfiltered, recover- able, µg/L (82625)	1,2- Dibromo- ethane, water, unfiltered, recover- able, µg/L (77651)	1,2- Dichloro- ethane, water, unfiltered, recover- able, µg/L (32103)	1,2- Dichloro- propane, water, unfiltered, recover- able, µg/L (34541)
490042122241001	0.054	0.08	97	0.12	< .120	< .400	< .028	< .08	0.0278

## 490042122241001 Local number 092G.008.2.2.2-99 ABB1—Continued

**WATER-QUALITY DATA**  
**WATER YEAR OCTOBER 2011 TO SEPTEMBER 2012**

Part 9 of 26

[CaCO<sub>3</sub>, calcium carbonate; N, nitrogen; NTRU, nephelometric turbidity ratio unit; P, phosphorus; SiO<sub>2</sub>, silicon dioxide; ft, feet; mg/L, milligrams per liter; mm Hg, millimeters of mercury; nm, nanometers; °C, degrees Celsius; µS/cm, microsiemens per centimeter; µg/L, micrograms per liter; <, less than; U, analyzed for but not detected; m, value is highly variable by this method; n, below the LRL and above the LT-MDL]

Station number	1,3-Di-chloro-propane, water, unfiltered, recoverable, µg/L (77173)	1,4-Dichloro-benzene, water, unfiltered, recoverable, µg/L (34571)	1-Naphthol, water, filtered (0.7 micron glass fiber filter), recoverable, µg/L (49295)	2,6-Diethyl-aniline, water, filtered (0.7 micron glass fiber filter), recoverable, µg/L (82660)	2-Chloro-2',6'-diethyl-acetanilide, water, filtered, recoverable, µg/L (61618)	2-Chloro-4-isopropyl-amino-6-triazine, water, filtered, recoverable, µg/L (04040)	2-Ethyl-6-methyl-aniline, water, filtered, recoverable, µg/L (61620)	3,4-Dichloro-aniline, water, filtered, recoverable, µg/L (61625)	3,5-Di-chloro-aniline, water, filtered, recoverable, µg/L (61627)
490042122241001	< .06	< .026	< .0360 m	< .0060	< .010	< .006 m	< .010 m	< .0060 m	< .006

**WATER-QUALITY DATA**  
**WATER YEAR OCTOBER 2011 TO SEPTEMBER 2012**

Part 10 of 26

[CaCO<sub>3</sub>, calcium carbonate; N, nitrogen; NTRU, nephelometric turbidity ratio unit; P, phosphorus; SiO<sub>2</sub>, silicon dioxide; ft, feet; mg/L, milligrams per liter; mm Hg, millimeters of mercury; nm, nanometers; °C, degrees Celsius; µS/cm, microsiemens per centimeter; µg/L, micrograms per liter; <, less than; U, analyzed for but not detected; m, value is highly variable by this method; n, below the LRL and above the LT-MDL]

Station number	3-Chloro-propene, water, unfiltered, recoverable, µg/L (78109)	4-Chloro-2-methyl-phenol, water, filtered, recoverable, µg/L (61633)	Aceto-chlor, water, filtered, recoverable, µg/L (49260)	Acrylo-nitrile, water, unfiltered, recoverable, µg/L (34215)	Alachlor, water, filtered, recoverable, µg/L (46342)	alpha-Endo-sulfan, water, filtered, recoverable, µg/L (34362)	Atrazine, water, filtered, recoverable, µg/L (39632)	Azinphos-methyl oxygen analog, water, filtered, recoverable, µg/L (61635)	Azinphos-methyl, water, filtered (0.7 micron glass fiber filter), recoverable, µg/L (82686)
490042122241001	< .08 m	< .0080 m	< .010	< .48	< .008	< .006	< .008	< .042 m	< .120 m

## 490042122241001 Local number 092G.008.2.2.2-99 ABB1—Continued

**WATER-QUALITY DATA**  
**WATER YEAR OCTOBER 2011 TO SEPTEMBER 2012**

Part 11 of 26

[CaCO<sub>3</sub>, calcium carbonate; N, nitrogen; NTRU, nephelometric turbidity ratio unit; P, phosphorus; SiO<sub>2</sub>, silicon dioxide; ft, feet; mg/L, milligrams per liter; mm Hg, millimeters of mercury; nm, nanometers; °C, degrees Celsius; µS/cm, microsiemens per centimeter; µg/L, micrograms per liter; <, less than; U, analyzed for but not detected; m, value is highly variable by this method; n, below the LRL and above the LT-MDL]

Station number	Benfluralin, water, filtered (0.7 micron glass fiber filter), recoverable, µg/L (82673)	Bromo-methane, water, unfiltered, recoverable, µg/L (34413)	Carbaryl, water, filtered (0.7 micron glass fiber filter), recoverable, µg/L (82680)	Carbofuran, water, filtered (0.7 micron glass fiber filter), recoverable, µg/L (82674)	Carbon disulfide, water, unfiltered, recoverable, µg/L (77041)	Chlorpyrifos oxygen analog, water, filtered, recoverable, µg/L (61636)	Chlorpyrifos, water, filtered, recoverable, µg/L (38933)	cis-1,3-Dichloropropene, water, unfiltered, recoverable, µg/L (34704)	cis-Permethrin, water, filtered (0.7 micron glass fiber filter), recoverable, µg/L (82687)
490042122241001	< .014	< .2 m	< .060 m	< .060 m	< .1 m	< .08 m	< .0036	< .10	< .010

**WATER-QUALITY DATA**  
**WATER YEAR OCTOBER 2011 TO SEPTEMBER 2012**

Part 12 of 26

[CaCO<sub>3</sub>, calcium carbonate; N, nitrogen; NTRU, nephelometric turbidity ratio unit; P, phosphorus; SiO<sub>2</sub>, silicon dioxide; ft, feet; mg/L, milligrams per liter; mm Hg, millimeters of mercury; nm, nanometers; °C, degrees Celsius; µS/cm, microsiemens per centimeter; µg/L, micrograms per liter; <, less than; U, analyzed for but not detected; m, value is highly variable by this method; n, below the LRL and above the LT-MDL]

Station number	cis-Propiconazole, water, filtered, recoverable, µg/L (79846)	Cyanazine, water, filtered, recoverable, µg/L (04041)	Cyfluthrin, water, filtered, recoverable, µg/L (61585)	Cypermethrin, water, filtered, recoverable, µg/L (61586)	DCPA, water, filtered (0.7 micron glass fiber filter), recoverable, µg/L (82682)	Desulfinyl-fipronil amide, water, filtered, recoverable, µg/L (62169)	Desulfinyl-fipronil, water, filtered, recoverable, µg/L (62170)	Diazinon, water, filtered, recoverable, µg/L (39572)	Dichlorvos, water, filtered, recoverable, µg/L (38775)
490042122241001	< .008 m	< .022	< .016 m	< .020 m	< .0076	< .029 m	< .012	< .0060	< .04 m

**WATER-QUALITY DATA**  
**WATER YEAR OCTOBER 2011 TO SEPTEMBER 2012**

Part 13 of 26

[CaCO<sub>3</sub>, calcium carbonate; N, nitrogen; NTRU, nephelometric turbidity ratio unit; P, phosphorus; SiO<sub>2</sub>, silicon dioxide; ft, feet; mg/L, milligrams per liter; mm Hg, millimeters of mercury; nm, nanometers; °C, degrees Celsius; µS/cm, microsiemens per centimeter; µg/L, micrograms per liter; <, less than; U, analyzed for but not detected; m, value is highly variable by this method; n, below the LRL and above the LT-MDL]

Station number	Dicrotophos, water, filtered, recoverable, µg/L (38454)	Dieldrin, water, filtered, recoverable, µg/L (39381)	Dimethoate, water, filtered (0.7 micron glass fiber filter), recoverable, µg/L (82662)	Disulfoton sulfone, water, filtered, recoverable, µg/L (61640)	Disulfoton, water, filtered (0.7 micron glass fiber filter), recoverable, µg/L (82677)	Endosulfan sulfate, water, filtered, recoverable, µg/L (61590)	EPTC, water, filtered (0.7 micron glass fiber filter), recoverable, µg/L (82668)	Ethion monoxon, water, filtered, recoverable, µg/L (61644)	Ethion, water, filtered, recoverable, µg/L (82346)
490042122241001	< .08 m	< .008	< .0100 m	< .014	< .040 m	< .016	< .0056	< .021 m	< .010

## 490042122241001 Local number 092G.008.2.2.2-99 ABB1—Continued

**WATER-QUALITY DATA**  
**WATER YEAR OCTOBER 2011 TO SEPTEMBER 2012**

Part 14 of 26

[CaCO<sub>3</sub>, calcium carbonate; N, nitrogen; NTRU, nephelometric turbidity ratio unit; P, phosphorus; SiO<sub>2</sub>, silicon dioxide; ft, feet; mg/L, milligrams per liter; mm Hg, millimeters of mercury; nm, nanometers; °C, degrees Celsius; µS/cm, microsiemens per centimeter; µg/L, micrograms per liter; <, less than; U, analyzed for but not detected; m, value is highly variable by this method; n, below the LRL and above the LT-MDL]

Station number	Ethoprop, water, filtered (0.7 micron glass fiber filter), recover- able, µg/L (82672)	Fenami- phos sulfone, water, filtered, recover- able, µg/L (61645)	Fenami- phos sulfoxide, water, filtered, recover- able, µg/L (61646)	Fenami- phos, water, filtered, recover- able, µg/L (61591)	Fipronil sulfide, water, filtered, recover- able, µg/L (62167)	Fipronil sulfone, water, filtered, recover- able, µg/L (62168)	Fipronil, water, filtered, recover- able, µg/L (62166)	Fonofos, water, filtered, recover- able, µg/L (04095)	Hexa- zinone, water, filtered, recover- able, µg/L (04025)
490042122241001	< .016	< .054	< .08 m	< .030	< .012	< .024	< .018 m	< .0048	< .012

**WATER-QUALITY DATA**  
**WATER YEAR OCTOBER 2011 TO SEPTEMBER 2012**

Part 15 of 26

[CaCO<sub>3</sub>, calcium carbonate; N, nitrogen; NTRU, nephelometric turbidity ratio unit; P, phosphorus; SiO<sub>2</sub>, silicon dioxide; ft, feet; mg/L, milligrams per liter; mm Hg, millimeters of mercury; nm, nanometers; °C, degrees Celsius; µS/cm, microsiemens per centimeter; µg/L, micrograms per liter; <, less than; U, analyzed for but not detected; m, value is highly variable by this method; n, below the LRL and above the LT-MDL]

Station number	Iodo- methane, water, unfiltered, recover- able, µg/L (77424)	Iprodione, water, filtered, recover- able, µg/L (61593)	Isofen- phos, water, filtered, recover- able, µg/L (61594)	lambda- Cyhalo- thrin, water, filtered, recover- able, µg/L (61595)	Malaoxon, water, filtered, recover- able, µg/L (61652)	Malathion, water, filtered, recover- able, µg/L (39532)	Metalaxyl, water, filtered, recover- able, µg/L (61596)	Methida- thion, water, filtered, recover- able, µg/L (61598)	Methyl paraoxon, water, filtered, recover- able, µg/L (61664)
490042122241001	< .26 m	< .014 m	< .008	< .010 m	< .022	< .016	0.019	< .012	< .014 m

**WATER-QUALITY DATA**  
**WATER YEAR OCTOBER 2011 TO SEPTEMBER 2012**

Part 16 of 26

[CaCO<sub>3</sub>, calcium carbonate; N, nitrogen; NTRU, nephelometric turbidity ratio unit; P, phosphorus; SiO<sub>2</sub>, silicon dioxide; ft, feet; mg/L, milligrams per liter; mm Hg, millimeters of mercury; nm, nanometers; °C, degrees Celsius; µS/cm, microsiemens per centimeter; µg/L, micrograms per liter; <, less than; U, analyzed for but not detected; m, value is highly variable by this method; n, below the LRL and above the LT-MDL]

Station number	Methyl parathion, water, filtered (0.7 micron glass fiber filter), recover- able, µg/L (82667)	Metola- chlor, water, filtered, recover- able, µg/L (39415)	Metri- buzin, water, filtered, recover- able, µg/L (82630)	Molinate, water, filtered (0.7 micron glass fiber filter), recover- able, µg/L (82671)	Myclo- butanil, water, filtered, recover- able, µg/L (61599)	Oxy- fluorfen, water, filtered, recover- able, µg/L (61600)	Pendi- methalin, water, filtered (0.7 micron glass fiber filter), recover- able, µg/L (82683)	Phorate oxygen analog, water, filtered, recover- able, µg/L (61666)	Phorate, water, filtered (0.7 micron glass fiber filter), recover- able, µg/L (82664)
490042122241001	< .008	< .020	< .012	< .0040	< .010	< .010	< .012	< .027 m	< .020

## 490042122241001 Local number 092G.008.2.2.2-99 ABB1—Continued

**WATER-QUALITY DATA**  
**WATER YEAR OCTOBER 2011 TO SEPTEMBER 2012**

Part 17 of 26

[CaCO<sub>3</sub>, calcium carbonate; N, nitrogen; NTRU, nephelometric turbidity ratio unit; P, phosphorus; SiO<sub>2</sub>, silicon dioxide; ft, feet; mg/L, milligrams per liter; mm Hg, millimeters of mercury; nm, nanometers; °C, degrees Celsius; µS/cm, microsiemens per centimeter; µg/L, micrograms per liter; <, less than; U, analyzed for but not detected; m, value is highly variable by this method; n, below the LRL and above the LT-MDL]

Station number	Phosmet oxygen analog, water, filtered, recoverable, µg/L (61668)	Phosmet, water, filtered, recoverable, µg/L (61601)	Prometon, water, filtered, recoverable, µg/L (04037)	Prometryn, water, filtered, recoverable, µg/L (04036)	Propanil, water, filtered (0.7 micron glass fiber filter), recoverable, µg/L (82679)	Propargite, water, filtered (0.7 micron glass fiber filter), recoverable, µg/L (82685)	Propyzamide, water, filtered (0.7 micron glass fiber filter), recoverable, µg/L (82676)	Simazine, water, filtered, recoverable, µg/L (04035)	Tebu-thiuron, water, filtered (0.7 micron glass fiber filter), recoverable, µg/L (82670)
490042122241001	< .0511 m	< .080 m	< .012	< .010	< .010	< .020	< .0036	0.020	< .028

**WATER-QUALITY DATA**  
**WATER YEAR OCTOBER 2011 TO SEPTEMBER 2012**

Part 18 of 26

[CaCO<sub>3</sub>, calcium carbonate; N, nitrogen; NTRU, nephelometric turbidity ratio unit; P, phosphorus; SiO<sub>2</sub>, silicon dioxide; ft, feet; mg/L, milligrams per liter; mm Hg, millimeters of mercury; nm, nanometers; °C, degrees Celsius; µS/cm, microsiemens per centimeter; µg/L, micrograms per liter; <, less than; U, analyzed for but not detected; m, value is highly variable by this method; n, below the LRL and above the LT-MDL]

Station number	Tefluthrin, water, filtered, recoverable, µg/L (61606)	Terbufos oxygen analog sulfone, water, filtered, recoverable, µg/L (61674)	Terbufos, water, filtered (0.7 micron glass fiber filter), recoverable, µg/L (82675)	Terbutylazine, water, filtered, recoverable, µg/L (04022)	Thioben-carb, water, filtered (0.7 micron glass fiber filter), recoverable, µg/L (82681)	trans-1,3-Dichloropropene, water, unfiltered, recoverable, µg/L (34699)	trans-Propiconazole, water, filtered, recoverable, µg/L (79847)	Tribuphos, water, filtered, recoverable, µg/L (61610)	Trifluralin, water, filtered (0.7 micron glass fiber filter), recoverable, µg/L (82661)
490042122241001	< .014 m	< .045	< .018	< .008	< .016	< .14	< .018 m	< .018 m	< .018

## 490042122241001 Local number 092G.008.2.2.2-99 ABB1—Continued

**WATER-QUALITY DATA**  
**WATER YEAR OCTOBER 2011 TO SEPTEMBER 2012**

Part 19 of 26

[CaCO<sub>3</sub>, calcium carbonate; N, nitrogen; NTRU, nephelometric turbidity ratio unit; P, phosphorus; SiO<sub>2</sub>, silicon dioxide; ft, feet; mg/L, milligrams per liter; mm Hg, millimeters of mercury; nm, nanometers; °C, degrees Celsius; µS/cm, microsiemens per centimeter; µg/L, micrograms per liter; <, less than; U, analyzed for but not detected; m, value is highly variable by this method; n, below the LRL and above the LT-MDL]

Station number	1,1,1,2-Tetra-chloro-ethane, water, unfiltered, recoverable, µg/L (77562)	1,1,1-Tri-chloro-ethane, water, unfiltered, recoverable, µg/L (34506)	1,1,2,2-Tetra-chloro-ethane, water, unfiltered, recoverable, µg/L (34516)	1,1,2-Tri-chloro-1,2,2-trifluoro-ethane, water, unfiltered, recoverable, µg/L (77652)	1,1,2-Tri-chloro-ethane, water, unfiltered, recoverable, µg/L (34511)	1,1-Di-chloro-ethane, water, unfiltered, recoverable, µg/L (34496)	1,1-Di-chloro-ethene, water, unfiltered, recoverable, µg/L (34501)	1,1-Di-chloro-propene, water, unfiltered, recoverable, µg/L (77168)	1,2,3,4-Tetra-methyl-benzene, water, unfiltered, recoverable, µg/L (49999)
490042122241001	< .040	< .030	< .14	< .022	< .046	< .044	< .022	< .040	< .10

**WATER-QUALITY DATA**  
**WATER YEAR OCTOBER 2011 TO SEPTEMBER 2012**

Part 20 of 26

[CaCO<sub>3</sub>, calcium carbonate; N, nitrogen; NTRU, nephelometric turbidity ratio unit; P, phosphorus; SiO<sub>2</sub>, silicon dioxide; ft, feet; mg/L, milligrams per liter; mm Hg, millimeters of mercury; nm, nanometers; °C, degrees Celsius; µS/cm, microsiemens per centimeter; µg/L, micrograms per liter; <, less than; U, analyzed for but not detected; m, value is highly variable by this method; n, below the LRL and above the LT-MDL]

Station number	1,2,3,5-Tetra-methyl-benzene, water, unfiltered, recoverable, µg/L (50000)	1,2,3-Tri-chloro-benzene, water, unfiltered, recoverable, µg/L (77613)	1,2,3-Tri-methyl-benzene, water, unfiltered, recoverable, µg/L (77221)	1,2,4-Tri-chloro-benzene, water, unfiltered, recoverable, µg/L (34551)	1,2,4-Tri-methyl-benzene, water, unfiltered, recoverable, µg/L (77222)	1,2-Dichloro-benzene, water, unfiltered, recoverable, µg/L (34536)	1,3,5-Tri-methyl-benzene, water, unfiltered, recoverable, µg/L (77226)	1,3-Dichloro-benzene, water, unfiltered, recoverable, µg/L (34566)	2,2-Di-chloro-propane, water, unfiltered, recoverable, µg/L (77170)
490042122241001	< .080	< .06	< .060	< .08	< .032	< .028	< .032	< .024	< .06

**WATER-QUALITY DATA**  
**WATER YEAR OCTOBER 2011 TO SEPTEMBER 2012**

Part 21 of 26

[CaCO<sub>3</sub>, calcium carbonate; N, nitrogen; NTRU, nephelometric turbidity ratio unit; P, phosphorus; SiO<sub>2</sub>, silicon dioxide; ft, feet; mg/L, milligrams per liter; mm Hg, millimeters of mercury; nm, nanometers; °C, degrees Celsius; µS/cm, microsiemens per centimeter; µg/L, micrograms per liter; <, less than; U, analyzed for but not detected; m, value is highly variable by this method; n, below the LRL and above the LT-MDL]

Station number	2-Chloro-toluene, water, unfiltered, recoverable, µg/L (77275)	2-Ethyl-toluene, water, unfiltered, recoverable, µg/L (77220)	4-Chloro-toluene, water, unfiltered, recoverable, µg/L (77277)	4-Iso-propyl-toluene, water, unfiltered, recoverable, µg/L (77356)	Acetone, water, unfiltered, recoverable, µg/L (81552)	Benzene, water, unfiltered, recoverable, µg/L (34030)	Bromo-benzene, water, unfiltered, recoverable, µg/L (81555)	Bromo-chloro-methane, water, unfiltered, recoverable, µg/L (77297)	Bromo-dichloro-methane, water, unfiltered, recoverable, µg/L (32101)
490042122241001	< .028	< .032	< .042	< .06	< 3.4	< .026	< .022	< .06	< .034

## 490042122241001 Local number 092G.008.2.2.2-99 ABB1—Continued

**WATER-QUALITY DATA**  
**WATER YEAR OCTOBER 2011 TO SEPTEMBER 2012**

Part 22 of 26

[CaCO<sub>3</sub>, calcium carbonate; N, nitrogen; NTRU, nephelometric turbidity ratio unit; P, phosphorus; SiO<sub>2</sub>, silicon dioxide; ft, feet; mg/L, milligrams per liter; mm Hg, millimeters of mercury; nm, nanometers; °C, degrees Celsius; µS/cm, microsiemens per centimeter; µg/L, micrograms per liter; <, less than; U, analyzed for but not detected; m, value is highly variable by this method; n, below the LRL and above the LT-MDL]

Station number	Bromo-ethene, water, unfiltered, recoverable, µg/L (50002)	Chloro-benzene, water, unfiltered, recoverable, µg/L (34301)	Chloro-ethane, water, unfiltered, recoverable, µg/L (34311)	Chloro-methane, water, unfiltered, recoverable, µg/L (34418)	cis-1,2-Di-chloro-ethene, water, unfiltered, recoverable, µg/L (77093)	Dibromo-chloro-methane, water, unfiltered, recoverable, µg/L (32105)	Dibromo-methane, water, unfiltered, recoverable, µg/L (30217)	Dichloro-difluoro-methane, water, unfiltered, recoverable, µg/L (34668)	Dichloro-methane, water, unfiltered, recoverable, µg/L (34423)
490042122241001	< .12	< .026	< .06	< .1 m	< .022	< .12	< .050	< .10 m	< .04

**WATER-QUALITY DATA**  
**WATER YEAR OCTOBER 2011 TO SEPTEMBER 2012**

Part 23 of 26

[CaCO<sub>3</sub>, calcium carbonate; N, nitrogen; NTRU, nephelometric turbidity ratio unit; P, phosphorus; SiO<sub>2</sub>, silicon dioxide; ft, feet; mg/L, milligrams per liter; mm Hg, millimeters of mercury; nm, nanometers; °C, degrees Celsius; µS/cm, microsiemens per centimeter; µg/L, micrograms per liter; <, less than; U, analyzed for but not detected; m, value is highly variable by this method; n, below the LRL and above the LT-MDL]

Station number	Diethyl ether, water, unfiltered, recoverable, µg/L (81576)	Diiso-propyl ether, water, unfiltered, recoverable, µg/L (81577)	Ethyl methacrylate, water, unfiltered, recoverable, µg/L (73570)	Ethyl methyl ketone, water, unfiltered, recoverable, µg/L (81595)	Ethyl-benzene, water, unfiltered, recoverable, µg/L (34371)	Hexa-chloro-butadiene, water, unfiltered, recoverable, µg/L (39702)	Hexa-chloro-ethane, water, unfiltered, recoverable, µg/L (34396)	Isobutyl methyl ketone, water, unfiltered, recoverable, µg/L (78133)	Isopropyl-benzene, water, unfiltered, recoverable, µg/L (77223)
490042122241001	< .1	< .06	< .20	< 1.6	< .036	< .08	< .10	< .32	< .042

**WATER-QUALITY DATA**  
**WATER YEAR OCTOBER 2011 TO SEPTEMBER 2012**

Part 24 of 26

[CaCO<sub>3</sub>, calcium carbonate; N, nitrogen; NTRU, nephelometric turbidity ratio unit; P, phosphorus; SiO<sub>2</sub>, silicon dioxide; ft, feet; mg/L, milligrams per liter; mm Hg, millimeters of mercury; nm, nanometers; °C, degrees Celsius; µS/cm, microsiemens per centimeter; µg/L, micrograms per liter; <, less than; U, analyzed for but not detected; m, value is highly variable by this method; n, below the LRL and above the LT-MDL]

Station number	Methyl acrylate, water, unfiltered, recoverable, µg/L (49991)	Methyl acrylonitrile, water, unfiltered, recoverable, µg/L (81593)	Methyl methacrylate, water, unfiltered, recoverable, µg/L (81597)	Methyl tert-butyl ether, water, unfiltered, recoverable, µg/L (78032)	Methyl tert-pentyl ether, water, unfiltered, recoverable, µg/L (50005)	m-Xylene plus p-xylene, water, unfiltered, recoverable, µg/L (85795)	Naphthalene, water, unfiltered, recoverable, µg/L (34696)	n-Butyl methyl ketone, water, unfiltered, recoverable, µg/L (77103)	n-Butyl-benzene, water, unfiltered, recoverable, µg/L (77342)
490042122241001	< .8	< .26	< .22	< .10	< .06	< .08	< .18	< .4	< .08

## 490042122241001 Local number 092G.008.2.2.2-99 ABB1—Continued

**WATER-QUALITY DATA**  
**WATER YEAR OCTOBER 2011 TO SEPTEMBER 2012**

Part 25 of 26

[CaCO<sub>3</sub>, calcium carbonate; N, nitrogen; NTRU, nephelometric turbidity ratio unit; P, phosphorus; SiO<sub>2</sub>, silicon dioxide; ft, feet; mg/L, milligrams per liter; mm Hg, millimeters of mercury; nm, nanometers; °C, degrees Celsius; µS/cm, microsiemens per centimeter; µg/L, micrograms per liter; <, less than; U, analyzed for but not detected; m, value is highly variable by this method; n, below the LRL and above the LT-MDL]

Station number	n-Propyl- benzene, water, unfiltered, recover- able, µg/L (77224)	o-Xylene, water, unfiltered, recover- able, µg/L (77135)	sec-Butyl- benzene, water, unfiltered, recover- able, µg/L (77350)	Styrene, water, unfiltered, recover- able, µg/L (77128)	tert-Butyl ethyl ether, water, unfiltered, recover- able, µg/L (50004)	tert-Butyl- benzene, water, unfiltered, recover- able, µg/L (77353)	Tetra- chloro- ethene, water, unfiltered, recover- able, µg/L (34475)	Tetra- chloro- methane, water, unfiltered, recover- able, µg/L (32102)	Tetra- hydro- furan, water, unfiltered, recover- able, µg/L (81607)
490042122241001	< .036	< .032	< .034	< .042	< .032	< .060	< .026	< .06	< 1.4

**WATER-QUALITY DATA**  
**WATER YEAR OCTOBER 2011 TO SEPTEMBER 2012**

Part 26 of 26

[CaCO<sub>3</sub>, calcium carbonate; N, nitrogen; NTRU, nephelometric turbidity ratio unit; P, phosphorus; SiO<sub>2</sub>, silicon dioxide; ft, feet; mg/L, milligrams per liter; mm Hg, millimeters of mercury; nm, nanometers; °C, degrees Celsius; µS/cm, microsiemens per centimeter; µg/L, micrograms per liter; <, less than; U, analyzed for but not detected; m, value is highly variable by this method; n, below the LRL and above the LT-MDL]

Station number	Toluene, water, unfiltered, recover- able, µg/L (34010)	trans-1,2- Dichloro- ethene, water, unfiltered, recover- able, µg/L (34546)	trans-1,4- Dichloro- 2-butene, water, unfiltered, recover- able, µg/L (73547)	Tribromo- methane, water, unfiltered, recover- able, µg/L (32104)	Trichloro- ethene, water, unfiltered, recover- able, µg/L (39180)	Trichloro- fluoro- methane, water, unfiltered, recover- able, µg/L (34488)	Trichloro- methane, water, unfiltered, recover- able, µg/L (32106)	Vinyl chloride, water, unfiltered, recover- able, µg/L (39175)	Uranium (natural), water, filtered, µg/L (22703)
490042122241001	< .02	< .018	< 2.0 m	< .10	< .022	< .06	< .03	< .06	0.005 n